🌟🌟🌟 Day 42 of Our Daily UiPath Q&A Challenge! 🌟🌟🌟

Welcome to Day 42 of our exciting UiPath Q&A Challenge! Each day, we'll be answering one key question to help you master UiPath and revolutionize your automation journey. 🚀

⛔ Question for Today

How to Create & Delete Storage Bucket in UiPath Orchestrator?

Create Storage Bucket

1️⃣ Go to Folder where storage bucket needs to be created (Ex. New Folder)>>> Storage Buckets >>> Click on + Add storage bucket.

2️⃣ Click on create a new storage bucket.

3 Select type of storage vendor
1. Orchestrator
2. Azure storage
3. Amazon S3

4 Add Name of Storage Bucket.
5 Enable bucket options for read only access if required.
6 Click on Add.

Delete Storage Bucket

1 Go to Folder from where storage bucket needs to be deleted(Ex. New Folder)>>> Storage Buckets

2 Click on ⋮ Icon of storage bucket.

3 Click on Delete. (Click on edit if you want edit it.)

4 Add Exact storage Bucket Name

5 Click on Delete.

⊗ **Delete item(s)**

Deleting a bucket will reset any retention policies referencing that bucket. For Orchestrator Buckets this will also result in the loss of the archive.

Confirm by typing " Test Bucket " below.

Confirmation for removal

Test Bucket

No   **Delete**

⊙ Tenant	Home	Automations	Monitoring	Queues	Assets	Business Rules *Preview*	**Storage Buckets**	Testing	Settings

□ My Folders	🔍 Search	▦ ∨	Provider: All ∨	Options: All ∨	Labels: All ∨	Properties: All ∨		+ Add storage bucket ∨

🔍 Search

	□ Name ▲	Provider ⇕	Options ⇕	Description ⇕	Labels	Properties	↻
🗀 My Workspace	□ **Test Bucket**	🅄🄸 Orchestrator					

🗀 **New Folder** | 1 - 1 / 1 |< <   Page 1 / 1   > >| Edit

🗀 Shared   Manage links

🗀 new   Delete