

☀️☀️☀️ Day 41 of Our Daily UiPath Q&A Challenge! ☀️☀️☀️


Welcome to Day 41 of our exciting UiPath Q&A Challenge! Each day, we'll be answering one key question to help you master UiPath and revolutionize your automation journey. 🚀


🚫 Question for Today

How to Create & Delete folders in UiPath Orchestrator?


Create Folder

- 1 Go to Tenant > Folders > Click on New Folder Icon.
- 2 Add Folder name.
- 3 Select Process packages source
 1. Tenant package feed - folder will use packages from tenant feed.
 2. Create a new package feed for this folder - It will create a package feed which will be accessible by this folder only.
- 4 Click create






Create Subfolder

- 1 Click on  icon.
- 2 Click Create subfolder
- 3 Type subfolder name
- 4 Click Create

A screenshot of a dialog box titled 'New Subfolder in New Folder'. The dialog box has a dark background and a close button (X) in the top right corner. It contains two input fields: 'Name*' and 'Description'. The 'Name*' field is highlighted with a red rectangle and contains the text 'Test 1'. The 'Description' field is empty. At the bottom right of the dialog box, there are two buttons: 'Cancel' and 'Create'. The 'Create' button is highlighted with a red rectangle.

Delete Folder

- 1 Click on  icon.
- 2 Click on Delete
- 3 Type exact folder name
- 4 Click Delete

