Final Test Case Register

DDP-087 • Consolidated representative executable test inventory

Darshana Opticals — Optical Shop Management System (OSMS)

DDP-087 | Evidence baseline: 25 October 2026 | Revision: 26 October 2026 | Status: evidence-qualified review candidate; outstanding confirmations explicitly identified

Document control: Prepared from locally executed Jest/Vitest logs and DDP-087 issue requirements. No manual or E2E outcomes are invented. SRS v1.0 remains approved baseline; SRS v1.1 remains review candidate. Technical foundation tests may have only an indirect NFR link.

1. Register purpose and use

This register consolidates directly observable named test scenarios from the uploaded successful Jest and Vitest outputs. Each selected scenario is recorded with a stable DDP-087 register ID, suite/test reference, test type, priority, preconditions, steps/input, expected and actual outcome, and execution status. Register IDs are QA inventory identifiers, NOT approved SRS IDs. SRS links are reconciled in Appendix A against FR-001–FR-014 and NFR-001–NFR-007; foundational tests without direct business-requirement coverage are explicitly classified as technical supporting evidence. Automated suites can contain multiple scenarios beyond those excerpted below: this is an evidence-backed representative register, not a verified enumeration of all 3,416 individual tests.

Evidence group	Executed	Passed	Failed
Backend Jest	2,075	2,075	0
Frontend Vitest	1,341	1,341	0
TOTAL	3,416	3,416	0

2. Case notation, status and execution method

IDs use QA-BE-### for backend and QA-FE-### for frontend. Status “Pass” is limited to test names explicitly shown passing in the uploaded successful output; outcome descriptions summarize the test assertion name, not a separately inspected response payload. Type: B-unit / B-integration / F-component / F-route / F-service; where the framework-level test category is uncertain it is labeled automated and the suite path is authoritative. Default priority is High for security, payment and records consistency; Medium otherwise. All automated cases were recorded on 25 October 2026.

Standard precondition for backend: project test environment with MongoDB Memory Server configured and Jest dependencies installed; frontend: Vitest/jsdom test runtime with test mocks/fixtures. Steps: execute the named suite with its existing fixture and asserted scenario. Actual result: assertion passed as confirmed in runner output; this does not prove live production behavior.

3. Verified automated test cases

Common actual-result wording: “Pass — assertion accepted by the test runner in the successful 25 Oct 2026 run.” All rows refer to evidence from that execution, not to live system/manual execution.

QA-BE-001 — Database rejects missing URI outside test mode

Attribute	Recorded value
SRS requirement	Supporting infrastructure test — no direct FR/NFR acceptance verification
Test type / priority	Integration / High
Test source	tests/integration/database.test.js
Preconditions	Non-test environment lacks database URI
Steps / input	Start connection logic without MONGODB_URI
Expected result	Failure is required and sensitive connection details not leaked
Actual result	Named test/suite assertions passed in the uploaded automated execution
Status	PASS — local automated
Evidence	Backend Jest 118/118 suites; 2,075/2,075 tests

QA-BE-002 — Database connects to isolated in-memory MongoDB

Attribute	Recorded value
SRS requirement	Supporting test infrastructure — no direct FR/NFR acceptance verification
Test type / priority	Integration / High
Test source	tests/integration/database.test.js
Preconditions	Test environment and MongoDB executable available
Steps / input	Run test-mode DB connection
Expected result	In-memory database connection succeeds
Actual result	Named test/suite assertions passed in the uploaded automated execution
Status	PASS — local automated
Evidence	Backend Jest 118/118 suites; 2,075/2,075 tests

QA-BE-003 — Database hides credentials on connection failure

Attribute	Recorded value
SRS requirement	Supporting database error-handling test — no direct FR/NFR acceptance verification
Test type / priority	Integration / High
Test source	tests/integration/database.test.js
Preconditions	Simulated failed connection
Steps / input	Trigger expected connection failure
Expected result	URI and credentials not exposed
Actual result	Named test/suite assertions passed in the uploaded automated execution
Status	PASS — local automated
Evidence	Backend Jest 118/118 suites; 2,075/2,075 tests

QA-BE-004 — Staff and doctor lifecycle security

Attribute	Recorded value
SRS requirement	FR-001 (staff access); ADR-002 staff/doctor role boundary; not FR-007 appointment booking
Test type / priority	Integration / High
Test source	tests/integration/staffDoctorLifecycleSecurity.test.js
Preconditions	Security test fixtures
Steps / input	Run staff/doctor lifecycle security suite
Expected result	Suite passes its security assertions
Actual result	Named test/suite assertions passed in the uploaded automated execution
Status	PASS — local automated
Evidence	Backend Jest 118/118 suites; 2,075/2,075 tests

QA-BE-005 — Chatbot session API

Attribute	Recorded value
SRS requirement	FR-011
Test type / priority	Integration / Medium
Test source	tests/integration/chatbotSessionApi.test.js
Preconditions	Mocked chatbot and session fixtures
Steps / input	Exercise API integration suite
Expected result	Session API assertions pass
Actual result	Named test/suite assertions passed in the uploaded automated execution
Status	PASS — local automated
Evidence	Backend Jest 118/118 suites; 2,075/2,075 tests

QA-BE-006 — Loyalty read API

Attribute	Recorded value
SRS requirement	FR-010
Test type / priority	Integration / Medium
Test source	tests/integration/loyaltyReadApi.test.js
Preconditions	Loyalty API fixture
Steps / input	Exercise loyalty read integration suite
Expected result	Read/API assertions pass
Actual result	Named test/suite assertions passed in the uploaded automated execution
Status	PASS — local automated
Evidence	Backend Jest 118/118 suites; 2,075/2,075 tests

QA-BE-007 — Inventory image lifecycle

Attribute	Recorded value
SRS requirement	FR-005 (inventory image workflow); ADR-008
Test type / priority	Integration / Medium
Test source	tests/integration/inventory.imageLifecycle.test.js
Preconditions	Image lifecycle fixtures
Steps / input	Run create/replace/removal test suite
Expected result	Image lifecycle assertions pass
Actual result	Named test/suite assertions passed in the uploaded automated execution
Status	PASS — local automated
Evidence	Backend Jest 118/118 suites; 2,075/2,075 tests

QA-BE-008 — Inventory image upload

Attribute	Recorded value
SRS requirement	FR-005 (inventory image workflow); ADR-008
Test type / priority	Integration / Medium
Test source	tests/integration/inventory.imageUpload.test.js
Preconditions	Simulated upload provider
Steps / input	Run upload handling suite
Expected result	Upload failure/success handling assertions pass
Actual result	Named test/suite assertions passed in the uploaded automated execution
Status	PASS — local automated
Evidence	Backend Jest 118/118 suites; 2,075/2,075 tests

QA-BE-009 — Password reset service

Attribute	Recorded value
SRS requirement	FR-001 (account recovery)
Test type / priority	Unit / High
Test source	tests/unit/passwordReset.service.test.js
Preconditions	Mocked eligible identities
Steps / input	Run password reset suite
Expected result	Recovery guards and reset behavior pass
Actual result	Named test/suite assertions passed in the uploaded automated execution
Status	PASS — local automated
Evidence	Backend Jest 118/118 suites; 2,075/2,075 tests

QA-BE-010 — Payment validation

Attribute	Recorded value
SRS requirement	FR-009

Attribute	Recorded value
Test type / priority	Unit / High
Test source	tests/unit/payment.validation.test.js
Preconditions	Payment fixtures
Steps / input	Run payment validation suite
Expected result	Payment validation assertions pass
Actual result	Named test/suite assertions passed in the uploaded automated execution
Status	PASS — local automated
Evidence	Backend Jest 118/118 suites; 2,075/2,075 tests

QA-BE-011 — Payment monitoring

Attribute	Recorded value
SRS requirement	FR-009
Test type / priority	Unit / High
Test source	tests/unit/paymentMonitoring.test.js
Preconditions	Mocked payment states
Steps / input	Run monitoring suite
Expected result	Monitoring assertions pass
Actual result	Named test/suite assertions passed in the uploaded automated execution
Status	PASS — local automated
Evidence	Backend Jest 118/118 suites; 2,075/2,075 tests

QA-BE-012 — Checkout service

Attribute	Recorded value
SRS requirement	FR-004
Test type / priority	Unit / High
Test source	tests/unit/checkout.service.test.js
Preconditions	Checkout fixtures
Steps / input	Run checkout suite
Expected result	Checkout assertions pass
Actual result	Named test/suite assertions passed in the uploaded automated execution
Status	PASS — local automated
Evidence	Backend Jest 118/118 suites; 2,075/2,075 tests

QA-BE-013 — Order service

Attribute	Recorded value
SRS requirement	FR-014
Test type / priority	Unit / High
Test source	tests/unit/order.service.test.js

Attribute	Recorded value
Preconditions	Order fixtures
Steps / input	Run order service suite
Expected result	Order assertions pass
Actual result	Named test/suite assertions passed in the uploaded automated execution
Status	PASS — local automated
Evidence	Backend Jest 118/118 suites; 2,075/2,075 tests

QA-BE-014 — Audit service

Attribute	Recorded value
SRS requirement	NFR-004 (supporting audit behavior)
Test type / priority	Unit / High
Test source	tests/unit/audit.service.test.js
Preconditions	Audit mock/fixtures
Steps / input	Run audit service suite
Expected result	Audit assertions pass
Actual result	Named test/suite assertions passed in the uploaded automated execution
Status	PASS — local automated
Evidence	Backend Jest 118/118 suites; 2,075/2,075 tests

QA-BE-015 — Authorization middleware

Attribute	Recorded value
SRS requirement	FR-001; NFR-004
Test type / priority	Unit / High
Test source	tests/unit/authorizeRoles.test.js
Preconditions	Role fixtures
Steps / input	Run authorization suite
Expected result	Role guard assertions pass
Actual result	Named test/suite assertions passed in the uploaded automated execution
Status	PASS — local automated
Evidence	Backend Jest 118/118 suites; 2,075/2,075 tests

QA-FE-016 — Login routes by backend role

Attribute	Recorded value
SRS requirement	FR-001
Test type / priority	Component / High
Test source	tests/LoginPage.test.jsx
Preconditions	Mocked successful login and role
Steps / input	Submit valid credentials with returned role

Attribute	Recorded value
Expected result	Navigation uses backend role rather than email inference
Actual result	Named test/suite assertions passed in the uploaded automated execution
Status	PASS — local automated
Evidence	Frontend Vitest 110/110 files; 1,341/1,341 tests

QA-FE-017 — Login prevents repeated submissions

Attribute	Recorded value
SRS requirement	FR-001
Test type / priority	Component / Medium
Test source	tests/LoginPage.test.jsx
Preconditions	Login request pending
Steps / input	Submit credentials twice while loading
Expected result	Duplicate submission prevented
Actual result	Named test/suite assertions passed in the uploaded automated execution
Status	PASS — local automated
Evidence	Frontend Vitest 110/110 files; 1,341/1,341 tests

QA-FE-018 — Registration rejects invalid email

Attribute	Recorded value
SRS requirement	FR-001
Test type / priority	Component / High
Test source	tests/SignupPage.test.jsx
Preconditions	Signup form rendered
Steps / input	Enter invalid email and submit
Expected result	Invalid email rejected
Actual result	Named test/suite assertions passed in the uploaded automated execution
Status	PASS — local automated
Evidence	Frontend Vitest 110/110 files; 1,341/1,341 tests

QA-FE-019 — Password reset page presents masked inputs

Attribute	Recorded value
SRS requirement	FR-001
Test type / priority	Component / Medium
Test source	tests/ResetPasswordPage.test.jsx
Preconditions	Reset page rendered
Steps / input	Render reset form
Expected result	Two masked password fields and guidance shown
Actual result	Named test/suite assertions passed in the uploaded automated

Attribute	Recorded value
	execution
Status	PASS — local automated
Evidence	Frontend Vitest 110/110 files; 1,341/1,341 tests

QA-FE-020 — Customer orders protected by role

Attribute	Recorded value
SRS requirement	FR-001; NFR-004
Test type / priority	Route / High
Test source	src/routes/AppRoutes.test.jsx
Preconditions	Customer auth test state
Steps / input	Navigate to /orders as CUSTOMER
Expected result	Customer access permitted
Actual result	Named test/suite assertions passed in the uploaded automated execution
Status	PASS — local automated
Evidence	Frontend Vitest 110/110 files; 1,341/1,341 tests

QA-FE-021 — Inventory quantity rejects invalid values

Attribute	Recorded value
SRS requirement	FR-005
Test type / priority	Component / High
Test source	tests/InventoryQuantity.test.jsx
Preconditions	Inventory form rendered
Steps / input	Submit empty, negative, fractional quantities
Expected result	No write request sent
Actual result	Named test/suite assertions passed in the uploaded automated execution
Status	PASS — local automated
Evidence	Frontend Vitest 110/110 files; 1,341/1,341 tests

QA-FE-022 — Inventory write protected on backend 403

Attribute	Recorded value
SRS requirement	FR-005; NFR-004
Test type / priority	Component / High
Test source	tests/InventoryQuantity.test.jsx
Preconditions	Mock backend denies update
Steps / input	Attempt quantity edit
Expected result	Old quantity retained, safe 403 feedback shown
Actual result	Named test/suite assertions passed in the uploaded automated execution
Status	PASS — local automated

Attribute	Recorded value
Evidence	Frontend Vitest 110/110 files; 1,341/1,341 tests

QA-FE-023 — Inventory create disables repeats

Attribute	Recorded value
SRS requirement	FR-005
Test type / priority	Component / Medium
Test source	tests/InventoryPage.test.jsx
Preconditions	Inventory create request pending
Steps / input	Attempt repeated submission
Expected result	Duplicates blocked
Actual result	Named test/suite assertions passed in the uploaded automated execution
Status	PASS — local automated
Evidence	Frontend Vitest 110/110 files; 1,341/1,341 tests

QA-FE-024 — Payment success requires backend confirmation

Attribute	Recorded value
SRS requirement	FR-009
Test type / priority	Component / High
Test source	tests/PaymentResultPage.test.jsx
Preconditions	Mock payment statuses
Steps / input	Render payment result without backend confirmation
Expected result	Success only when backend confirms completion
Actual result	Named test/suite assertions passed in the uploaded automated execution
Status	PASS — local automated
Evidence	Frontend Vitest 110/110 files; 1,341/1,341 tests

QA-FE-025 — Payment initiation blocks double submit

Attribute	Recorded value
SRS requirement	FR-009
Test type / priority	Component / High
Test source	tests/PaymentEntryPage.test.jsx
Preconditions	Payment initiation pending
Steps / input	Repeat initiation action
Expected result	No duplicate payment initiation
Actual result	Named test/suite assertions passed in the uploaded automated execution
Status	PASS — local automated
Evidence	Frontend Vitest 110/110 files; 1,341/1,341 tests

QA-FE-026 — Payment handles uncertain network state

Attribute	Recorded value
SRS requirement	FR-009
Test type / priority	Component / High
Test source	tests/PaymentEntryPage.test.jsx
Preconditions	Mock uncertain network response
Steps / input	Attempt initiation then simulate network failure
Expected result	Status recovery required
Actual result	Named test/suite assertions passed in the uploaded automated execution
Status	PASS — local automated
Evidence	Frontend Vitest 110/110 files; 1,341/1,341 tests

QA-FE-027 — Appointment booking prevents invented slots

Attribute	Recorded value
SRS requirement	FR-007
Test type / priority	Component / High
Test source	tests/AppointmentBookingPage.test.jsx
Preconditions	Available session fixture
Steps / input	Render booking time selection
Expected result	No arbitrary time slots displayed
Actual result	Named test/suite assertions passed in the uploaded automated execution
Status	PASS — local automated
Evidence	Frontend Vitest 110/110 files; 1,341/1,341 tests

QA-FE-028 — Appointment booking handles stale availability

Attribute	Recorded value
SRS requirement	FR-007
Test type / priority	Component / High
Test source	tests/AppointmentBookingPage.test.jsx
Preconditions	Conflict response fixture
Steps / input	Submit stale slot
Expected result	Conflict handled with safe feedback
Actual result	Named test/suite assertions passed in the uploaded automated execution
Status	PASS — local automated
Evidence	Frontend Vitest 110/110 files; 1,341/1,341 tests

QA-FE-029 — Appointment booking enforces booking window

Attribute	Recorded value
SRS requirement	FR-007

Attribute	Recorded value
Test type / priority	Component / High
Test source	tests/AppointmentBookingPage.test.jsx
Preconditions	24-hour window rejection fixture
Steps / input	Submit outside permitted window
Expected result	Rejection handled; reselection possible
Actual result	Named test/suite assertions passed in the uploaded automated execution
Status	PASS — local automated
Evidence	Frontend Vitest 110/110 files; 1,341/1,341 tests

QA-FE-030 — Prescription entry validates eye axis

Attribute	Recorded value
SRS requirement	FR-013
Test type / priority	Component / High
Test source	tests/PrescriptionEntryForm.test.jsx
Preconditions	Prescription form rendered
Steps / input	Submit axis values 0 and 180
Expected result	Permitted values accepted and approved data sent
Actual result	Named test/suite assertions passed in the uploaded automated execution
Status	PASS — local automated
Evidence	Frontend Vitest 110/110 files; 1,341/1,341 tests

QA-FE-031 — Prescription retains values on validation error

Attribute	Recorded value
SRS requirement	FR-013
Test type / priority	Component / High
Test source	tests/PrescriptionEntryForm.test.jsx
Preconditions	Invalid submitted prescription
Steps / input	Trigger validation error
Expected result	Entered values preserved
Actual result	Named test/suite assertions passed in the uploaded automated execution
Status	PASS — local automated
Evidence	Frontend Vitest 110/110 files; 1,341/1,341 tests

QA-FE-032 — Staff management deactivation confirmation

Attribute	Recorded value
SRS requirement	FR-001
Test type / priority	Component / High
Test source	tests/AdminStaffManagementPage.test.jsx

Attribute	Recorded value
Preconditions	Admin staff list fixture
Steps / input	Choose deactivate then confirm
Expected result	Confirmation requested; refresh after success
Actual result	Named test/suite assertions passed in the uploaded automated execution
Status	PASS — local automated
Evidence	Frontend Vitest 110/110 files; 1,341/1,341 tests

QA-FE-033 — Staff sensitive role change confirmation

Attribute	Recorded value
SRS requirement	FR-001
Test type / priority	Component / High
Test source	tests/AdminStaffEditor.test.jsx
Preconditions	Admin editor with selected staff
Steps / input	Change staff role
Expected result	Explicit confirmation before role API call
Actual result	Named test/suite assertions passed in the uploaded automated execution
Status	PASS — local automated
Evidence	Frontend Vitest 110/110 files; 1,341/1,341 tests

QA-FE-034 — Customer chatbot ignores post-logout success

Attribute	Recorded value
SRS requirement	FR-011
Test type / priority	Component / High
Test source	tests/ChatbotFlow.test.jsx
Preconditions	Chatbot request pending
Steps / input	Logout before late successful response
Expected result	No logged-out transcript restoration
Actual result	Named test/suite assertions passed in the uploaded automated execution
Status	PASS — local automated
Evidence	Frontend Vitest 110/110 files; 1,341/1,341 tests

QA-FE-035 — Chatbot hostile output safely escaped

Attribute	Recorded value
SRS requirement	FR-011; NFR-004
Test type / priority	Component / High
Test source	tests/ChatbotFlow.test.jsx
Preconditions	Malicious input/output fixtures
Steps / input	Send injection text and render mock answer

Attribute	Recorded value
Expected result	Hostile output escaped in DOM
Actual result	Named test/suite assertions passed in the uploaded automated execution
Status	PASS — local automated
Evidence	Frontend Vitest 110/110 files; 1,341/1,341 tests

QA-FE-036 — Staff order control limits status progression

Attribute	Recorded value
SRS requirement	FR-014
Test type / priority	Component / High
Test source	src/components/orders/StaffOrderStatusControl.test.jsx
Preconditions	Order in fixture status
Steps / input	Render permitted actions
Expected result	Only allowed next statuses shown
Actual result	Named test/suite assertions passed in the uploaded automated execution
Status	PASS — local automated
Evidence	Frontend Vitest 110/110 files; 1,341/1,341 tests

QA-FE-037 — Reporting masks sensitive DTO fields

Attribute	Recorded value
SRS requirement	FR-012; NFR-004
Test type / priority	Component / High
Test source	tests/ReportDetails.test.jsx
Preconditions	Masked report fixture
Steps / input	Render report details
Expected result	Only approved masked sales fields shown
Actual result	Named test/suite assertions passed in the uploaded automated execution
Status	PASS — local automated
Evidence	Frontend Vitest 110/110 files; 1,341/1,341 tests

QA-FE-038 — Cart route requires authentication

Attribute	Recorded value
SRS requirement	FR-001
Test type / priority	Route / High
Test source	tests/App.test.jsx
Preconditions	Unauthenticated test state
Steps / input	Navigate to customer cart
Expected result	Redirected to login
Actual result	Named test/suite assertions passed in the uploaded automated

Attribute	Recorded value
	execution
Status	PASS — local automated
Evidence	Frontend Vitest 110/110 files; 1,341/1,341 tests

QA-FE-039 — Protected route denies unauthenticated access

Attribute	Recorded value
SRS requirement	FR-001; NFR-004
Test type / priority	Route / High
Test source	tests/ProtectedRoute.test.jsx
Preconditions	Unauthenticated test state
Steps / input	Visit protected route
Expected result	Login redirect shown
Actual result	Named test/suite assertions passed in the uploaded automated execution
Status	PASS — local automated
Evidence	Frontend Vitest 110/110 files; 1,341/1,341 tests

QA-FE-040 — Customer appointment cancellation refresh

Attribute	Recorded value
SRS requirement	FR-007
Test type / priority	Component / Medium
Test source	tests/AppointmentDetailsPage.test.jsx
Preconditions	Appointment fixture
Steps / input	Cancel then reload
Expected result	Latest appointment state displayed
Actual result	Named test/suite assertions passed in the uploaded automated execution
Status	PASS — local automated
Evidence	Frontend Vitest 110/110 files; 1,341/1,341 tests

4. SRS traceability register (approved baseline and ADR-aligned modifications)

The approved SRS v1.0 baseline supplies requirement identifiers FR-001–FR-014 and NFR-001–NFR-007. The implementation-aligned SRS v1.1 is a review candidate, not a replacement approval. Appendix A maps representative assertions conservatively; infrastructure-only and cross-cutting checks are not mislabelled as direct acceptance tests.

Implemented area	Representative test IDs	Requirement mapping status
Login and role security	QA-FE-016, QA-FE-020, QA-BE-015	FR-001 / NFR-004 — automated test evidence; requirement-wide verification not implied
Customer account/recovery	QA-FE-018, QA-BE-009	FR-001 account recovery; FR-002 profile/history not established by these

Implemented area	Representative test IDs	Requirement mapping status
		two named cases
Inventory	QA-FE-021–023, QA-BE-007–008	FR-005 — representative tests; FR-006 reorder-alert evidence needs separate confirmation
Payment and checkout	QA-FE-024–026, QA-BE-010–012	FR-004 / FR-009 — supporting component and unit tests; hosted confirmation blocked/not verified
Appointments and prescriptions	QA-FE-027–031	FR-007 — automated test evidence; requirement-wide verification not implied
Admin operations and audit	QA-FE-032–033, QA-BE-014	Pending SRS ID / acceptance-criteria verification
Chatbot, orders, reporting	QA-FE-034–037	FR-011 — automated test evidence; requirement-wide verification not implied

5. API endpoint integration case register

The 73 route declarations in Appendix C are source-derived. Endpoint integration verification requires an observed HTTP-method/path request with asserted result, role and test name. A similarly named service test or mocked frontend component does not establish endpoint integration coverage. Unverified routes remain explicit gaps.

Domain	Possible evidence suite	Route/method and status
Authentication	Authentication integration and unit cases	Specific endpoints require route inventory
Staff/doctor management	tests/integration/ staffDoctorLifecycleSecurity.test.js	Specific endpoints require route inventory
Inventory images	tests/integration/ inventory.imageUpload.test.js	Specific endpoints require route inventory
Loyalty	tests/integration/loyaltyReadApi.test.js	Specific endpoints require route inventory
Chatbot	tests/integration/ chatbotSessionApi.test.js	Specific endpoints require route inventory

6. E2E and manual test register

The successful Jest/Vitest logs do not establish live browser or hosted UAT results. For E2E source DDP-084, use actual Playwright logs and evidence from infra issue #11 / PR #19. Prior review mentioned seven repeated authorization checks passing, while hosted PayHere callback verification had a merchant-side error; verify exact dates, environments and artifact links before assigning final statuses. The rows below use BLOCKED/NOT EXECUTED only for cases not established by the supplied logs, not claims that the team never tested them.

Register ID	Scenario	Current evidence-based status
QA-E2E-001	Customer purchase and hosted PayHere payment confirmation	Blocked / not verified from these logs; merchant configuration limitation noted
QA-E2E-002	Role isolation across staff/customer/admin	Pending review of DDP-084 actual Playwright artifacts
QA-E2E-003	Cross-customer and cross-branch access	Pending review of DDP-084 actual

Register ID	Scenario	Current evidence-based status
	isolation	Playwright artifacts
QA-E2E-004	Doctor session booking end to end	Not verified from these logs
QA-E2E-005	Prescription recording and history end to end	Not verified from these logs
QA-MAN-001	Final manual UAT sign-off	Not verified from these logs

7. Security, performance and defect linkage

Area	Reference	Current reporting rule
OWASP and authorization	DDP-085; documents/security/owasp-checklist.pdf	Use exact measured/verified status in report, do not infer
Performance and reliability	DDP-086; documents/testing/performance-report.pdf	Use actual workload, targets, p95 and errors
Critical E2E testing	DDP-084; infra issue #11 / PR #19	Link Playwright logs by scenario
Defect closure and regression	DDP-092; infra issue #14	Link each defect, fix and retest evidence

8. Findings and residual gaps

- All locally observed automated test executions passed: 3,416/3,416.
- Representative register entries are sourced from explicit passing suite or test names; not all 3,416 individual cases are enumerated here.
- The representative mapping uses original approved SRS identifiers; requirement-wide coverage is not inferred from a representative passing case.
- API route-by-route coverage cannot be certified without router/test inventory.
- Frontend console includes non-failing React Router and act(...) warnings.
- Separate E2E, UAT, OWASP, performance, and defect artifacts must be checked for their exact outcomes and CI links.

9. Review and completion checklist

Outstanding release sign-off actions: independently establish per-route integration assertions, compare tested source SHA to release SHA, attach actual CI runs/artifacts when available, review per-critical-module branch coverage, verify E2E/OWASP/performance/defect results from their primary reports, and obtain reviewer approval.

QA reviewer: _____ Approval: _____ Date: _____

Appendix A — SRS Requirement Traceability Matrix

Source: OSMS SRS v1.1 (review candidate), Functional Requirements Table 03 and NFR Table 04. SRS v1.0 is the approved historical baseline. The statuses below describe this 40-case representative register, not exhaustive implementation or hosted UAT sign-off.

SRS ID	Requirement	Registered cases	Evidence-level status
FR-001	Customer/staff authentication and role administration	QA-BE-004, QA-BE-009, QA-BE-015, QA-FE-016, QA-FE-017, QA-FE-018, QA-FE-019, QA-FE-020, QA-FE-032, QA-FE-033, QA-FE-038, QA-FE-039	Representative assertion(s) only — full acceptance-criterion and hosted/E2E verification not inferred
FR-002	Customer profile and prescription history	No direct mapped case among 40 selected cases	Unverified by this representative register; inspect wider tests and E2E evidence
FR-003	Product catalogue search/filter	No direct mapped case among 40 selected cases	Unverified by this representative register; inspect wider tests and E2E evidence
FR-004	Persistent cart and checkout	QA-BE-012	Representative assertion(s) only — full acceptance-criterion and hosted/E2E verification not inferred
FR-005	Branch inventory	QA-BE-007, QA-BE-008, QA-FE-021, QA-FE-022, QA-FE-023	Representative assertion(s) only — full acceptance-criterion and hosted/E2E verification not inferred
FR-006	Reorder threshold alerts	No direct mapped case among 40 selected cases	Unverified by this representative register; inspect wider tests and E2E evidence
FR-007	Doctor-session appointments	QA-BE-004, QA-FE-027, QA-FE-028, QA-FE-029, QA-FE-040	Representative assertion(s) only — full acceptance-criterion and hosted/E2E verification not inferred
FR-008	Manual appointment communication (ADR-009)	No direct mapped case among 40 selected cases	Unverified by this representative register; inspect wider tests and E2E evidence
FR-009	PayHere payment initiation/verification	QA-BE-010, QA-BE-011, QA-FE-024, QA-FE-025, QA-FE-026	Representative assertion(s) only — full acceptance-criterion and hosted/E2E verification not inferred
FR-010	Loyalty accrual	QA-BE-006	Representative assertion(s) only — full acceptance-criterion and hosted/E2E verification not inferred
FR-011	Restricted AI chatbot	QA-BE-005, QA-FE-034, QA-FE-035	Representative assertion(s) only — full acceptance-criterion and hosted/E2E verification not inferred
FR-012	Sales/inventory reporting	QA-FE-037	Representative assertion(s)

			only — full acceptance-criterion and hosted/E2E verification not inferred
FR-013	Clinical prescription recording/history	QA-FE-030, QA-FE-031	Representative assertion(s) only — full acceptance-criterion and hosted/E2E verification not inferred
FR-014	Order tracking/status notifications	QA-BE-013, QA-FE-036	Representative assertion(s) only — full acceptance-criterion and hosted/E2E verification not inferred

Methodological constraint: PASS for a named Jest/Vitest test means the specified automated assertion passed. It does not establish an entire FR as verified. The SRS explicitly identifies FR-003 and FR-005 as partially implemented, FR-007/008/014 as changed by accepted decisions, and PayHere hosted payment verification as outstanding.

Appendix B — NFR verification boundaries

- NFR-001 — Response time: Partially verified: p95 backend endpoint results do not prove browser search display
- NFR-002 — 99.9% uptime: Not verified by short local test runs
- NFR-003 — Staff usability: Not verified: formal staff task timing required
- NFR-004 — Security controls: Partially verified: unit/integration evidence does not prove all hosted controls
- NFR-005 — Scalability: Separate controlled workload assessment required
- NFR-006 — Maintainability: Code quality evidence differs from 24-hour fix criterion
- NFR-007 — Browser portability: Cross-browser evidence required

Mapping reconciliation: Appendix A uses the approved SRS v1.0 IDs and acknowledges ADR-aligned requirements in SRS v1.1. A relevant unit/component assertion is supporting evidence only; uncovered acceptance criteria remain unverified. No unresolved “Pending SRS match” is implied for the 40 cases: infrastructure-only cases are classified as supporting technical checks rather than misassigned FR/NFR outcomes.

Appendix C — Implemented API Route Coverage Inventory

Route register: 73 method/path declarations extracted from backend/src/app.js and src/routes/*.routes.js (develop inspected 26 October 2026). Matching “candidate” suite names indicate search leads, NOT validated endpoint coverage. No row is counted as confirmed integration without direct method/path/response assertions; roles are implementation-derived leads and must be checked where middleware is complex.

Method	API route	Access requirement	Related suite / evidence lead	Verification status
POST	/api/auth/register	Public	Potential suite lead only; method/path HTTP assertion not confirmed	UNVERIFIED endpoint integration; requires specific Supertest request assertion + passed run
POST	/api/auth/login	Public	tests/integration/staffDoctorLifecycleSecurity.test.js — source contains direct Supertest HTTP POST request for this exact route.	HTTP REQUEST VERIFIED IN TEST SOURCE; suite-level PASS is historical; exact tested SHA / case-level outcome not independently preserved.

POST	/api/auth/forgot-password	Public	Potential suite lead only; method/path HTTP assertion not confirmed	UNVERIFIED endpoint integration; requires specific Supertest request assertion + passed run
POST	/api/auth/reset-password	Public	Potential suite lead only; method/path HTTP assertion not confirmed	UNVERIFIED endpoint integration; requires specific Supertest request assertion + passed run
POST	/api/admin/staff	SYSTEM_ADMIN	Potential suite lead only; method/path HTTP assertion not confirmed	UNVERIFIED endpoint integration; requires specific Supertest request assertion + passed run
GET	/api/admin/staff	SYSTEM_ADMIN	tests/integration/staffDoctorLifecycleSecurity.test.js — source contains direct Supertest HTTP GET request for this exact route.	HTTP REQUEST VERIFIED IN TEST SOURCE; suite-level PASS is historical; exact tested SHA / case-level outcome not independently preserved.
GET	/api/admin/staff/:id	SYSTEM_ADMIN	Potential suite lead only; method/path HTTP assertion not confirmed	UNVERIFIED endpoint integration; requires specific Supertest request assertion + passed run
GET	/api/admin/doctors	SYSTEM_ADMIN	Potential suite lead only; method/path HTTP assertion not confirmed	UNVERIFIED endpoint integration; requires specific Supertest request assertion + passed run
PATCH	/api/admin/staff/:id	SYSTEM_ADMIN	Potential suite lead only; method/path HTTP assertion not confirmed	UNVERIFIED endpoint integration; requires specific Supertest request assertion + passed run
PATCH	/api/admin/staff/:id/role	SYSTEM_ADMIN	Potential suite lead only; method/path HTTP assertion not confirmed	UNVERIFIED endpoint integration; requires specific Supertest request assertion + passed run
PATCH	/api/admin/staff/:id/branch	SYSTEM_ADMIN	Potential suite lead only; method/path HTTP assertion not confirmed	UNVERIFIED endpoint integration; requires specific Supertest request assertion + passed run
PATCH	/api/admin/staff/:id/status	SYSTEM_ADMIN	Potential suite lead only; method/path HTTP assertion not confirmed	UNVERIFIED endpoint integration; requires specific Supertest request assertion + passed run
PATCH	/api/admin/doctors/:id	SYSTEM_ADMIN	Potential suite lead only; method/path HTTP assertion not confirmed	UNVERIFIED endpoint integration; requires specific Supertest request assertion + passed run

PATCH	/api/admin/doctors/:id/status	SYSTEM_ADMIN	Potential suite lead only; method/path HTTP assertion not confirmed	UNVERIFIED endpoint integration; requires specific Supertest request assertion + passed run
GET	/api/profile/me	CUSTOMER	Potential suite lead only; method/path HTTP assertion not confirmed	UNVERIFIED endpoint integration; requires specific Supertest request assertion + passed run
PATCH	/api/profile/me	CUSTOMER	Potential suite lead only; method/path HTTP assertion not confirmed	UNVERIFIED endpoint integration; requires specific Supertest request assertion + passed run
GET	/api/products	Public	Potential suite lead only; method/path HTTP assertion not confirmed	UNVERIFIED endpoint integration; requires specific Supertest request assertion + passed run
GET	/api/products/:id	Public	Potential suite lead only; method/path HTTP assertion not confirmed	UNVERIFIED endpoint integration; requires specific Supertest request assertion + passed run
POST	/api/inventory/images	BRANCH_MANAGER / SYSTEM_ADMIN (route dependent)	tests/integration/inventory.imageUpload.test.js — source contains direct Supertest HTTP POST request for this exact route.	HTTP REQUEST VERIFIED IN TEST SOURCE; suite-level PASS is historical; exact tested SHA / case-level outcome not independently preserved.
POST	/api/inventory	BRANCH_MANAGER / SYSTEM_ADMIN (route dependent)	Potential suite lead only; method/path HTTP assertion not confirmed	UNVERIFIED endpoint integration; requires specific Supertest request assertion + passed run
GET	/api/inventory/branch/:branchId	BRANCH_MANAGER / SYSTEM_ADMIN (route dependent)	Potential suite lead only; method/path HTTP assertion not confirmed	UNVERIFIED endpoint integration; requires specific Supertest request assertion + passed run
GET	/api/inventory/reorder-alerts	BRANCH_MANAGER / SYSTEM_ADMIN (route dependent)	Potential suite lead only; method/path HTTP assertion not confirmed	UNVERIFIED endpoint integration; requires specific Supertest request assertion + passed run
GET	/api/inventory/reorder-alerts/branch/:branchId	BRANCH_MANAGER / SYSTEM_ADMIN (route dependent)	Potential suite lead only; method/path HTTP assertion not confirmed	UNVERIFIED endpoint integration; requires specific Supertest request assertion + passed run
GET	/api/inventory/reorder-threshold	BRANCH_MANAGER / SYSTEM_ADMIN (route dependent)	Potential suite lead only; method/path HTTP assertion not confirmed	UNVERIFIED endpoint integration; requires specific Supertest request assertion + passed run

PATCH	/api/inventory/:id	BRANCH_MANAGER / SYSTEM_ADMIN (route dependent)	Potential suite lead only; method/path HTTP assertion not confirmed	UNVERIFIED endpoint integration; requires specific Supertest request assertion + passed run
PATCH	/api/inventory/:id/quantity	BRANCH_MANAGER / SYSTEM_ADMIN (route dependent)	Potential suite lead only; method/path HTTP assertion not confirmed	UNVERIFIED endpoint integration; requires specific Supertest request assertion + passed run
DELETE	/api/inventory/:id/image	BRANCH_MANAGER / SYSTEM_ADMIN (route dependent)	Potential suite lead only; method/path HTTP assertion not confirmed	UNVERIFIED endpoint integration; requires specific Supertest request assertion + passed run
PUT	/api/inventory/reorder-threshold	BRANCH_MANAGER / SYSTEM_ADMIN (route dependent)	Potential suite lead only; method/path HTTP assertion not confirmed	UNVERIFIED endpoint integration; requires specific Supertest request assertion + passed run
POST	/api/prescriptions	OPTOMETRIST or CUSTOMER	Potential suite lead only; method/path HTTP assertion not confirmed	UNVERIFIED endpoint integration; requires specific Supertest request assertion + passed run
GET	/api/prescriptions/me	OPTOMETRIST or CUSTOMER	Potential suite lead only; method/path HTTP assertion not confirmed	UNVERIFIED endpoint integration; requires specific Supertest request assertion + passed run
GET	/api/prescriptions/customer/:customerId	OPTOMETRIST or CUSTOMER	Potential suite lead only; method/path HTTP assertion not confirmed	UNVERIFIED endpoint integration; requires specific Supertest request assertion + passed run
GET	/api/branches	SYSTEM_ADMIN / BRANCH_MANAGER / BRANCH_ASSISTANT	Potential suite lead only; method/path HTTP assertion not confirmed	UNVERIFIED endpoint integration; requires specific Supertest request assertion + passed run
GET	/api/cart	CUSTOMER	Potential suite lead only; method/path HTTP assertion not confirmed	UNVERIFIED endpoint integration; requires specific Supertest request assertion + passed run
POST	/api/cart/items	CUSTOMER	Potential suite lead only; method/path HTTP assertion not confirmed	UNVERIFIED endpoint integration; requires specific Supertest request assertion + passed run
PATCH	/api/cart/items/:inventoryId	CUSTOMER	Potential suite lead only; method/path HTTP assertion not confirmed	UNVERIFIED endpoint integration; requires specific Supertest request assertion + passed run
DELETE	/api/cart/items/:inventoryId	CUSTOMER	Potential suite lead only; method/path HTTP assertion not	UNVERIFIED endpoint integration; requires specific Supertest

			confirmed	request assertion + passed run
POST	/api/checkout	CUSTOMER	Potential suite lead only; method/path HTTP assertion not confirmed	UNVERIFIED endpoint integration; requires specific Supertest request assertion + passed run
GET	/api/orders	Authorized order-view/update roles; route specific	Potential suite lead only; method/path HTTP assertion not confirmed	UNVERIFIED endpoint integration; requires specific Supertest request assertion + passed run
GET	/api/orders/:id	Authorized order-view/update roles; route specific	Potential suite lead only; method/path HTTP assertion not confirmed	UNVERIFIED endpoint integration; requires specific Supertest request assertion + passed run
PATCH	/api/orders/:id/status	Authorized order-view/update roles; route specific	Potential suite lead only; method/path HTTP assertion not confirmed	UNVERIFIED endpoint integration; requires specific Supertest request assertion + passed run
PATCH	/api/orders/:id/claim	Authorized order-view/update roles; route specific	Potential suite lead only; method/path HTTP assertion not confirmed	UNVERIFIED endpoint integration; requires specific Supertest request assertion + passed run
POST	/api/orders/:id/claim	Authorized order-view/update roles; route specific	Potential suite lead only; method/path HTTP assertion not confirmed	UNVERIFIED endpoint integration; requires specific Supertest request assertion + passed run
POST	/api/payments/:paymentId/recovery	CUSTOMER or BRANCH_MANAGER; route dependent	Potential suite lead only; method/path HTTP assertion not confirmed	UNVERIFIED endpoint integration; requires specific Supertest request assertion + passed run
POST	/api/payments/:paymentId/refunds	CUSTOMER or BRANCH_MANAGER; route dependent	Potential suite lead only; method/path HTTP assertion not confirmed	UNVERIFIED endpoint integration; requires specific Supertest request assertion + passed run
POST	/api/payments/initiate	CUSTOMER or BRANCH_MANAGER; route dependent	Potential suite lead only; method/path HTTP assertion not confirmed	UNVERIFIED endpoint integration; requires specific Supertest request assertion + passed run
POST	/api/payments/notify	CUSTOMER or BRANCH_MANAGER; route dependent	Potential suite lead only; method/path HTTP assertion not confirmed	UNVERIFIED endpoint integration; requires specific Supertest request assertion + passed run
GET	/api/payments/:paymentId/retrieval-evidence	CUSTOMER or BRANCH_MANAGER; route dependent	Potential suite lead only; method/path HTTP assertion not confirmed	UNVERIFIED endpoint integration; requires specific Supertest request assertion + passed run

GET	/api/orders/:orderId/payment-status	CUSTOMER or BRANCH_MANAGER; route dependent	Potential suite lead only; method/path HTTP assertion not confirmed	UNVERIFIED endpoint integration; requires specific Supertest request assertion + passed run
GET	/api/payments	CUSTOMER or BRANCH_MANAGER; route dependent	Potential suite lead only; method/path HTTP assertion not confirmed	UNVERIFIED endpoint integration; requires specific Supertest request assertion + passed run
GET	/api/payments/:paymentId	CUSTOMER or BRANCH_MANAGER; route dependent	Potential suite lead only; method/path HTTP assertion not confirmed	UNVERIFIED endpoint integration; requires specific Supertest request assertion + passed run
GET	/api/payments/:paymentId/events	CUSTOMER or BRANCH_MANAGER; route dependent	Potential suite lead only; method/path HTTP assertion not confirmed	UNVERIFIED endpoint integration; requires specific Supertest request assertion + passed run
GET	/api/appointments/providers	CUSTOMER / BRANCH_ASSISTANT / BRANCH_MANAGER; route dependent	Potential suite lead only; method/path HTTP assertion not confirmed	UNVERIFIED endpoint integration; requires specific Supertest request assertion + passed run
GET	/api/doctor-sessions/available	CUSTOMER / BRANCH_ASSISTANT / BRANCH_MANAGER; route dependent	Potential suite lead only; method/path HTTP assertion not confirmed	UNVERIFIED endpoint integration; requires specific Supertest request assertion + passed run
GET	/api/doctor-sessions	CUSTOMER / BRANCH_ASSISTANT / BRANCH_MANAGER; route dependent	tests/integration/staffDoctorLifecycleSecurity.test.js — source contains direct Supertest HTTP GET request for this exact route.	HTTP REQUEST VERIFIED IN TEST SOURCE; suite-level PASS is historical; exact tested SHA / case-level outcome not independently preserved.
GET	/api/appointments	CUSTOMER / BRANCH_ASSISTANT / BRANCH_MANAGER; route dependent	tests/integration/staffDoctorLifecycleSecurity.test.js — source contains direct Supertest HTTP GET request for this exact route.	HTTP REQUEST VERIFIED IN TEST SOURCE; suite-level PASS is historical; exact tested SHA / case-level outcome not independently preserved.
GET	/api/appointments/:id	CUSTOMER / BRANCH_ASSISTANT / BRANCH_MANAGER; route dependent	Potential suite lead only; method/path HTTP assertion not confirmed	UNVERIFIED endpoint integration; requires specific Supertest request assertion + passed run
POST	/api/doctor-sessions	CUSTOMER / BRANCH_ASSISTANT / BRANCH_MANAGER; route dependent	tests/integration/staffDoctorLifecycleSecurity.test.js — source contains direct Supertest HTTP POST request for this exact route.	HTTP REQUEST VERIFIED IN TEST SOURCE; suite-level PASS is historical; exact tested SHA / case-level outcome not independently

				preserved.
POST	/api/appointments	CUSTOMER / BRANCH_ASSISTANT / BRANCH_MANAGER; route dependent	Potential suite lead only; method/path HTTP assertion not confirmed	UNVERIFIED endpoint integration; requires specific Supertest request assertion + passed run
PATCH	/api/doctor-sessions/:id	CUSTOMER / BRANCH_ASSISTANT / BRANCH_MANAGER; route dependent	Potential suite lead only; method/path HTTP assertion not confirmed	UNVERIFIED endpoint integration; requires specific Supertest request assertion + passed run
PATCH	/api/appointments/:id/ cancel	CUSTOMER / BRANCH_ASSISTANT / BRANCH_MANAGER; route dependent	Potential suite lead only; method/path HTTP assertion not confirmed	UNVERIFIED endpoint integration; requires specific Supertest request assertion + passed run
PATCH	/api/appointments/:id/ reassign	CUSTOMER / BRANCH_ASSISTANT / BRANCH_MANAGER; route dependent	Potential suite lead only; method/path HTTP assertion not confirmed	UNVERIFIED endpoint integration; requires specific Supertest request assertion + passed run
POST	/api/doctors	SYSTEM_ADMIN for POST; approved roles for GET	Potential suite lead only; method/path HTTP assertion not confirmed	UNVERIFIED endpoint integration; requires specific Supertest request assertion + passed run
GET	/api/doctors	SYSTEM_ADMIN for POST; approved roles for GET	Potential suite lead only; method/path HTTP assertion not confirmed	UNVERIFIED endpoint integration; requires specific Supertest request assertion + passed run
GET	/api/audit-events	SYSTEM_ADMIN	Potential suite lead only; method/path HTTP assertion not confirmed	UNVERIFIED endpoint integration; requires specific Supertest request assertion + passed run
GET	/api/loyalty/me	CUSTOMER or BRANCH_MANAGER	tests/integration/ loyaltyReadApi.test.js — source contains direct Supertest HTTP GET request for this exact route.	HTTP REQUEST VERIFIED IN TEST SOURCE; suite-level PASS is historical; exact tested SHA / case-level outcome not independently preserved.
GET	/api/loyalty	CUSTOMER or BRANCH_MANAGER	tests/integration/ loyaltyReadApi.test.js — source contains direct Supertest HTTP GET request for this exact route.	HTTP REQUEST VERIFIED IN TEST SOURCE; suite-level PASS is historical; exact tested SHA / case-level outcome not independently preserved.
GET	/api/reports/sales	SYSTEM_ADMIN / BRANCH_MANAGER	Potential suite lead only; method/path HTTP assertion not confirmed	UNVERIFIED endpoint integration; requires specific Supertest request assertion + passed run
GET	/api/reports/sales/	SYSTEM_ADMIN /	Potential suite lead	UNVERIFIED endpoint

	orders	BRANCH_MANAGER	only; method/path HTTP assertion not confirmed	integration; requires specific Supertest request assertion + passed run
GET	/api/reports/sales/export	SYSTEM_ADMIN / BRANCH_MANAGER	Potential suite lead only; method/path HTTP assertion not confirmed	UNVERIFIED endpoint integration; requires specific Supertest request assertion + passed run
GET	/api/reports/inventory	SYSTEM_ADMIN / BRANCH_MANAGER	Potential suite lead only; method/path HTTP assertion not confirmed	UNVERIFIED endpoint integration; requires specific Supertest request assertion + passed run
GET	/api/reports/inventory/items	SYSTEM_ADMIN / BRANCH_MANAGER	Potential suite lead only; method/path HTTP assertion not confirmed	UNVERIFIED endpoint integration; requires specific Supertest request assertion + passed run
GET	/api/reports/inventory/export	SYSTEM_ADMIN / BRANCH_MANAGER	Potential suite lead only; method/path HTTP assertion not confirmed	UNVERIFIED endpoint integration; requires specific Supertest request assertion + passed run
GET	/api/health	Public	Potential suite lead only; method/path HTTP assertion not confirmed	UNVERIFIED endpoint integration; requires specific Supertest request assertion + passed run

Enumerated route entries: 73. This is a source route inventory, not a verified 73/73 endpoint integration pass rate. Confirm mount-specific payment notify path and chatbot routing from latest router before sign-off.

Appendix D — Cross-repository Evidence Tracking

Workstream	Evidence locator	Observed / documented baseline	Final sign-off status
DDP-084	infra#11; infra PR #19	10 Playwright scenarios previously reported; seven authorization tests reported as rerun and passed	PARTIAL — exact per-scenario browser logs and environment must be checked; hosted PayHere BLOCKED / NOT VERIFIED
DDP-085	backend#91; documents/security/owasp-checklist.pdf	OWASP verification performed by responsible issue	REFERENCED — detailed control findings require independently reviewed checklist
DDP-086	backend#92; documents/testing/performance-report.pdf	Local p95 API measurements referred to by SRS v1.1 for 13 selected endpoints	PARTIAL — not complete hosted search-to-browser response proof or 99.9% uptime
DDP-092	infra#14	Defect resolution and regression issue available	REFERENCED — no claim of zero open defects without final defect register

Appendix E — Final verification status and limitations

FR-003: Partially implemented (style filtering remains a gap). FR-005: Partially implemented (live synchronization/inter-branch transfer not independently established). FR-007, FR-008 and FR-014: approved-scope modifications apply. FR-009: payment code/test evidence exists but hosted PayHere verification remains BLOCKED / NOT VERIFIED. Passing Jest/Vitest tests do not prove hosted workflow success.

SRS requirement statuses are never automatically marked Verified solely because a relevant test suite passed. Register case PASS denotes the recorded unit/component/integration assertion. Cross-repository test evidence, version-specific release proof and 90% branch compliance remain qualified.

Appendix F — Re-review reconciliation and sign-off gates

SRS mapping: the 40 representative cases are mapped only where behavior directly supports an original approved SRS identifier. Infrastructure-only checks are not falsely attached to functional acceptance criteria. The v1.1 SRS remains a review candidate; accepted ADRs define approved deviations.

API integration: 73 discovered route declarations; 0/73 can be independently certified as per-endpoint integration passing on the evidence examined here. This is an evidence gap, not a claim that all 73 are untested or failing. Service-unit and frontend-mock results must not be treated as HTTP endpoint tests.

Test provenance: backend local tested SHA candidate 47eb042 on docs/91-post-deployment-security-verification; frontend candidate 3e6fa9b on test/91-owasp-security-verification. These were observed before running coverage and not embedded in the runner logs, so exact tested SHA and delivered release parity remain unconfirmed. No CI run URL or artifact identity was supported by the local logs.

Cross-repository: DDP-084 (infra#11), DDP-085 (backend#91), DDP-086 (backend#92), DDP-092 (infra#14) are evidence leads only; sign-off depends on their actual test reports, results, defect IDs and environment. Hosted PayHere confirmation remains BLOCKED / NOT VERIFIED.

Critical business coverage: backend aggregate 81.68%, frontend aggregate 81.80% branches; frontend PaymentEntry 68.70%, CheckoutEntry 68.05%, AppointmentBooking 71.55%, AdminStaffEditor 66.37%; individual 90% critical-module compliance not established. Retain as measured gaps without suggesting an automatic pass.

Final sign-off: this revision resolves contradictory document wording and makes all unverified acceptance criteria visible, but is not a substitute for additional actual execution evidence or QA reviewer approval.

Appendix H — Direct HTTP integration source audit (26 October 2026)

This supplementary audit differentiates direct Supertest method/path requests observed in backend integration test source from unrelated unit/component test coverage. Only exact static method/path matches below were upgraded. This is not a substitute for preserving an execution-time SHA and individual CI run artifacts.

HTTP method	API path	Confirmed integration test source
POST	/api/auth/login	tests/integration/ staffDoctorLifecycleSecurity.test.js
GET	/api/admin/staff	tests/integration/ staffDoctorLifecycleSecurity.test.js
POST	/api/inventory/images	tests/integration/ inventory.imageUpload.test.js
GET	/api/doctor-sessions	tests/integration/ staffDoctorLifecycleSecurity.test.js
GET	/api/appointments	tests/integration/ staffDoctorLifecycleSecurity.test.js

POST	/api/doctor-sessions	tests/integration/staffDoctorLifecycleSecurity.test.js
GET	/api/loyalty/me	tests/integration/loyaltyReadApi.test.js
GET	/api/loyalty	tests/integration/loyaltyReadApi.test.js

8 of 73 listed route declarations have an individually confirmed matching HTTP request in the sampled test sources. The other 65 are NOT proven uncovered: they are unverified by this targeted audit; further source inspection may establish more. A matching HTTP request establishes that an integration scenario exists, not that the endpoint passed individually at the release SHA.

Exact execution evidence still required for sign-off

The observed 25 October local Jest/Vitest totals are supported by historical console output but no timestamped git rev-parse record was captured during those exact executions. Earlier branch SHAs 47eb042 (backend) and 3e6fa9b (frontend) are candidates only, not execution-attested SHAs. GitHub workflow lookup for those candidate SHAs returned no associated PR-triggered runs; this does not establish that other CI runs do not exist. A new test run with an execution-time SHA and exported reports is needed to close the release provenance gap.

Appendix I — Fresh local QA execution evidence (26 October 2026)

Evidence basis: newly supplied PowerShell test-console logs and separately observed local Git revisions. The test log itself does not include the Git SHA; evidence files created immediately before the runs should be retained alongside these logs to bind the execution to the revision. No GitHub Actions CI result is implied.

Metric	Backend (Jest)	Frontend (Vitest)	Evidence status	Interpretation
Suite outcome	118/118 passed	110/110 passed	PASS — local	No failing suites/files
Test outcome	2,075/2,075 passed	1,341/1,341 passed	PASS — local	3,416 passing tests combined
Statements	92.34%	88.05%	Measured	Overall statements
Branches	81.68%	81.80%	Measured	Not 90% critical-module proof
Functions	97.86%	90.95%	Measured	Overall functions
Lines	93.00%	88.86%	Measured	Overall lines
Duration	346.634 seconds	77.81 seconds	Measured	Fresh supplied console logs

Execution and source traceability

Backend observed local revision: 47eb042a7627d4ae1f1f67b9c48c370379faa7c5; branch docs/91-post-deployment-security-verification; clean working tree reported before the run. Frontend observed local revision: 3e6fa9b5b277d9663982cb6e36a5af8c8187c97c; branch test/91-owasp-security-verification; clean working tree reported before the run.

Backend command: npx jest --runInBand --testTimeout=30000 --coverage --coverageReporters=json-summary --coverageReporters=text-summary. Test environment configured to use locally installed MongoDB 8.3 mongod with MONGOMS_SYSTEM_BINARY, MONGOMS_SYSTEM_BINARY_VERSION_CHECK=false, MONGOMS_RUNTIME_DOWNLOAD=false.

Frontend command: npm run test:coverage -- --coverage.reporter=text --coverage.reporter=json-summary. Vitest v5.0.5, v8 coverage. Frontend log reports Start at 01:07:09 (local clock; full dated timestamp should be taken from ddp087-frontend-evidence.txt).

Preserve backend ddp087-backend-evidence.txt and ddp087-backend-test.log; frontend ddp087-frontend-evidence.txt and ddp087-frontend-test.log; respective coverage/coverage-summary.json. The evidence text files were created before the test processes, but their actual contents were not supplied here and hence execution-time SHA attestation is pending inspection.

No matching PR-triggered workflow runs were returned for candidate commit lookups; that is not proof that all CI runs are absent. No verified CI URLs or coverage artifact download identifiers are available from the supplied data. The documentation must distinguish local verification from CI and deployed release acceptance.

Representative passing backend HTTP integration suites

The fresh backend log explicitly reports PASS for integration files including paymentApi.test.js, checkoutApi.test.js, orderStatusApi.test.js, appointmentDoctor.api.test.js, prescriptionApi.test.js, cartApi.test.js, authLogin.test.js, reportApi.test.js, security.test.js, loyaltyReadApi.test.js, inventory.imageUpload.test.js, doctorSession.api.test.js, and reorderThresholdApi.test.js. These suite-level results strengthen the integration evidence. They are not a complete method-and-path assertion audit for all 73 inventoried routes.

Outstanding acceptance boundaries

- Critical business logic: overall branches are below 90%, and previously identified low-coverage frontend modules retain their measured gaps. Backend individual critical module compliance cannot be certified without its per-file coverage artifact and an agreed list of critical modules.

- Hosted PayHere payment completion remains BLOCKED / NOT VERIFIED. Simulated provider callbacks and passing unit/integration tests are not equivalent to demonstrated hosted end-to-end payment.
- DDP-084/085/086/092 evidence must be judged from corresponding actual reports, environments and test cases. This appendix adds local Jest/Vitest results; it does not upgrade those independent outcomes to PASS without execution evidence.
- Release parity: these commits are verified as local observations before the fresh runs, not as the final deployed production revisions. Final approval requires reviewer acceptance of the documented boundary or independent deployment/CI evidence.

Sign-off assessment: local automated regression PASS (3,416/3,416). CI/release/hosted payment and 90% per-critical-module verification remain pending as described; no unsupported 100% approval claim is made.

DDP-087 | Execution provenance verification

Addendum - 26 October 2026 (Asia/Colombo, UTC+05:30)

This addendum supersedes earlier statements that the evidence-file contents were unavailable or that commit-to-test provenance was still awaiting inspection.

BACKEND - independently supplied pre-run evidence file

SHA: 47eb042a7627d4ae1f1f67b9c48c370379faa7c5

Timestamp: 2026-10-26 01:05:41 +05:30

Jest run: 118/118 suites; 2,075/2,075 tests passed; duration 346.634 s.

FRONTEND - independently supplied pre-run evidence file

SHA: 3e6fa9b5b277d9663982cb6e36a5af8c8187c97c

Timestamp: 2026-10-26 01:07:06 +05:30

Vitest run started 01:07:09; 110/110 files; 1,341/1,341 tests passed; duration 77.81 s. The reported start follows the evidence timestamp by 3 s.

VERIFICATION ASSESSMENT

SUPPORTED: Local test success and recorded before-run revision/timestamp for both repositories; the logs and evidence files together support the documented local execution baseline. Combined: 3,416 tests passed.

NOT ESTABLISHED: Exact CI job/artifact URL, deployment-release parity, full endpoint-by-endpoint integration verification, 90% branch coverage for every designated critical module, or hosted PayHere E2E success.

DDP-084/085/086/092 must retain their own independently evidenced statuses. **Hosted PayHere remains BLOCKED / NOT VERIFIED.**

Source basis: user-supplied ddp087-*-evidence.txt contents and complete local Jest/Vitest console logs provided for the 26 October 2026 runs.