Final Test Case Register

DDP-087 • Consolidated representative executable test inventory

Darshana Opticals — Optical Shop Management System (OSMS)

DDP-087 | Evidence date: 25 October 2026 | Document status: Evidence-backed draft pending final SRS/CI traceability

Document control: Prepared from locally executed Jest/Vitest logs and DDP-087 issue requirements. No manual or E2E outcomes are invented.

1. Register purpose and use

This register consolidates directly observable named test scenarios from the uploaded successful Jest and Vitest outputs. Each selected scenario is recorded with a stable DDP-087 register ID, suite/test reference, test type, priority, preconditions, steps/input, expected and actual outcome, and execution status. Register IDs are QA inventory identifiers, NOT approved SRS IDs. SRS references remain “Pending SRS match” until checked against approved SRS v1.0. Automated suites can contain multiple scenarios beyond those excerpted below: this is an evidence-backed representative register, not a verified enumeration of all 3,416 individual tests.

Evidence group	Executed	Passed	Failed
Backend Jest	2,075	2,075	0
Frontend Vitest	1,341	1,341	0
TOTAL	3,416	3,416	0

2. Case notation, status and execution method

IDs use QA-BE-### for backend and QA-FE-### for frontend. Status “Pass” is limited to test names explicitly shown passing in the uploaded successful output; outcome descriptions summarize the test assertion name, not a separately inspected response payload. Type: B-unit / B-integration / F-component / F-route / F-service; where the framework-level test category is uncertain it is labeled automated and the suite path is authoritative. Default priority is High for security, payment and records consistency; Medium otherwise. All automated cases were recorded on 25 October 2026.

Standard precondition for backend: project test environment with MongoDB Memory Server configured and Jest dependencies installed; frontend: Vitest/jsdom test runtime with test mocks/fixtures. Steps: execute the named suite with its existing fixture and asserted scenario. Actual result: assertion passed as confirmed in runner output; this does not prove live production behavior.

3. Verified automated test cases

Common actual-result wording: “Pass — assertion accepted by the test runner in the successful 25 Oct 2026 run.” All rows refer to evidence from that execution, not to live system/manual execution.

QA-BE-001 — Database rejects missing URI outside test mode

Attribute	Recorded value
SRS requirement	Pending SRS match (do not infer ID)
Test type / priority	Integration / High
Test source	tests/integration/database.test.js
Preconditions	Non-test environment lacks database URI
Steps / input	Start connection logic without MONGODB_URI
Expected result	Failure is required and sensitive connection details not leaked
Actual result	Named test/suite assertions passed in the uploaded automated execution
Status	PASS — local automated
Evidence	Backend Jest 118/118 suites; 2,075/2,075 tests

QA-BE-002 — Database connects to isolated in-memory MongoDB

Attribute	Recorded value
SRS requirement	Pending SRS match (do not infer ID)
Test type / priority	Integration / High
Test source	tests/integration/database.test.js
Preconditions	Test environment and MongoDB executable available
Steps / input	Run test-mode DB connection
Expected result	In-memory database connection succeeds
Actual result	Named test/suite assertions passed in the uploaded automated execution
Status	PASS — local automated
Evidence	Backend Jest 118/118 suites; 2,075/2,075 tests

QA-BE-003 — Database hides credentials on connection failure

Attribute	Recorded value
SRS requirement	Pending SRS match (do not infer ID)
Test type / priority	Integration / High
Test source	tests/integration/database.test.js
Preconditions	Simulated failed connection
Steps / input	Trigger expected connection failure
Expected result	URI and credentials not exposed
Actual result	Named test/suite assertions passed in the uploaded automated execution
Status	PASS — local automated
Evidence	Backend Jest 118/118 suites; 2,075/2,075 tests

QA-BE-004 — Staff and doctor lifecycle security

Attribute	Recorded value
SRS requirement	Pending SRS match (do not infer ID)
Test type / priority	Integration / High
Test source	tests/integration/staffDoctorLifecycleSecurity.test.js
Preconditions	Security test fixtures
Steps / input	Run staff/doctor lifecycle security suite
Expected result	Suite passes its security assertions
Actual result	Named test/suite assertions passed in the uploaded automated execution
Status	PASS — local automated
Evidence	Backend Jest 118/118 suites; 2,075/2,075 tests

QA-BE-005 — Chatbot session API

Attribute	Recorded value
SRS requirement	Pending SRS match (do not infer ID)
Test type / priority	Integration / Medium
Test source	tests/integration/chatbotSessionApi.test.js
Preconditions	Mocked chatbot and session fixtures
Steps / input	Exercise API integration suite
Expected result	Session API assertions pass
Actual result	Named test/suite assertions passed in the uploaded automated execution
Status	PASS — local automated
Evidence	Backend Jest 118/118 suites; 2,075/2,075 tests

QA-BE-006 — Loyalty read API

Attribute	Recorded value
SRS requirement	Pending SRS match (do not infer ID)
Test type / priority	Integration / Medium
Test source	tests/integration/loyaltyReadApi.test.js
Preconditions	Loyalty API fixture
Steps / input	Exercise loyalty read integration suite
Expected result	Read/API assertions pass
Actual result	Named test/suite assertions passed in the uploaded automated execution
Status	PASS — local automated
Evidence	Backend Jest 118/118 suites; 2,075/2,075 tests

QA-BE-007 — Inventory image lifecycle

Attribute	Recorded value
SRS requirement	Pending SRS match (do not infer ID)
Test type / priority	Integration / Medium
Test source	tests/integration/inventory.imageLifecycle.test.js
Preconditions	Image lifecycle fixtures
Steps / input	Run create/replace/removal test suite
Expected result	Image lifecycle assertions pass
Actual result	Named test/suite assertions passed in the uploaded automated execution
Status	PASS — local automated
Evidence	Backend Jest 118/118 suites; 2,075/2,075 tests

QA-BE-008 — Inventory image upload

Attribute	Recorded value
SRS requirement	Pending SRS match (do not infer ID)
Test type / priority	Integration / Medium
Test source	tests/integration/inventory.imageUpload.test.js
Preconditions	Simulated upload provider
Steps / input	Run upload handling suite
Expected result	Upload failure/success handling assertions pass
Actual result	Named test/suite assertions passed in the uploaded automated execution
Status	PASS — local automated
Evidence	Backend Jest 118/118 suites; 2,075/2,075 tests

QA-BE-009 — Password reset service

Attribute	Recorded value
SRS requirement	Pending SRS match (do not infer ID)
Test type / priority	Unit / High
Test source	tests/unit/passwordReset.service.test.js
Preconditions	Mocked eligible identities
Steps / input	Run password reset suite
Expected result	Recovery guards and reset behavior pass
Actual result	Named test/suite assertions passed in the uploaded automated execution
Status	PASS — local automated
Evidence	Backend Jest 118/118 suites; 2,075/2,075 tests

QA-BE-010 — Payment validation

Attribute	Recorded value
SRS requirement	Pending SRS match (do not infer ID)
Test type / priority	Unit / High
Test source	tests/unit/payment.validation.test.js
Preconditions	Payment fixtures
Steps / input	Run payment validation suite
Expected result	Payment validation assertions pass
Actual result	Named test/suite assertions passed in the uploaded automated execution
Status	PASS — local automated
Evidence	Backend Jest 118/118 suites; 2,075/2,075 tests

QA-BE-011 — Payment monitoring

Attribute	Recorded value
SRS requirement	Pending SRS match (do not infer ID)
Test type / priority	Unit / High
Test source	tests/unit/paymentMonitoring.test.js
Preconditions	Mocked payment states
Steps / input	Run monitoring suite
Expected result	Monitoring assertions pass
Actual result	Named test/suite assertions passed in the uploaded automated execution
Status	PASS — local automated
Evidence	Backend Jest 118/118 suites; 2,075/2,075 tests

QA-BE-012 — Checkout service

Attribute	Recorded value
SRS requirement	Pending SRS match (do not infer ID)
Test type / priority	Unit / High
Test source	tests/unit/checkout.service.test.js
Preconditions	Checkout fixtures
Steps / input	Run checkout suite
Expected result	Checkout assertions pass
Actual result	Named test/suite assertions passed in the uploaded automated execution
Status	PASS — local automated
Evidence	Backend Jest 118/118 suites; 2,075/2,075 tests

QA-BE-013 — Order service

Attribute	Recorded value
SRS requirement	Pending SRS match (do not infer ID)
Test type / priority	Unit / High
Test source	tests/unit/order.service.test.js
Preconditions	Order fixtures
Steps / input	Run order service suite
Expected result	Order assertions pass
Actual result	Named test/suite assertions passed in the uploaded automated execution
Status	PASS — local automated
Evidence	Backend Jest 118/118 suites; 2,075/2,075 tests

QA-BE-014 — Audit service

Attribute	Recorded value
SRS requirement	Pending SRS match (do not infer ID)
Test type / priority	Unit / High
Test source	tests/unit/audit.service.test.js
Preconditions	Audit mock/fixtures
Steps / input	Run audit service suite
Expected result	Audit assertions pass
Actual result	Named test/suite assertions passed in the uploaded automated execution
Status	PASS — local automated
Evidence	Backend Jest 118/118 suites; 2,075/2,075 tests

QA-BE-015 — Authorization middleware

Attribute	Recorded value
SRS requirement	Pending SRS match (do not infer ID)
Test type / priority	Unit / High
Test source	tests/unit/authorizeRoles.test.js
Preconditions	Role fixtures
Steps / input	Run authorization suite
Expected result	Role guard assertions pass
Actual result	Named test/suite assertions passed in the uploaded automated execution
Status	PASS — local automated
Evidence	Backend Jest 118/118 suites; 2,075/2,075 tests

QA-FE-016 — Login routes by backend role

Attribute	Recorded value
SRS requirement	Pending SRS match (do not infer ID)
Test type / priority	Component / High
Test source	tests/LoginPage.test.jsx
Preconditions	Mocked successful login and role
Steps / input	Submit valid credentials with returned role
Expected result	Navigation uses backend role rather than email inference
Actual result	Named test/suite assertions passed in the uploaded automated execution
Status	PASS — local automated
Evidence	Frontend Vitest 110/110 files; 1,341/1,341 tests

QA-FE-017 — Login prevents repeated submissions

Attribute	Recorded value
SRS requirement	Pending SRS match (do not infer ID)
Test type / priority	Component / Medium
Test source	tests/LoginPage.test.jsx
Preconditions	Login request pending
Steps / input	Submit credentials twice while loading
Expected result	Duplicate submission prevented
Actual result	Named test/suite assertions passed in the uploaded automated execution
Status	PASS — local automated
Evidence	Frontend Vitest 110/110 files; 1,341/1,341 tests

QA-FE-018 — Registration rejects invalid email

Attribute	Recorded value
SRS requirement	Pending SRS match (do not infer ID)
Test type / priority	Component / High
Test source	tests/SignupPage.test.jsx
Preconditions	Signup form rendered
Steps / input	Enter invalid email and submit
Expected result	Invalid email rejected
Actual result	Named test/suite assertions passed in the uploaded automated execution
Status	PASS — local automated
Evidence	Frontend Vitest 110/110 files; 1,341/1,341 tests

QA-FE-019 — Password reset page presents masked inputs

Attribute	Recorded value
SRS requirement	Pending SRS match (do not infer ID)
Test type / priority	Component / Medium
Test source	tests/ResetPasswordPage.test.jsx
Preconditions	Reset page rendered
Steps / input	Render reset form
Expected result	Two masked password fields and guidance shown
Actual result	Named test/suite assertions passed in the uploaded automated execution
Status	PASS — local automated
Evidence	Frontend Vitest 110/110 files; 1,341/1,341 tests

QA-FE-020 — Customer orders protected by role

Attribute	Recorded value
SRS requirement	Pending SRS match (do not infer ID)
Test type / priority	Route / High
Test source	src/routes/AppRoutes.test.jsx
Preconditions	Customer auth test state
Steps / input	Navigate to /orders as CUSTOMER
Expected result	Customer access permitted
Actual result	Named test/suite assertions passed in the uploaded automated execution
Status	PASS — local automated
Evidence	Frontend Vitest 110/110 files; 1,341/1,341 tests

QA-FE-021 — Inventory quantity rejects invalid values

Attribute	Recorded value
SRS requirement	Pending SRS match (do not infer ID)
Test type / priority	Component / High
Test source	tests/InventoryQuantity.test.jsx
Preconditions	Inventory form rendered
Steps / input	Submit empty, negative, fractional quantities
Expected result	No write request sent
Actual result	Named test/suite assertions passed in the uploaded automated execution
Status	PASS — local automated
Evidence	Frontend Vitest 110/110 files; 1,341/1,341 tests

QA-FE-022 — Inventory write protected on backend 403

Attribute	Recorded value
SRS requirement	Pending SRS match (do not infer ID)
Test type / priority	Component / High
Test source	tests/InventoryQuantity.test.jsx
Preconditions	Mock backend denies update
Steps / input	Attempt quantity edit
Expected result	Old quantity retained, safe 403 feedback shown
Actual result	Named test/suite assertions passed in the uploaded automated execution
Status	PASS — local automated
Evidence	Frontend Vitest 110/110 files; 1,341/1,341 tests

QA-FE-023 — Inventory create disables repeats

Attribute	Recorded value
SRS requirement	Pending SRS match (do not infer ID)
Test type / priority	Component / Medium
Test source	tests/InventoryPage.test.jsx
Preconditions	Inventory create request pending
Steps / input	Attempt repeated submission
Expected result	Duplicates blocked
Actual result	Named test/suite assertions passed in the uploaded automated execution
Status	PASS — local automated
Evidence	Frontend Vitest 110/110 files; 1,341/1,341 tests

QA-FE-024 — Payment success requires backend confirmation

Attribute	Recorded value
SRS requirement	Pending SRS match (do not infer ID)
Test type / priority	Component / High
Test source	tests/PaymentResultPage.test.jsx
Preconditions	Mock payment statuses
Steps / input	Render payment result without backend confirmation
Expected result	Success only when backend confirms completion
Actual result	Named test/suite assertions passed in the uploaded automated execution
Status	PASS — local automated
Evidence	Frontend Vitest 110/110 files; 1,341/1,341 tests

QA-FE-025 — Payment initiation blocks double submit

Attribute	Recorded value
SRS requirement	Pending SRS match (do not infer ID)
Test type / priority	Component / High
Test source	tests/PaymentEntryPage.test.jsx
Preconditions	Payment initiation pending
Steps / input	Repeat initiation action
Expected result	No duplicate payment initiation
Actual result	Named test/suite assertions passed in the uploaded automated execution
Status	PASS — local automated
Evidence	Frontend Vitest 110/110 files; 1,341/1,341 tests

QA-FE-026 — Payment handles uncertain network state

Attribute	Recorded value
SRS requirement	Pending SRS match (do not infer ID)
Test type / priority	Component / High
Test source	tests/PaymentEntryPage.test.jsx
Preconditions	Mock uncertain network response
Steps / input	Attempt initiation then simulate network failure
Expected result	Status recovery required
Actual result	Named test/suite assertions passed in the uploaded automated execution
Status	PASS — local automated
Evidence	Frontend Vitest 110/110 files; 1,341/1,341 tests

QA-FE-027 — Appointment booking prevents invented slots

Attribute	Recorded value
SRS requirement	Pending SRS match (do not infer ID)
Test type / priority	Component / High
Test source	tests/AppointmentBookingPage.test.jsx
Preconditions	Available session fixture
Steps / input	Render booking time selection
Expected result	No arbitrary time slots displayed
Actual result	Named test/suite assertions passed in the uploaded automated execution
Status	PASS — local automated
Evidence	Frontend Vitest 110/110 files; 1,341/1,341 tests

QA-FE-028 — Appointment booking handles stale availability

Attribute	Recorded value
SRS requirement	Pending SRS match (do not infer ID)
Test type / priority	Component / High
Test source	tests/AppointmentBookingPage.test.jsx
Preconditions	Conflict response fixture
Steps / input	Submit stale slot
Expected result	Conflict handled with safe feedback
Actual result	Named test/suite assertions passed in the uploaded automated execution
Status	PASS — local automated
Evidence	Frontend Vitest 110/110 files; 1,341/1,341 tests

QA-FE-029 — Appointment booking enforces booking window

Attribute	Recorded value
SRS requirement	Pending SRS match (do not infer ID)
Test type / priority	Component / High
Test source	tests/AppointmentBookingPage.test.jsx
Preconditions	24-hour window rejection fixture
Steps / input	Submit outside permitted window
Expected result	Rejection handled; reselection possible
Actual result	Named test/suite assertions passed in the uploaded automated execution
Status	PASS — local automated
Evidence	Frontend Vitest 110/110 files; 1,341/1,341 tests

QA-FE-030 — Prescription entry validates eye axis

Attribute	Recorded value
SRS requirement	Pending SRS match (do not infer ID)
Test type / priority	Component / High
Test source	tests/PrescriptionEntryForm.test.jsx
Preconditions	Prescription form rendered
Steps / input	Submit axis values 0 and 180
Expected result	Permitted values accepted and approved data sent
Actual result	Named test/suite assertions passed in the uploaded automated execution
Status	PASS — local automated
Evidence	Frontend Vitest 110/110 files; 1,341/1,341 tests

QA-FE-031 — Prescription retains values on validation error

Attribute	Recorded value
SRS requirement	Pending SRS match (do not infer ID)
Test type / priority	Component / High
Test source	tests/PrescriptionEntryForm.test.jsx
Preconditions	Invalid submitted prescription
Steps / input	Trigger validation error
Expected result	Entered values preserved
Actual result	Named test/suite assertions passed in the uploaded automated execution
Status	PASS — local automated
Evidence	Frontend Vitest 110/110 files; 1,341/1,341 tests

QA-FE-032 — Staff management deactivation confirmation

Attribute	Recorded value
SRS requirement	Pending SRS match (do not infer ID)
Test type / priority	Component / High
Test source	tests/AdminStaffManagementPage.test.jsx
Preconditions	Admin staff list fixture
Steps / input	Choose deactivate then confirm
Expected result	Confirmation requested; refresh after success
Actual result	Named test/suite assertions passed in the uploaded automated execution
Status	PASS — local automated
Evidence	Frontend Vitest 110/110 files; 1,341/1,341 tests

QA-FE-033 — Staff sensitive role change confirmation

Attribute	Recorded value
SRS requirement	Pending SRS match (do not infer ID)
Test type / priority	Component / High
Test source	tests/AdminStaffEditor.test.jsx
Preconditions	Admin editor with selected staff
Steps / input	Change staff role
Expected result	Explicit confirmation before role API call
Actual result	Named test/suite assertions passed in the uploaded automated execution
Status	PASS — local automated
Evidence	Frontend Vitest 110/110 files; 1,341/1,341 tests

QA-FE-034 — Customer chatbot ignores post-logout success

Attribute	Recorded value
SRS requirement	Pending SRS match (do not infer ID)
Test type / priority	Component / High
Test source	tests/ChatbotFlow.test.jsx
Preconditions	Chatbot request pending
Steps / input	Logout before late successful response
Expected result	No logged-out transcript restoration
Actual result	Named test/suite assertions passed in the uploaded automated execution
Status	PASS — local automated
Evidence	Frontend Vitest 110/110 files; 1,341/1,341 tests

QA-FE-035 — Chatbot hostile output safely escaped

Attribute	Recorded value
SRS requirement	Pending SRS match (do not infer ID)
Test type / priority	Component / High
Test source	tests/ChatbotFlow.test.jsx
Preconditions	Malicious input/output fixtures
Steps / input	Send injection text and render mock answer
Expected result	Hostile output escaped in DOM
Actual result	Named test/suite assertions passed in the uploaded automated execution
Status	PASS — local automated
Evidence	Frontend Vitest 110/110 files; 1,341/1,341 tests

QA-FE-036 — Staff order control limits status progression

Attribute	Recorded value
SRS requirement	Pending SRS match (do not infer ID)
Test type / priority	Component / High
Test source	src/components/orders/StaffOrderStatusControl.test.jsx
Preconditions	Order in fixture status
Steps / input	Render permitted actions
Expected result	Only allowed next statuses shown
Actual result	Named test/suite assertions passed in the uploaded automated execution
Status	PASS — local automated
Evidence	Frontend Vitest 110/110 files; 1,341/1,341 tests

QA-FE-037 — Reporting masks sensitive DTO fields

Attribute	Recorded value
SRS requirement	Pending SRS match (do not infer ID)
Test type / priority	Component / High
Test source	tests/ReportDetails.test.jsx
Preconditions	Masked report fixture
Steps / input	Render report details
Expected result	Only approved masked sales fields shown
Actual result	Named test/suite assertions passed in the uploaded automated execution
Status	PASS — local automated
Evidence	Frontend Vitest 110/110 files; 1,341/1,341 tests

QA-FE-038 — Cart route requires authentication

Attribute	Recorded value
SRS requirement	Pending SRS match (do not infer ID)
Test type / priority	Route / High
Test source	tests/App.test.jsx
Preconditions	Unauthenticated test state
Steps / input	Navigate to customer cart
Expected result	Redirected to login
Actual result	Named test/suite assertions passed in the uploaded automated execution
Status	PASS — local automated
Evidence	Frontend Vitest 110/110 files; 1,341/1,341 tests

QA-FE-039 — Protected route denies unauthenticated access

Attribute	Recorded value
SRS requirement	Pending SRS match (do not infer ID)
Test type / priority	Route / High
Test source	tests/ProtectedRoute.test.jsx
Preconditions	Unauthenticated test state
Steps / input	Visit protected route
Expected result	Login redirect shown
Actual result	Named test/suite assertions passed in the uploaded automated execution
Status	PASS — local automated
Evidence	Frontend Vitest 110/110 files; 1,341/1,341 tests

QA-FE-040 — Customer appointment cancellation refresh

Attribute	Recorded value
SRS requirement	Pending SRS match (do not infer ID)
Test type / priority	Component / Medium
Test source	tests/AppointmentDetailsPage.test.jsx
Preconditions	Appointment fixture
Steps / input	Cancel then reload
Expected result	Latest appointment state displayed
Actual result	Named test/suite assertions passed in the uploaded automated execution
Status	PASS — local automated
Evidence	Frontend Vitest 110/110 files; 1,341/1,341 tests

4. SRS traceability register (pending approved identifiers)

The uploaded test outputs do not include the approved SRS requirement inventory or explicit requirement IDs attached to every test. An SRS mapping cannot be marked Verified until its ID is read from the approved SRS and the test assertion is linked. The table is a worklist for matching, not invented compliance.

Implemented area	Representative test IDs	Requirement mapping status
Login and role security	QA-FE-016, QA-FE-020, QA-BE-015	Pending SRS ID / acceptance-criteria verification
Customer account/recovery	QA-FE-018, QA-BE-009	Pending SRS ID / acceptance-criteria verification

Implemented area	Representative test IDs	Requirement mapping status
Inventory	QA-FE-021–023, QA-BE-007–008	Pending SRS ID / acceptance-criteria verification
Payment and checkout	QA-FE-024–026, QA-BE-010–012	Pending SRS ID / acceptance-criteria verification
Appointments and prescriptions	QA-FE-027–031	Pending SRS ID / acceptance-criteria verification
Admin operations and audit	QA-FE-032–033, QA-BE-014	Pending SRS ID / acceptance-criteria verification
Chatbot, orders, reporting	QA-FE-034–037	Pending SRS ID / acceptance-criteria verification

5. API endpoint integration case register

Method/route/required role combinations cannot be reconstructed reliably from test filenames. For each implemented route, copy the method and path from backend router definitions and link the concrete Supertest test. The log verifies integration suites ran; it does not verify a distinct test for each route. As a result, endpoint completeness is currently NOT VERIFIED.

Domain	Possible evidence suite	Route/method and status
Authentication	Authentication integration and unit cases	Specific endpoints require route inventory
Staff/doctor management	tests/integration/staffDoctorLifecycleSecurity.test.js	Specific endpoints require route inventory
Inventory images	tests/integration/inventory.imageUpload.test.js	Specific endpoints require route inventory
Loyalty	tests/integration/loyaltyReadApi.test.js	Specific endpoints require route inventory
Chatbot	tests/integration/chatbotSessionApi.test.js	Specific endpoints require route inventory

6. E2E and manual test register

The successful Jest/Vitest logs do not establish live browser or hosted UAT results. For E2E source DDP-084, use actual Playwright logs and evidence from infra issue #11 / PR #19. Prior review mentioned seven repeated authorization checks passing, while hosted PayHere callback verification had a merchant-side error; verify exact dates, environments and artifact links before assigning final statuses. The rows below use BLOCKED/NOT EXECUTED only for cases not established by the supplied logs, not claims that the team never tested them.

Register ID	Scenario	Current evidence-based status
QA-E2E-001	Customer purchase and hosted PayHere payment confirmation	Blocked / not verified from these logs; merchant configuration limitation noted
QA-E2E-002	Role isolation across staff/customer/admin	Pending review of DDP-084 actual Playwright artifacts
QA-E2E-003	Cross-customer and cross-branch access isolation	Pending review of DDP-084 actual Playwright artifacts
QA-E2E-004	Doctor session booking end to end	Not verified from these logs
QA-E2E-005	Prescription recording and history end to end	Not verified from these logs
QA-MAN-001	Final manual UAT sign-off	Not verified from these logs

7. Security, performance and defect linkage

Area	Reference	Current reporting rule
OWASP and authorization	DDP-085; documents/security/owasp-checklist.pdf	Use exact measured/verified status in report, do not infer
Performance and reliability	DDP-086; documents/testing/performance-report.pdf	Use actual workload, targets, p95 and errors
Critical E2E testing	DDP-084; infra issue #11 / PR #19	Link Playwright logs by scenario
Defect closure and regression	DDP-092; infra issue #14	Link each defect, fix and retest evidence

8. Findings and residual gaps

- All locally observed automated test executions passed: 3,416/3,416.
- Representative register entries are sourced from explicit passing suite or test names; not all 3,416 individual cases are enumerated here.

- Approved SRS identifier mapping and completeness must be verified before final acceptance.
- API route-by-route coverage cannot be certified without router/test inventory.
- Frontend console includes non-failing React Router and act(...) warnings.
- Separate E2E, UAT, OWASP, performance, and defect artifacts must be checked for their exact outcomes and CI links.

9. Review and completion checklist

Finalization requires: (a) fill approved SRS IDs; (b) attach exact backend/frontend commit SHAs and CI runs; (c) complete API method/route coverage matrix; (d) add DDP-084 browser-case IDs and evidence; (e) incorporate security, performance and defect verification results; (f) obtain QA reviewer and sign-off. Until then, this is a detailed executable evidence register with explicit open traceability work, not a falsely certified complete SRS test inventory.

QA reviewer: _____ Approval: _____ Date: _____