
6.2 SCREEN SHOTS

• Home Page



This is home page of Proxy caching server which contains different functionality along with monitoring network and storage.

• Client IP Manipulation



This page contains list of clients machine IP addresses which allowed to access this proxy server. we can add new IP's and reload, remove and save.

• Website URL's Manipulation



This page contains list of websites which are denied from accessing by the clients. We can add new website URL's and reload, remove and save.

• Adding File Extension




This page contains list of file extensions which are denied from accessing by the clients. We can add new file extensions, reload, remove and save.

• Network Monitoring




This Monitor shows information about access.log file which includes http transactions. also shows which client is accessing which website and the status.

Storage Monitoring




This Monitor shows information about store.log file which includes cacheable and uncacheable web objects corresponding to its website.

Setting




Here admin can set the file paths for clients, websites, files. Open squid.conf file for editing and viewing.

• Squid Configuration




Here admin can able to see the configuration (ie. squid.conf) file and edit or change as per the requirement.

• Error Status




It shows error status which indicates anything wrong with configuration file and we need to fix that by clicking button squid.conf

Client Connection to proxy server



Here client set proxy setting in their machines (browser) for connection.

• Clients Machine Browser



Access Denied for Unauthorized Client request or denied website by client machine

Client trying to access denied file



This message is displayed when client try to access the restricted file.