

→ Execution Phase

① → Global Execution
↓
this

② Memory Phase

val1 → undefined
val2 → undefined
addNum → definition
result1 → undefined
result2 → undefined

```
1 let val1 = 10
2 let val2 = 5
3 function addNum(num1, num2){
4   let total = num1 + num2
5   return total
6 }
7 let result1 = addNum(val1, val2)
8 let result2 = addNum(10, 2)
```

③ Execution Phase

val1 ← 10
val2 ← 5





```
7 let result1 = addNum(val1, val2)
8 let result2 = addNum(10, 2)
```

③ Execution Phase

val1 ← 10

val2 ← 5

add Num →



on
d
ined



① → Global Execution
↓
this

② Memory Phase

val1 → undefined
val2 → undefined
addNum → definition
result1 → undefined
result2 → undefined

```
1 let val1 = 10
2 let val2 = 5
3 function addNum(num1, num2){
4   let total = num1 + num2
5   return total
6 }
7 let result1 = addNum(val1, val2)
8 let result2 = addNum(10, 2)
```

③ Execution Phase

val1 ← 10
val2 ← 5
addNum →

new variable
environment
+
Execution
thread


Memory Phase

val1 → undefined
val2 → undefined
total → undefined


Execution Context

num1 → 10
num2 → 5
total → 15






one()




< - 5





- Style
- Duplicate
- Cut
- Copy
- Convert
- Group
- Save
- Delete



New Tab x New Tab

Search Google or type a URL

Color palette with various colored markers and a close button (X).

