TIC Testing | Inspection | Certification

TIC QUALITY CONTROL

BRAND GUIDELINES

IDENTITY STANDARDS & BRAND MANUAL · EDITION 1 · 2026

CONTENTS

WHAT'S INSIDE

01 About this document

02 Brand foundations

03 Logo anatomy & construction

04 Logo versions

05 Colour schemes

06 Clear space & minimum size

07 The company name rule

08 Backgrounds

09 Logo misuse

10 Colour palette

11 Colour use & accessibility

12 Typography: Saira

13 Typography: Open Sans & hierarchy

14 Graphic language

15 Layout system

16 Photography & icons

17 Stationery

18 Presentations

19 Digital & social

20 Field applications

21 Writing & naming

22 Asset library & governanc

HOW TO USE THIS BOOK

Sections 03–16 are the **standards**: they define what the brand is. Sections 17–22 are the **manual**: they show how to apply it and which file to use. The short rules are repeated in *TIC Brand Manual – Quick Rules* for staff who only need the essentials.

WHY THIS EXISTS

TIC Quality Control has grown across twenty-plus countries with one logo file and no written rules. The result shows: five different reds in circulation, no one-colour or reversed logo versions, two type systems, and no presentation template. This edition does not change the logo — it documents it, and gives every office the same kit built around it.

WHAT CHANGED IN 2026

- The logo is **unchanged**. It is now supplied as a complete, generated file set: five versions, four colour schemes, SVG/PDF/PNG — all derived from the original 2024 artwork.
- One red: **TIC Red #EE3124 / Pantone 485 C**.
- Type standardised on **Saira** + **Open Sans** (already used in the 2026 brochures); Myriad is retired.
- Four logo schemes (Colour, Mono Black, Mono White, Reversed) and five lockups, each supplied as SVG, PDF and PNG.
- The CEO-approved letterhead (V01, 23 Feb 2026) is the master for every document: its header, footer, shiny-red band and world map are inherited by all stationery, the PowerPoint template and this book.
- New stationery kit and a real PowerPoint template with layouts.

WHO MUST FOLLOW IT

- Every TIC office and every employee producing documents, reports, slides, emails or social posts.
- Agencies, printers and web developers working for TIC.
- Partners who display the TIC logo (co-branding, accreditation listings).

OWNER

Marketing & Design, TIC Quality Control HQ (Dubai). Requests for new applications or exceptions go there before anything is printed or published.

THE THREE NON-NEGOTIABLES

1. USE ONLY THE LOGO FILES IN 02 LOGO — NEVER REDRAW.

2. ONE RED, TWO TYPEFACES.

3. THE COMPANY NAME “TIC QUALITY CONTROL” ALWAYS APPEARS WITH THE LOGO.

WHAT THE BRAND STANDS FOR

POSITIONING

The independent assurance partner governments and traders rely on to know that what crosses a border is what it claims to be.

PROMISE

Testing, inspection and certification that are impartial, traceable and recognised — delivered with the consistency of one global system and the presence of a local office.

PROOF POINTS

- ISO/IEC 17020 accredited inspection body
- ISO 9001 · ISO 14001 · ISO 45001 certified
- TIC Council member — independent and impartial
- Appointed for government VOC programs (Botswana, Egypt, Libya, Iraq & Kurdistan Region, Saudi Arabia)
- Offices in 20+ countries

PRECISE

We measure, we do not guess. Clean grids, exact alignment, square corners, numbers set large and clear. Nothing decorative that does not carry information.

INDEPENDENT

Impartiality is the product. Neutral charcoal and white carry most of every layout; red is used with discipline to mark what matters.

RELIABLE

The same logo, the same colours, the same type in Dubai, Cairo, Gaborone and Erbil. Consistency is how a client recognises that a certificate is ours.


GLOBAL, LOCAL

One system, applied by every office. Photography shows real inspectors in real ports, plants and labs — the places where our work happens.

TONE OF VOICE

Formal, factual, short. We state what was tested, what was found and what it means. No superlatives, no exclamation marks, no jargon without a plain-language gloss. We write “program”, “VOC”, “Certificate of Conformity (CoC)”. See section 21.

HOW THE LOGO IS BUILT



ONE UNIT: THE TILE

The logo is a lowercase **tic** built from square tiles — about 6.5 tiles wide and 4 tiles high, with the tagline bar beneath. Every tile is cut on a diagonal into two triangles. The unit **u** (one tile) drives every other measurement in this book: clear space, minimum sizes, the position of the company name.

THREE FILLS, ONE KEYLINE

Triangles are filled in three tones — **black**, a **graphite-to-silver gradient** and a **white-to-silver gradient** — and sit on red squares that show as a **TIC Red** keyline. The gradient is part of the artwork; the one-colour and reversed versions (section 05) are generated from the same paths for where a gradient cannot print.

THE I-DOT

A TIC Red rectangle inside a black frame, sitting above the stem of the i. It is the only red-filled element in the mark.

THE TAGLINE BAR

Two blocks under the tiles: a black block with **T I C** letter-spaced, and a TIC Red block with **Testing | Inspection | Certification**. The type (Myriad Pro Bold) is outlined inside the artwork — never retype it, and never use Myriad anywhere else.

DO NOT REDRAW

Keyline weights vary slightly from tile to tile and the black TIC block is a little taller than the red bar — these are part of the file. Always place the supplied files; never rebuild or "tidy" the logo.

FIVE LOCKUPS FOR EVERY SITUATION

The Primary logo is the default. Use the others only for the purposes listed; never invent a sixth.



PRIMARY

Tiles + tagline bar. Default for everything: documents, slides, print, web.




LOCKUP — HORIZONTAL

Primary | red rule | TIC QUALITY CONTROL. Document headers, email, website header, co-branding.



LOCKUP — STACKED

Primary over the company name. Covers, posters, signage, social, Zoom.



MARK

Tiles only. Avatars, favicons, app icons, watermarks, embroidery, very small spaces (< 25 mm).



TAGLINE BAR

The bar alone, stretched to full width, as a page or slide footer. Never as the only identifier on a piece.

FILE NAMING

TIC-Logo-*Kind-Scheme.ext*

Kind: Primary · Mark · Tagline-Bar · Lockup-Horizontal · Lockup-Stacked
Scheme: Colour · Mono-Black · Mono-White · Reversed
ext: SVG (web, Illustrator, Figma) · PDF (print, InDesign, Word) · PNG 600 / 1500 / 3000 px (Office, email, social)


FOUR SCHEMES, ONE LOGO

Pick the scheme by the background, never by taste.




COLOUR

Default. White or Light Grey backgrounds only.



MONO BLACK

One-colour print, fax, rubber stamps, newspaper, engraving on light material.



MONO WHITE

All white. On photographs, TIC Red, Charcoal, foil, etched glass.



REVERSED

On TIC Black / dark Charcoal only: white and Steel tiles keep the red keyline and i-dot.

DECISION RULE

BACKGROUND	SCHEME
White, Light Grey, light photo area	Colour
TIC Black, Charcoal, dark photo area	Reversed (preferred) or Mono White
TIC Red, any other colour	Mono White
One-colour production	Mono Black (or Mono White on dark stock)
Busy photo	Place a white plate first, then Colour


WHY THE COLOUR VERSION ONLY LIVES ON WHITE

The white triangles are part of the letterforms. On any colour or photo they disappear and the t, i and c fall apart. Rather than a tinted plate, use the Reversed or Mono White scheme — the keyline still draws every tile.





GIVE IT ROOM, KEEP IT LEGIBLE



Clear space = one tile (u) on every side, measured from the outer edge of the keyline and the tagline bar. No text, rules, photos, other logos or page edges inside it. The supplied files already contain ¼u of padding; add the rest in layout.

VERSION	MINIMUM PRINT WIDTH	MINIMUM SCREEN WIDTH
Primary	25 mm	120 px
Lockup — Horizontal	45 mm	200 px
Lockup — Stacked	25 mm	120 px
Mark	8 mm	32 px (favicon: 16 px, i-dot only)
Tagline bar	60 mm	280 px



25 mm



8 mm



TIC QUALITY CONTROL

45 mm

RECOMMENDED SIZES

- A4 letterhead: Lockup Horizontal 55 mm wide
- Business card: Primary 28 mm wide
- 16:9 slide: Primary 1.1 in wide (corner), stacked lockup 3.2 in on covers
- Email signature: Primary 180 px (PNG 600 px for retina)
- Roll-up banner 850 mm: stacked lockup 350 mm

07 · THE COMPANY NAME RULE

THE LOGO NEVER TRAVELS ALONE

"tic" is a lowercase lettermark; on its own it is not a company name. Every piece that carries the logo must also carry **TIC QUALITY CONTROL** in words — in the lockup, in a header, or in a footer.



TIC QUALITY CONTROL

OPTION A — HORIZONTAL LOCKUP

As on the letterhead header: the name in Helvetica Neue Bold caps, Charcoal #414142, tracked 5 %, baseline on the bottom of the logo. Default for headers, signatures and anything wider than it is tall.



TIC QUALITY CONTROL

OPTION B — STACKED LOCKUP

Covers, square formats, signage. Name on one line, same Helvetica Neue Bold style, as wide as the logo, centred under the bar.



TIC QUALITY CONTROL · info@ticqc.com · www.ticqc.com

OPTION C — PRIMARY + NAME ELSEWHERE

When the primary logo stands alone (e.g. a slide corner), the name must appear on the same page in the header, footer or contact block in Saira caps.


WRITING THE NAME

- In lockups and headers: **TIC QUALITY CONTROL** (caps, Helvetica Neue Bold, Charcoal — exactly as on the letterhead; in Office files use Arial Bold).
- In running text: **TIC Quality Control** on first mention, then **TIC**.
- Never "Tic", "T.I.C.", "TICQC" (the domain is not the name) or "TIC Quality Control LLC" unless legally required on that document.
- The tagline is always written in full with pipes: TESTING | INSPECTION | CERTIFICATION. Never "Testing, Inspection & Certification" inside the bar.


CO-BRANDING

- Partner logos sit to the right of ours, separated by a 0.5pt Hairline rule, matched in visual weight (not in width).
- Accreditation marks (ANAB, EIAC, EGAC, TIC Council, ISO) are never inside the clear space and never larger than the TIC logo.
- The LOX brand is a separate company: never combine the two logos into one lockup.


WHERE THE LOGO MAY SIT



✓ WHITE — COLOUR



✓ LIGHT GREY — COLOUR




✓ TIC BLACK — REVERSED




✓ TIC RED — MONO WHITE




✓ DARK PHOTO AREA — MONO WHITE



✓ BUSY PHOTO — WHITE PLATE + COLOUR



× COLOUR VERSION ON A PHOTO



× COLOUR VERSION ON STEEL OR ANY MID-TONE

WHAT NEVER HAPPENS TO THE LOGO

These are the recurring mistakes found in old documents and decks. The fix is always the same: delete and place the supplied file again.



× STRETCHED OR SQUASHED



× ROTATED OR TILTED



× GRADIENT REMOVED OR FLATTENED




× RECOLOURED



× DROP SHADOW, GLOW, BEVEL



× TAGLINE RETYPED OR REWORDED



× MARK WITHOUT THE COMPANY NAME ANYWHERE



× OUTLINED, TRANSPARENT OR LOW-OPACITY

FOUR PRIMARY COLOURS CARRY THE IDENTITY

TIC Red is the signal; black, steel and white do the work. Secondary colours exist for text and surfaces only.

TIC RED
#EE3124 · RGB 238 49 36
CMYK 0 90 90 0 · Pantone 485 C

TIC BLACK
#111111 · RGB 17 17 17
CMYK 0 0 0 100 · Pantone Black 6 C

STEEL
#A7A9AC · RGB 167 169 172
CMYK 0 0 0 40 · Pantone Cool Gray 6 C

WHITE
#FFFFFF · RGB 255 255 255
CMYK 0 0 0 0 · Pantone —

SECONDARY — TEXT & SURFACES

BAND RED (CENTRE)
#EB232B · RGB 235 35 43
CMYK 0 95 85 0 · Pantone 185 C

BAND RED (EDGE)
#BD2130 · RGB 189 33 48
CMYK 15 100 85 5 · Pantone 1797 C

CHARCOAL
#414142 · RGB 65 65 66
CMYK 0 0 0 85 · Pantone Cool Gray 11 C

INK
#1E1E1E · RGB 30 30 30
CMYK 0 0 0 95 · Pantone Black 7 C

BODY GREY
#6B6B6B · RGB 107 107 107
CMYK 0 0 0 65 · Pantone Cool Gray 9 C

HAIRLINE
#D9D9D9 · RGB 217 217 217
CMYK 0 0 0 18 · Pantone Cool Gray 2 C

LIGHT GREY
#F3F3F3 · RGB 243 243 243
CMYK 0 0 0 5 · Pantone Cool Gray 1 C

PRINT


Coated stock: Pantone references above. Four-colour: the CMYK values. TIC Red must not be built from a “rich” mix — 0/90/90/0 only. Uncoated stock: Pantone 485 U, Cool Gray 6 U.

FILES

`03 Colours/TIC-Colours.ase` (Illustrator, InDesign, Photoshop) · `TIC-Colours.gpl` (Inkscape, Affinity) · `tic-colours.css / .json` (web). The Office templates carry the same values as theme colours.

PROPORTION AND CONTRAST

PROPORTION ON A TYPICAL PAGE




Red is an accent — rules, bullets, the i-dot, one highlighted figure, a call to action. If a page is more than about 10 % red it is shouting. Steel is reserved for the logo and icons; it is not a text colour.

ALLOWED PAIRS (WCAG AA FOR TEXT)

TEXT	ON	CONTRAST	USE
Ink #1E1E1E	White	16.1 : 1	Body text
Charcoal #3D3D3D	White / Light Grey	10.4 : 1	Headings
White	TIC Red	4.6 : 1	Buttons, bars, caps ≥ 9 pt
White	TIC Black / Charcoal	18 : 1 / 10 : 1	Dark bands
TIC Red	White	4.6 : 1	Large headings, numbers ≥ 14 pt — not body text
Body Grey #6B6B6B	White	5.3 : 1	Captions, metadata

NOT ALLOWED



GRADIENTS

One gradient only: the **shiny red** of the tagline band on the approved letterhead — a radial gradient from Band Red centre #EB232B to Band Red edge #BD2130, centred in the red block. It is part of the band artwork; use the supplied band, never rebuild it, and use no other gradient.

TINTS

Red and black are not tinted. Need something lighter? Use Light Grey or Hairline. Charts: use Red, Charcoal, Steel, Body Grey, then Hairline — in that order.

THE VOICE OF HEADLINES

AA

SAIRA

A wide, engineered sans with a technical, almost stencilled feel that echoes the tile grid of the logo. Free (SIL OFL), on Google Fonts, so every office and every web page can use it.

WEIGHTS IN USE

ExtraBold 800 — display headlines
Bold 700 — headings, company name
SemiBold 600 — sub-headings, labels, tagline
Medium 500 — large numbers
Regular 400 — rarely; sub-titles on covers

VERIFICATION OF CONFORMITY
PRE-SHIPMENT INSPECTION
TESTING LABORATORIES
CERTIFICATION PROGRAMS
OFFICES IN 20+ COUNTRIES

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789 %&@€$£ ( ) | — “ ”

17020 20+ 9001

Numbers: Saira Medium, tight line-height, TIC Red for the one figure that matters.

THE VOICE OF THE TEXT

Aa

OPEN SANS

Neutral, highly legible at small sizes, with a large x-height that stays readable in reports, tables and on screens. Light 300 · Regular 400 · SemiBold 600 · Bold 700.

Light — large introductory paragraphs on covers and section openers.

Regular — all body copy, tables, forms, captions.

SemiBold — emphasis within text, table headers, labels.

Bold — only for stand-alone short statements; never whole paragraphs.

RULES

- Headings: Saira, CAPITALS, tracking +2 to +4 %. Never Open Sans caps for headings; never Saira for body text.
- Body: Open Sans, sentence case, left aligned, ragged right. No justification, no centred paragraphs (except covers).
- Line length 55–75 characters; line height 1.45–1.5.
- One typeface per element. No italics in Saira; Open Sans Italic only for titles of publications. Myriad Pro appears only inside the logo artwork — never in text.
- Arabic companions when needed: **Cairo** for headings and body (Google Fonts). Right-to-left layouts mirror the grid; the logo is never mirrored.
- Fallback when fonts cannot be installed: Arial for both roles. Never Calibri or Times.
- **Artwork fonts:** the letterhead master uses Helvetica Neue Bold (company name) and Myriad Pro (address, contact and band). They live only inside the approved artwork and the logo; do not use them for text.

HIERARCHY — A4 DOCUMENT

H1 · REPORT TITLE 24–32 PT

H2 · SECTION 16–18 PT

H3 · SUB-SECTION 11–13 PT

LABEL · 8 PT · TRACKING +12 %

Body · Open Sans Regular 10.5 / 15 pt, Ink. TIC Quality Control performs pre-shipment inspection, testing and certification against the destination country's standards, and issues the Certificate of Conformity required by customs.

Caption · Open Sans 8.5 pt, Body Grey. Figure 1 — Inspection at the port of Jebel Ali, 2026.

HIERARCHY — 16:9 SLIDE

Title 36–40 pt Saira Bold caps · Sub-title 20 pt Saira SemiBold · Body 18–20 pt Open Sans, minimum 12 pt · Big figures 72–96 pt Saira Medium · Footer 9 pt.

HIERARCHY — WEB

H1 48 px · H2 32 px · H3 22 px · body 17–18 px / 1.6 · buttons Saira SemiBold 15 px caps tracked +6 %.

EIGHT DEVICES, USED THE SAME WAY EVERYWHERE

The logo supplies the whole vocabulary: a red line, a cut square, a triangle. Nothing else is needed — no swooshes, no circles, no rounded corners.

HEADER LINE

1 · RED RULE

1 mm (print) / 3 px (screen) TIC Red, full width of the text column, under headers and above footers. The single most used device.

TIC TESTING | INSPECTION | CERTIFICATION

2 · TAGLINE BAND

The approved letterhead band: black block (32 % of the width) with T I C, then the shiny-red block with TESTING | INSPECTION | CERTIFICATION in tracked caps. Always full width at the bottom edge; height 12.9 mm on A4, 0.36 in on slides. Use the supplied artwork (tb.bar / band PNG) — never redraw it.

SECTION TITLE

3 · SLANTED TITLE TAB

Charcoal parallelogram, right edge cut at 60°, white Saira SemiBold caps, tracking +6 %. Section openers in brochures, slide section labels, photo captions in Red.

4 · TILE PATTERN

The logo's split tiles as a texture: keyline only (Steel at 15–30 %), or tonal fills — Charcoal on Black, Light Grey on White. Covers, dividers, Zoom backgrounds, exhibition walls. Never behind body text, never in colour.

- Diamond bullet for lists
- Always TIC Red, 0.5 em square
- Triangle marker for steps

5 · BULLETS & MARKERS

Red diamond (rotated square) for lists; red right-pointing triangle for process steps and "next" links. Never round dots or dashes.



6 · CAPTION BAR

White Saira caps on a TIC Red block, bottom-left of the photo, flush to the edge. Identifies the sector, place or program.



7 · DARK BAND


TIC Black (or Charcoal) full-width band with the tile pattern at low opacity, white text and red accents. For "Why TIC", key figures, closing slides.




8 · CUT SQUARE

Solid squares, half-squares (triangles) and outlined squares in Red, Charcoal and Steel, as icon containers, chart markers and decorative corners. Always axis-aligned — never rotated 45°, except the diamond bullet.

ONE GRID FOR PAPER AND SCREEN



A4 portrait · margins 20 mm sides, 45 mm top (below the header rule), 35 mm bottom (above the footer). Header: horizontal lockup 55 mm wide at 15 mm from top-left. Tagline band 10 mm at the bottom edge. Column grid: 12 columns, 4 mm gutter.



16:9 slide · 13.333 × 7.5 in. Margins 0.5 in. Primary logo 1.1 in wide top-right. Title Saira Bold caps top-left with the red rule. Content area between the rule and the footer. Tagline band 0.32 in high at the bottom; footer text 9 pt Body Grey.

PRINCIPLES

- **Align to the grid.** Everything starts on a column; the red rule under a title is as wide as the title's column, not the page.
- **Top-left to bottom-right.** Logo top-left (documents) or top-right (slides, to leave room for titles); the tagline band always closes the page at the bottom.
- **Generous white space.** The brand is calm. One idea per slide, one message per panel.
- **Square corners.** Boxes, photos, buttons and tabs are rectangular. The only diagonals are the logo tiles and the slanted tab.
- **Hierarchy by size and weight, not colour.** Red marks one thing per page.

OTHER FORMATS

FORMAT	MARGINS	LOGO
Business card 85×55	5 mm	Primary 28 mm
DL envelope	10 mm	Horizontal lockup 50 mm

REAL WORK, CLEAR SYMBOLS

PHOTOGRAPHY







- **Subject:** inspectors at work — ports, container yards, factories, labs, oil & gas sites, agricultural stores. People in PPE, hands on the product, documentation in view.
- **Look:** natural daylight or clean industrial light, true colours, slight cool-neutral grade. No HDR, no heavy filters, no orange-teal.
- **Composition:** straight horizons, room on one side for a title or caption bar. Wide establishing shots for covers; medium shots for inside pages.
- **Avoid:** handshakes, staged smiles at the camera, generic skylines, 3D renders, AI-generated imagery presented as real, and any photo where the logo would sit on a busy area.
- **Treatment:** full colour, or Charcoal duotone for dark bands. Overlay for text: TIC Black at 40–60 % from the text side only.
- **Rights:** only licensed stock (Adobe Stock, iStock) or TIC's own photos with permission from the people shown.

ICONS



- Outline style, 2 px stroke at 48 px, square caps and joins, Charcoal.
- One red element per icon — a filled square, a tick, a line — never more.
- Built on a 48 px grid with 4 px padding; corners square; no rounded line ends.
- Sets: Services (testing, inspection, certification, audit, verification), Sectors (oil & gas, food, consumer goods, industrial, agriculture, vehicles, e-waste), Process (apply, review, inspect, test, report, certify).
- Existing brochure icons (about 12) are the reference; redraw anything that does not match this spec before reuse.

CHARTS


- Series order: TIC Red, Charcoal, Steel, Body Grey, Hairline. Red for the series the reader should look at.
- Saira Medium for values, Open Sans for axes; no 3D, no gridlines heavier than Hairline, square markers.

PAPER THAT CARRIES THE BRAND



LETTERHEAD A4 — THE APPROVED MASTER

CEO-approved V01 (23 Feb 2026). Word file `Letterhead/TIC Letterhead - V01 - 26.02.23.docx` ; office versions in `Letterhead/Offices` ; printers get the Print PDF. Fixed: logo, name, rules, map, band, contact-line format. Dynamic: address, phone, local legal name.



BUSINESS CARD 85 × 55 MM

Front: logo, name block. Back: black with the reversed logo. Edit names in `TIC Business Card - Editable.svg` (Illustrator / Inkscape), export the print PDF with 3 mm bleed. 350 gsm matt, no lamination or a soft-touch finish; square corners.



ENVELOPES DL & C4

Horizontal lockup top-left, tagline band along the bottom edge. Print PDFs in `05 Stationery/Envelopes/` . Window position (DL): 90 × 45 mm at 20 mm from the left, 15 mm from the bottom — the band clears it.

DOCUMENT COVERS & REPORTS

A4 report cover in `05 Stationery/Document Covers/` : photo area, stacked lockup, slanted title tab, tagline band. Inside pages use the letterhead grid (section 15). Proposals, technical reports and profiles all start from this cover.

PRINTING CHECKLIST

Send PDFs only (never Word files) · CMYK, 300 dpi, 3 mm bleed · Pantone 485 C for spot jobs · ask for a proof of the red before the run · keep square corners (no die-cut rounding).


ONE TEMPLATE, FOURTEEN LAYOUTS


Every TIC deck starts from `06 PowerPoint/TIC Presentation Template.potx`. Nothing is built from a blank file or an old deck.



















INSTALL

Install the fonts first (04 Typography). Copy the .potx to `%AppData%\Microsoft\Templates\` ; then File › New › Personal › TIC Presentation Template. Use Home › Layout to pick a layout; never draw your own title box.


RULES

One message per slide · max 6 bullets, 12 words each · body never below 12 pt · photos full-bleed or inside the content area, never floating · charts in the brand series colours · the logo and footer band are on the master — do not move, resize or cover them.

SHARING

Send decks as PDF unless the recipient must edit. Company profile and program presentations are maintained by Marketing; offices adapt content, not design. Export at 16:9 only.

ON SCREEN THE RULES ARE THE SAME




EMAIL SIGNATURE

HTML signature in `05 Stationery/Email Signature/` with install notes for Outlook and Gmail. Name in bold, title, phone, the logo PNG, the red rule, the tagline line. No quotes, no images of certificates, no coloured text other than the brand red.



VIDEO CALL BACKGROUNDS

Light (default) and dark. The logo sits bottom-right so it is not hidden by the speaker. Do not add photos, offices or bookshelves behind the brand.




SOCIAL MEDIA

LinkedIn banner 1584 × 396, avatar 400 × 400 (Mark only), post template 1080 × 1080. Posts: white background, slanted title tab, one photo with a caption bar, the tagline band at the bottom. Captions in Open Sans; hashtags at the end; no emoji.

WEBSITE

Header: horizontal lockup, 48 px high on desktop, Mark only on mobile. Nav in Saira SemiBold caps 14 px. Buttons TIC Red, white Saira caps, square. Body Open Sans 17–18 px. Footer: dark band with the tile pattern and the tagline band as the last element on every page. Favicon: the Mark at 32 px, the i-dot alone at 16 px. CSS tokens in `03 Colours/tic-colours.css` .

WHERE INSPECTORS MEET THE PUBLIC



INSPECTION TAPE

50 mm security/packing tape, white, repeating every 333 mm: Mark · INSPECTED in a red block · tagline. Artwork in `05 Stationery/Inspection Tape & Sticker/`. Red = Pantone 485 C; black = Black 6 C. The old version mixed two reds and a condensed font — replace all stock.





SEALS & STICKERS

60 mm “INSPECTED BY TIC” seal with space for date, inspector ID and a QR code to the certificate check page. Square or hexagonal die-cut; no circles.

SITE & VEHICLE

- **PPE and uniforms:** white or Charcoal garments; the Mark embroidered (Mono White on dark, Colour on white) on the left chest at 60 mm; TIC QUALITY CONTROL in Saira Bold across the back at 200 mm, with the tagline beneath.
- **Vehicles:** white vehicles; stacked lockup on front doors (450 mm); tagline band along the lower body; website on the rear. No wraps, no photos.
- **Signage:** stacked lockup on white, or reversed on TIC Black; letters cut from Saira Bold. Clear space doubles (2u) at sizes over 1 m.
- **Exhibition:** white walls, one dark band with the tile pattern, red used only for the stand name and one call to action. Roll-ups: stacked lockup top, photo middle, tagline band bottom.
- **Stamps:** Mono Black Mark + TIC QUALITY CONTROL in Saira, rectangular, 40 × 20 mm; the company stamp is the only place the Mark appears without the keyline colour.

CERTIFICATES

Certificates of Conformity and inspection reports follow the letterhead grid with the horizontal lockup, the red rule and a security panel (certificate number, QR code, issuing office). Their layout is controlled centrally; offices never redesign them.

CONSISTENCY IN WORDS

TONE OF VOICE

- **Factual.** We say what was inspected, against which standard, with what result. We do not say “world-class” or “leading”.
- **Short.** Sentences under 20 words. One idea per paragraph. Headlines under six words.
- **Plain.** Technical terms explained once: “Verification of Conformity (VOC): the inspection and testing a shipment must pass before export.”
- **Calm.** No exclamation marks, no capital letters for emphasis in text, no emoji in corporate channels.
- **Respectful of institutions.** Government partners are named with their official titles and acronyms (BOBS, GOEIC, SFDA).

SPELLING & STYLE

- US spelling in program names (“program”); otherwise consistent within a document.
- Numbers: figures for 10 and above, “20+ countries”, “ISO/IEC 17020” with the slash, “ISO 9001:2015” with the year when precision matters.
- Dates: 21 October 2026. Currency: USD 1,200 / AED 4,400.
- Capitalise: Certificate of Conformity, Advance Eco Levy, Pre-shipment Inspection (as program names). Lowercase: inspection, testing, certification as activities.

NAMING THE COMPANY AND ITS SERVICES

WRITE	NOT
TIC Quality Control (first mention), TIC	Tic, T.I.C., TICQC, TIC QC
TESTING | INSPECTION | CERTIFICATION (bar); testing, inspection and certification (text)	Testing, Inspection & Certification in the bar
Verification of Conformity (VOC) program	VoC, V.O.C., PVoC when not the program's own name
Certificate of Conformity (CoC)	COC, certificate of conformance
Pre-shipment Inspection (PSI)	pre shipment inspection
E-Waste Management Program	e-waste programme, EWaste
Kurdistan Region of Iraq	Kurdistan, North Iraq

FILE NAMING

TIC - *Type* - *Subject* - *Language* - V*nn* - *YYYY.MM.DD*.ext

`TIC - Brochure - E-Waste Program - EN - V02 - 2026.10.05.pdf`

Final files carry “FINAL” after the version; print files carry “PRINT”. Working files stay in the office's design folder; only PDFs go to clients.

WHERE EVERYTHING LIVES, AND WHO DECIDES

THE BRAND FOLDER

FOLDER	CONTENTS
01 Brand Guidelines	This book (PDF), the Quick Rules manual (PDF + Word), the web version (HTML)
02 Logo	Primary · Mark · Tagline-Bar · Lockup-Horizontal · Lockup-Stacked, each in Colour · Mono-Black · Mono-White · Reversed, as SVG · PDF · PNG
03 Colours	ASE, GPL, CSS, JSON swatches and the Office theme values
04 Typography	Saira and Open Sans TTFs with licences and install notes
05 Stationery	Approved letterhead (Dubai + office versions), business card, envelopes, email signature, Zoom, social, document covers, tape & sticker
06 PowerPoint	Template (.potx), editable copy, sample deck, previews
(older folders)	The pre-2026 files beside this folder — Logo, Letterhead, Brochure, Sticker, Tapes… — are kept for reference only. Do not use.

WHICH FILE DO I NEED?

I AM MAKING…	USE
A Word letter or report	The approved letterhead .docx for your office
A slide deck	PowerPoint .potx
An email or web page	Logo PNG 600 px (or SVG on web); CSS tokens
Print (brochure, banner, sign)	Logo PDF or SVG; Pantone / CMYK values
Social post	Post template PNG/SVG; Mark PNG 600 px for avatars
Embroidery, engraving, stamp	Mono-Black or Mono-White SVG of the Mark

GOVERNANCE

- **Owner:** Marketing & Design at HQ maintains the brand folder; it is the single source. Offices do not keep their own logo copies.
- **Approval:** anything printed in more than 100 copies, anything on a building or vehicle, any new template, and any co-branded material is approved by HQ Design before production.
- **Exceptions:** a regulator or partner may require a specific placement; request it in writing, HQ supplies the artwork.
- **Review:** this book is reviewed every twelve months; the version is on the cover and in the footer.
- **Legacy files:** the 2022 business cards and the loose logo copies in old documents are retired; the master artwork (Tic Logo – 24.04.24) lives on as the source of 02 Logo. Existing printed stock may be used up.

BEFORE YOU PUBLISH — THE 10-SECOND CHECK

☐ 2026 logo file, correct scheme for the background
☐ Clear space respected, above minimum size
☐ “TIC QUALITY CONTROL” appears in words
☐ Only TIC Red #EE3124; only Saira + Open Sans
☐ Tagline band at the bottom edge, wording unchanged
☐ Square corners, no shadows, no gradients
☐ Photos licensed and on-brand
☐ Contact details current (info@ticqc.com · www.ticqc.com)

TIC Testing | Inspection | Certification

TIC QUALITY CONTROL

BRAND GUIDELINES · EDITION 1 · OCTOBER 2026

Office 2101, Clover Bay Tower, Business Bay, Dubai, UAE
+971 4 225 5555 · info@ticqc.com · www.ticqc.com

Questions about the brand: Marketing & Design, HQ Dubai.