PULSE WEAVER STUDIO · REFERENCE MANUAL

Pulse Weaver Studio: The Nerds Introduction

A practical guide to the OBS foundation, Stages, Looks, scenes, live operation and release history.

REFERENCE EDITION · 4 NOVEMBER 2026

BUNDLED WITH PULSE WEAVER STUDIO 2.0.2

> **About this edition.** The operating reference and captured public release history were researched through Pulse Weaver Studio 2.0.1. The 2.0.2 distribution adds this offline manual and Help/About access. Historical release entries remain identified by their original version and publication date.

How to use this book

Start with the first four chapters to understand the production model. Chapters 5–10 work through building, controlling and troubleshooting a show. Later chapters explain integrations, architecture, maintenance and the history. The appendices preserve the available release records so you can examine individual changes in their original version context.

This is an evidence-based introduction, not a claim that every feature has been tested on every device, service or channel. Examples are illustrative. Platform capabilities, permissions, feature visibility and UI labels vary by build. When a feature is described as planned or experimental, do not assume it is present in the regular release.

The public GitHub Releases API was checked on 4 November 2026 and returned 82 non-draft releases through v2.0.1. Appendix C transcribes all 82 records returned by that public feed at the time; Appendix E separately labels local beta and engineering records. The feed cannot establish removed, unpublished or future builds.

Contents

Page references match the bundled A4 print edition. Select a title to jump to that section.

How to use this book 2

Chapter 1 What Pulse Weaver is 5

- The show at a glance 5

Chapter 2 Pulse Weaver and OBS 6

- Working vocabulary for an OBS user 6

Chapter 3 The production model 7

- Sources and scene items 7
- Scenes and canvases 7
- Stages and Looks 7

Chapter 4 Stages Looks and scenes in depth 8

- What a Stage owns or coordinates 8
- What a Look saves 8
- What a scene does 8
- Worked example 8
- Identity and shared objects 8

Chapter 5 Building a show 10

- Page one choose results 10
- Page two assign and review 10

Chapter 6 Movement and transitions 11

- A movement rehearsal 11

Chapter 7 Landscape portrait and destination routing 12

Chapter 8 Show Control in practice 13

Chapter 9 Audio overlays and source lifecycle 14

Chapter 10 Worked shows and run of show 15

- A gameplay show 15
- A maker or project show 15
- A camera-free show 15
- A coordinated closing sequence 15

Chapter 11 Chat platforms and audience activity 16

Chapter 12 Lumia and external controls 17

Chapter 13 HUD and the desktop 18

Chapter 14 Installation updates and privacy 19

Chapter 15 Under the hood and customization 20

Chapter 16 Troubleshooting and rehearsal 21

Chapter 17 Release evolution 22

Appendix A Glossary 23

Appendix B Source guide and evidence boundaries 25

Appendix C Published release notes 26

Appendix D Practical tricks and operator checklists 120

- Before adding another Look 120
- Quick framing and layering checks 120
- Quick audio and overlay checks 120
- Preflight and rehearsal checklist 121
- Recovery and identity tips 121

Appendix E Local beta and engineering history 122

- Root updates record 136
- Root status record 138

Appendix F Index 146

Chapter 1 What Pulse Weaver is

Pulse Weaver Studio is an independent Windows streaming and recording application derived from OBS Studio. It combines OBS capture, composition, audio and output technology with a show-oriented interface: Show Control, Camera, saved Stages and Looks, landscape and portrait production, platform connections and companion integrations.

The aim is to help one operator build and run a coherent show. A streamer can prepare several presentations, route the right compositions to the right destinations, watch chat and change the show with deliberate cues. A hobbyist can use only a small subset; a complex production can use paired canvases, saved motion, alerts and external controllers.

Version 2.0.1 is the latest regular Windows release identified by the current local README. Separate preview, alpha, unstable, Lite and Apple Silicon lines have their own identities and feature boundaries. A version number in a historic entry describes that record at that time, not necessarily the state of every edition today.

The show at a glance

```
Inputs → scene items → scenes and canvases → Stage and Look → routing → encoder →
stream or recording
```

The arrows are a useful conceptual model, not a literal description of every internal call. A Stage coordinates scene assignments and routes; a Look supplies a saved target for scene-item presentation. Destination-specific exclusions and rendering copies can affect what a particular output receives.

Sources: worktrees/hud-canvas/README.md; worktrees/hud-canvas/docs/RELEASE-2.0.0.md; ARCHITECTURE.md

Chapter 2 Pulse Weaver and OBS

OBS Studio is free open-source production software. It captures video and audio, arranges sources into scenes, mixes audio, applies filters, encodes and records or streams the result. It supports docks, Studio Mode, hotkeys, transitions, scripting, plugins and built-in WebSocket control. See https://obsproject.com/ and https://obsproject.com/kb/sources-guide.

Pulse Weaver is a fork, not an independent video engine or merely a dashboard that requires another copy of OBS to run. Its native application uses libobs and OBS frontend APIs directly. The architecture file identifies the base as OBS Studio 32.2.2, though a later Pulse Weaver build may have further changes. It is independent of the OBS project and distributed under GPL version 2 or later.

The common ground includes scenes, source types, transforms, filters, mixing, browser sources, encoders, recording and streaming. OBS users can accomplish many additional workflows with plugins and external applications. Pulse Weaver's distinguishing approach is to integrate its preferred show-control model, paired layouts, routing, chat and integrations into a single product experience.

Working vocabulary for an OBS user

- OBS scene: the composition of sources. Pulse Weaver still uses this building block.
- Pulse Weaver Stage: a higher-level show context that coordinates scene and output assignments.
- Pulse Weaver visual Look: a saved arrangement or presentation within a Stage.
- Pulse Weaver Show Control: the operating surface for Stages, output, chat and quick audio controls.
- Pulse Weaver Camera: the native scene/source editor for available canvases, including the independent HUD in the 2.0 workflow.

OBS Studio Mode allows previewing a scene before transitioning it to programme. Pulse Weaver's newer Show and Control split gives production preparation and live operation their own product surfaces, but an edit to a live shared scene or source can still be visible. Do not assume a private edit simply because an editor is open. https://obsproject.com/kb/obs-studio-overview

OBS has a mature cross-platform ecosystem on Windows, macOS and Linux. The documented regular Pulse Weaver 2.0.1 release is Windows x64. Plugin compatibility, upstream fixes, testing and edition availability must be assessed for the installed Pulse Weaver build, not inferred from OBS compatibility alone.

Chapter 3 The production model

Sources and scene items

A source produces or supplies content: a webcam, a game, a window, an image, browser page, media file or audio device. A scene item is a particular use of a source in a scene. The source may be shared, while each scene item has its own placement, size, crop, visibility and layer order.

For example, one presenter webcam source can appear as a small corner inset in a landscape gameplay scene and as a wide top band in a portrait scene. Changing the item's position in one scene differs from changing the shared camera device settings. A source-level change can affect other places that use the same source.

Scenes and canvases

A scene gathers scene items into a composition. The canvas supplies the dimensions and space for composition. The landscape and portrait versions need their own deliberate framing; a layout suitable for a wide display is rarely appropriate when copied unchanged into a tall display. A source can be reused across both, but their scene items and transforms are separate.

Stages and Looks

A Stage represents a meaningful show context and holds or coordinates the scene and routing assignments associated with it. A Look is an operating presentation within that context, such as Game leads or Presenter reacts. The newer setup guide calls a Look a layout that can be switched within a Stage. A visual Look is distinct from a physical lighting Look.

```
Main Stage
  Landscape scene + Portrait scene
  Look: Gameplay        → game large, camera small
  Look: Presenter       → camera large, game supporting
  Look: Screen share    → screen primary, camera inset
```

This is a teaching example rather than a rigid schema. Existing shows may organize Stages differently. A Stage can also carry destination-specific assignments and source exclusions. A Look is not necessarily a new scene or a full copy of every input.

Sources: worktrees/hud-canvas/docs/SETUP-WIZARD-GUIDE.md; WIZARD_CONCEPT_MODEL.md; worktrees/hud-canvas/docs/CODEX-CUSTOM-SHOWS.md

Chapter 4 Stages Looks and scenes in depth

What a Stage owns or coordinates

A Stage brings together the show context, paired scene choices, format-specific transition choices and output assignments. It can use different scenes or exclusions for particular destinations. The destination output plan remains a separate concern: assigning a scene to a route does not automatically enable a destination or start a stream.

A Stage can represent Main, Starting, Break, Ending or any other useful operating context. The latest default builder places chosen live layouts into one shared Main Stage and creates selected surrounding screens as separate Stages. This is a change from earlier four-page wizard models and is a good example of why version-specific instructions matter.

What a Look saves

A Look is a named saved presentation. It can include target position, scale, crop, visibility and order for controlled scene items, with independent landscape and portrait target arrangements. Reusing stable scene-item identities within a Stage lets the motion system move the same visual unit between Looks. A Look is not automatically a new camera source or a separate scene.

Create another Look when you need to choose a different focus or presentation while broadcasting. A camera frame shape, theme color, logo, or source assignment usually configures the selected Look. If you actually want to change emphasis live, that alternate focus is an operating Look. One size, border and color combination need not be multiplied into dozens of saved Looks.

What a scene does

The OBS engine renders the scene’s items in order. Sources higher in the stack can cover those below. A saved Look can change the presentation of items, but it cannot conjure up a missing source, make an incorrect scene assignment correct, or guarantee that a service is connected.

Worked example

A Main Stage has one landscape scene and one portrait scene. Both include a game and presenter. Game leads makes the game dominant and the camera small. Presenter reacts enlarges the camera and retains a smaller game. The same logical Look has independent H and V compositions: a side-by-side arrangement may work in H, while a vertical stack works in V. The same underlying webcam may feed both, but each canvas has its own item and geometry.

At the end of a match, run Presenter reacts. The source items move or change to their saved targets. When gameplay resumes, run Game leads. When leaving for a break, select the Break Stage. The Stage change uses its configured transition; the Look movement is a different mechanism.

Identity and shared objects

Names help people recognize items; source UUIDs and scene-item identities distinguish objects. A reused source can appear more than once, so matching by name alone can target the wrong item. Related Looks should reuse the intended item within each canvas when continuity is desired. Portrait items have their

own identity. Replacing a layer requires checking its saved targets and any restore snapshots as well as the scene itself.

Chapter 5 Building a show

In the 2.0 guide, open Show → Control → Build my show. The default flow has two required pages. First choose only the layouts and screens you need. Second name the show, supply the necessary inputs, review and create it. The older detailed builder remains available for saved layouts and specialist arrangements.

Page one choose results

The guide lists Camera, Face + activity, Activity + face, Screen share, Screen + two cameras, Gameplay and Game + two cameras. Optional surrounding screens include Starting, Break, Ending and Celebration or announcement. An activity can be a workbench, instrument, demonstration, pet or other subject; it is not tied to one specific device.

Nothing needs to be generated merely because it is possible. Basic gameplay, screen or activity layouts may omit a face camera. A two-camera composition requires two different pictures. A show made only of holding screens needs no capture sources.

Page two assign and review

Assign existing inputs or draft new cameras, captures, images, video or browser sources. The same input can be reused across selected Looks. Review both canvas illustrations and verify real pictures after creation: an inactive or new capture may be represented by an estimated aspect ratio. Wide content is fitted rather than assumed to be safe to crop.

Optional editors cover camera framing and color, per-format Stage transitions, up to three alert layers per format, and screen messages or artwork. The built-in Starting screen is a static message; it is not a running timer. A provider’s actual browser artwork or widget can provide animation or a countdown.

Back preserves draft answers, cancelling an optional editor restores its previous answers, and cancelling the wizard creates no partial show. Stop outputs before creating the show and check actual framing and alert audio afterwards. Existing catalogue entries are preserved according to the guide; creation does not start a broadcast or verify third-party commands.

Sources: worktrees/hud-canvas/docs/SETUP-WIZARD-GUIDE.md; worktrees/hud-canvas/docs/RELEASE-2.0.0-unstable.6.md

Chapter 6 Movement and transitions

A Stage transition and a Look movement answer different questions. A Stage transition changes between show contexts or assigned scenes, using Cut, Fade or an available stinger. A Look movement changes the position and presentation of items within a Stage. An OBS item show/hide fade is yet another mechanism and does not by itself reproduce a slide or a resize.

A stinger is a video transition with a configured switch point. Its own media timing determines its duration; it is not simply a fade duration. In 2.0.1 Manage Stages, transition type and timing are grouped per format; fade has an editable duration, Cut is instant, and stinger timing comes from the transition.

The 2.0 notes describe smoother camera reflow and a 1.05-second default movement for new Looks, preserving custom saved timings. That does not promise that every imported Move filter, animation path, group or third-party transition behaves identically. Check the installed feature and import report.

A movement rehearsal

Start at Gameplay Focus. Run Presenter Focus. Watch the opening frame, several intermediate frames, the endpoint and the return. Check the camera frame, crop, background coverage and alert stack. Repeat in both orientations. A correct endpoint can hide a bad path: an enlarging camera may expose empty background, cover chat or crop a face on the way.

Do not save a Look accidentally while looking at a mid-animation preview. Where supported, use the editor’s intended save and preview controls and test a reversed transition. If a button is configured to change Stage before running, make that consequence clear in its name.

Chapter 7 Landscape portrait and destination routing

Pulse Weaver's native portrait canvas is a separate OBS canvas, documented at 1080 × 1920 in the earlier architecture. Each format needs its own layout, crop, browser viewport and source-item targets. A vertical version is not simply the landscape frame stretched tall. The latest wizard shows independent compositions and allows separate artwork and transitions.

A Stage can map scenes to destinations and exclude selected sources. The outputs that are actually enabled depend on the output plan and supported platform combination. Twitch dual format depends on Enhanced Broadcasting eligibility and negotiation. The project's older documents disagree about Kick portrait capability; inspect the installed output selector instead of assuming it is supported.

When routing requires different exclusions or scenes, Pulse Weaver can use destination-specific rendering copies. Shared programme textures and canvases can reduce redundant work where routes align, but more outputs, browser sources and encoders consume resources. Twitch Dual is documented as sharing an audio exclusion mix across both formats in the relevant earlier implementation.

Recording may offer Default, Off, landscape, portrait and Both depending on build and settings. Routed recordings can have their own exclusions. Additional encoding and storage are real costs. The documented conservative multi-output 1080p60 baseline is Windows 10/11 64-bit, i5-12400F, RTX 3060, 32 GB RAM and 2 GB storage; it is the developer's tested baseline, not a universal minimum for all shows.

Chapter 8 Show Control in practice

Show is the operator's surface for the active show: Stage and output controls, landscape and portrait previews, chat, activity and a compact mixer. Control is the place to design or rehearse saved Looks in the current workflow. Camera is the more general scene/source editor. Layouts, labels and exposed controls vary by version.

During a live session, inspect the Stage name, the two formats and each destination's status. Per-output statistics can include state, elapsed time, bitrate and dropped frames. A single overall indicator does not establish that every destination is healthy. Changing a Stage is separate from starting or stopping outputs.

Go Live preflight is intended to show and validate the selected output plan before the operator confirms. It cannot guarantee every service will succeed or remain healthy. If a whole-show start partially fails, inspect the actual destination states; some may have started while others did not.

The mixer exposes key operational controls such as level and mute, while the full OBS-style mixer and filters provide deeper configuration. Mute and volume on a shared source can affect every place that source is used; destination-specific exclusions are a different operation.

Chapter 9 Audio overlays and source lifecycle

An overlay is usually a browser source or another visual layer inside a scene. Its visual visibility, browser lifecycle and audio are separate. A hidden browser may remain loaded so a timer or widget retains state; whether it continues, restarts or produces audio depends on its settings and its provider.

The 2.0 wizard offers up to three shared alert layers per format, with layer 3 above 2 and 1. New browser copies start silent; choose an intended audible copy and verify the resulting sound on each desired output. Avoid duplicate alert sounds, but do not assume muting every portrait copy is correct for every audio route.

An actual provider browser URL is distinct from a template import or download link. Import the template into its provider first, then use the browser link it supplies. A hosted Lumia or StreamElements overlay remains hosted by its provider; importing its URL does not convert the provider's proprietary project into a native editable project.

The main 2.0 release notes say unfinished Alerts and Overlay Designer entry points are hidden. Earlier status files describe an overlay designer and unreleased alert work. Treat those as historic or development information rather than promising they are visible in the 2.0.1 regular interface. Lumia templates require Lumia Stream.

A countdown has three separable components: display, timer state and completion action. Two canvas displays can represent one timer, but choose one completion-command owner so the same end event is not fired twice. Starting the broadcast is a further distinct action. Test a short countdown with outputs stopped before attaching a live transition or command.

Chapter 10 Worked shows and run of show

A gameplay show

Create Gameplay and Presenter Focus as live Looks in Main. In landscape, Game leads can use the full canvas with a small camera inset. Presenter Focus can enlarge the camera while retaining the game as a smaller panel. In portrait, stack camera and game vertically with independent crop. Check that essential game HUD elements remain visible.

Start on a separate Starting Stage. After the opening, activate Main and run Gameplay. Between matches run Presenter Focus, answer chat, then return to Gameplay. Select Break when away. Select Ending for the close, then deliberately stop each intended output. Do not assume Ending stops the stream.

A maker or project show

Use Face + activity and Activity + face as related live layouts. Bind the presenter and a desk, printer or instrument camera. On landscape, let the activity dominate with a presenter inset. On portrait, put the presenter and activity in an intentional stack. Move between the Looks when demonstrating a detail and explaining it. Keep each camera's frame and treatment aligned with its capture unit.

A camera-free show

Choose Gameplay or Screen share without an optional face camera, or choose only Starting, Break and Ending screens. This illustrates that an input is required only when the chosen layout needs it. Add a camera later if the content and setup call for it.

A coordinated closing sequence

A closing screen may include provider artwork, a credits widget and a thank-you message. Enter the appropriate Ending Stage or Look in your own show design, then verify the credits lifecycle and audio. A specific older BRB/Ending repair demonstrated full-canvas motion between Looks; its timings and Lumia credits bridge are not automatically installed defaults for every show.

Chapter 11 Chat platforms and audience activity

The unified feed can combine Twitch, YouTube and Kick chat, with platform identities and available role or badge data. Reading filters and send destinations are separate decisions. Moderation and sending require the appropriate account grants and are subject to each platform's capabilities.

The 2.0.1 README says incoming YouTube messages use a web scanner; sending, moderation and broadcast management use the official API. Earlier releases used different receive mechanisms, including polling and an experimental streaming reader. A web format change, private or restricted chat, permissions, network availability and quota can affect operation. Web reception is not a claim of zero API use.

Discord support in 2.0 is receive-only. Pulse, the Discord bot, and the signed-in user both need access to selected channels. Up to five channels in one server can be read alongside the streaming chats. The composer sends to streaming platforms, not Discord. The All chats without Discord filter keeps stream messages visible while Discord remains connected.

Kick incoming events are described in the earlier status as using a hosted relay, so not every event path is purely local. Version and packaging affect application registrations: the 2.0.1 README describes packaged Twitch, Kick and YouTube registrations, with optional custom credentials. The older public-preview instructions requiring users to supply certain registrations are not a reliable guide to 2.0.1.

Chapter 12 Lumia and external controls

Lumia Stream is a separate application. Its PulseWeaver Stream Studio companion can operate existing Stages, saved Looks or motion actions, source visibility, audio, media and configured outputs, subject to the installed plugin version. Plugin 1.5.1 documents temporary Look undo, the configured show, individual destinations, recording and fifteen keypad alerts. Its operating surface does not create scenes or edit source transforms and filters.

The 2.0 on-screen keypad can trigger fifteen Lumia alerts. Give buttons meaningful names and icons and enable the relevant alerts in Lumia; plugin alerts default to Off. Plugin 1.5.1 retains the Motion Preview plugin identity and existing action bindings. The regular installation defaults to local port 18755, while isolated copies may use different saved ports.

The local API uses an authenticated loopback connection. Keep its bearer token private. The Streamer.bot example in the workspace describes curated Stage, scene-item, audio, recording and replay controls; it is a local example, not an assertion that arbitrary Streamer.bot actions or remote connections are supported by every release. An accepted recording request may still require checking the observed result.

OBS WebSocket can be used by compatible external tools and is included in OBS, but Pulse Weaver's own integration does not depend on it. Plugin compatibility and exact API routes should be checked against the installed release. https://obsproject.com/kb/remote-control-guide

Sources: worktrees/hud-canvas/integrations/lumia-pulseweaver/README.md; worktrees/hud-canvas/integrations/streamerbot/README.md; CONTROL_API.md

Chapter 13 HUD and the desktop

Pulse Weaver 2.0 includes one independent transparent desktop HUD. In Camera, choose HUD and select a display; its physical pixel dimensions determine the HUD canvas. Add and arrange sources there. The monitor control shows or hides the borderless click-through output over normal desktop windows.

The HUD is not a broadcast Stage or Look. Changing a Stage, Look or Camera tab does not itself change the HUD. It starts off when the application launches; the selected display is remembered. Disconnecting the display, changing scene collections or resetting the graphics device stops it.

The documented Windows implementation uses Direct3D 11 and SDR premultiplied-alpha desktop composition. Exclusive fullscreen and protected content require separate compatibility testing. Display Capture may capture the HUD, so check whether that is desirable for your show. The checkerboard is an editor aid and is not sent to the desktop output.

Chapter 14 Installation updates and privacy

The regular Windows installer is separate from ordinary OBS and preserves the Pulse Weaver configuration during a normal update. The project documents verified application-and-settings backups and a restore path. Backups can contain account data. External media files referenced by scenes are not necessarily included, so maintain separate backups of those assets.

Stop outputs and close Pulse Weaver before installing a replacement. Regular, alpha, unstable, isolated preview, Lite and Mac editions are not interchangeable simply because their version numbers look similar. Check the installation identity, target and channel before updating or restoring. Automatic update checks do not imply automatic installation in the documented updater.

OBS setup import copies supported profiles and scene collections into Pulse Weaver under collision-safe names. It does not install missing plugin binaries or copy every external file. Check devices, source types, paths, filters, credentials and format-specific layouts after import.

The 2.0.1 README says saved OAuth credentials are protected with Windows DPAPI for the current Windows account, and YouTube custom app credentials are optional. Disconnect before changing the app registration and save an ID and secret together. The configuration folder and local API token can contain sensitive access information and should not be shared in public exports.

Chapter 15 Under the hood and customization

The native engine and UI run together and call libobs and the OBS frontend API. The codebase also contains older WPF reference material; the architecture identifies the native application as the product runtime. Sources, scenes, canvases, video and audio mixes, encoders and outputs remain OBS-derived concepts.

The custom-show guide describes three related stores in the checked build: the OBS scene collection contains sources and scene items; pulseweaver-stages.json stores Stage assignments and transitions; pulseweaver-motion-actions.json stores named motion actions and targets. Treat this as version-specific implementation detail, not a stable invitation to edit files while the application is running.

For custom work, first identify the actual installation, active profile and collection, canvas dimensions, source identities and output assignments. Back up related state together. Preserve unknown fields and existing identities, stop outputs, and use a closed-app or isolated workflow when changing files directly. A scene named Vert is not proof it belongs to the native portrait canvas.

The guide warns that OBS scene data can contain relative as well as absolute coordinates. An edit to only one representation can load incorrectly. The native editor and APIs are safer for ordinary changes; complex migration should use the matching version's implementation and verify after reload. The documented API does not imply an arbitrary custom-show authoring endpoint.

Pulse AI appears in older architecture notes as a constrained Codex CLI operation boundary. The newer README also describes using a user's own Codex with a custom-show guide. These are distinct workflows and their presence should not be assumed from the existence of documentation alone. The supplied custom-show guide itself is reference material, not authorization to modify an installation.

Chapter 16 Troubleshooting and rehearsal

- Nothing moves: confirm you ran the Look rather than merely selected it for editing; check Stage policy, item identities, saved targets and the relevant canvas.
- Portrait is wrong: verify portrait scene ownership, artwork viewport, crop and the portrait target independently of landscape.
- A border stays behind: the capture, mask and frame may be separate items; inspect whether they are controlled as one visual unit.
- An old overlay remains: check explicit hidden targets, nested scenes, layer order and destination-specific routing.
- A countdown appears but does not run: its display and timer-start command are separate. Check the provider and designated event owner.
- The countdown fires twice: check for two canvas copies or automations both owning the completion command.
- A Stage changes but the stream stays off: that is expected unless a separate output action starts it.
- One platform is wrong: inspect its route, exclusions, output status and actual platform preview rather than relying only on the main canvas.
- An edit appears live: the item or shared source may belong to the active programme; editor selection alone does not make all changes private.

A strong rehearsal checks both directions of each Look change, multiple points along the movement, both canvases, layer order, audio, source lifecycle and each destination. Confirm that repeated triggers do not duplicate chat, audio, timer completion or other external actions. Keep a recovery copy of the relevant configuration and separately referenced media.

Chapter 17 Release evolution

The early 1.8 and 1.9 records document an earlier product and native transition. The 1.11 line developed destination-aware Stage operation, dual formats, cross-platform chat, audio routing, output monitoring and interface themes. The 1.12 line concentrated on portrait editor parity, routing and audio exclusions, credentials, updater recovery and runtime reliability.

The 1.13 alpha line introduced saved Stage Looks and source animation, followed by builder, platform and chat work. The 1.14 line expanded the Control experience, guided setup, chat providers, motion refinements and Lumia integrations. Earlier setup guides describing four pages are historical for the default 2.0 builder.

The 2.0 unstable line developed selection-first setup, smoother motion, receive-only Discord and a separate desktop HUD. The 2.0.0 regular notes promoted these features. The local 2.0.1 notes describe Manage Stages layout improvements and companion help updates. The appendix preserves the available individual release notes rather than treating historical entries as current guarantees.

The public release feed establishes the published records available on 4 November 2026. Local private betas, engineering handoffs and unpublished builds are a separate history; the final appendix preserves the local installer notices and status record with their non-public or uncertain status clearly labelled.

Appendix A Glossary

Action	A configured command or behavior that can be invoked by a button, hotkey, integration or event.
Alert layer	A visual or browser layer assigned above a scene; the 2.0 builder supports up to three shared layers per format.
Audio monitoring	Local listening of an audio source. Monitoring is distinct from whether that source is included in a stream or recording.
Browser source	A scene source that displays a web page or overlay, with its own URL, viewport and lifecycle settings.
Canvas	A composition space with defined dimensions and orientation, such as landscape or portrait.
Capture source	An input such as a camera, game, display, window or capture card.
Control	The workspace for composing, reviewing and saving Looks in the current 2.0 workflow.
Destination	A platform or output endpoint that receives encoded video and audio.
Discord receive only	The 2.0 integration for reading selected Discord channels in chat; the Pulse Weaver composer sends to streaming platforms.
Exclusion	A routing rule that omits selected sources from a supported platform or recording output.
Feed	A neutral source role in wizard or template language, assigned to an actual input such as presenter or activity camera.
Filter	An OBS effect applied to a source, scene or audio path, such as crop, color correction, noise suppression or gain.
Go Live preflight	A confirmation step that validates and presents the configured output plan before starting selected destinations.
HUD	The independent transparent desktop composition introduced in the 2.0 line; it is separate from broadcast Stages and Looks.
Intermission	A show context or category for away-from-main-content presentations such as BRB and Ending; exact structure is show-specific.
Keypad	The configurable fifteen-button Lumia alert control included in the 2.0 workflow.
Landscape	The wide-format canvas, commonly 16:9.
Lighting Look	A reusable setting for supported physical lights. It is separate from an on-screen visual Look.
Look	A saved visual presentation or arrangement selected within a Stage.
Look target	The saved properties for a scene item in a Look, such as position, size, crop, visibility and order.
Lumia	Lumia Stream, a separate application with overlay templates and a Pulse Weaver companion plugin.

Main Stage	In the 2.0 builder's default model, the Stage that holds selected live layouts as Looks.
Move	Pulse Weaver's saved source movement behavior between Looks in supported builds.
OBS Studio	The upstream open-source production software and codebase from which Pulse Weaver is derived.
Portrait	The tall-format canvas, commonly 9:16, with its own scene items and framing.
Programme	The rendered composition intended for an audience or output.
Recording route	A configured local recording output, potentially using a selected canvas and source exclusions.
Replay buffer	A rolling capture that can save a recent segment when configured and active.
Route	The assignment of a scene or canvas, with relevant exclusions, to a destination or recording.
Scene	A composition of scene items rendered by the OBS engine.
Scene item	A particular use of a source in a scene, with its own transform, visibility and layer order.
Source	An input or generator such as a camera, game capture, image, browser page, media file or audio device.
Stage	A show context that coordinates related scenes, Looks, transitions and output assignments.
Stage group	A wizard setup category; it is not automatically a distinct native runtime Stage.
Stage transition	A configured change between Stage programme assignments, such as a cut, fade or stinger.
Stinger	A transition video that plays while the programme changes at a configured point in the media.
Studio Mode	OBS's preview/programme workflow for preparing scenes before transitioning them live.
Trigger	A button, hotkey, event or integration input that invokes a configured action.
UUID	A stable identifier used to distinguish a source or other object when names are duplicated or changed.
Visibility	Whether a scene item is shown in a composition. Hidden does not necessarily mean its source has stopped or unloaded.
Wrapper scene	A scene or source layer used to apply a treatment while preserving an underlying capture input.

Appendix B Source guide and evidence boundaries

Primary local sources: worktrees/hud-canvas/README.md; docs/RELEASE-2.0.0.md and RELEASE-2.0.1.md; docs/SETUP-WIZARD-GUIDE.md; docs/CODEX-CUSTOM-SHOWS.md; integrations/lumia-pulseweaver/README.md; the root ARCHITECTURE.md, STATUS.md, CONTROL_API.md and WIZARD_CONCEPT_MODEL.md. Paths beginning with docs in this paragraph are within worktrees/hud-canvas unless otherwise stated.

OBS primary references: https://obsproject.com/ ; https://obsproject.com/kb/sources-guide ; https://obsproject.com/kb/obs-studio-overview ; https://obsproject.com/kb/remote-control-guide ; https://obsproject.com/kb/developer-guide .

Interpret current regular-release notes and guide ahead of older status snapshots. Release notes are historical records, not independent proof of every real-world platform workflow. Their test descriptions specify what was verified and what was not. The Appendix C transcriptions retain those qualifications. Proposed design documents, experiment branches and isolated tests are not automatically shipped capabilities.

Appendix C Published release notes

This appendix is based on the project's public GitHub Releases API, read on 4 November 2026. The feed returned 82 non-draft releases, newest first from v2.0.1 (published 3 November 2026) to public-dist-0.01 (12 September 2026). The records include regular releases and prereleases. Each entry retains its tag, publication date, regular or prerelease status, source link and published release body. The same source content can repeat across related channels; repetition is part of the release record.

An API inventory is complete for the public release feed at the time it was read. It cannot establish the existence or contents of unpublished builds, removed releases, private handoffs, platform packages that were not GitHub releases, or future versions. A published changelog also does not prove every advertised workflow was exercised against a real account or live broadcast; read the verification limits in each entry.

v2.0.1 · Regular release · 03 November 2026

Published record: https://github.com/darylbwickham-design/pulse-weaver-studio/releases/tag/v2.0.1

Pulse Weaver 2.0.1

This Windows update fixes the cramped Manage Stages layout introduced in the 2.0 workspace.

Manage Stages

- Scene selectors use the full width of each platform cell. Landscape and portrait labels and source-exclusion controls sit above the scene names.
- Wider opened selectors display scene names clearly, with full-name tooltips on the selected scene.
- Transition type and duration are stacked in one box for 16:9, with a matching box for 9:16. Separate duration columns no longer consume scene space.
- Fade exposes its editable duration. Stingers explain that their timing comes from the stinger; Cut is shown as an instant change.
- Consistent column widths, spacing and compact controls replace the stretched transition selectors. Smaller windows scroll horizontally instead of compressing all scene choices.
- New and duplicated table rows finish creating their controls before table-change notifications can save them.

Lumia companion help

Includes PulseWeaver Stream Studio 1.5.1, a documentation and help-text update. It adds a complete tutorial with website downloads, GitHub and Discord support links, and clarifies connection settings, keypad alerts and temporary Looks. The plugin runtime, permanent pulseweavermotionpreview ID, existing bindings and alert defaults are unchanged from 1.5.0.

Downloads and updating

- Windows x64 installer (https://github.com/darylbwickham-design/pulse-weaver-studio/releases/download/v2.0.1/PulseWeaver-Setup-2.0.1.exe)
- Lumia companion plugin 1.5.1 (https://github.com/darylbwickham-design/pulse-weaver-studio/releases/download/v2.0.1/PulseWeaver-Lumia-1.5.1.lumiaplugin)
- Website (https://lumi-con.com/pulse-weaver/) · GitHub release (https://github.com/darylbwickham-design/pulse-weaver-studio/releases/tag/v2.0.1) · Discord support (https://discord.gg/MQ6pAN9Q)

Use Studio → Updates, or close Pulse Weaver and run the installer over the existing installation. Setup backs up the application and settings. Lite, the isolated 2 Preview and the Mac preview remain separate editions.

Verification

The native frontend was rebuilt and the actual Manage Stages dialog was checked in an isolated instance with inert sources. Scene choices and Fade, Cut and Stinger controls were inspected. A horizontal Fade-duration change was checked against the saved Stage data: portrait duration, other transition selections,

source exclusions and the other normalized Stage settings were retained. No live broadcast or user capture devices were used for that check.

v2.0.0 · Regular release · 31 October 2026

Published record: https://github.com/darylbwickham-design/pulse-weaver-studio/releases/tag/v2.0.0

Pulse Weaver 2.0

Pulse Weaver 2.0.0 is the regular Windows x64 release, bringing the 2.0 workspace and show-building flow into the main update channel.

Downloads

- Windows x64 installer (https://github.com/darylbwickham-design/pulse-weaver-studio/releases/download/v2.0.0/PulseWeaver-Setup-2.0.0.exe)
- PulseWeaver Stream Studio Lumia plugin 1.5.0 (https://github.com/darylbwickham-design/pulse-weaver-studio/releases/download/v2.0.0/PulseWeaver-Lumia-1.5.0.lumiaplugin)
- Release assets, source and SHA-256 checksums (https://github.com/darylbwickham-design/pulse-weaver-studio/releases/tag/v2.0.0)

What changed

- Refined Show/Control workspace with consistent, animated platform-colour format selectors. Preview and chat keep their established working space.
- Click-through show setup based on the stages and layouts a user needs, with reusable inputs, separate landscape/portrait framing, stingers and up to three shared alert layers per format.
- Smoother camera Look movement and corrected portrait scene ownership/editing.
- One transparent, click-through HUD, independent from stages and Looks. Choose a display to set the canvas size and toggle it from Show Control.
- Discord chat through Pulse, the Discord bot by PulseWeaver: read up to five selected channels from one server alongside streaming chats, including All chats (no Discord). Both you and Pulse must have access to each selected channel.
- A configurable 15-button Lumia keypad in the chat panel. Give buttons names, choose an included icon or supply an image. The plugin exposes Keypad 01–15, all defaulting to Off.
- The renamed PulseWeaver Stream Studio plugin retains the existing Motion Preview ID and alert/action bindings. Its connection help is concise; installation instructions remain in the external README.
- Optional YouTube Desktop app client ID and secret, a shared daily quota notice and a six-step setup guide. Blank fields use the bundled registration, whose values are never filled into the editor. Custom pairs are protected by Windows and saved together; changing apps requires disconnecting first.
- YouTube OAuth objects retain their owning application registration, preventing refreshes from mixing different app credentials. Incoming chat keeps the existing web reader; sending, moderation and broadcast management use the authenticated API.
- Lights remains visible with its normal empty panels marked Coming soon. Unfinished Alerts and Overlay designer entry points remain hidden.

Discord chat with Pulse

Have Pulse added to your Discord server, then open the chat panel's options menu → Discord channels… in Pulse Weaver. Approve the connection in your browser and select the server and channels. Public and private moderator channels are available where both your account and Pulse have permission to read them.

Discord is receive-only; messages typed in Pulse Weaver continue to go to Twitch, YouTube and Kick. Open the Pulse bot portal (https://pulse-community.darylbwickham.workers.dev/) or follow the Discord chat setup guide (https://github.com/darylbwickham-design/pulse-weaver-studio/blob/main/docs/DISCORD-RECEIVE-ONLY.md).

Updating

Close Pulse Weaver, then run the installer. Keep the existing installation rather than uninstalling first. Setup creates a verified application-and-settings backup and preserves the show, sources, accounts and configured local API port. Keep recovery backups private because they contain settings and account data.

Regular, alpha and regular unstable installations can detect 2.0.0 through Studio → Updates. A compatibility download is provided for the historical public installer channel. The separately installed Pulse Weaver 2 Preview remains an isolated product; its profile is not silently migrated into the regular installation. Lite and the Apple Silicon preview remain separate editions.

Limits and verification

Your own Google Cloud project still has daily quota and OAuth restrictions. An External app in Testing generally requires reconnection after seven days. Exhausting control-request quota does not automatically terminate an existing broadcast. See the in-app guide and implementation/source references (https://github.com/darylbwickham-design/pulse-weaver-studio/blob/v2.0.0/docs/YOUTUBE-APPLICATION-SETUP.md).

Some advanced recording controls remain labelled experimental. Browser/media sources and multiple encoders can require substantial resources; this release does not promise a fixed RAM footprint or eliminate game-dependent contention.

The release uses the YouTube-enabled native frontend and core. Credential-storage and UI tests passed, all six guide pages were inspected, and the expanded card was checked in a shorter window. The Lumia suite, installer diagnostics and production update selector are checked during packaging. No real Google login, chat send, moderation action or end-to-end live broadcast is claimed by the automated credential tests.

v2.0.0-unstable.10 · Prerelease · 28 October 2026

Published record: https://github.com/darylbwickham-design/pulse-weaver-studio/releases/tag/v2.0.0-unstable.10

Pulse Weaver 2.0.0-unstable.10 — Transparent desktop HUD

Camera now has Landscape · 16:9, Portrait · 9:16, and HUD workspaces.
Choose a display in HUD; its current physical pixel dimensions determine the canvas size. Add and arrange sources with the native Camera editor.
The screen selector identifies the monitor by model/name. Camera's black editor workspace, including its zoom controls, fills the available panel in all three modes; each canvas inside it retains its own aspect ratio.
New HUD browser sources start with that display's dimensions and a blank page ready for an effects URL. Existing and shared sources retain their settings.
The monitor icon beside the Lumia and connection controls shows or hides the transparent desktop output. It stays grey while off or starting and lights up after the first frame is presented. The output is borderless, stays above normal desktop windows and passes mouse input through to the application underneath.
HUD output starts off on application launch; the selected display is remembered.
There is one HUD composition, independent from stages and Looks, with an on/off monitor control. Changing stages, Looks or Camera tabs leaves its output alone.
HUD editing shows its layers without a scene picker or transition controls, and the HUD is excluded from broadcast scene and Look catalogues. Disconnecting the display, changing collections or resetting the graphics device stops the HUD.
Changing display resolution resizes its canvas; changing the target display recreates the output on the explicitly chosen screen.
Rendering stays on the GPU, without an additional video-output mix, encoder or per-frame CPU image transfer. Multiple output mixes do not multiply HUD presentation frequency. Effects update with the studio video clock. A checkerboard appears only in the HUD editor; it is never included in the desktop output.
This Windows feature requires the Direct3D 11 backend. The desktop output uses SDR premultiplied-alpha composition. Desktop and borderless-windowed use are the initial target; exclusive fullscreen and protected content require their

own compatibility testing. Display Capture may include the desktop HUD.

The receive-only Discord integration, All chats (no Discord) filter and Discord

blue styling from unstable.8/.9 remain included. Stable and Mac releases are

unchanged.

Regular installer: PulseWeaver-Setup-2.0.0-unstable.10.exe. The separately installed 2 Preview uses PulseWeaver-2-Preview-Setup-2.0.0-unstable.10.exe. Each existing family detects this as the next unstable update; it retains its own settings.

Validation: 42 native HUD checks, 10,865 motion checks, Camera/updater/Discord/chat regressions, native UI walkthrough, installer diagnostics, and synthetic .9-to-.10 upgrade plus separate .9 full recovery passed. See the validation files and SHA256SUMS with the assets.

v2.0.0-unstable.9 · Prerelease · 28 October 2026

Published record: https://github.com/darylbwickham-design/pulse-weaver-studio/releases/tag/v2.0.0-unstable.9

Pulse Weaver 2.0.0-unstable.9 — Combined chat without Discord

Choose All chats (no Discord) in the main chat read filter to show Twitch, YouTube and Kick together. Discord stays connected, ready to view again through All chats, Discord or an individual channel.

The selection applies to existing rows, newly arriving messages and Discord refreshes. The send composer and saved Discord channel choices keep their existing behaviour.

Discord message accents use Discord blue. Discord channels no longer receive an unrelated landscape-output label.

Both regular unstable and isolated 2 Preview installers are provided. This is a desktop change; no bot permissions or server settings change.

v2.0.0-unstable.8 · Prerelease · 28 October 2026

Published record: https://github.com/darylbwickham-design/pulse-weaver-studio/releases/tag/v2.0.0-unstable.8

Pulse Weaver 2.0.0-unstable.8 — Receive-only Discord chat

Connect Pulse from the main Chat options menu using Discord channels…. Approve the installation in your browser, then choose a server and up to five channels. Private moderator channels are supported when both your account and Pulse can read them. Active threads also appear in the selector.

Discord messages join the native combined feed and can be filtered by Discord or individual channel. The connection is receive-only; the composer sends only to Twitch, YouTube and Kick. Selected channel access is checked on every poll. Disconnect in the chat menu or manage connections on Pulse's connection page.

This first version refreshes bounded snapshots every six seconds, shows up to fifty recent messages per channel, reconciles edits and removals, and displays attachment filenames. It does not enumerate all archived threads or provide an unlimited message archive. The client uses Windows DPAPI for its separate connection credential; no bot token is included in the desktop.

The regular installer updates the existing unstable installation. The 2 Preview installer updates the separate preview installation. Existing show configuration is retained through the installer backup flow. Regular 1.14.3 and the Mac preview are unchanged.

Validation: the native application compiled, native Discord rendering/filter/edit/removal tests passed, the Pulse suite passed 284 tests, and the deployed endpoints rejected unauthenticated feed access. Real-account browser pairing and an actual Discord-to-desktop message remain acceptance tests for the connected installation. No live broadcast or punishment test was performed.

v2.0.0-unstable.7 · Prerelease · 27 October 2026

Published record: https://github.com/darylbwickham-design/pulse-weaver-studio/releases/tag/v2.0.0-unstable.7

Layout Looks now use smooth camera reflow by default. Cameras move and resize independently, with coordinated handoffs between main views and varied entrances. Existing saved timings remain authoritative, and explicit legacy movement remains supported.

Portrait helpers now appear in the appropriate Camera editor. Shared helpers are available in both tabs, and custom-sized scenes use their complete native dimensions without changing the broadcast canvas.

Downloads:

- PulseWeaver-Setup-2.0.0-unstable.7.exe updates the regular unstable installation.
- PulseWeaver-2-Preview-Setup-2.0.0-unstable.7.exe updates the isolated 2 Preview installation.
- PulseWeaver-Source-2.0.0-unstable.7.zip contains the exact corresponding source.
- Lumia integration and wizard artwork retain their previously published versions. SHA256SUMS.txt covers every download.

Validation includes 10,863 native motion checks, rendered GPU frames, portrait ownership and custom-dimension checks, plus six installer diagnostics. The validation files describe the tested revision and limits. Live provider playback was not part of this automated validation.

The installers preserve existing show configuration. Neither installer includes personal shows, account credentials, logs or recovery backups. Regular 1.14.3 remains the stable release.

v2.0.0-unstable.6 · Prerelease · 26 October 2026

Published record: https://github.com/darylbwickham-design/pulse-weaver-studio/releases/tag/v2.0.0-unstable.6

Pulse Weaver 2.0.0 unstable 6

Build my show now has two required pages: choose your layouts, then set up and build. Select the results you need before supplying inputs. Framing, colour, stingers, alerts and artwork are optional focused editors.

- Choose Camera, Face + activity, Activity + face, Screen share, Screen + two cameras, Gameplay and Game + two cameras, plus optional Starting, Break, Ending and Celebration screens. Camera sizes and colour are adjustments, not duplicate presets.
- Bind game, screen, face and activity inputs separately. One input is reused across its Looks and both canvases. A basic game/screen/activity layout can omit the face camera; starting-only shows ask for no captures.
- Set camera fit/crop, landscape inset size/corner and portrait camera height. Optional monochrome uses a native filtered wrapper without changing the original camera's filters or opening another capture.
- Keep separate landscape/portrait stingers and up to three paired alert layers. New browser copies start with output audio off; select one intended audible copy and rehearse. Existing audio and monitoring remain unchanged.
- Use editable static holding messages, or supply your provider's browser artwork for countdowns and animated scenes. The built-in Starting screen is a static image, not a timer.
- Correct generated layer ordering when switching Looks. Hidden layers no longer push a full-size picture over its intended inset; existing guided/selection-first targets are corrected in memory when they run.
- Back retains selections and assignments. Cancelling an optional editor restores its prior answers. Create appends an editable show while preserving existing catalogue entries. Saved layouts remain available through detailed setup.

The coverage review used the whole Q3 command group, rather than misreading Q3 as a count of three. Printer arrangements become general activity-camera layouts; bespoke Yu-Gi-Oh layouts and stream-specific graphics are not wizard templates. See the design rationale and coverage mapping (https://github.com/darylbwickham-design/pulse-weaver-studio/blob/v2.0.0-unstable.6/docs/SETUP-WIZARD-SELECTION-FIRST-2026-10-26.md) and setup guide (https://github.com/darylbwickham-design/pulse-weaver-studio/blob/v2.0.0-unstable.6/docs/SETUP-WIZARD-GUIDE.md).

Verification covers every individual offered result, a combined show, camera-free gameplay, original colour-filter preservation, three alert layers, both canvas geometries, Back/cancel and the real production Finish path with an existing catalogue. The full motion/regression suite and readable Windows checks run against frozen sources. Native visual and installer/update checks accompany the release validation. These checks are not an independent novice usability study, a live-provider rehearsal or a claim of lower CPU/RAM use.

Use Studio → Updates with unstable builds enabled. Ordinary installations use PulseWeaver-Setup-2.0.0-unstable.6.exe; separate 2 Preview installations use PulseWeaver-2-Preview-Setup-2.0.0-unstable.6.exe.

Each keeps its installation identity and recovery path. Stop outputs and close Pulse Weaver before setup. The Lumia 1.4.4 companion and existing wizard artwork archive are unchanged.

v2.0.0-unstable.5 · Prerelease · 26 October 2026

Published record: https://github.com/darylbwickham-design/pulse-weaver-studio/releases/tag/v2.0.0-unstable.5

Pulse Weaver 2.0.0 unstable 5

Build my show now starts with the kind of stream you want to make, then follows Activity → Inputs → Views → Screens → Alerts → Review. You can start without learning the internal Stage/Look/Feed model or supplying external artwork links.

- Assign your camera, content and optional detail/guest input once. Generated screens reuse those sources. Cameras are optional for games and creative work.
- Choose genuinely different views: content, presenter, detail, combined, two-camera or three-input compositions, as supported by your assigned inputs. Cosmetic duplicates no longer fill the default route. Content fits inside either canvas; camera/detail cropping is an explicit framing choice.
- Create Starting, Break and Ending with editable, built-in static artwork. Custom browser artwork can replace either format independently. The static Starting card is not a countdown.
- Add up to three alert layers, each grouping landscape and portrait links. Choose Main-only or all-screen placement. Disabled layers create no browsers.
- Review real input names, artwork fallbacks and alert assignments. Back and focused edits preserve your other answers. Saved layouts and specialist work remain available through detailed setup.
- Create alongside an existing Stage catalogue on Windows. The wizard now releases its catalogue reader before saving; a reproduced file-lock failure is covered by the real Finish regression, including preservation of the existing show.

The flow draws on university HCI teaching, primary usability research, streamer studies and official production guidance. The research and implementation notes (https://github.com/darylbwickham-design/pulse-weaver-studio/blob/2287cfd9d10f7f2fc8a18b3cd3009d542c6bc82d/docs/SETUP-WIZARD-TASK-FIRST-IMPLEMENTATION-2026-10-25.md) distinguish design evidence, complete-show coverage and remaining real-user validation. No independent novice study has been completed.

Validation includes a source-stable native build, 8,349 regression checks across 15 completed-show scenarios plus the real wizard Finish path, and 204 readable Windows UI checks at three window sizes. These cover source reuse, both canvas layouts, static card rendering, zero to three alert layers, preserved existing audio properties, cancellation and transactional rollback. Separate Windows font rendering passed 39 checks. Assertion counts are not counts of independent user tasks. Isolated native rendering and package/update evidence accompany the release validation.

Native movement, dual canvases, multistream, stingers, Lumia compatibility and existing audio/monitoring settings are retained. Newly created browser copies, including browser content, start with output audio off; select the intended audible copy and check real sound. The built-in cards use ordinary image sources, with no browser timers or network requirement. Game-load performance, live provider delivery and actual stinger/Lumia audio playback still require rehearsal with your show. No CPU/RAM reduction is claimed.

After creation, select your new Main Stage in Control to inspect its views.

Use Studio → Updates with unstable builds enabled. This release supplies PulseWeaver-Setup-2.0.0-unstable.5.exe for an ordinary unstable installation and PulseWeaver-2-Preview-Setup-2.0.0-unstable.5.exe for the separate 2 Preview installation. Each retains its installation identity and recovery

path. Stop outputs and close Pulse Weaver before setup. The Lumia 1.4.4 companion and existing wizard artwork remain compatible.

v2.0.0-unstable.4 · Prerelease · 25 October 2026

Published record: https://github.com/darylbwickham-design/pulse-weaver-studio/releases/tag/v2.0.0-unstable.4

Pulse Weaver 2.0 unstable.4 rebuilds Build my show into five click-through phases: Start → Sections → Looks → Sources → Review. The wizard matches the main UI's raised navy/cyan controls and keeps detailed work in focused screens.

- Preview a Look without including it; open Configure to change its framing.
- Choose landscape and portrait Stage transitions in separate tabs, including stingers.
- Reuse sources, defer optional shared layers and edit actual assignments directly from Review.
- Keep current-session answers through Back, with contextual Lumia help and clear post-creation checks.

Show output/status and broadcast controls now sit above the programme previews and mixer. Expanded audio keeps its content-based sizing; the unused portrait bitrate control for landscape-only Kick is hidden. Existing native movement, multistream, stingers and Lumia/audio behavior are retained. The wizard adds no live preview decoders or idle polling.

Choose the installer for your existing installation:

- Regular Pulse Weaver: PulseWeaver-Setup-2.0.0-unstable.4.exe. Unstable opt-ins can use Studio → Updates → Check for updates.
- Separate 2 Preview: PulseWeaver-2-Preview-Setup-2.0.0-unstable.4.exe. This retains the isolated Preview installation and settings.

Both installers contain the same tested interface and preserve their existing installation identity and recovery path. The Lumia 1.4.4 companion and existing artwork remain compatible.

Validation includes the native build, 2,143 preservation checks, 188 readable Windows Qt checks, three-size layout checks and an actual isolated Windows walkthrough that created a logo-only show on both canvases. Installer, payload, upgrade/rollback and source-provenance results are included in the accompanying validation files. This remains an unstable preview; live delivery, game-load performance and real stinger/Lumia audio need rehearsal with your own show.

v2.0.0-unstable.3 · Prerelease · 17 October 2026

Published record: https://github.com/darylbwickham-design/pulse-weaver-studio/releases/tag/v2.0.0-unstable.3

Pulse Weaver 2.0 unstable.3 fixes the expanded Show Control audio mixer. The mixer now fits its native channel controls, leaving spare space for the previews. Oversized layouts saved by earlier 2.0 builds are corrected when reopened.

The existing meter, volume, mute and monitoring controls retain their behavior. The fix adds no recurring background work.

This is an experimental prerelease. Choose the installer for your current installation:

- Regular Pulse Weaver: PulseWeaver-Setup-2.0.0-unstable.3.exe. Existing Alpha users who have enabled unstable updates can use Studio → Updates → Check for updates.
- Separate 2 Preview installation: PulseWeaver-2-Preview-Setup-2.0.0-unstable.3.exe. This retains the isolated Preview installation and settings.

Both installers contain the same 2.0 interface and mixer fix. Updates preserve existing settings.

Native validation uses eight real, inert audio channel controls at 1180×720, 1240×930 and 1280×1000, repeated collapse/expand and fresh startup from an oversized saved layout. Installer diagnostics, upgrade/rollback checks and source/payload privacy audits are documented in the accompanying validation files.

v2.0.0-unstable.2 · Prerelease · 17 October 2026

Published record: https://github.com/darylbwickham-design/pulse-weaver-studio/releases/tag/v2.0.0-unstable.2

Pulse Weaver 2.0 unstable.2

This unstable 2.0 release provides two Windows installation paths using the same tested native interface and engine.

Update your current Pulse Weaver: use PulseWeaver-Setup-2.0.0-unstable.2.exe. Regular Alpha 7 can find this package through Studio → Updates → Include unstable showcase builds, then Check for updates. The regular installer upgrades the existing installation with a verified backup and preserves its settings and Lumia connection.

Keep a separate test instance: use PulseWeaver-2-Preview-Setup-2.0.0-unstable.2.exe. This installs or updates Pulse Weaver 2 Preview separately. Existing preview installations continue using this dedicated installer family.

Interface

- Prominent Show, Lights, Camera and Action workspace buttons.
- Compact operating controls give the programme previews more room while preserving chat width.
- Consistent raised buttons, recessed surfaces and pressed feedback alongside the platform-coloured sliding controls.
- Click-through setup, command, Stage and lighting cards with focused pages and Back navigation.
- Corrected native sizing so navigation, setup choices and Stage/Look controls remain readable without clipping or overlap.

Lights and basic integrations

Lights now opens its retained device controls and saved Looks instead of a coming-soon page. Device selection opens power, brightness, colour and connection controls; saved Looks load locally, with a separate explicit Apply action. WLED, Home Assistant and legacy Hue request formats are corrected.

This build also includes authenticated local basic commands for Stages, source visibility, mute/volume, recording and replay saving, with a Streamer.bot C# scaffold. Native Move, stingers, audio monitoring, landscape/portrait routing and Default recording remain available.

Validation and limits

Passed 33 native interface/navigation guards, 11 Lights fixture guards, 39 focused Lights checks with the captured Windows theme, and this exact installer's payload, language and layout self-tests. The runtime, embedded payload and committed source archive passed provenance and private-state checks.

Physical lighting hardware and live broadcast/game performance have not been tested by these isolated checks. Hue uses normal HTTPS certificate validation; automatic bridge certificate provisioning is not included. The Streamer.bot example is a paste-and-compile scaffold, not an import-tested package.

A fresh regular installation uses API port 18755; a fresh isolated preview uses 18775. Existing explicit ports and credentials remain preserved. Each installation selects its matching installer family. Regular

installations require the unstable opt-in to discover this release.

Isolated preview guide (https://github.com/darylbwickham-design/pulse-weaver-studio/blob/v2.0.0-unstable.2/docs/PULSEWEAVER-2-PREVIEW.md) · Design research (https://github.com/darylbwickham-design/pulse-weaver-studio/blob/v2.0.0-unstable.2/docs/PULSEWEAVER-2-DESIGN-RESEARCH.md)

Source commit: 5e1b769488bd1ba29d987748393b8a5343e45982. For the regular update, use VALIDATION-regular.txt and SHA256SUMS-regular.txt. The original VALIDATION.txt and SHA256SUMS.txt continue to cover the isolated preview assets.

v1.14.4-alpha.7 · Prerelease · 16 October 2026

Published record: https://github.com/darylbwickham-design/pulse-weaver-studio/releases/tag/v1.14.4-alpha.7

Pulse Weaver 1.14.4-alpha.7 — Platform-coloured sliding controls

Show Control's format choices now use one consistent 47 × 28 px option size across Twitch, YouTube, Kick and recording. The raised selection thumb slides into place when clicked. Unselected choices and their track are grey; the thumb uses Twitch purple, YouTube red, Kick green or yellow-orange for recording. Selected text uses a contrasting colour for readability.

The slide lasts 180 ms and stops when settled. Live previews also have a raised switch with a short slide, and the preview refresh handle has a matching finish. No animation runs continuously while idle. Preview, chat and bottom-bar geometry remain unchanged.

Recording retains Default, Off, 16:9, 9:16 and Both within the existing 240 × 32 px slot. Saved destinations, live-format restrictions, recording locks and keyboard controls remain in place. The full regular Alpha feature set, including replay buffer, Altron, stingers and chat providers, is retained.

Includes Alpha 6's preview controls and earlier setup-guide and installer fixes. Stop Pulse Weaver before running PulseWeaver-Setup-1.14.4-alpha.7.exe. Setup makes a verified backup and preserves your show, audio settings, accounts, API port and Lumia connection. The companion plugin remains 1.4.4; no plugin update is required for this UI refinement.

Alpha builds remain opt-in through Studio → Updates → Include experimental alpha builds. The regular release remains 1.14.3. Validation details accompany the release in VALIDATION.txt; live performance with every game or encoder is not certified by these UI checks.

v1.14.4-alpha.6 · Prerelease · 16 October 2026

Published record: https://github.com/darylbwickham-design/pulse-weaver-studio/releases/tag/v1.14.4-alpha.6

Pulse Weaver 1.14.4-alpha.6 — Show Control refinements

Show Control now uses the compact controls refined in Lite. Twitch, YouTube and Kick have joined format toggles instead of dropdowns. The redundant Outputs heading and permanent account-status row are removed; the link icon opens Connections, exposes account status on hover and shows an attention icon when action is needed. Existing live-output format restrictions still apply.

The landscape preview title bar holds a Live previews switch and a 15 / 30 / 60 FPS slider. These controls change preview drawing only; stream and recording frame rates are unchanged. Regular Alpha starts with live previews enabled and 60 FPS refresh. Turning live previews off pauses the Show previews while outputs are active and leaves the broadcast running. Controls occupy the existing title bar, and the preview/chat split is saved when resized.

Recording uses the same joined control in its existing bottom-bar slot, capped at 240 × 32 px. Default, Off, 16:9, 9:16 and Both are available. Default retains the regular recording-settings path; the other formats retain their Stage-routed recording paths. Format changes remain locked while recording. The replay buffer, chat providers, Altron tools, stingers and other regular Alpha features are retained.

Includes Alpha 5's shared Lumia guide and Alpha 2's configuration-preserving installer repair. Stop Pulse Weaver before running PulseWeaver-Setup-1.14.4-alpha.6.exe. Setup creates a verified backup and retains the existing configuration, API port and Lumia connection. Alpha updates remain opt-in through Studio → Updates → Include experimental alpha builds. The regular release remains 1.14.3.

Validation details accompany the release in VALIDATION.txt. UI and installer checks do not certify performance with every game, encoder or live destination.

v1.14.4-alpha.5 · Prerelease · 14 October 2026

Published record: https://github.com/darylbwickham-design/pulse-weaver-studio/releases/tag/v1.14.4-alpha.5

Pulse Weaver 1.14.4-alpha.5 — Game Challenges setup guide

The Lumia setup guide shared by Build my show and Show Control's Lumia bulb now explains Custom Game Challenges 1.0.5: saved game profiles, the included 20 editable Fortnite challenges, native actions, five optional reward templates and the Next command. It covers the correct import destinations, disabled/unlinked defaults and manual Twitch reward linking. Next advances one challenge; Clear is a separate action with an explicit scope.

For a fresh plugin setup, skip PW-ALERT01-H's old challenge command bundle and disable its legacy challenge widget while retaining other alerts. The public alert templates do not automatically connect to the new plugin. Existing connected rewards and button 34 can be kept. Countdown, Newsroom, Chat Physics, Credits, stinger and companion connection instructions are retained.

Custom Game Challenges is a separate optional Lumia plugin. This Pulse Weaver update does not install it or change your rewards, prices, enabled states, queues or existing show. No new marketplace download link is claimed. The existing companion plugin and public overlay template bundle are unchanged.

Includes alpha 4's Altron support and alpha 2's configuration-preserving installer repair. Stop Pulse Weaver before running PulseWeaver-Setup-1.14.4-alpha.5.exe. Setup makes a verified backup and retains the existing configuration. Alpha builds remain opt-in through Studio → Updates → Include experimental alpha builds; the regular release remains 1.14.3.

Validation details accompany the release in VALIDATION.txt. Fresh-account public-overlay migration and real Twitch reward linking have not been certified by this guide update.

v1.14.4-alpha.4 · Prerelease · 13 October 2026

Published record: https://github.com/darylbwickham-design/pulse-weaver-studio/releases/tag/v1.14.4-alpha.4

Pulse Weaver 1.14.4-alpha.4 — built-in Altron Command Centre

Altron teleport control is now included in the Pulse Weaver app and starts automatically. The smooth white scribble camera effect, arrival/departure sound player, destination choreography and camera-position observer run inside the app. No separate bridge window, Node installation or Lua script is required.

Download PulseWeaver-Setup-1.14.4-alpha.4.exe, close Pulse Weaver, then run setup. The configuration-preserving installer backs up the existing installation and retains settings. If an old standalone Altron bridge is running, close it once so the built-in controller can use its localhost port.

Set up Altron

1. Open Studio → Tools → Altron Command Centre.

2. Select your working background-removed camera scene/source and alert layer, then click Create / use Altron show.

3. In the separately supplied Lumia avatar plugin, select Pulse Weaver Stage and SAVE. TEST your existing Altron command or call it from a Lumi-Con key.

Setup creates or upgrades the dedicated Altron helpers and adds its Stage without replacing existing Stage assignments or original camera transforms. The previous dedicated Lua filter remains a disabled backup. Arrival/departure sounds are user-supplied, with volume, delay and optional monitoring controls.

The private Lumia plugin/overlay still provides artwork, backgrounds, Altron head placement, per-location camera positions, TTS and headphone-output monitoring. Those private assets are not included in this release. This update reuses a working camera cutout; it does not install a background-removal model.

Validation passed: native in-process control with a local Lumia mock and real libobs/audio, complete teleport choreography, Stage/camera preservation, overlap guards, camera observation, actual portable-app startup/dialog/shutdown, Pulse Weaver and OBS 32.2.2 GPU/audio output, and installer payload/configuration preservation. See the included validation report and SHA-256 checksums. This is an experimental Windows x64 alpha.

v1.14.4-alpha.2 · Prerelease · 13 October 2026

Published record: https://github.com/darylbwickham-design/pulse-weaver-studio/releases/tag/v1.14.4-alpha.2

Pulse Weaver 1.14.4-alpha.2 — Installer update fix

This alpha fixes updates that stop with “Access to the path …\config is denied”.
When the staged settings are unchanged, setup leaves the existing config folder
in place instead of renaming it. Full verified backups and rollback remain active;
changed settings and full restores still use the normal protected transaction.
Setup now displays the full alpha revision. Readonly staged copies are cleaned
without changing the original settings, and access errors explain how to retry.
The broadcast runtime, Lumia 1.4.4 plugin and wizard assets are unchanged from alpha 1.
Validation: 104 recovery checks, a real Windows directory-lock reproduction,
all rollback boundaries, payload validation, and a private copied-profile
upgrade/restore with byte-for-byte configuration preservation. Updater checks
confirm alpha 1 discovers alpha 2 and regular users receive it only when opted in.
Download PulseWeaver-Setup-1.14.4-alpha.2.exe. Close Pulse Weaver and older setup
windows, then run it. The matching source archive and SHA-256 checksums are included.

v1.14.4-alpha.1 · Prerelease · 12 October 2026

Published record: https://github.com/darylbwickham-design/pulse-weaver-studio/releases/tag/v1.14.4-alpha.1

Build my show now uses clickable cards and clearer source questions, with previews that follow the selected stage and Look. Optional layout settings and transitions open when needed. Each stage can reuse existing inputs or add new sources; required questions show what remains, while optional questions can be skipped.

Landscape and portrait artwork stay on their intended canvas. The wizard validates Lumia browser links, duplicate show names and readable stinger video files before creating the show. Lumia guidance covers the companion plugin, supplied overlays, countdown completion commands and Chat Box Physics mode changes.

Included downloads:

- PulseWeaver-Setup-1.14.4-alpha.1.exe — Windows alpha installer; preserves your existing configuration.
- PulseWeaver-Lumia-1.4.4.lumiaplugin — Lumia companion, also included in the installer.
- PW-Wizard-Lumia-Assets-2026-10-11-r3.zip — current Lumia overlay templates and alert commands.
- SHA256SUMS.txt — download checksums.

Open Show Control → Control → Build my show… after installing. Lumia is required for the supplied overlays, countdown and widgets. The bulb on Show Control opens its setup instructions.

Validated with the native Windows build, 1,954 final wizard and preservation checks, an isolated visual walkthrough, installer self-test and a clean-package privacy audit. No account tokens, browser profiles or personal settings are included. This is an alpha preview; 1.14.3 remains the latest regular release.

v1.14.3 · Regular release · 12 October 2026

Published record: https://github.com/darylbwickham-design/pulse-weaver-studio/releases/tag/v1.14.3

Pulse Weaver 1.14.3 — Lumia guided show setup

Build my show now uses Lumia browser sources for artwork, countdowns, chat and shared overlays. Each selected Look has separate landscape and portrait artwork, while stage feeds can reuse existing sources or create new camera, capture, media and browser inputs. Three shared alert layers per canvas support both new and copied saved layouts. Older saved native artwork must be replaced with correctly oriented Lumia browser sources.

The wizard suggests Chat Box Physics in shared layer 2 for each canvas, links to its Lumia marketplace listing and can fill the correct local browser URL. The Lumia bulb on Show Control explains importing templates, starting the countdown, running a chosen command when it reaches zero, and coordinating Chat Physics mode and camera clearances with Look changes. Optional landscape and portrait stingers can be added from local video files, with a cut point for each.

The four wizard pages, source controls, diagrams, logo and icons have been refined for first-time setup. The Overlay Designer now fits the available screen and scrolls its controls. The inactive header reads Stream idle and Recording idle.

Validation: native Windows build and 1,934 MotionAudit checks passed, including Lumia-only source validation, saved-layout replacement and orientation, shared layers and stinger creation. The isolated installation was updated without copying settings; the main installed copy was left unchanged during testing.

After installing, open Show Control → Control → Build my show…. Follow the Lumia setup prompts and check both canvases before starting a stream. The installer retains your configuration through its existing backup and recovery flow.

v1.14.2 · Regular release · 12 October 2026

Published record: https://github.com/darylbwickham-design/pulse-weaver-studio/releases/tag/v1.14.2

Pulse Weaver 1.14.2 — layout setup and retained chat panels

This regular release brings the 1.14.2 preview improvements into the normal update channel. Build my show follows four pages: connect, choose stage groups, choose functional Looks and layout options, then assign sources and review both canvases. Broad options are available by default, with compatible saved layouts available for reuse. Portrait camera wrappers and browser viewports stay on their destination canvas.

Show Control supports named web chat panels alongside native Chat. Click the plain heading to switch panels; use the chat icon to add or manage a web link. Visited panels remain loaded, preserving drafts and scroll position. Each remembers its own page size. Lumia-specific view options appear only for Lumia links. Native chat events remain available for Action rules; selecting a web panel does not promise YouTube receiving-quota savings.

The layout wizard now assigns artwork separately for each Look and canvas. Countdown, Getting ready, BRB and Ending can use different Lumia templates within their shared Stage. Previously a group's Looks shared one artwork assignment. Generated Looks now show their own artwork and hide the others while preserving shared feed identities. Newly added browser overlays stay loaded while hidden so Look switches preserve their timer and widget state.

Extra overlays can target one selected Look, an entire selected stage group or all new layout Looks. This lets Newsroom appear only in its intended presentation. Deselecting an overlay's target prompts you to retarget or skip it instead of silently dropping the overlay.

Lumia template import links are rejected as browser URLs, with instructions to import the template and copy its browser link. Countdown minutes appear only for the built-in countdown; the guide explains that Lumia countdown duration comes from its start action. Setup guidance also explains when to add cameras and stingers, maps the published artwork families to their Looks, and makes clear that imported Fortnite helpers still need your own reward bindings and costs. The wizard initially sizes itself to the available screen.

Includes shared decoded stinger frames, preview/readiness refinements, companion plugin 1.4.4 with the previous Stage/Look undo action, and twelve shared landscape/portrait Lumia templates. The Show Control bulb opens setup guidance, including countdown and Stage-switch actions, optional Profounder stingers and user-owned reward bindings. Existing shows, saved layout presets and older shared-artwork requests remain compatible.

Validation: native build and 1,736 isolated motion/wizard checks, including separate BRB/Ending artwork on both canvases, visibility when switching Looks, overlay targeting, retained browser settings and transactional rejection of invalid assignments. Release assets contain application files and public templates, with no personal profiles, Lumia tokens, browser logins or local settings.

Separate-account Lumia template import and populated contributor Credits retain their existing testing limits.

Stop outputs and check Studio → Updates, or download PulseWeaver-Setup-1.14.2.exe below. Alpha opt-in is not required. Setup preserves configuration through the existing backup and recovery flow.

v1.14.2-alpha.8 · Prerelease · 12 October 2026

Published record: https://github.com/darylbwickham-design/pulse-weaver-studio/releases/tag/v1.14.2-alpha.8

Pulse Weaver 1.14.2 alpha 8 — chat panels stay loaded

Switching from a web chat panel to native Chat, another saved panel or another studio tab now preserves the visited page. Returning keeps its draft and scroll position instead of recreating the browser. This also keeps Lumia's focused Chatbox or Control Room loaded while you use other Pulse Weaver views.

Each visited panel retains its own browser and saved page size. Reload refreshes only the selected panel; removing a panel closes its page. Closing Pulse Weaver releases all retained pages. The existing plain white heading and generic chat icon menu remain the controls for switching and configuring panels.

Includes alpha 7's named chat panels, portrait wizard fixes, Lumia companion 1.4.4 and published wizard templates. Native chat events remain available for Action rules. Retained pages can continue receiving updates in the background and consume resources while the app is open.

Enable Studio → Updates → Include experimental alpha builds, stop outputs and check for updates. The installer preserves existing configuration through the established backup and recovery flow. No personal profiles, Lumia tokens, browser logins, camera settings or local connection settings are included.

Validation: native build, 311 ChatProviders checks, and isolated runtime checks preserving a draft, scroll position and Lumia's page instance across panel and tab switches. Camera decoding warnings are not fixed in this release.

v1.14.2-alpha.7 · Prerelease · 11 October 2026

Published record: https://github.com/darylbwickham-design/pulse-weaver-studio/releases/tag/v1.14.2-alpha.7

Pulse Weaver 1.14.2 alpha 7 — named chat panels and portrait wizard fixes

Show Control now supports independently named web chat panels inside its existing Chat card. Click the plain white heading to switch between native Chat and your saved panels. Click the chat icon and choose Add chat… to enter a name and web link. There is no heading dropdown or button box.

Each panel remembers its own link and page size. The icon menu offers editing, reload, browser opening and removal for the selected web panel. Lumia is supported through the same generic add flow; its view options appear only for a selected Lumia link. New Lumia panels use the focused Chatbox at a suitable size when that URL is supplied. Existing configured links and explicit sizes are preserved. Saved page size is reapplied after loading, including navigation between services.

The setup wizard now keeps portrait camera wrappers and browser viewports on their destination canvas. Landscape and portrait title/countdown artwork are assigned separately, and incompatible full-canvas browser sources are excluded from the corresponding choices. Reusable captures and source movement between Looks remain available.

The release retains the four-page setup flow, shared Lumia templates and companion plugin 1.4.4 from alpha 6. The updated template bundle includes the previously published Ending logo and portrait Breaking News alignment refinements. Chat panel selection controls the displayed page; native chat events remain available for Action rules, and this change does not promise YouTube receiving-quota savings.

Enable Studio → Updates → Include experimental alpha builds, stop outputs, then check for updates. Setup uses the existing verified backup and recovery flow and preserves your configuration during an upgrade. The release package contains application files, public template assets and setup guidance. It contains no personal profiles, account tokens, browser logins or local settings.

Validation includes native builds, generic chat preferences and lifecycle checks, wizard generation and canvas isolation, native panel switching and restart checks, installer payload/recovery tests and clean release audits. Separate-account Lumia template import and populated contributor Credits retain their existing testing limits.

v1.14.2-alpha.6 · Prerelease · 10 October 2026

Published record: https://github.com/darylbwickham-design/pulse-weaver-studio/releases/tag/v1.14.2-alpha.6

Overlay update (11 October): the portrait Breaking News caption now sits inside the desk front, below the chrome top. Lumia share links are updated. For manual JSON imports, use PW-Wizard-Lumia-Assets-2026-10-11-r3.zip below; it also includes the bottom-left Ending logos.

Overlay update: Ending logos now default to the bottom-left in both formats. Lumia share links are updated. The latest r3 package also includes this fix.

Pulse Weaver 1.14.2 alpha 6 — setup wizard and Lumia overlays

Build my show now follows one four-page setup flow: connect Lumia, choose stage groups, choose functional Looks and their layout options, then assign sources and review both canvases. The broader options are available by default. Existing compatible saved layouts can be reused with their independent landscape and portrait framing.

- Choose Starting, Chat, Game, Projects, Celebration and Intermission independently.
- Choose functional Looks without creating extra Looks for camera treatments or branding options.
- Add a persistent Newsroom overlay, or a separate event-only news intro.
- Open Lumia setup guidance from the bulb beside the readiness status on Show Control, or from the wizard.
- Import twelve shared Lumia templates for Starting, Getting ready, BRB, Ending with native Credits, alerts with Fortnite challenges, and Newsroom. Each family has landscape and portrait versions with editable branding.
- Follow the countdown and Stage-switch instructions, connect your own Twitch rewards, and choose optional stingers through Profounder.

This release includes the existing alpha branch's Lumia undo action and companion plugin 1.4.4. It is an experimental alpha release; the regular release remains 1.14.1.

Enable Studio → Updates → Include experimental alpha builds, stop all outputs, then check for updates. The installer preserves configuration using the existing backup and recovery flow.

The template links import into Lumia. After import, copy each overlay's own browser link into Pulse Weaver. ALERT01-H includes seven command actions once: two chat controls and five disabled reward-code helpers. Users connect those helpers to their own Twitch Points rewards. Portrait playback should have one shared audio owner with landscape.

Validation covers native builds, wizard generation and rollback, saved layout preservation, motion behavior, update and installer checks, Lumia command tests, and clean release packaging. Separate-account Lumia import and populated contributor Credits remain to be tested. No live broadcast or reward was triggered during verification.

v1.14.2-alpha.5 · Prerelease · 03 October 2026

Published record: https://github.com/darylbwickham-design/pulse-weaver-studio/releases/tag/v1.14.2-alpha.5

Pulse Weaver 1.14.2 experimental alpha 5 — chat footer spacing

The chat status text above the destination selector and the Send to label now

have a matching 10-pixel left inset, aligning them with the text inside the chat

filter and message field. The status text also has 4 pixels of vertical padding

and a right inset for longer messages that wrap.

This alpha includes the themed show builder and other improvements from alpha 4.

Enable Studio → Updates → Include experimental alpha builds, stop outputs,

then check for updates. The installer uses the existing backup and restore flow

and bundles Lumia plugin 1.4.1.

Validation: native build succeeded; update-channel checks, 69 installer recovery

checks, 12 packaging-policy checks and all 16 Lumia plugin tests passed.

The matching padding was visually checked in the native app at a narrow chat width, including a wrapped status message. The packaged executable matches that tested build.

All four installer payload/migration/language/layout checks passed. An alpha 4 → alpha 5 → full restore using the separate alpha 4 recovery installer preserved all four synthetic configuration files and 2,234 original files byte for byte. The release archive contains no personal configuration, logs or debugging symbols, and the bundled Lumia package matches the separate asset.

v1.14.2-alpha.4 · Prerelease · 02 October 2026

Published record: https://github.com/darylbwickham-design/pulse-weaver-studio/releases/tag/v1.14.2-alpha.4

Pulse Weaver 1.14.2 experimental alpha 4 — themed show builder

This alpha introduces the themed Build my show wizard for user feedback.

Open Show Control → Control → Build my show… to create a new editable show.

What to try

- Pick Starting, Viewer focus, Gameplay focus, Intermission, Craft focus and/or Wrap-up. Each selected theme becomes one Stage, with three suggested Looks.
- Select the Looks you want, then assign existing sources or create new sources for each Stage. Reuse assignments across themes when appropriate.
- Add up to three full-canvas overlay layers per landscape and portrait canvas. Use Lumia Stream's Chatty / Chatty vert in layer 3, above alerts and stickers, visible in every Look. Chat remains an overlay in all suggested compositions.
- Review both canvases, adjust panel placement, fit/crop, crop position and movement duration, then rehearse movement before creating the show.
- Try the three Looks within a Stage: shared cameras and content move between small insets, larger columns and presenter-led compositions. Portrait layouts place the presenter above the content with different divider heights.

Starting uses a dimmed, grey camera with a clipped corner on the left. Its camera treatment and countdown are shared across the three Looks. The camera's own filters are preserved. Look movement keeps content behind an expanding left camera column, preventing a blank gap; Control previews use the same movement code as live Looks. Wizard scrolling and saving a Look into its intended Stage were also corrected.

The reference-show copy workflow is still available. New show creation validates source identities and naming collisions and rolls back failed creation. Sources and nested group contents remain shared; changing their properties affects other uses. Moving a generated scene item changes that composition.

Update and feedback

Enable Studio → Updates → Include experimental alpha builds, stop outputs and check for updates. Setup backs up the existing installation and profile before upgrading. The installer bundles the current Lumia plugin 1.4.1 under integrations/lumia, also supplied as a separate release asset.

Please report feedback (https://github.com/darylbwickham-design/pulse-weaver-studio/issues) with the Stage/theme, Look, landscape or portrait canvas, source types, what you expected and what happened. Screenshots of the wizard and generated composition are especially useful. This is an experimental alpha for refining the builder.

Verification: native build succeeded; 1,454 offline motion preservation checks passed, including overlay visibility/order, exact saved transforms, movement coverage, backwards scrubbing and preview isolation. A separate local test show created six Stages with 18 Looks. Real camera UI checks covered the generated compositions and movement. No personal scenes, sources, provider URLs or settings are included in the installer.

Release checks also passed for update-channel selection, 69 backup/recovery regressions, all 16 Lumia plugin tests, installer payload/migration/language/layout checks, and an alpha 3 → alpha 4 → full restore using a synthetic profile. The upgrade proof preserved all four configuration files and 2,234 original files byte-for-byte. The packaged builder matches the tested module, and the bundled Lumia package matches the separate release asset.

v1.14.2-alpha.3 · Prerelease · 02 October 2026

Published record: https://github.com/darylbwickham-design/pulse-weaver-studio/releases/tag/v1.14.2-alpha.3

Pulse Weaver 1.14.2 experimental alpha 3

Corrects Twitch program previews displaying OFF while the output bar displayed READY. Twitch readiness now comes from the configured Twitch streaming service and stream key, using the same condition as starting a Twitch output.

The program previews and output statistics now agree: LIVE for an active output, READY for a connected idle destination, and NOT CONNECTED for a selected destination that lacks its connection. Chat connectivity does not determine streaming readiness. No additional network requests are introduced.

Includes the alpha 2 reference show builder and Lumia plugin 1.4.1 bundled under integrations/lumia, also available as a separate release asset.

Enable Include experimental alpha builds under Studio → Updates, stop outputs and check for updates. Setup backs up the existing installation and profile before upgrading.

Verification: the native frontend compiled successfully. Installer contents and uploaded asset checksums were inspected. This status change has not been checked in a live broadcast.

v1.14.2-alpha.2 · Prerelease · 02 October 2026

Published record: https://github.com/darylbwickham-design/pulse-weaver-studio/releases/tag/v1.14.2-alpha.2

Pulse Weaver 1.14.2 experimental alpha 2

The show builder can now use existing Stage compositions as a reference.
Choose a name and reference Stages to create a separate editable show retaining all saved looks, layers, camera crops, independent portrait and landscape framing, movement durations, output assignments, sound exclusions and Stage transitions. Source settings and nested group contents remain shared.
The builder rejects source/Stage naming collisions, validates reference layer identities and rolls back failed creations. Windows Stage catalogue saving and the movement preview's starting-look selection were corrected during real UI checks. Edit, New look and Duplicate look controls remain available in Control.
Includes alpha 1's shared decoded stinger frames and the 1.14.1 installer.
Lumia plugin 1.4.1, the latest current plugin, is included in the installer under integrations/lumia and is also available as a separate release asset.
Import the .lumiaplugin file into Lumia Stream if needed. The channel packaging script now bundles its current Lumia plugin into every future channel installer and rejects mismatched plugin manifest/package versions.
Enable Include experimental alpha builds under Studio → Updates, stop outputs and check for updates. Setup backs up the existing installation and profile before upgrading.
Verification: native build succeeded; 118 offline motion preservation checks passed. A separate local reference installation produced five Stages and 13 looks, with all 336 saved transform targets and durations matching their references. Real UI checks covered Starting, Hangout focus swaps, Celebration, Ending portrait framing, restart persistence, movement preview and applying a saved look to both local program canvases. No personal scenes or profiles are included in the installer.

v1.14.2-alpha.1 · Prerelease · 02 October 2026

Published record: https://github.com/darylbwickham-design/pulse-weaver-studio/releases/tag/v1.14.2-alpha.1

Pulse Weaver 1.14.2 experimental alpha 1

This preview reduces memory retained by preloaded animated stinger transitions. The same stinger was decoded separately for each output player. In the user's scene collection, five players loaded one 100-frame WebM. Its decoded video frames occupied approximately 494 MiB per player. The new cache shares those frames, removing approximately 1.9 GiB of duplicate decoded frame allocations for this scene collection. Overall application RAM usage also includes browser overlays, video rendering and other sources, so the full app needs a follow-up measurement after installation.

Playback, pause, seek and transition state remain independent for each output. Only preloaded stingers opt into sharing. Other media sources and user preload preferences retain their existing behavior. The 1.14.1 installer and its Terms agreement and Privacy Policy links are included.

To install through Pulse Weaver, enable Include experimental alpha builds under Studio → Updates, then check for updates after stopping outputs. Setup backs up the existing application and profile before upgrading. Restore a backup / leave preview channel can return to the previous version.

Verification: the production native plugin compiled; 50 video/audio cache checks passed with a synthetic transparent clip and 49 with the user's actual stinger. Checks covered five concurrent players, independent playback, cleanup, and cache invalidation when clip contents change. The packaged installer passed payload, layout, language and 1.14.1 upgrade/rollback checks. The current running installation was not changed during development. A full visual transition check and process RAM comparison remain to be done on the alpha.

Lumia plugin 1.4.1 is unchanged and does not need reinstalling for this fix.

v1.14.1 · Regular release · 01 October 2026

Published record: https://github.com/darylbwickham-design/pulse-weaver-studio/releases/tag/v1.14.1

Pulse Weaver 1.14.1

This patch refines Windows setup. It includes the same streaming and chat features as 1.14.0.

- Install, update and repair require an unchecked agreement box to be selected: agreement to the Terms of Service and acknowledgement of the Privacy Policy.
- Both policies have clickable links that open the public pages in the default browser.
- Setup uses quieter colours, consistent buttons and spacing, clear headings and readable language selection.
- Content scrolls on smaller windows while progress and action buttons stay visible.
- Backup, restore, interrupted-operation recovery and uninstall remain available independently of the agreement box.
- Regular, alpha and unstable installers share this interface and requirement.

Consent is a local installation step. It does not grant permission to collect data or enable automatic updates, and it is not sent to a server.

Validation includes agreement gating and busy-state recovery, default/minimum/expanded layouts, language selection, payload integrity, synthetic credential/profile migration, and upgrade/rollback from 1.14.0.

v1.14.0 · Regular release · 01 October 2026

Published record: https://github.com/darylbwickham-design/pulse-weaver-studio/releases/tag/v1.14.0

Pulse Weaver 1.14.0

Regular Windows release promoting the tested 1.14 Studio interface and chat refinements.

Chat

- YouTube incoming messages automatically use the web chat scanner in the combined Twitch/YouTube/Kick chat box. Every new broadcast connects automatically.
- Sending messages, deleting messages, timeouts and bans use the official authenticated API. Broadcast start/stop/title operations also retain the API.
- Remove the reader dropdown. Existing profile choices cannot switch reception back to API polling, and there is no automatic API receive fallback.
- Resolve missing API live-chat IDs independently, enabling moderation and sending without blocking reception. Discovery stops after success or three attempts.
- Active web-chat waits are bounded to 1–2 seconds and empty waits to 1–5 seconds. Incoming batches drain in small chunks over at most 600 ms, with one layout per chunk. Scrollback, unread counts, message ordering and cancellation are preserved.
- No follower/like polling is added. Web requests still occur; broadcast management and user-requested API actions still consume quota.

Studio and upgrading

Includes the 1.14 Control interface, saved Look previews, guided show setup and the audited output, source, settings and installer recovery fixes from the preview builds. Lumia companion remains 1.4.1 with existing action IDs.

This release supersedes 1.14 alpha/unstable previews. Regular and preview installations can update to 1.14.0; older releases remain available as history. The installer preserves profiles, scenes and connections and creates a recovery backup. Close Pulse Weaver and stop outputs before installing.

Downloads: PulseWeaver-Setup-1.14.0.exe, PulseWeaver-Lumia-1.4.1.lumiaplugin, SHA256SUMS.txt.

The scanner depends on YouTube's web format and anonymously accessible live chat. Private, restricted or disabled chat may be unavailable. Web-side changes can require an update. This is not a guarantee of zero latency or zero API quota consumption.

Verification includes native Windows build, offline helper/lifecycle/chat-layout regressions, installer diagnostics and upgrade recovery. Public web-chat reception and bounded chunk delivery were checked; the user confirmed the preceding local test build works.

v1.14.0-unstable.12 · Prerelease · 01 October 2026

Published record: https://github.com/darylbwickham-design/pulse-weaver-studio/releases/tag/v1.14.0-unstable.12

> Superseded by Pulse Weaver 1.14.0 (https://github.com/darylbwickham-design/pulse-weaver-studio/releases/tag/v1.14.0). Use the regular release for the current chat scanner, API moderation and Studio features. This preview is retained as release history.

Pulse Weaver 1.14.0 unstable 12

Experimental automatic YouTube web-chat reception in the existing combined Twitch/YouTube/Kick chat box.

- Incoming YouTube messages use the web reader by default. Each new broadcast supplies its chat URL automatically; no pasted links or separate chat windows.
- Sending messages and moderation (delete, timeout and ban) retain the official authenticated YouTube API. Start/stop/title operations also retain the API.
- No automatic fallback to API chat polling. API receive modes remain explicit alternatives, selected for the next broadcast.
- Each distinct active broadcast has one receive session. Web requests follow YouTube's continuation delay; stop/restart cancels the old session. No follower/like polling is added.
- Existing profiles, scenes and connections are preserved. Lumia companion remains 1.4.1.

This reader uses an undocumented web format and is experimental. Private/restricted, disabled or otherwise anonymously inaccessible chat may not work. Emoji can appear as text equivalents. Web reception still makes web requests; it does not remove API costs for broadcast management, sending or moderation. Live end-to-end sending/moderation with this reader still needs user acceptance testing.

Verified: native Windows build; 25 offline web-reader checks; 22 existing helper protocol checks; native lifecycle, quota, transport and chat-rendering suites. A bounded anonymous public-chat check received two batches (75 and 6 messages) and respected the server's 10-second continuation delay, without OAuth or Data API requests.

Choose Studio → Updates → Include unstable showcase builds, or use PulseWeaver-Setup-1.14.0-unstable.12.exe. Stop outputs before updating. Alpha and stable channels are unchanged.

v1.14.0-unstable.11 · Prerelease · 29 September 2026

Published record: https://github.com/darylbwickham-design/pulse-weaver-studio/releases/tag/v1.14.0-unstable.11

> Superseded by Pulse Weaver 1.14.0 (https://github.com/darylbwickham-design/pulse-weaver-studio/releases/tag/v1.14.0). Use the regular release for the current chat scanner, API moderation and Studio features. This preview is retained as release history.

Pulse Weaver 1.14.0 unstable 11

This unstable showcase contains the same audited application and companion plugin as 1.14.0 experimental alpha 4, with the unstable updater identity.

It includes the YouTube request/lifecycle refinements, Twitch/Kick callback fixes, saved-look and source-identity corrections, stage/audio/settings safeguards, storage preservation and installer recovery hardening described in the alpha 4 notes (https://github.com/darylbwickham-design/pulse-weaver-studio/blob/9c8b457be432865169442e2aa866e9481a7b6d41/docs/RELEASE-1.14.0-alpha.4.md). The companion Lumia plugin is 1.4.1 and keeps existing action IDs and bindings.

This remains a prerelease. Live quota savings are not yet measured. Save quota can add up to 30 seconds during quiet chat; Responsive is available. The source audit (https://github.com/darylbwickham-design/pulse-weaver-studio/blob/9c8b457be432865169442e2aa866e9481a7b6d41/docs/PULSE-WEAVER-SOURCE-AUDIT-2026-09-29.md) lists verification and remaining source-addition/container-rename limitations.

Downloads: PulseWeaver-Setup-1.14.0-unstable.11.exe, PulseWeaver-Lumia-1.4.1.lumiaplugin, and SHA256SUMS.txt.

Choose Studio → Updates → Include unstable showcase builds, or install the matching download. The installer updates regular Pulse Weaver, verifies a recovery backup and preserves profiles, scenes and connection settings. Stop all outputs before updating.

v1.14.0-alpha.4 · Prerelease · 29 September 2026

Published record: https://github.com/darylbwickham-design/pulse-weaver-studio/releases/tag/v1.14.0-alpha.4

> Superseded by Pulse Weaver 1.14.0 (https://github.com/darylbwickham-design/pulse-weaver-studio/releases/tag/v1.14.0). Use the regular release for the current chat scanner, API moderation and Studio features. This preview is retained as release history.

Pulse Weaver 1.14.0 experimental alpha 4

This experimental alpha contains the same audited showcase code as 1.14.0 unstable 11, with the alpha updater identity. It updates the regular Pulse Weaver installation with a verified backup and preserves existing profiles, scenes, account settings and Lumia connection settings.

Changes

- YouTube chat keeps a persistent transport, resumes from saved cursors and follows active outputs. Save quota waits longer after empty responses; Responsive reconnects sooner. Save quota can add up to 30 seconds during quiet chat. Reusable ingest streams and creation-response chat IDs reduce setup requests. No YouTube follow/like/subscriber poller is added.
- Fixed overlapping Twitch/Kick requests, stale login and relay callbacks, and retired output callbacks changing a replacement output's status.
- Protected completed YouTube broadcasts/replays during later cleanup; unfamiliar lifecycle states are retained rather than deleted.
- Fixed source-resize differences between look editing and playback, grouped-input rename lookup, exclusion identity across renames/reloads, collection-change cleanup and removed sources remaining in destination copies.
- Fixed stage transition completion, rapid destination changes, inconsistent YouTube format selectors and settings guards missing independent outputs.
- Protected malformed motion/Stage storage, rolled back failed edits, reported save failures, fixed a Lights callback lifetime issue, and strengthened installer/archive/recovery validation.
- Includes Lumia plugin 1.4.1, preserving its existing identity and bindings while discarding queued work after unload or connection changes.

Verification and limits

Both native targets built successfully. Offline suites cover chat lifecycles, platform callbacks, saved looks, stage storage, audio/source lifetime, transitions, overlays, rendering and installer recovery. The locally installed build passed startup and Show/Control/Settings smoke checks with profiles and scenes preserved.

Live quota savings still need measurement; server behavior and busy chat affect requests. Dual YouTube uses two independent broadcasts/chats. Some scene/group container rename references and adding sources to existing private output copies remain limitations. See the full source audit (https://github.com/darylbwickham-design/pulse-weaver-studio/blob/9c8b457be432865169442e2aa866e9481a7b6d41/docs/PULSE-WEAVER-SOURCE-AUDIT-2026-09-29.md).

Downloads: PulseWeaver-Setup-1.14.0-alpha.4.exe, PulseWeaver-Lumia-1.4.1.lumiaplugin, and SHA256SUMS.txt.

Choose the experimental alpha channel in Studio → Updates, or install the matching download. Stop all outputs before updating. To return to a previous version, use the installer's verified backup restore rather than installing older binaries over newer settings.

v1.14.0-unstable.10 · Prerelease · 29 September 2026

Published record: https://github.com/darylbwickham-design/pulse-weaver-studio/releases/tag/v1.14.0-unstable.10

> Superseded by Pulse Weaver 1.14.0 (https://github.com/darylbwickham-design/pulse-weaver-studio/releases/tag/v1.14.0). Use the regular release for the current chat scanner, API moderation and Studio features. This preview is retained as release history.

Pulse Weaver 1.14.0 unstable 10

Includes the YouTube streaming-chat corrections from experimental alpha 3 with the existing Control showcase.

Healthy chat connections have no forced 45-minute deadline. Normal completion resumes using the saved cursor, without the previous under-60-second failure rule. Automatic REST chat polling is removed. Transient failures retry with increasing delays; terminal failures stop. Repeated completions with no batches also receive a bounded reconnect delay.

Safe application-level request counters and connection results make the next live run diagnosable without logging credentials, chat IDs, continuation tokens, or message content in these diagnostics.

The helper protocol and native/helper lifecycle checks run entirely against mocks. The frontend is compiled, but the real YouTube connection-ending cause and live quota savings remain to be verified. If streaming is unavailable, incoming chat may be delayed or unavailable rather than falling back to continuous REST requests.

Scenes, ports, accounts, and stream routing retain their existing behavior. This package is for users to install through their chosen update channel; no local installation was changed during development.

v1.14.0-alpha.3 · Prerelease · 29 September 2026

Published record: https://github.com/darylbwickham-design/pulse-weaver-studio/releases/tag/v1.14.0-alpha.3

> Superseded by Pulse Weaver 1.14.0 (https://github.com/darylbwickham-design/pulse-weaver-studio/releases/tag/v1.14.0). Use the regular release for the current chat scanner, API moderation and Studio features. This preview is retained as release history.

Pulse Weaver 1.14.0 experimental alpha 3

YouTube chat now stays on Google's streaming API instead of automatically switching to continuous REST polling.

- Keep healthy streaming calls open; remove the locally imposed 45-minute deadline.
- Resume with the saved page token after normal completion. Remove the unsupported rule that called a successful connection under 60 seconds a failure.
- Back off transient errors and repeated completions with no response batches. A valid response does not trigger the empty-completion guard.
- Stop on terminal chat errors. Preserve one receive subscription per distinct chat ID in Dual.
- Record safe application-level request counts, connection duration, batch counts, and numeric gRPC status. Logs omit credentials, chat IDs, cursors, and message content from these diagnostics.
- Recognize offline indications in the REST API wrapper, although automatic REST chat polling has been removed.

The tradeoff is explicit: if streaming cannot connect, chat retries with delays or reports an unavailable service rather than spending quota on automatic polling. Sending chat and requested moderation remain available when the chat session permits them.

Validation: helper protocol checks and native/helper lifecycle mocks, plus a frontend build. The previous live connection-ending cause has not been reproduced against YouTube; actual quota savings still need measurement. No user installation was changed to run these checks.

After updating, run a short YouTube session. The application log's [YouTube requests] entries distinguish streamList attempts from REST operations and report how each chat connection ended. Do not infer a guaranteed quota cost from connection duration alone.

v1.14.0-unstable.9 · Prerelease · 29 September 2026

Published record: https://github.com/darylbwickham-design/pulse-weaver-studio/releases/tag/v1.14.0-unstable.9

> Superseded by Pulse Weaver 1.14.0 (https://github.com/darylbwickham-design/pulse-weaver-studio/releases/tag/v1.14.0). Use the regular release for the current chat scanner, API moderation and Studio features. This preview is retained as release history.

Pulse Weaver 1.14.0 unstable 9

This showcase build includes the same YouTube request reduction as experimental alpha 2 while retaining unstable 8's Show Control interface.

- Detect repeated chat streamList connections that close cleanly within one minute. After three, use the existing REST polling fallback for 15 minutes and then retry streaming. Fallback requests wait at least 15 seconds and respect a longer interval from YouTube.
- Remove Pulse Weaver's separate recent-subscriber poll. Lumia can continue handling follow and like events. Chat messages and chat moderation remain available.
- Keep existing OAuth access, accounts, scenes, credentials, port numbers and output routing.

The change responds to project metrics showing roughly one streamList request every eight seconds during a short stream. The exact contribution of one installation to the project's daily quota and the live effect of this update still require measurement.

v1.14.0-alpha.2 · Prerelease · 29 September 2026

Published record: https://github.com/darylbwickham-design/pulse-weaver-studio/releases/tag/v1.14.0-alpha.2

> Superseded by Pulse Weaver 1.14.0 (https://github.com/darylbwickham-design/pulse-weaver-studio/releases/tag/v1.14.0). Use the regular release for the current chat scanner, API moderation and Studio features. This preview is retained as release history.

Pulse Weaver 1.14.0 experimental alpha 2

This alpha retains the Control interface from alpha 1 and reduces avoidable YouTube API requests.

Google Cloud metrics for a short stream showed liveChatMessages.streamList running about once every eight seconds. The application could treat a short, clean stream closure as success, reconnect after five seconds, and reset its failure count after each response. Now three early closures within a minute of opening a chat stream move that chat to the existing 15-minute REST polling fallback, which waits at least 15 seconds and honours longer intervals returned by YouTube. Streaming is retried after the fallback period.

Pulse Weaver no longer polls YouTube's recent subscribers to generate follow alerts. Lumia can continue handling those events independently. Live chat and requested chat moderation remain available; membership and Super Chat messages arriving through the chat connection are still processed without a separate event poll. OAuth scopes, connected accounts, credentials, ports and output routing are unchanged.

The 1,576-unit Google Cloud total is shared by every installation using the same developer project. The graph confirms repeated streamList traffic, but it does not identify which individual installations contributed each call or disclose Google's per-call quota charge for streamList. This package has been compiled; live quota savings have not been measured after installation.

v1.14.0-alpha.1 · Prerelease · 29 September 2026

Published record: https://github.com/darylbwickham-design/pulse-weaver-studio/releases/tag/v1.14.0-alpha.1

> Superseded by Pulse Weaver 1.14.0 (https://github.com/darylbwickham-design/pulse-weaver-studio/releases/tag/v1.14.0). Use the regular release for the current chat scanner, API moderation and Studio features. This preview is retained as release history.

Pulse Weaver 1.14.0 experimental alpha 1

This alpha packages the same Show Control implementation as 1.14.0 unstable 8 for the Alpha update channel.

- Edit selected look, + New look, and Duplicate look are visible beside the Look choices. Selecting a Look loads its saved layout into the design canvases; editing and saving do not change the live output.
- The Look editor names the selection and explains how to arrange a layer, save it, and run the saved Look live.
- The guided show builder, saved Look transition preview, and direct audio, recording and video controls from the unstable showcase are included.

The regular release remains 1.13.3. Alpha is opt-in under Studio → Updates. The installer creates and verifies a full backup before updating an existing installation and retains its profile, scenes, credentials and ports. This alpha uses the existing Lumia plugin format and bundles version 1.4.0.

The native build and installer self-checks passed. A full visual click-through and live broadcast test have not been performed for this alpha package.

v1.14.0-unstable.8 · Prerelease · 29 September 2026

Published record: https://github.com/darylbwickham-design/pulse-weaver-studio/releases/tag/v1.14.0-unstable.8

> Superseded by Pulse Weaver 1.14.0 (https://github.com/darylbwickham-design/pulse-weaver-studio/releases/tag/v1.14.0). Use the regular release for the current chat scanner, API moderation and Studio features. This preview is retained as release history.

Pulse Weaver 1.14.0 unstable 8

This preview makes Look creation and editing visible in Show Control.

- Edit selected look, + New look, and Duplicate look now sit beside the Look choices. Selecting a Look loads its saved layout into the design canvases; Edit selected look points to its layers and keeps the live output unchanged.
- The editor names the Look currently being edited and tells you to arrange a layer and save it. Duplicate look now checks for unsaved changes before switching drafts.
- The quick start guide explains the new controls and the difference between saving a Look and running it live.

This update does not change installed scenes, credentials, port numbers, or output routing. The packaged Control page has not received a full visual click-through or live broadcast test.

v1.14.0-unstable.7 · Prerelease · 29 September 2026

Published record: https://github.com/darylbwickham-design/pulse-weaver-studio/releases/tag/v1.14.0-unstable.7

> Superseded by Pulse Weaver 1.14.0 (https://github.com/darylbwickham-design/pulse-weaver-studio/releases/tag/v1.14.0). Use the regular release for the current chat scanner, API moderation and Studio features. This preview is retained as release history.

Pulse Weaver 1.14.0 unstable 7

This preview clarifies how Control's saved Looks relate to on-air Stage transitions.

Control changes

- Preview from now lets you choose another saved Look in the same Stage before playing the destination Look's movement. The offline preview uses that Look's saved source positions on both canvases. The current scene state remains available as a starting point.
- When the chosen start and destination placements already match, Control explains why no visible movement occurs instead of silently playing an empty preview.
- The page now explains that a Stage switch uses its fade, cut or stinger and reveals the prepared Look, while two Looks within the same Stage animate source placement.
- Run saved look live names the on-air action clearly. Selecting, editing, saving and offline previewing remain separate actions.
- Saved preview positions use source IDs and the same resize adjustment as live execution, so source renames and camera resolution changes do not redirect the preview.

Unstable 6's audio routing correction and the guided show setup remain included. No existing scenes, credentials, Lumia port or installed Pulse Weaver instance were changed.

Verification and limits

The native motion plugin was compiled and the installer self-checks were run. The updater was checked against live release metadata. The packaged Control page has not received a full visual click-through or live broadcast test; users should rehearse this experimental build off air before relying on its preview.

v1.14.0-unstable.6 · Prerelease · 28 September 2026

Published record: https://github.com/darylbwickham-design/pulse-weaver-studio/releases/tag/v1.14.0-unstable.6

> Superseded by Pulse Weaver 1.14.0 (https://github.com/darylbwickham-design/pulse-weaver-studio/releases/tag/v1.14.0). Use the regular release for the current chat scanner, API moderation and Studio features. This preview is retained as release history.

Pulse Weaver 1.14.0 unstable 6

This build supersedes unstable 5 for the experimental Studio interface.

Fix in unstable 6

- The audio source routing matrix now displays the operator's underlying six-track assignments when a stage has temporarily allocated tracks for Twitch, YouTube, Kick or recording exclusions. The temporary stage assignments are cleared before saving audio devices or track membership, so they are not written into the scene collection by those settings actions.
- Saving these settings is synchronous. Stage-specific exclusions are rebuilt when the stage is selected again or an output starts.

Included from unstable 4 and 5

Fresh setups open the guided show builder. Control offers explicit main/supporting source and two-canvas layout choices. Settings exposes audio devices, track names, Twitch VOD routing, local monitoring, recording folder and format, video size and FPS, destination bitrates, appearance and Lumia port. The existing streaming, chat, credentials, scenes, port and Lumia integration remain in place.

This is still an unstable preview. Advanced encoders and custom FFmpeg recording use OBS advanced options. Provider source exclusions remain in Manage stages. Live account, migrated-profile and visual click-through checks have not been performed on the packaged installer.

Verification

The native frontend and motion plugin compiled, and installer payload, layout, language and profile-adoption self-checks passed. Live release selection was checked so regular installs remain on 1.13.3 and unstable opt-ins receive this build. No installed Pulse Weaver instance or live output was changed.

v1.14.0-unstable.5 · Prerelease · 28 September 2026

Published record: https://github.com/darylbwickham-design/pulse-weaver-studio/releases/tag/v1.14.0-unstable.5

> Superseded by Pulse Weaver 1.14.0 (https://github.com/darylbwickham-design/pulse-weaver-studio/releases/tag/v1.14.0). Use the regular release for the current chat scanner, API moderation and Studio features. This preview is retained as release history.

Superseded by unstable 6 (https://github.com/darylbwickham-design/pulse-weaver-studio/releases/tag/v1.14.0-unstable.6). Use unstable 6: it corrects how audio track settings are saved while a stage has temporary provider-specific routes.

Pulse Weaver 1.14.0 unstable 5

This preview continues the first-run show builder and visual Control editor in unstable 4. It focuses on a remaining everyday task: routing sound without opening the OBS advanced audio dialog.

New in unstable 5

- Settings → Sound and recording now includes labels for all six audio tracks, a local monitoring device picker, and an audio source routing matrix. For each source, choose its track membership and Off, Monitor only or Monitor + output.
- The routing matrix uses source IDs internally, so changing a source name does not redirect a save to another source. It refreshes from the current scene collection and refuses changes while streaming or recording.
- The canvas-size controls can display existing profiles above 7680 pixels without silently clamping their values. Validation still requires the output size to fit the base canvas.
- The setup guide now explains the separation between Twitch VOD track membership and YouTube/Kick source exclusions.

Retained behaviour and limits

The existing stage wizard, paired Control layouts, game window picker, Twitch/YouTube/Kick outputs, credentials, ports, saved looks and Lumia actions remain in place. This is an unstable preview, not a completed regular release. Advanced encoder tuning and custom FFmpeg recording remain in OBS advanced options. Provider exclusions still use Manage stages, and full live account and migrated-profile UI walkthroughs have not been performed.

Verification

The native frontend and motion plugin compiled. Existing routing, updater and YouTube quota checks and installer self-checks are run during packaging. A packaged startup check uses an isolated portable profile; no installed Pulse Weaver instance or live broadcast is changed.

v1.14.0-unstable.4 · Prerelease · 28 September 2026

Published record: https://github.com/darylbwickham-design/pulse-weaver-studio/releases/tag/v1.14.0-unstable.4

> Superseded by Pulse Weaver 1.14.0 (https://github.com/darylbwickham-design/pulse-weaver-studio/releases/tag/v1.14.0). Use the regular release for the current chat scanner, API moderation and Studio features. This preview is retained as release history.

Pulse Weaver 1.14.0 unstable 4

This preview makes the 1.14 interface changes visible in daily use and adds direct controls for common setup tasks.

New in unstable 4

- A fresh setup opens at Settings → Start here with Build my show. Existing stage catalogues still open at Show.
- The show wizard now asks for desktop and microphone devices. Keep current device preserves an existing scene collection. Newly created device sources are removed if the show build fails.
- Control has Choose sources + layout…. Pick the large and supporting sources by name, then preview Main + corner, Side by side or Full screen main on both canvases. Undo or save the look. Existing overlays and each source's crop stay intact.
- Settings now exposes audio devices, Twitch VOD track routing and source membership, recording folder and format, base/output video size and frame rate, destination bitrates, appearance and the local Lumia port. Changes explain when a restart or new output start is required.
- The setup guide follows the actual screen labels.

Retained behaviour

The Twitch routing, YouTube quota and streaming chat improvements from regular 1.13.3 remain included. Kick has a landscape output only. Credentials, scenes, saved ports and Lumia 1.4.0 actions are preserved by the installer backup/update flow.

Advanced encoder settings, track names, monitoring and custom FFmpeg recording still open the underlying OBS settings dialog. This remains an experimental interface and the complete long-term redesign is unfinished.

Verification

Native application and motion plugin rebuilt. Existing updater, routing and quota regression checks and installer self-checks run against this build. The packaged application receives an isolated startup check with an empty portable profile. No user's installed instance or live broadcast is used.

v1.14.0-unstable.3 · Prerelease · 28 September 2026

Published record: https://github.com/darylbwickham-design/pulse-weaver-studio/releases/tag/v1.14.0-unstable.3

> Superseded by Pulse Weaver 1.14.0 (https://github.com/darylbwickham-design/pulse-weaver-studio/releases/tag/v1.14.0). Use the regular release for the current chat scanner, API moderation and Studio features. This preview is retained as release history.

Pulse Weaver 1.14.0 unstable 3

Fixes the early startup crash introduced by the unstable settings workspace. The recording folder was read before the active profile existed. Profile-backed recording and bandwidth fields now populate after profile loading and refresh when Settings is opened. Save actions guard against an unavailable profile and resolve the current recording mode at save time.

Includes all unstable 2 features and YouTube quota/streaming-chat fixes. Regular 1.13.3 is unaffected by this unstable-only startup defect.

If the application cannot open, download this installer and run it over the existing installation. Do not uninstall or remove your configuration. The existing installer backup and profile-preservation flow is retained, including credentials and Lumia ports.

Verification: crash stack resolved with matching debug symbols to InitPulseWeaverShell and the unguarded recording-folder read; native application rebuilt. Installed user configuration was not modified. Live streaming and the user's actual profile startup were not exercised.

v1.14.0-unstable.2 · Prerelease · 28 September 2026

Published record: https://github.com/darylbwickham-design/pulse-weaver-studio/releases/tag/v1.14.0-unstable.2

> Superseded by Pulse Weaver 1.14.0 (https://github.com/darylbwickham-design/pulse-weaver-studio/releases/tag/v1.14.0). Use the regular release for the current chat scanner, API moderation and Studio features. This preview is retained as release history.

Pulse Weaver 1.14.0 unstable 2

The 1.14 interface showcase now includes all five fixes added to the regular/alpha source since unstable 1, through regular 1.13.3.

Included fixes

- Twitch Off / 16:9 / Dual routing and asynchronous startup status, including cancellation and rejected preparation cleanup.
- YouTube preparation follows the enabled destinations. Removed placeholder broadcast schedules and unwanted YouTube setup during Twitch/Kick-only startup.
- Persistent YouTube daily-quota protection, rate-limit pauses, full server polling intervals, and bounded retry delays.
- Resumable streaming YouTube chat using the official gRPC endpoint, one reader per unique chat, separate subscriber checks, cancellation, and temporary polling fallback when streaming is unavailable.
- YouTube desktop registration packaging now matches the already-public regular installer. Only the installed-app registration is bundled; user access tokens, refresh tokens, stream keys, and profiles are excluded. Existing registrations remain preserved by updates.

The 1.14 studio setup workspace, visual placement controls, source assignment improvements, music exclusions, and motion/source identity behavior remain in this build.

Update

Enable Studio → Updates → Include unstable showcase builds, then check for updates. This is a prerelease on the separate unstable channel; regular users remain on 1.13.3 unless they opt in. The installer uses the existing backup/rollback flow and preserves settings, credentials, ports, and Lumia integration. The bundled Lumia 1.4.0 plugin is unchanged.

Verification

The unstable application and core plugin were rebuilt. Regression suites cover streaming chat, quota persistence, broadcast isolation, Twitch startup, updater channels/handoff, and YouTube registration. The exact packaged helper and installer receive offline self-checks before publication. Live updater metadata and published asset checksums are verified separately.

No installed instance, live broadcast, or real chat account was used for testing. The interface remains experimental; live streaming delivery and actual quota savings require verification after updating. Previously consumed YouTube quota cannot be restored by this update.

v1.13.3 · Regular release · 28 September 2026

Published record: https://github.com/darylbwickham-design/pulse-weaver-studio/releases/tag/v1.13.3

Pulse Weaver 1.13.3

Regular Windows release with more efficient incoming YouTube chat.

Changes

- Prefer YouTube's official liveChatMessages.streamList gRPC connection instead of continuously polling incoming chat.
- Share one reader per unique live chat in the unified feed, preserving the latest message cursor for reconnection.
- Keep broadcast controls, chat sending, moderation, and subscriber checks separate from the persistent chat connection.
- Refresh expired access tokens and reconnect, while suspending repeated authentication failures. Credentials travel through a private process pipe, never command-line arguments or transport logs.
- Cancel chat connections when broadcasts are stopped, YouTube is disabled, the account is disconnected, or the application closes. Parent-pipe closure also stops the transport after an application crash.
- Back off interrupted connections. Unsupported streaming, or three transport failures, temporarily enables polling for 15 minutes before streaming is retried. Fallback waits at least 15 seconds and respects longer YouTube polling intervals.
- Quota, rate-limit, authentication, permission, and ended-chat errors do not trigger polling fallback. The persisted quota protection from 1.13.2 remains active.
- Preserve existing message, membership, Super Chat, and moderation processing. Public subscriber checks remain separate at five-minute intervals.

The streaming helper and its runtime are bundled; users do not need to install .NET separately. Existing settings, tokens, ports, and Lumia integration are retained by the normal updater. No new Google project or OAuth permissions are required.

Streaming reduces repeated incoming-chat requests. It does not restore spent quota or remove quota costs for broadcast management and sending chat. Actual savings depend on usage and successful streaming connectivity.

Verification and limits

Offline tests cover gRPC framing and routing, authentication metadata with a dummy token, resume cursors, error classification, multiple responses, cancellation, shared readers, quota protection, and polling fallback eligibility. Existing broadcast-isolation, Twitch startup, and updater regressions are checked, along with the installer and packaged transport.

No live YouTube account or broadcast was used to validate this transport. Live delivery and actual quota savings still need confirmation after updating and after quota is available. The installed local Pulse Weaver instance was not changed.

Update via Studio → Updates, or use PulseWeaver-Setup-1.13.3.exe. The -BETA.exe asset is a byte-identical compatibility filename for older updaters; both install the regular release. Lumia 1.4.0 is unchanged.

Implementation references:
https://developers.google.com/youtube/v3/live/docs/liveChatMessages/streamList and
https://developers.google.com/youtube/v3/live/streaming-live-chat.

v1.13.2 · Regular release · 28 September 2026

Published record: https://github.com/darylbwickham-design/pulse-weaver-studio/releases/tag/v1.13.2

Pulse Weaver 1.13.2

Regular Windows release, including the guided setup and show editor improvements from 1.13.2-alpha.2 and its Twitch 16:9/Dual startup fixes.

YouTube quota and chat reliability

- Respect the full polling interval returned by YouTube; longer intervals are no longer shortened to 15 seconds.
- Back off failed chat discovery and polling instead of repeatedly rediscovering the same broadcast. Keep the chat cursor during temporary failures.
- Pause YouTube API requests after daily quota exhaustion until the next midnight Pacific reset, with a one-minute allowance. This pause survives restarting Pulse Weaver and covers both YouTube canvases and broadcast preparation.
- Temporarily pause requests on rate-limit responses, including HTTP 429 without a JSON error body.
- Stop polling ended, disabled, or inaccessible chats. Check public subscribers at most once every five minutes, without repeating those checks after failed chat requests.
- Explain quota exhaustion and its local reset time in the interface. Twitch and Kick remain independent. Raw YouTube request and response debug logging has been removed.

This update cannot replenish quota already spent. Reconnecting a YouTube account does not replenish quota either. Wait until the displayed reset time before preparing a new YouTube broadcast. The bundled Google API project has shared quota; this fix reduces avoidable requests but does not increase Google's allocation. Chat still uses polling, not the streaming API.

Updating

Use Studio → Updates, or download PulseWeaver-Setup-1.13.2.exe. The installer retains existing settings, credentials, and ports and uses the existing backup/rollback flow. This regular release also supersedes 1.13.2-alpha.2 for alpha-channel users. The separate unstable showcase is not changed.

The byte-identical PulseWeaver-Setup-1.13.2-BETA.exe asset is a compatibility filename for older updaters. Both assets install the same regular release. The existing Lumia 1.4.0 plugin is included for convenience; no plugin or port change is required for this fix.

Verification

Quota regressions cover persisted pauses, automatic expiry, separate registrations, daily versus temporary throttling, DST reset dates, server polling intervals, bounded retries, cursor retention, and stopped chats. Existing broadcast-isolation and Twitch startup regressions are also run. Installer self-checks and current/legacy updater selection are checked before publication is considered complete.

No live YouTube broadcast or destructive moderation action was used for testing. The developer's installed Pulse Weaver instance and profile were not changed.

v1.13.2-alpha.2 · Prerelease · 27 September 2026

Published record: https://github.com/darylbwickham-design/pulse-weaver-studio/releases/tag/v1.13.2-alpha.2

Pulse Weaver 1.13.2-alpha.2

Twitch output fixes

- Twitch now offers Off, 16:9 and Dual. Legacy portrait-only selections migrate to Dual.
- 16:9 clears the additional portrait canvas. Existing Enhanced Broadcasting quality settings are retained; Dual enables Enhanced Broadcasting and attaches the current portrait canvas automatically.
- Each stream start re-evaluates Enhanced Broadcasting and rebuilds its streaming configuration, including when recording, replay buffer or virtual camera keeps the output handler alive.
- Before connecting, the prepared video encoders must match the requested format. Pulse Weaver refuses an accidental portrait output in 16:9 or a landscape-only fallback in Dual, instead of reporting the wrong format.
- Connecting is now a distinct startup state. An accepted asynchronous start no longer produces the false "Twitch did not start" message before becoming live.
- Cancellation invalidates old callbacks, including deferred secondary destinations. YouTube/Kick startup following Twitch waits for Twitch's connected event instead of a fixed 1.2-second timer.
- Changing Twitch format while connecting/live is blocked with an inline explanation; stop Twitch, select the new format, and start again. Off can cancel a connection.

Verification

Production routing/start-state regression tests cover Dual-to-landscape switching, stale portrait clearing, standard/enhanced landscape, mismatched negotiated formats, delayed connection, failure and cancelled callback generations. Broadcast-isolation and updater regression suites also passed. These are isolated tests, not a live Twitch transmission test.

Update and rehearse

Open Studio > Updates with Alpha enabled and update to 1.13.2-alpha.2. After updating, test 16:9, stop, test Dual, stop, then test 16:9 again. Check Twitch's received formats as well as Pulse Weaver's status. Existing accounts, ports, scenes and audio/VOD settings are preserved. No Lumia plugin update is required.

Package QA: build passed; payload, layout, language and adoption installer self-tests all passed. Packaged executable and plugin match the compiled files. Payload audit found no profile/cache paths, and packaged HTTPS updater support passed. Your installed instance was not changed.

v1.13.1 · Regular release · 27 September 2026

Published record: https://github.com/darylbwickham-design/pulse-weaver-studio/releases/tag/v1.13.1

Pulse Weaver 1.13.1

Broadcast setup isolation fix

Confirmed defects

- Native OBS broadcast setup trusted the loaded account type even after Pulse Weaver switched its primary output to Twitch. A stale YouTube account could therefore demand YouTube setup for a Twitch/Kick show.
- Four example Friday Fortnite schedules were embedded in the native YouTube dialog. Failed initialization could reopen that dialog before those placeholders were removed. These were UI samples, not a user's downloaded schedule.
- Related stop warnings and startup polling also used stale broadcast state. A failed account load remained attached, and a cancelled primary start could be reported as accepted.

Changes

- Gate native YouTube setup, warnings and polling on both the actual primary service and the connected account. Preserve native YouTube setup when selected.
- Remove sample schedule rows, refuse to open an invalid dialog, guard missing docks/accounts, and escape broadcast titles rendered as rich text.
- Make worker cancellation atomic and safely remove the loading label.
- Stop secondary startup after an immediately cancelled/rejected primary start; distinguish an output still connecting from cancellation.
- Retain existing credentials, ports, profiles, routing and streaming encoders. No new scopes or reconnection required for this fix.

Verification and limits

Regression tests cover production broadcast eligibility, valid empty schedule UI resources, update channel selection and updater handoff. Application builds and packaged installers are checked separately. No live broadcasts or installed user instances are used for testing. The reporter's exact runtime state has not been reproduced on their machine.

Update

Install through Studio > Updates or download the matching installer from this release. Review the selected destinations before going live. With YouTube off and Twitch/Kick selected, no YouTube broadcast setup should be requested. Existing account settings should remain intact.

Regular-channel update. BroadcastIsolation, UpdateChannels and UpdateHandoff regression suites passed. The additional legacy-named installer is byte-identical to the regular installer and exists only for compatibility with older in-menu updaters; this is a regular release, not a beta.

Publication QA: regular installer payload/layout/language self-tests passed; 2,176 payload files contain no profile/cache paths; no previous payload paths missing. Compiled executable/plugin match the package, packaged HTTPS works, all uploaded SHA256 digests match, and the original 1.12.17 updater successfully selects this published release.

v1.13.2-alpha.1 · Prerelease · 27 September 2026

Published record: https://github.com/darylbwickham-design/pulse-weaver-studio/releases/tag/v1.13.2-alpha.1

Pulse Weaver 1.13.2-alpha.1

Broadcast setup isolation fix

Confirmed defects

- Native OBS broadcast setup trusted the loaded account type even after Pulse Weaver switched its primary output to Twitch. A stale YouTube account could therefore demand YouTube setup for a Twitch/Kick show.
- Four example Friday Fortnite schedules were embedded in the native YouTube dialog. Failed initialization could reopen that dialog before those placeholders were removed. These were UI samples, not a user's downloaded schedule.
- Related stop warnings and startup polling also used stale broadcast state. A failed account load remained attached, and a cancelled primary start could be reported as accepted.

Changes

- Gate native YouTube setup, warnings and polling on both the actual primary service and the connected account. Preserve native YouTube setup when selected.
- Remove sample schedule rows, refuse to open an invalid dialog, guard missing docks/accounts, and escape broadcast titles rendered as rich text.
- Make worker cancellation atomic and safely remove the loading label.
- Stop secondary startup after an immediately cancelled/rejected primary start; distinguish an output still connecting from cancellation.
- Retain existing credentials, ports, profiles, routing and streaming encoders. No new scopes or reconnection required for this fix.

Verification and limits

Regression tests cover production broadcast eligibility, valid empty schedule UI resources, update channel selection and updater handoff. Application builds and packaged installers are checked separately. No live broadcasts or installed user instances are used for testing. The reporter's exact runtime state has not been reproduced on their machine.

Update

Install through Studio > Updates or download the matching installer from this release. Review the selected destinations before going live. With YouTube off and Twitch/Kick selected, no YouTube broadcast setup should be requested. Existing account settings should remain intact.

Alpha retains the guided show, source handling, and unstable-channel opt-in from alpha 6. Regression suites: BroadcastIsolation, UpdateChannels and UpdateHandoff passed. No live streaming test was performed.

Publication QA: alpha installer payload/layout/language/adoption self-tests passed; 2,177 payload files contain no profile/cache paths. Compiled executable/plugin match the package, packaged HTTPS works, all uploaded SHA256 digests match, and live updater metadata selects this alpha when opted in.

v1.14.0-unstable.1 · Prerelease · 27 September 2026

Published record: https://github.com/darylbwickham-design/pulse-weaver-studio/releases/tag/v1.14.0-unstable.1

> Superseded by Pulse Weaver 1.14.0 (https://github.com/darylbwickham-design/pulse-weaver-studio/releases/tag/v1.14.0). Use the regular release for the current chat scanner, API moderation and Studio features. This preview is retained as release history.

Pulse Weaver 1.14.0 unstable 1

This is an opt-in interface showcase built on the alpha 6 motion and updater fixes. It is a separate preview channel. New installs still default to the regular release. The installer backs up the existing app and profile before updating and preserves saved scenes, account registrations, ports and Lumia settings.

What changed

- Settings now opens a Pulse Weaver studio setup workspace with a short path from a blank show to source assignment, destinations and rehearsal. It groups stages, output bitrates, sound, recording location, sources, automation port, appearance, updates and recovery.
- Kick offers only a landscape bitrate setting. YouTube offers landscape and portrait settings. Twitch Enhanced Broadcasting keeps its own negotiated track settings.
- The stage editor shows visual Fill, Corner, Left and Right placement controls and a searchable stage picker when the stage strip grows.
- The show builder suggests appropriate camera, game and screen sources, reuses existing camera crop/rotation from a selected scene item, and lets a newly created camera fill more than one role without creating it twice.
- A dedicated music audio source can be excluded from YouTube and Kick stage routing while Twitch and its VOD track remain as configured. The builder rejects the Game Capture picture source as that music source.
- Alpha 6 fixes are included: saved motions follow source UUIDs across renames and adapt newly saved framing to resolution changes; swap focus and undo/redo handle two canvases more reliably.
- The unstable installer bundles only the public Google Desktop client ID for YouTube's PKCE sign-in. It does not distribute a client secret, access token or refresh token. Existing local registrations and account tokens are retained during updates.

Important preview limits

- This is an unstable build. Rehearse a new show on both canvases before broadcasting. The guided builder still needs working device selections and URLs from external chat/alert providers.
- The studio setup workspace exposes common settings directly. Advanced encoder, audio device and VOD track controls still open the OBS engine dialog from the same workspace.
- A source exclusion also excludes that source's picture. Use a dedicated music audio source for YouTube/Kick exclusions.
- The interface changes have been compiled and package checked in isolation; they have not been exercised on the user's installed profile or against a live service.

- The ID-only YouTube sign-in and refresh path follows Google's documented desktop-client flow, but needs live account verification after installation.

Install, update and recover

From alpha 6, use Studio → Updates → Include unstable showcase builds to opt in and check for this build, or download its installer from this release. From the regular 1.13.0 release, opt in to alpha and update to alpha 6 first to gain the separate unstable option. Do not uninstall the existing app first. The installer creates a verified backup before replacement. Studio → Updates → Restore a backup / leave preview channel returns to a previous version. The existing Lumia plugin ID and action schema are unchanged; its bundled 1.4.0 package is optional for users already on that version.

v1.13.1-alpha.6 · Prerelease · 27 September 2026

Published record: https://github.com/darylbwickham-design/pulse-weaver-studio/releases/tag/v1.13.1-alpha.6

Pulse Weaver 1.13.1 alpha 6

This experimental update repairs the new show builder and prepares the updater for a separately opt-in unstable showcase. The installer targets the existing Pulse Weaver installation, makes a verified full backup, and retains its profile, ports, credentials and Lumia settings. It does not install itself when downloaded.

Fixed

- A Hangout with only one screen or camera now fills the canvas instead of treating that one source as a corner inset.
- New portrait chat browser sources start at portrait dimensions.
- Swap focus excludes generated show graphics and never converts unbounded sources into zero-sized bounds. Undo/Redo treats a two-canvas swap as one operation.
- Saved motions identify sources by UUID and scene-item ID, so source renames do not break execution. Newly saved looks also record source dimensions and adapt crop/scale when a source changes resolution.
- The builder omits redundant Gameplay looks, unused title sources for disabled stages, and retains wizard choices after a creation error.
- A Game Capture chosen in the builder becomes Show's selected Game Capture source.
- Kick's settings no longer show a portrait bitrate field. Kick output remains landscape only in Show.
- The updater recognises the plain installer filename of the promoted 1.13.0 release and supports a separate opt-in unstable channel.

The existing Lumia plugin ID and action schema are unchanged. The bundled plugin is included for convenient installation, but an existing 1.4.0 plugin does not need replacing for this update.

Update and recovery

In Pulse Weaver choose Studio → Updates → Include experimental alpha builds, then Check for updates. Setup verifies a full backup before replacing the app. To roll back, use Studio → Updates → Restore a backup / leave preview channel. Do not uninstall first.

The installer does not include anyone's scenes or credentials. Existing saved looks with bounded layouts continue to follow their saved canvas slots after a source resolution change. Dimension adaptation metadata is added when a look is newly saved or resaved in this build.

v1.13.1-alpha.5 · Prerelease · 26 September 2026

Published record: https://github.com/darylbwickham-design/pulse-weaver-studio/releases/tag/v1.13.1-alpha.5

Pulse Weaver 1.13.1 alpha 5

This alpha includes the guided Show setup and Game Capture controls from alpha 4. On a fresh setup, Build my show now appears beside the Stage selector. It was previously clipped outside the layout, so new users could miss the entry point.

The guide is Build a show (BUILD-MY-SHOW-GUIDE.md). The wizard can use existing sources or create new cameras, game and screen captures, browser overlays, and stage graphics. It builds Starting, Hangout, Gameplay, BRB/Ending, and Celebration stages with landscape and portrait looks. Existing scenes remain available. The main Show page also provides a Game Capture window picker.

The desktop build succeeded. In a disposable portable profile with no saved Stage catalogue, the Show page displayed Build my show beside the Stage selector and opened the wizard. Previous alpha 4 checks built five stages and eight looks from temporary sources. No live stream, connected account, installer, or installed user profile was used in these checks. The in-menu alpha updater retains the installed profile and creates its verified backup.

v1.13.1-alpha.4 · Prerelease · 26 September 2026

Published record: https://github.com/darylbwickham-design/pulse-weaver-studio/releases/tag/v1.13.1-alpha.4

Pulse Weaver 1.13.1 alpha 4

This alpha makes Show Control easier to set up and use on a new scene collection.

- Build my show now works from an empty collection. Each role can use an existing source or create a new camera, Game Capture, display/window capture, browser overlay, or local stage title graphic. It asks for the main camera, secondary focus, optional alert camera, game, screen, landscape and portrait chat, alerts, captions, and stage graphics. It then builds Starting, Hangout, Gameplay, BRB/Ending, and Celebration with landscape and portrait scenes and saved looks. New sources are created only at Finish and rolled back with the scenes if creation fails. Existing scenes remain available. Main content fills the portrait lower area; supporting content uses the upper area. Stage graphics sit above their background sources.
- Control has compact stage and look choices above the two canvases. Swap focus exchanges the large and supporting source while retaining each source's crop, so a camera/content pair can become a second look quickly. Review the draft, then save it.
- The main Show page has a Game window picker. Its gear chooses an existing Game Capture source, switches that source to specific-window mode when requested, and refreshes OBS's available windows. The selected source is remembered by UUID.
- Creating a Stage manually now starts with current or selected scene assignments, so the new Stage is usable instead of an empty row.
- The builder now saves the Stage catalogue on Windows, refreshes saved Game Capture choices after startup, finds the paired portrait editor scene immediately after creating a stage, creates portrait-sized title graphics to keep their text readable, and puts corner sources and graphics above opaque full-screen content.

See Build a show (BUILD-MY-SHOW-GUIDE.md) for the click-by-click setup path.

The alpha was built and checked in a separate portable profile using temporary colour, Game Capture, and newly generated stage graphic sources. No live stream, viewer moderation, account connection, or installer run was used for this check. Existing streaming routes, credentials, ports, and Lumia action IDs are unchanged. The alpha updater retains the installed profile and makes its normal verified backup; users may update from the in-menu alpha channel.

v1.13.1-alpha.3 · Prerelease · 26 September 2026

Published record: https://github.com/darylbwickham-design/pulse-weaver-studio/releases/tag/v1.13.1-alpha.3

Pulse Weaver 1.13.1 alpha 3

Stream Details now presents Twitch and Kick in matching sections. Each has a full-width title field, a searchable category field, separate Update Title and Update Category actions, and feedback beside the controls. Updating one field sends only that field to its platform. The wider card keeps both category searches readable. YouTube's next-broadcast title remains in its own section.

The change was checked in the separate portable preview: Twitch and Kick category searches returned results, and the controls were visually aligned. No live title or category update was sent. The installed profile, streaming routes, OAuth connections, Lumia API, and Cloudflare relay are unchanged by this update. The in-menu alpha updater backs up the installation before replacing app files and retains scenes, settings, credentials, and ports.

v1.13.1-alpha.2 · Prerelease · 26 September 2026

Published record: https://github.com/darylbwickham-design/pulse-weaver-studio/releases/tag/v1.13.1-alpha.2

Pulse Weaver 1.13.1 alpha 2

Stream Details now includes a searchable Kick category picker beside the existing title control. Choose a category from Kick's results and select Update Category. Pulse Weaver sends only its numeric category_id to Kick, using the connected user's verified channel:write token. An empty HTTP 204 is success; other responses show a sanitised HTTP error. Category searches refresh an expired user token and never use a client-credentials token.

This builds on alpha 1's Kick title and moderation repairs. The streaming, chat, OAuth relay, and Lumia API routes are unchanged. The installer backs up the current installation and retains its profile, connected accounts, scenes, ports, and alpha update channel. No Cloudflare deployment is needed.

The connected Kick account previously granted channel:write, so category editing needs no new scope. Moderation still needs Kick reauthorisation to add the missing moderation:ban grant. No title, category, or moderation action was sent live while preparing this release.

v1.13.1-alpha.1 · Prerelease · 26 September 2026

Published record: https://github.com/darylbwickham-design/pulse-weaver-studio/releases/tag/v1.13.1-alpha.1

Pulse Weaver 1.13.1 alpha 1

This alpha repairs Kick title updates and moderation. The Stream Details screen now sends title-only PATCH /public/v1/channels requests and accepts Kick's empty HTTP 204 response. Kick moderation verifies the connected user token's active grant, app identity, scopes, and expiry before sending bans, timeouts, unbans, or message deletion. A missing grant is shown with a Reauthorise Kick action. Refresh token rotation is saved, and failed requests show sanitised HTTP errors instead of apparent success.

The account used in the isolated preview was verified against Kick: its user token is active, channel:write and moderation:chat_message:manage are granted, and moderation:ban is missing. Reauthorise Kick after installing this alpha to request that permission. No viewer was moderated during verification. The title PATCH was not sent live because the current title is empty and there was no value to preserve.

The app continues to use the existing Kick developer app and Cloudflare relay for OAuth and events. Title and moderation requests go directly from the desktop client to Kick, so this update needs no relay deployment. Streaming and chat routes are unchanged.

This installer also includes a verified profile-adoption command for copying an isolated local configuration into the installed alpha while retaining the installed app's update channel. It creates a full recovery backup and checks copied files before replacement. Run it only after closing all Pulse Weaver windows; the original isolated configuration remains untouched.

v1.13.0 · Regular release · 26 September 2026

Published record: https://github.com/darylbwickham-design/pulse-weaver-studio/releases/tag/v1.13.0

Pulse Weaver 1.13.0

This regular release promotes the tested 1.13.0 alpha 2 application without changing its runtime binaries. It includes the visual Motion stage editor, the refined stream layouts, deferred YouTube privacy consent, and local crash logging without OBS's native crash dialog.

The installer uses the regular update channel. It creates and verifies a complete backup before replacing an existing installation, and it preserves scenes, profiles, credentials, browser data, Lumia settings, and saved ports. The installer is named PulseWeaver-Setup-1.13.0.exe; it is a regular release, not an alpha or beta.

The matching Lumia plugin is PulseWeaver-Lumia-1.4.0.lumiaplugin. Existing regular-plugin manifest ID and action settings remain compatible. The separate Motion Preview plugin remains separate.

The Kick title and moderation fixes are in the following 1.13.1 alpha, not this promoted build.

v1.13.0-alpha.2 · Prerelease · 25 September 2026

Published record: https://github.com/darylbwickham-design/pulse-weaver-studio/releases/tag/v1.13.0-alpha.2

Pulse Weaver 1.13.0 alpha 2

This update removes two interruptions from the Windows app. YouTube privacy consent now appears when you choose to connect YouTube, immediately before Google sign-in, instead of during startup. If the current privacy notice has not been accepted, YouTube remains disconnected until you connect it. Existing account data is not deleted.

If Pulse Weaver crashes, it still saves a local crash log, but no longer opens OBS's native crash-log dialog. The installer retains the alpha channel's verified backup and rollback flow, along with existing profiles, credentials, and configured ports.

Downloads: PulseWeaver-Setup-1.13.0-alpha.2.exe, PulseWeaver-Lumia-1.4.0.lumiaplugin, and SHA256SUMS.txt.

v1.12.17 · Regular release · 25 September 2026

Published record: https://github.com/darylbwickham-design/pulse-weaver-studio/releases/tag/v1.12.17

Pulse Weaver 1.12.17

YouTube privacy consent now appears when you choose to connect YouTube, immediately before Google sign-in, instead of during startup. If the current privacy notice has not been accepted, YouTube remains disconnected until you connect it. Existing account data is not deleted.

If Pulse Weaver crashes, it still saves a local crash log, but no longer opens OBS's native crash-log dialog. The installer continues to back up and retain existing profiles, credentials, and configured ports. Release remains the default update channel for fresh installations.

Downloads: PulseWeaver-Setup-1.12.17-BETA.exe, PulseWeaver-Lumia-1.4.0.lumiaplugin, and SHA256SUMS.txt.

v1.13.0-alpha.1 · Prerelease · 25 September 2026

Published record: https://github.com/darylbwickham-design/pulse-weaver-studio/releases/tag/v1.13.0-alpha.1

Pulse Weaver 1.13.0 alpha 1

An opt-in experimental update with the visual Motion editor in Show Control, saved stage looks, source animation, and Lumia controls. Across stages, the destination look is prepared before the configured stinger reveals it. Looks within a stage animate directly.

This installer upgrades the regular Pulse Weaver installation in place. It creates and verifies a full recovery backup first, preserving the existing profile, credentials, tokens and ports. It contains no personal scenes or test profile. Release remains the default for fresh installations; alpha requires opting in or explicitly running this alpha installer.

To return, stop all outputs and open Studio → Updates → Restore a backup / leave alpha, or run the release installer. Select the backup made before installing alpha. Setup restores the previous version and settings together and backs up the current alpha state first. You can turn off alpha offers after restoring if the saved release preferences had them enabled.

Use Pulse Weaver Lumia 1.4.0 with the existing pulseweavercontrol plugin ID and connection settings. The regular default port remains 18755. The separate Motion Preview plugin and port 18765 are for the isolated test installation only.

Downloads: PulseWeaver-Setup-1.13.0-alpha.1.exe, PulseWeaver-Lumia-1.4.0.lumiaplugin, and SHA256SUMS.txt.

v1.12.16 · Regular release · 25 September 2026

Published record: https://github.com/darylbwickham-design/pulse-weaver-studio/releases/tag/v1.12.16

Pulse Weaver 1.12.16

This release adds an opt-in alpha update channel and a direct route to Setup & Recovery. Fresh installations stay on the release channel. Existing users keep their scenes, credentials, API tokens and configured ports.

In Studio → Updates, enable Include experimental alpha builds to receive alpha offers. Setup verifies a complete backup before updating the existing installation. Use Restore a backup / leave alpha, or the downloaded release installer, to restore the previous version and settings together. The current state is backed up before a restore.

The included Pulse Weaver Lumia 1.4.0 updates the existing pulseweavercontrol plugin. Saved actions and connection settings remain compatible; it keeps reconnecting while an update or rollback is in progress. Install it over the regular Lumia plugin, keeping your port and token settings.

The separate Motion Preview installation is not an upgrade target. External media files stay where they are and are not included in installation backups. Full recovery backups contain private account data and should remain on the same Windows account.

Downloads: PulseWeaver-Setup-1.12.16-BETA.exe, PulseWeaver-Lumia-1.4.0.lumiaplugin, and SHA256SUMS.txt.

v1.12.15 · Prerelease · 23 September 2026

Published record: https://github.com/darylbwickham-design/pulse-weaver-studio/releases/tag/v1.12.15

Pulse Weaver 1.12.15 Beta — Crash and stability fixes

This update fixes an Overlay Designer selection callback that could run while the window was being destroyed. The faulty callback sequence was reproduced in a regression test and the protected sequence passed 100 deletion cycles. It is consistent with the reported Qt selection crash; the friend's exact live-camera sequence has not been reproduced on their hardware.

Scene visibility, transform and automation operations now retain scene-item references safely. Browser subscriber cleanup handles disconnect callbacks without invalidating its iteration. The local control API waits for complete request bodies, rejects malformed JSON and ambiguous request framing, and limits stalled connections and receive buffers.

This build also includes portrait-stage stinger preloading and lifetime fixes, and passes the undecorated stage name to the Lumia integration.

Download PulseWeaver-Setup-1.12.15-BETA.exe. Close Pulse Weaver and previous setup windows, then run the installer. Do not uninstall first. Setup creates a verified app-and-settings backup before replacement and provides a restore option. Keep backups private because they can contain account information.

The installer includes the existing Google Desktop application registration for Connect YouTube; no personal account tokens or user configuration are included. Existing registrations and settings are preserved on upgrade.

The matching source ZIP and SHA-256 checksums accompany this release. This remains beta software.

v1.12.14 · Prerelease · 22 September 2026

Published record: https://github.com/darylbwickham-design/pulse-weaver-studio/releases/tag/v1.12.14

Live 16:9 Camera edits

Moving, resizing, cropping or animating a source in the 16:9 Camera editor now reaches the active programme preview and live output immediately. A Stage change is no longer required.

Camera scene selection remains preview-only: selecting another scene does not take it live. Once a Stage is activated, its programme scene remains a live reference instead of OBS Studio Mode's frozen private snapshot. Destination scene copies used for source exclusions also reconcile transforms every video frame for Move-style animation.

Amended legal links

The in-app Privacy Policy and Terms of Service links now open the public LumiCon pages used by the Google OAuth consent screen. The bundled Privacy Policy also includes the clarified Google user-data sharing, transfer and disclosure section.

Stage and portrait transition maintenance

The Lumia Stage API now reports the saved Stage names rather than labels decorated with output-routing summaries. Lumia actions using an exact Stage name work again, and previously saved decorated labels remain accepted. The companion Lumia 1.1.4 plugin refreshes Stage choices when its action editor opens.

The first 9:16 Stinger after opening Pulse Weaver is prepared before a Stage switch. Portrait transitions are put on their canvas before their playback clock starts, so the opening frames are not lost while the media source activates. The same activation order is used for private output canvases. Existing scenes, Stage assignments and transforms are unchanged.

Safe update

Close Pulse Weaver and run PulseWeaver-Setup-1.12.14-BETA.exe. Do not uninstall first. Setup creates and verifies a complete app-and-settings backup before replacement; existing scenes, source identities, transforms, positions, overlays and account settings are retained.

The exact updater passed payload, layout, language and credential-migration checks. A disposable 1.12.13 to 1.12.14 update and full restore preserved all test files byte-for-byte without changing the installed app or registry.

This is a same-version maintenance update. If you already installed 1.12.14, download and run the amended installer manually; the in-app updater may not offer it again because the version number has not changed. The Lumia 1.1.4 companion package is attached below.

For the amended code, use the attached PulseWeaver-1.12.14-Source.zip. GitHub's automatic "Source code" downloads still reflect the original v1.12.14 tag; the original installer and source asset are retained as SUPERSEDED rollback copies.

This is a beta release. Keep backups private because they can contain account data.

v1.12.13 · Prerelease · 21 September 2026

Published record: https://github.com/darylbwickham-design/pulse-weaver-studio/releases/tag/v1.12.13

YouTube sign-in on fresh installations

Fixes the "YouTube connection is not configured in this installation" error on fresh installations. Pulse Weaver now includes its Google Desktop app registration, so users can click Connect YouTube and sign in with their own Google account. Developer credential fields remain hidden.

Existing local registrations and account settings are preserved. Sign-in and token refresh use the same registration lookup. No personal access tokens, refresh tokens, scenes or settings are included in the installer.

Includes the previous Twitch chat recovery and installer log-lock fixes. Full verified app-and-settings backups and rollback remain enabled.

Close Pulse Weaver and previous installer windows, then run PulseWeaver-Setup-1.12.13-BETA.exe. Do not uninstall first.

Validation: native builds, fresh-install registration lookup, encrypted existing-profile preservation, packaging checks, installer payload/migration/language/layout checks, recovery regression tests, and a disposable 1.12.12 → 1.12.13 → full restore preserving 2,161 files byte-for-byte.

A live Google sign-in was not performed. Google's verification and account restrictions can still affect the consent flow.

Windows beta. Installer, matching source and SHA-256 checksums are attached.

v1.12.12 · Prerelease · 21 September 2026

Published record: https://github.com/darylbwickham-design/pulse-weaver-studio/releases/tag/v1.12.12

Simplified YouTube connection screen

Removed the editable Desktop Client ID and Client secret fields from Action → Connections → YouTube. Users keep the Connect, Disconnect & Revoke, output selection and policy links. Existing saved application registration and account settings are preserved.

If YouTube registration is missing, the app now displays a support message instead of sending users to removed developer fields. This release does not supply a registration to a fresh installation. This is a UI change; it does not make credentials stored on a user's computer impossible to extract.

Includes the 1.12.10 Twitch chat repairs and 1.12.11 installer log-lock fix. Full app-and-settings backups and rollback remain enabled.

Close Pulse Weaver and previous installer windows, then run PulseWeaver-Setup-1.12.12-BETA.exe. Do not uninstall first.

Validation includes both native build targets, backup/rollback and inherited-handle regressions, packaged installer payload/migration/language/layout checks, and a disposable 1.12.11 → 1.12.12 → full restore with synthetic scene transforms and YouTube registration settings. No live Google account was used for validation and no installed user configuration was changed.

Windows private/beta channel. Installer, matching source and SHA-256 checksums are attached.

v1.12.11 · Prerelease · 21 September 2026

Published record: https://github.com/darylbwickham-design/pulse-weaver-studio/releases/tag/v1.12.11

Installer log-lock hotfix

Fixes setup failing on an open config/obs-studio/logs/*.txt file after an in-app update. The old launcher could pass its log handle into setup, keeping that log locked even after Pulse Weaver closed.

- The app updater no longer passes inherited handles to setup.
- Setup starts a clean process, protecting updates launched by older versions too.
- Full verified backups and rollback remain enabled. No logs or settings are skipped.
- Includes all 1.12.10 Twitch chat repairs and bundled Privacy and Terms.

Close the previous failed installer window and Pulse Weaver, then run PulseWeaver-Setup-1.12.11-BETA.exe. Do not uninstall first. Existing scenes, transforms, positions, overlays and account settings are preserved.

Verification: native build; update channel and handoff tests (old behavior reproduces the log lock, repaired behavior passes); clean-process launcher and recovery regressions; packaged payload, migration, language and layout checks; disposable 1.12.10 → 1.12.11 → full restore with all 2,159 test files restored byte-for-byte. The user's installed app was not modified during verification.

Windows private/beta channel. Installer and matching source archive are attached, with SHA-256 checksums.

v1.12.10 · Prerelease · 21 September 2026

Published record: https://github.com/darylbwickham-design/pulse-weaver-studio/releases/tag/v1.12.10

Twitch chat now recovers automatically after disconnects and missed keepalives, follows Twitch's connection-handover protocol, and reports readiness only after the chat subscription succeeds.

- Checks and renews access tokens during use; retries unauthorized sends and moderation once after renewal.
- Shows Twitch errors beside chat and retains failed direct-message drafts.
- Preserves newer drafts when earlier sends complete.
- Ignores stale socket/authentication callbacks after disconnect and handles revoked access.
- Suppresses repeated EventSub notifications before actions run.

Close Pulse Weaver and run PulseWeaver-Setup-1.12.10-BETA.exe. Do not uninstall first. Setup creates a verified full app-and-settings backup, preserves scenes, overlays, transforms, positions and account settings, and supports restoring an earlier backup. Privacy and Terms remain bundled.

Validation: native build, shared chat renderer tests, deterministic tests against the actual Twitch runtime, installer payload/migration/language/layout checks, and a disposable 1.12.9 → 1.12.10 → full restore. Provider responses in the runtime tests are simulated; this release was not tested against a live broadcast.

Windows private/beta channel. Matching source and SHA-256 checksums are attached. No personal configuration or account credentials are bundled.

v1.12.9 · Prerelease · 21 September 2026

Published record: https://github.com/darylbwickham-design/pulse-weaver-studio/releases/tag/v1.12.9

Pulse Weaver 1.12.9 adds public Privacy and Terms pages, bundles both documents with the Windows app, and improves Google/YouTube compliance with clear consent, the narrower youtube.force-ssl scope, DPAPI-protected OAuth tokens, and in-app access revocation.

The Kick relay now rejects events without an active desktop session, deletes expired events before reads, and removes delivered events immediately.

Update safely by closing Pulse Weaver and running the setup EXE. The installer creates a verified full backup and preserves existing scenes, overlays, transforms, positions, settings and account configuration. Its disposable 1.12.8 → 1.12.9 → rollback test preserved all 2,157 files byte-for-byte.

The build contains no personal configuration or bundled platform credentials. SHA-256 checksums are attached.

v1.12.8 · Regular release · 19 September 2026

Published record: https://github.com/darylbwickham-design/pulse-weaver-studio/releases/tag/v1.12.8

Pulse Weaver 1.12.8 — Overlays, alerts and safe recovery

Overlay Designer and Alert Box v1

- Separate saved drafts and published overlays, with a private preview.
- Alert variations, event matching and queue controls in Action. Show Control remains the live-output interface.
- Repaired publication refresh, legacy custom-code event delivery, sandbox isolation, immediate audio mute and alert audio cleanup.
- Preserves unchanged legacy overlay fields, including fractional positions and durations.
- Fixed managed-source startup migration and an active-browser shutdown crash.

Update with a verified backup

Close Pulse Weaver and run PulseWeaver-Setup-1.12.8-BETA.exe, or use Studio → Updates on the Windows private/beta channel. Do not uninstall first.

The installer verifies a full app-and-settings backup before committing an update. BACK UP NOW creates an extra restore point. Backups are stored in the sibling Pulse Weaver Backups folder, outside the installation. Replacement is staged and journaled; reopen setup to recover an interrupted operation.

Rollback and restore

Keep PulseWeaver-Setup-1.12.7-RECOVERY.exe as a separate recovery tool. It embeds the original 1.12.7 app payload with the revised maintenance interface.

If you need to return to 1.12.7, close Pulse Weaver, run the recovery installer, choose RESTORE BACKUP / ROLL BACK, and select the backup made before updating. Confirm the saved version is 1.12.7. The current state is backed up first, then the matching app files and settings are restored together. Older binaries are not installed over incompatible newer settings.

Backups contain private account data: keep them private and on the same Windows account/machine. External media files outside the installation are not included. Older config-only ZIPs are not full recovery backups.

Validation and scope

The exact installers passed payload, credential migration, language and layout tests, plus a cross-installer upgrade/restore using a private copied profile with byte-for-byte verification. Native scene/overlay preservation, renderer behavior and recovery failure-injection checks passed. Live provider/device behavior is not exhaustively covered.

This release updates the Windows private/beta channel. Public Windows and Mac remain on their existing release lines. Includes corresponding source and SHA-256 checksums. No personal configuration, backups or confidential platform credentials are included.

v1.12.7 · Regular release · 19 September 2026

Published record: https://github.com/darylbwickham-design/pulse-weaver-studio/releases/tag/v1.12.7

Camera: one native editor, two canvases

Portrait now uses the same native OBS editor as Landscape: the matching Scenes, Sources, Audio Mixer and Scene Transitions docks; source context menus; Properties and Filters; transform handles; crop, snap, drag and zoom controls.

The Portrait tab edits its dedicated 1080 × 1920 canvas. Selecting a portrait scene changes only the editor preview; it does not change either live programme output. Stage assignments remain responsible for programme changes.

Safe upgrade

Run PulseWeaver-Setup-1.12.7-BETA.exe over the existing installation; do not uninstall first. Setup preserves config, creates a unique pre-upgrade ZIP in config-backups, rejects payload configuration, and prevents stale installer manifests from removing saved scenes.

Existing scene data is loaded directly: no scene is rebuilt or auto-fitted merely because the Camera UI changed. Legacy-layout regression coverage passed for landscape and portrait positions, scale/flip, rotation, crops, bounds, locks, visibility, source identity and private metadata.

Validation

Native Windows build, packaged-runtime Camera regression, installer payload/configuration-preservation self-test, credential migration and language tests passed. This is a private beta release: inspect both canvases after updating and before going live.

v1.12.6 · Regular release · 17 September 2026

Published record: https://github.com/darylbwickham-design/pulse-weaver-studio/releases/tag/v1.12.6

Pulse Weaver 1.12.6 — Built-in Twitch and Kick connections

Pulse Weaver now includes its registered Twitch and Kick applications:

- Twitch connects with Pulse Weaver's public desktop Client ID and Device Code flow.
- Kick connects with the included public Client ID and PKCE; its confidential client secret is held only by the hosted Pulse Weaver relay.
- Kick token exchange and refresh no longer expose or store the application secret on the streaming PC.
- The Connections page no longer asks users to create or paste Twitch or Kick application credentials.

The Kick relay has also been upgraded to protocol 2 and continues to verify and deliver Kick webhook events for incoming chat.

Updating

Use Studio → Updates → Check for updates, or run the matching installer manually.

- Private beta: PulseWeaver-Setup-1.12.6-BETA.exe.
- Public Preview: PulseWeaver-Public-Dist-1.12.6-Setup.exe.

Both installers preserve configuration and contain no confidential application secrets or personal credentials. Corresponding source archives, Lumia 1.1.3 and SHA-256 checksums are included. Mac remains on its separate preview release line.

Validation: native Windows build; hosted Kick relay production build and health check; invalid OAuth request rejection; installer payload and configuration-preservation checks; credential and archive-parity audit. A real Kick sign-in still requires the user to approve access in Kick's browser consent screen.

v1.12.5 · Prerelease · 17 September 2026

Published record: https://github.com/darylbwickham-design/pulse-weaver-studio/releases/tag/v1.12.5

Pulse Weaver 1.12.5 — Destination bitrate controls

Settings → Output now has a dedicated destination bandwidth panel:

- Separate landscape and portrait video bitrates for Kick and YouTube, saved per profile.
- Twitch Enhanced Broadcasting total bandwidth cap and Automatic control. Individual Twitch tracks remain negotiated by Twitch.
- Sustained-upload input, all-output planning estimate and low-headroom warning. Automatic Twitch usage is explicitly excluded when unknown.
- Existing defaults are preserved; bitrate changes apply the next time an output starts.

Includes the updater handoff fix from 1.12.4 and live 16:9 transform fix from 1.12.3.

This build adds bitrate controls; the other performance-review findings are not yet fixed.

Updating

From 1.12.4, use Studio → Updates → Check for updates to test the updater.

From 1.12.2 or 1.12.3, close Pulse Weaver and run the matching installer manually once because those versions contain the old updater handoff.

- Existing private beta: PulseWeaver-Setup-1.12.5-BETA.exe.
- Public Preview: PulseWeaver-Public-Dist-1.12.5-Setup.exe.

Both installers preserve configuration and contain no personal credentials. Corresponding source archives, Lumia 1.1.3 and SHA-256 checksums are included. Mac remains on its separate preview release line.

Validation: native Windows build; rendered Settings layout; independent bitrate changes; Apply/reopen and Cancel checks; updater channel/handoff regression; installer payload and configuration-preservation checks; credential and archive-parity audit. No live broadcast was started during verification; live performance still needs testing.

v1.12.4 · Prerelease · 16 September 2026

Published record: https://github.com/darylbwickham-design/pulse-weaver-studio/releases/tag/v1.12.4

Pulse Weaver 1.12.4 — Update installer survives shutdown

Fixes accepting an update closing both Pulse Weaver and the installer. The verified Windows installer now explicitly leaves the studio's process-cleanup job before the studio exits. Ordinary browser and capture helpers still close with the studio.

Includes the live 16:9 source-transform fix from 1.12.3.

Updating from 1.12.2 or 1.12.3: those versions still contain the old handoff code. Close Pulse Weaver and run the downloaded installer manually once. Subsequent updates launched from 1.12.4 use the corrected handoff.

- Existing private beta: PulseWeaver-Setup-1.12.4-BETA.exe.
- Public Preview: PulseWeaver-Public-Dist-1.12.4-Setup.exe.

Both installers preserve configuration and contain no personal credentials.

Corresponding source archives, Lumia 1.1.3 and SHA-256 checksums are included.

Mac remains on its separate preview release line.

Validation: native Windows build; actual process-exit regression confirming the installer survives while ordinary helpers terminate; updater channel tests; installer payload/configuration checks; credential and archive-parity audit.

v1.12.3 · Prerelease · 16 September 2026

Published record: https://github.com/darylbwickham-design/pulse-weaver-studio/releases/tag/v1.12.3

Pulse Weaver 1.12.3 — Live 16:9 transforms

Camera scene selection remains preview-only, so selecting another scene does not put it on air. Source transforms within the active 16:9 scene now propagate live to destination-specific Stage copies, including copies used for source exclusions. Position, scale, bounds, rotation and crop changes—and Move plugin animations—no longer wait for a Stage change. Vertical behaviour is unchanged.

Both Windows update channels are included:

- PulseWeaver-Public-Dist-1.12.3-Setup.exe for Public Preview installations.
- PulseWeaver-Setup-1.12.3-BETA.exe for private beta installations.

Setup preserves shows, connections and local settings. Close Pulse Weaver and stop all outputs before installing. Lumia companion 1.1.3 remains compatible.

Validation: native Windows frontend build; live 16:9 and portrait transform synchronisation; rendered portrait output; Stage exclusion isolation; installer payload/configuration preservation; channel identity; and credential/archive audit.

No live broadcast was started during release verification.

mac-v0.1.0-alpha.2 · Prerelease · 16 September 2026

Published record: https://github.com/darylbwickham-design/pulse-weaver-studio/releases/tag/mac-v0.1.0-alpha.2

Pulse Weaver Mac Preview 0.1.0 alpha 2 — Apple Silicon

Requires an Apple Silicon Mac (M1/M2/M3/M4 or newer), macOS 13 or later.

This is an experimental Mac branch based on Windows 1.12.1. It has its own mac-v release tags and is not an upgrade to the Windows release line.

Open the DMG and drag Pulse Weaver Mac Preview.app into Applications.

The app has its own name and bundle ID, studio.pulseweaver.macpreview.

Settings, scenes, profiles and app credential references live under:

~/Library/Application Support/Pulse Weaver Mac Preview/

App client secrets are stored in your login Keychain. The package contains no developer registrations or accounts. Configure your own registrations

in Action > Connections or use a custom RTMP destination for a basic test.
This alpha is ad hoc signed and is not Apple notarized. If macOS blocks it,
use System Settings > Privacy & Security > Open Anyway after trying to open
it. Do not disable Gatekeeper globally. Allow camera, microphone and screen
recording permissions when requested; these are separate from existing OBS.
First test: create a fresh scene, add your camera and microphone, make a short
local recording, then check playback. Try horizontal and portrait Stage
routes before a private/unlisted broadcast. Report your macOS version,
Mac model and any failing feature. Windows capture sources do not exist on
macOS; recreate them with Mac camera/screen/audio sources. Existing Windows
scene collections may have unavailable capture sources and file paths.
The existing OBS/MELD installation is not replaced. OBS settings are not
imported automatically; importing a collection is a separate explicit action.
Virtual camera/system extensions and OBS automatic updates are disabled.
Native Twitch EventSub currently remains Windows-only in this alpha.
Chat, encoder compatibility and real device capture need your hardware test.
Build verification is not a guarantee of a successful live platform stream.
To remove the app, move only Pulse Weaver Mac Preview.app to Trash.
Keep its settings folder if you want to reinstall. Existing OBS data is separate.
New in alpha 2: Studio > Updates checks the separate Apple Silicon preview
channel and verifies GitHub downloads. Install this alpha manually once to
enable future checks. Updating opens a verified DMG; close the app and drag
the new copy to Applications. Your settings remain in your Library folder.
The Lumia 1.1.3 companion is included in the DMG and as a release download.
Import its .lumiaplugin file into Lumia Stream; its alerts default to off.

v1.12.2 · Prerelease · 16 September 2026

Published record: https://github.com/darylbwickham-design/pulse-weaver-studio/releases/tag/v1.12.2

Pulse Weaver 1.12.2 — GitHub updates

Adds Studio > Updates with daily automatic checks, a manual check and verified

GitHub downloads. Checks stay on the installation's Windows public/private

channel. This package updates Public Preview; private installations need their separate installer.
Installation requires confirmation and all outputs must be stopped.

The setup preserves shows, connections and local settings.

Install this build manually once to enable updates for future releases.

Public Preview installations use PulseWeaver-Public-Dist-1.12.2-Setup.exe.

The Public Preview installer contains no developer registrations or personal account tokens.

Lumia companion 1.1.3 is included. Portrait output and audio exclusions retain

the fixes from 1.12.1. Mac remains on its separate mac-v preview release line.

Validation: native Windows build; release-channel and asset-validation tests;

bundled HTTPS backend; installer configuration preservation, identity, layout,

language and private migration checks; credential and archive-parity audits.

No live broadcast was started as part of release verification.

mac-v0.1.0-alpha.1 · Prerelease · 15 September 2026

Published record: https://github.com/darylbwickham-design/pulse-weaver-studio/releases/tag/mac-v0.1.0-alpha.1

Pulse Weaver Mac Preview 0.1.0 alpha 1 — Apple Silicon

Requires an Apple Silicon Mac (M1/M2/M3/M4 or newer), macOS 13 or later.

This is an experimental Mac branch based on Windows 1.12.1. It has its own

mac-v release tags and is not an upgrade to the Windows release line.

Open the DMG and drag Pulse Weaver Mac Preview.app into Applications.

The app has its own name and bundle ID, studio.pulseweaver.macpreview.

Settings, scenes, profiles and app credential references live under:

~/Library/Application Support/Pulse Weaver Mac Preview/

App client secrets are stored in your login Keychain. The package contains

no developer registrations or accounts. Configure your own registrations

in Action > Connections or use a custom RTMP destination for a basic test.

This alpha is ad hoc signed and is not Apple notarized. If macOS blocks it, use System Settings > Privacy & Security > Open Anyway after trying to open it. Do not disable Gatekeeper globally. Allow camera, microphone and screen recording permissions when requested; these are separate from existing OBS.

First test: create a fresh scene, add your camera and microphone, make a short local recording, then check playback. Try horizontal and portrait Stage routes before a private/unlisted broadcast. Report your macOS version, Mac model and any failing feature. Windows capture sources do not exist on macOS; recreate them with Mac camera/screen/audio sources. Existing Windows scene collections may have unavailable capture sources and file paths.

The existing OBS/MELD installation is not replaced. OBS settings are not imported automatically; importing a collection is a separate explicit action.

Virtual camera/system extensions and OBS automatic updates are disabled.

Native Twitch EventSub currently remains Windows-only in this alpha.

Chat, encoder compatibility and real device capture need your hardware test.

Build verification is not a guarantee of a successful live platform stream.

To remove the app, move only Pulse Weaver Mac Preview.app to Trash.

Keep its settings folder if you want to reinstall. Existing OBS data is separate.

Lumia companion: download PulseWeaver-Lumia-1.1.3.lumiaplugin from the release assets and import it into Lumia Stream. This is the same companion included with the Windows release; Mac integration still needs hardware testing.

v1.12.1 · Prerelease · 15 September 2026

Published record: https://github.com/darylbwickham-design/pulse-weaver-studio/releases/tag/v1.12.1

Pulse Weaver 1.12.1

Fixes portrait output scenes shrinking or moving sources when Stage exclusions are enabled. Private scene copies now retain the original canvas dimensions and relative camera transforms. The preview and broadcast encoder use this same repaired output canvas.

Audio-only and stale exclusions no longer create unnecessary video scene copies. The Stage picker still lists global and inactive audio inputs with (audio) labels and saves their original names. For YouTube Dual, exclude Spotify on 16:9 and leave it included on 9:16. Twitch Dual continues to share its audio exclusion mix.

This is a repair of the 1.12.0 baseline; the next development focus remains the Camera tab. Public and private installers retain their existing installation folders and preserve user configuration. Lumia companion 1.1.3 remains compatible.

Validation: reproduced the coordinate-space failure against the 1.12.0 runtime; native build; GPU regression covering portrait dimensions, position, scale and actual local output frames; audio exclusions; archive parity; credential audit; installer checks. No live platform broadcast was started.

v1.12.0 · Prerelease · 15 September 2026

Published record: https://github.com/darylbwickham-design/pulse-weaver-studio/releases/tag/v1.12.0

Pulse Weaver 1.12.0

The Stage exclusion picker now lists audio inputs from other scenes and global devices, marked (audio), alongside sources in the selected programme scene. Sources appear once, including inactive audio inputs that a future Stage may activate. Exclusions save the original OBS source name and use existing output audio routing. Private internal sources remain hidden.

For YouTube Dual, exclude Spotify on the 16:9 row and leave it included on 9:16. Kick and routed recordings also use Stage audio exclusions. Twitch Dual currently shares one audio exclusion mix across its two formats.

Version 1.12.0 marks the baseline for the next development focus: improving the Camera tab. Camera improvements follow in subsequent changes.

The public preview retains its separate installation folder and tester-owned platform app registrations. Lumia companion 1.1.3 remains compatible.

Validation: native frontend build, StageExclusions libobs regression, release archive parity, credential audit and installer payload verification.

public-dist-0.03 · Prerelease · 13 September 2026

Published record: https://github.com/darylbwickham-design/pulse-weaver-studio/releases/tag/public-dist-0.03

Public Dist 0.03

YouTube chat now follows the live chat attached to each new broadcast instead of keeping one earlier chat identity. Landscape and portrait broadcasts are discovered and polled independently, first-page messages are retained, outgoing messages reach each active route without duplicates, and moderation targets the exact chat that supplied the message. Temporary chat-ID and API failures retry with visible status feedback.

Kick's visible Show Control route is now the authoritative route. The native Lumia bridge publishes route changes immediately, and the included Lumia plugin 1.1.3 refreshes the current output plan before Start Show or Start Platform. A newly enabled Kick, Twitch or YouTube route can no longer be skipped because Lumia held an older snapshot. End Show remains an explicit stop operation and all Lumia alerts remain off by default.

The public build contains no developer registrations, signed-in accounts or personal configuration. Testers enter their own Twitch, Kick and YouTube app details in Action → Connections; client secrets are protected locally with Windows DPAPI.

Validation covers the native frontend and core build, dual-route YouTube chat/session behavior, bounded chat rendering, and the Lumia action suite. These automated fixtures do not start real platform broadcasts.

public-dist-0.02 · Prerelease · 13 September 2026

Published record: https://github.com/darylbwickham-design/pulse-weaver-studio/releases/tag/public-dist-0.02

Public Dist 0.02

Changing stages while a cached stinger is running no longer stores the transition as its own source. Restarting settles the previous destination before starting the next stage. The engine also rejects a transition targeting itself.

Audio monitoring duplication now uses a weak source reference, retained safely for each audio render, to prevent accessing a released source during shutdown.

Lumia End Stream uses explicit platform stop actions. It cannot invoke the Go Live toggle. The included Lumia plugin 1.1.2 cancels stale stop cleanup when a newer start arrives. Alerts remain off by default and the P logo is included.

This remains a public testing preview. No developer registrations, signed-in accounts or personal configuration are included. Enter your own platform app details in Action → Connections.

Validation: native build passed; 2,100 interrupted transitions across seven route fixtures passed, with cuts and clean destruction; the previous engine fails the same regression. Audio lifetime test passed 1,500 source retirements and five shutdown cycles. Nine Lumia tests passed. Installer payload and layout tests passed. These fixtures do not start real streams or reproduce a particular user's stinger media.

public-dist-0.01 · Prerelease · 12 September 2026

Published record: https://github.com/darylbwickham-design/pulse-weaver-studio/releases/tag/public-dist-0.01

Public Dist 0.01 is a Windows testing preview of Pulse Weaver Studio, based on the latest private build.

Downloads

- PulseWeaver-Public-Dist-0.01-Setup.exe — Windows x64 installer. Installs separately as Pulse Weaver Public Preview.
- PulseWeaver-Public-Dist-0.01-Source.zip — corresponding application source, installer source, P logo, themes and optional Lumia integration source.
- SHA256SUMS.txt — download integrity checksums.

Platform setup

No developer app credentials, signed-in accounts, logs or personal configuration are included. Enter your own Twitch, Kick and YouTube application details in Action → Connections. See the repository README for platform-specific setup. Client secrets are stored locally using Windows account protection.

Existing show control, themes, mixer and platform features are retained. Debug symbols are excluded to reduce download size. This is a preview for testing, not a claim of platform app approval.

Validation

The native application and connection plugin compiled successfully. The installer payload validation passed. Source and packaged runtime were checked against the known private app credentials with no matches. Live platform login and streaming with tester-owned registrations still need real-account testing.

OBS Studio and other bundled components retain their licenses; corresponding modified source is included in this release and repository.

Appendix D Practical tricks and operator checklists

Before adding another Look

- Name the presentation by the choice you will make live: Game leads, Presenter reacts, Workbench detail.
- Reuse the same intended scene item within a canvas when you want it to move continuously. Landscape and portrait still have separate item identities and geometry.
- Treat color, logo, crop and border as setup options unless you plan to choose between them on air.
- Give items that should disappear an explicit hidden or off-canvas target in each Look. Otherwise an earlier layer may remain visible.
- Keep the original show and create an additional show or saved layout when experimenting; confirm what Finish will add before committing.

Quick framing and layering checks

- Fit versus crop: fitting preserves the whole source and may leave empty space; cropping fills the target but can cut off faces, game HUDs or text. Check both the source and its destination canvas.
- A browser page viewport and its scene-item transform are separate settings. Set the browser dimensions for the intended canvas, then verify the item bounds and scale.
- Layer order is bottom to top. Keep full-screen opaque artwork below cameras and alerts that must remain visible. Check the topmost alert layer after changing Looks.
- Do not stretch a camera simply to fill portrait. Adjust the crop and framing on the portrait canvas.
- Confirm overlay URLs are the provider’s browser links, not marketplace, share, import or download pages.

Quick audio and overlay checks

- A source-level mute or volume change may affect that source in every scene where it is used. A destination exclusion is a different control.
- Check which browser copy supplies alert sound. The wizard’s new alert copies start silent; enable the intended copy and test each route.
- Avoid making both portrait and landscape timer copies run the same completion command. Choose one completion owner and one intended sound owner.
- A hidden browser source may remain loaded. Verify whether a timer should continue, an animation should restart or a widget should replay when shown.
- Check recording tracks and monitoring separately from visual visibility; an audio source can be heard without appearing as a visible scene item.

Preflight and rehearsal checklist

- Confirm the active show, Stage, and selected Look before a time-critical cue.
- Read the output plan and verify each destination's format, connection and status. A Stage change does not start the stream.
- Inspect landscape and portrait previews independently. Confirm crops, artwork, chat and alert placement.
- For a new movement, inspect the beginning, middle, end and return path. Check background coverage and attached frames.
- Test audio and any timer or Lumia command with outputs stopped or in a disposable profile first.
- After a partial output failure, inspect each destination separately; do not infer that all outputs succeeded or stopped together.
- Keep the configuration backup and referenced artwork/media together. The installation backup may not include external files.
- After importing OBS scenes, confirm source types, device identities, media paths, filters, audio, plugin dependencies and canvas ownership.

Recovery and identity tips

When a Look stops working after a source rename, check stable identity and the actual saved target before recreating the camera. When a source is deleted and re-added, its new UUID is not the old identity even if the name is identical. When updating a show file offline, close the application first, back up the active collection and its Stage/motion stores together, preserve unknown fields and validate after reload. Never treat a file with a plausible OBS name as the active profile until the installation and active collection have been identified.

For transition problems, separate four questions: did the Stage change; did the assigned scene change; did the Look apply; did the routed destination receive it? This narrows the fault to cue selection, saved target, renderer or route. For an overlay problem, separately check URL, browser dimensions, item bounds, visibility, layer order, audio and activation lifecycle.

Appendix E Local beta and engineering history

These records came from the local source workspace rather than the public release feed. They include private beta installer notices, early native previews, maintenance handoffs and a long-lived status log. Some are not complete changelogs; one file name does not match its displayed version. Treat them as evidence of development and local packaging, not as proof that every build was publicly released or generally available. They help explain features and fixes that preceded or accompanied the public version line.

README-FIRST-1.10.0-native.txt

Record: packaging\README-FIRST-1.10.0-native.txt

PULSE WEAVER STREAMING STUDIO — 1.11.50 BETA

==========

This build is explicitly UNSTABLE. Standard recording remains the safe,

proven OBS path; the new Stage-routed 16:9, 9:16 and Dual recording modes are

an early preview and always identify themselves as UNSTABLE in the interface.

PulseWeaverCore.exe is the custom OBS fork, broadcast engine, and Pulse Weaver

interface in one process. It does not need installed OBS or an OBS WebSocket

password.

APPEARANCE

Open STUDIO > Appearance to choose Backstage, Marquee or Electric.

Interaction feedback enables a brief, lightweight highlight on pressed controls.

Both choices are remembered. Settings > Appearance also offers the presets.

START

Keep this complete folder together. Open:

bin\64bit\PulseWeaverCore.exe

1. Open CAMERA. Inspect the horizontal scene or duplicate it into VERTICAL 9:16.

The vertical preview itself is interactive: select a layer, then drag or

resize it directly inside the outlined portrait canvas.

To bring in an existing OBS setup, press IMPORT OBS SETUP. Pulse Weaver

detects AppData\Roaming\obs-studio or lets you browse to another OBS data

folder, then creates isolated copies of its profiles and scene collections.

2. Use SHOW CONTROL to check both live previews. Under DESTINATIONS, choose Off, 16:9, 9:16, or Dual independently for Twitch and YouTube. Kick can be Off or 16:9.

Open MANAGE STAGES to assign a separate 16:9 and 9:16 scene to each platform. A Stage can also exclude individual sources from one platform without hiding them from the other outputs.

3. RECORD defaults to STANDARD. Choose RECORD · 16:9 · UNSTABLE, RECORD · 9:16 · UNSTABLE, or RECORD · DUAL · UNSTABLE to write the selected Stage programmes as independent MKV files in the configured recording folder. Dual creates two files.

3. Open ACTION, connect Twitch, and approve the device login in your browser.

4. Choose which Twitch events to subscribe to, configure automations/chatbot, and test them before going live.

5. Add local devices and saved looks in LIGHTS. Build or import overlays from CAMERA → OVERLAY DESIGNER.

YOUTUBE

In SHOW CONTROL, open MANAGE CONNECTIONS and connect YouTube. Your normal browser opens Google's sign-in and consent page; Pulse Weaver never asks for your Google password or a stream key. Select YouTube 16:9, 9:16, or Dual before GO LIVE. Dual creates two account-owned YouTube broadcasts and sends the assigned native canvas to each. This preview uses Pulse Weaver's registered desktop OAuth client with PKCE and does not embed a client secret. While the Google app remains in Testing, only its registered test accounts can connect.

TWITCH

The included public Client ID uses Twitch's device-code flow; no client secret is embedded. Credentials are encrypted and stored only in this portable copy. Twitch can be Off, 16:9, 9:16, or Dual. Dual uses Enhanced Broadcasting and requires channel eligibility. Single 9:16 routes the primary Twitch output to the native portrait canvas.

ISOLATION

Pulse Weaver always runs in portable mode. Profiles, scenes, service settings, browser data, plugins, and credentials remain in the config folder beside this README. It does not read or modify %APPDATA%\obs-studio.

CLOSING

Close the main Pulse Weaver window normally. Its engine and owned helpers close with it. Normal API shutdown and zero remaining Pulse Weaver processes were verified for this build.

PREVIEW LIMITS

Read STATUS.md before testing. In particular, live Twitch delivery needs a real account/channel, and provider pairing details are still required for local lights. Hosted StreamElements/Lumia URLs import directly; proprietary project files are not converted.

LICENSE

Pulse Weaver's OBS-derived engine is GPL-2.0-or-later. The upstream license is under data\obs-studio\license and corresponding source is in engine\obs-studio.

README-FIRST-1.11.51-private.txt

Record: packaging\README-FIRST-1.11.51-private.txt

Pulse Weaver private maintenance build 1.11.51

Install this update over the existing private Pulse Weaver installation.

It preserves its saved configuration and private platform registration behavior.

This update fixes the audio-monitoring source lifetime crash during shutdown.

The private frontend and connection plugin are carried forward from v50.

For the Lumia End Stream fix, also import pulseweavercontrol-1.1.2.lumiaplugin into Lumia Stream. Version 1.1.2 waits for the private studio's delayed status to catch up before clearing the show session, avoiding the Go Live toggle race.

Repeated stop commands and cancellation of a pending start are tested.

This is a private build. Do not upload this installer or its contents to the
public repository; use the separate credential-free public distribution.

README-FIRST-1.11.52-private.txt

Record: packaging\README-FIRST-1.11.52-private.txt

Pulse Weaver Streaming Studio - Private Beta 1.11.52

Fixes cached stinger self-reference when changing stages during a transition.

Retains the v51 audio shutdown fix and existing private platform registrations.

Use Lumia plugin 1.1.2 for the End Stream fix in this private build.

Install using PulseWeaver-Setup-1.11.52-BETA.exe to update the existing private installation.

The installer preserves your configuration. This private build is not for GitHub distribution.

README-FIRST-1.11.53-private.txt

Record: packaging\README-FIRST-1.11.53-private.txt

Pulse Weaver Streaming Studio - Private Beta 1.11.53

This is the complete rebuilt frontend, engine and Pulse Weaver connection core.

Use Lumia plugin 1.1.3 with this version.

When updating private versions 1.11.50 through 1.11.52, setup moves the five
embedded platform app registrations into the installed user's local credential
file before replacing the old runtime. Existing nonempty app details are kept.

App secrets are protected with Windows DPAPI and verified before setup proceeds.

If preservation cannot be verified, setup stops before removing the old files.

The installer payload contains no personal configuration or migrated credential
values. Install using PulseWeaver-Setup-1.11.53-BETA.exe over the existing private
installation. This private installer and its legacy app registrations must not be
uploaded to the public repository. Use Public Dist 0.03 for public testing.

README-FIRST-1.12.0-private.txt

Record: packaging\README-FIRST-1.12.0-private.txt

Pulse Weaver Streaming Studio - Private Beta 1.12.0

The Stage exclusion picker includes audio inputs from other scenes and global
devices, with an (audio) suffix. It saves original source names for Stage routing.

This release marks the baseline for upcoming Camera-tab improvements.

Use Lumia plugin 1.1.3.

Install PulseWeaver-Setup-1.12.0-BETA.exe over the existing private installation.

Setup preserves config and retains legacy credential migration safeguards.

The payload contains no personal configuration or credentials.

The private installer is not for the public repository; use the public installer

for a separate tester installation.

README-FIRST-1.12.1-private.txt

Record: packaging\README-FIRST-1.12.1-private.txt

Pulse Weaver Streaming Studio - Private Beta 1.12.1

The Stage exclusion picker includes audio inputs from other scenes and global

devices, with an (audio) suffix. It saves original source names for Stage routing.

This release marks the baseline for upcoming Camera-tab improvements.

Use Lumia plugin 1.1.3.

Install PulseWeaver-Setup-1.12.1-BETA.exe over the existing private installation.

Setup preserves config and retains legacy credential migration safeguards.

The payload contains no personal configuration or credentials.

The private installer is not for the public repository; use the public installer

for a separate tester installation.

README-FIRST-1.12.10-private.txt

Record: packaging\README-FIRST-1.12.10-private.txt

Pulse Weaver 1.12.10 BETA - Twitch chat recovery

Close Pulse Weaver and run setup to update. Do not uninstall first.

Setup verifies a full app-and-settings backup before replacing files. Existing

scenes, overlays, transforms, positions and account settings are preserved.

Use RESTORE BACKUP / ROLL BACK to restore a matching app and settings backup.

Twitch chat now recovers from connection drops and missed keepalives, follows

Twitch's server handover protocol, and shows readiness only after its chat

subscription succeeds. Tokens are checked periodically and renewed before expiry;

unauthorized sends and moderation requests refresh access and retry once.

Failed direct Twitch sends retain the draft, and errors appear beside chat.
Revoked access and delayed replies after disconnect are handled explicitly.
Repeated EventSub notifications do not run actions twice within the recent-event window. Handover and failure cases are covered by isolated runtime tests.
Privacy and Terms remain bundled in docs. Backups can contain account data; keep them private. This payload contains no personal configuration or credentials.

README-FIRST-1.12.11-private.txt

Record: packaging\README-FIRST-1.12.11-private.txt
Pulse Weaver 1.12.11 BETA - Installer log-lock repair
Close any previous setup window and Pulse Weaver, then run this installer.
Do not uninstall first. Setup starts without inherited app file handles so an in-app update cannot keep the old log locked after Pulse Weaver has closed.
The app's update launcher also disables handle inheritance for future updates.
Full verified app-and-settings backups and rollback remain enabled. Existing scenes, transforms, positions, overlays and account settings are preserved.
No logs or settings are skipped to work around locks. If another application really has installation files open, close it before retrying setup.
Includes the Twitch chat recovery fixes from 1.12.10. Privacy and Terms remain in docs. Backups can contain account data; keep them private.

README-FIRST-1.12.12-private.txt

Record: packaging\README-FIRST-1.12.12-private.txt
Pulse Weaver 1.12.12 BETA - Simplified YouTube connection screen
The YouTube connection screen no longer displays or edits the application Client ID or Client secret. Connect, disconnect/revoke, output selection and policy links remain available. Existing saved registration details are retained.
If an installation has no YouTube application registration, it now shows a support message rather than asking users to enter developer credentials.
This update does not provision a YouTube registration on a fresh installation.
Close Pulse Weaver and any previous setup window, then run this installer.
Do not uninstall first. Full verified app-and-settings backups and rollback

remain enabled. Scenes, transforms, positions and account settings are preserved.
Includes the 1.12.10 Twitch chat repairs and 1.12.11 installer log-lock fix.
Privacy and Terms are bundled in docs. Keep backups private.

README-FIRST-1.12.13-private.txt

Record: packaging\README-FIRST-1.12.13-private.txt
Pulse Weaver 1.12.13 Beta
Repairs YouTube sign-in on fresh installations by bundling the application's
Google Desktop app registration. Users only click Connect YouTube and sign in
with their own Google account. No developer credential fields are exposed.
Existing local registrations and account settings are retained.
The bundled desktop registration identifies Pulse Weaver, not a user's account.
No personal access tokens, refresh tokens, scenes or settings are distributed.
Google's app verification and account restrictions still apply.
Close Pulse Weaver and previous setup windows, then run this installer.
Do not uninstall first. Full verified app-and-settings backups and rollback
remain enabled. Scenes, transforms, positions and account settings are preserved.
Privacy and Terms are bundled in docs. Keep backups private.

README-FIRST-1.12.14-private.txt

Record: packaging\README-FIRST-1.12.14-private.txt
Pulse Weaver 1.12.14 Beta
Repairs live 16:9 Camera editing. Moving, resizing, cropping or animating a
source in the scene currently on Stage now reaches the programme preview and
live output immediately; changing Stage is no longer needed. Destination scene
copies used for source exclusions are also reconciled every video frame so
Move-style animation cannot leave them stale.
Close Pulse Weaver and previous setup windows, then run this installer.
Do not uninstall first. The updater creates and verifies a complete app and
settings backup before replacement. Existing scenes, source identities,
transforms, positions, overlays and account settings are retained.
Use RESTORE BACKUP in maintenance mode if you need to return to the prior app

and its paired settings. Backups can contain private account data; keep them private.

README-FIRST-1.12.15-private.txt

Record: packaging\README-FIRST-1.12.15-private.txt

Pulse Weaver 1.12.15 Beta

Fixes an Overlay Designer selection callback that could run during window destruction. Also strengthens scene-item lifetime handling, browser subscriber cleanup, and local control API request handling and resource limits.

Close Pulse Weaver and previous setup windows, then run this installer.

Do not uninstall first. Setup creates and verifies a complete app and settings backup before replacement. Existing scenes, source identities, transforms, positions, overlays and account settings are preserved.

Use RESTORE BACKUP in maintenance mode to return to the prior app and its paired settings. Backups can contain private account data; keep them private.

README-FIRST-1.12.2-private.txt

Record: packaging\README-FIRST-1.12.2-private.txt

Pulse Weaver Streaming Studio - Private Beta 1.12.2

Install over the existing private installation to enable Studio > Updates.

The installer preserves configuration and legacy registration migration.

Future GitHub updates use the private installation channel and require confirmation.

The downloadable package contains no personal credentials or configuration.

Use the Public Preview installer for a separate tester installation.

Lumia companion: 1.1.3.

README-FIRST-1.12.3-private.txt

Record: packaging\README-FIRST-1.12.3-private.txt

Pulse Weaver Streaming Studio - Private Beta 1.12.3

Camera scene selection remains preview-only. Moving, scaling, rotating, cropping, or animating a source now updates active 16:9 Stage outputs immediately, including routes with source exclusions. A Stage change is no longer required.

Install over the existing private installation. Configuration, connections and
shows are preserved. Close Pulse Weaver before running the installer.
Lumia companion: 1.1.3.

README-FIRST-1.12.4-private.txt

Record: packaging\README-FIRST-1.12.4-private.txt
Pulse Weaver Streaming Studio - Private Beta 1.12.4
Fixes the update installer closing when Pulse Weaver exits.
When updating from 1.12.2 or 1.12.3, close Pulse Weaver and run this installer
manually once. Future updates launched by 1.12.4 use the corrected handoff.
Install over the existing private installation to preserve shows and connections.
Includes the 1.12.3 live 16:9 transform fix. Lumia companion: 1.1.3.

README-FIRST-1.12.5-private.txt

Record: packaging\README-FIRST-1.12.5-private.txt
Pulse Weaver Streaming Studio - Private Beta 1.12.5
Settings > Output now includes individual landscape/portrait video bitrates for
Kick and YouTube, Twitch Enhanced total bandwidth controls, and an upload estimate.
Saved values apply when each output next starts; existing defaults are unchanged.
Includes the updater handoff fix from 1.12.4 and live transform fix from 1.12.3.
Install over the existing private installation to preserve shows and connections.
The remaining performance-review findings are not fixed in this test build.
Lumia companion: 1.1.3.

README-FIRST-1.12.6-private.txt

Record: packaging\README-FIRST-1.12.6-private.txt
Pulse Weaver Streaming Studio - Private Beta 1.12.6
Twitch and Kick now use Pulse Weaver's registered applications. Kick's
confidential client secret remains only in the hosted relay; it is not included
in this package or stored on the streaming PC. Reconnect Kick once in Action >
Connections > Kick to authorize Pulse Weaver and obtain fresh per-user tokens.
Install over the existing private installation to preserve shows and settings.

Lumia companion: 1.1.3.

README-FIRST-1.12.7-private.txt

Record: packaging\README-FIRST-1.12.7-private.txt

Pulse Weaver Streaming Studio - Private Beta 1.12.7

Camera: Portrait now shares the native landscape editor, docks, source menus
and transform controls, while editing a separate 1080 x 1920 canvas.
Selecting a portrait scene changes the editor preview, not programme output.
Audio mixer and transition presets remain shared.
Close all Pulse Weaver windows and run the setup EXE over the existing install.
Do not uninstall first. Setup preserves the existing config directory and
creates a unique pre-upgrade ZIP under the installation's config-backups folder.
The upgrade stops if the backup cannot be created. Backups may include private
account settings: keep them local and do not share them.
Existing scenes and source transforms are reused, not rebuilt or auto-fitted.
Synthetic legacy-format retention and installer preservation tests pass.
End-to-end upgrade testing with your actual scene collection remains pending.
Check both canvases before going live. This is an unreleased local beta build.

README-FIRST-1.12.8-private.txt

Record: packaging\README-FIRST-1.12.8-private.txt

Pulse Weaver 1.12.8 BETA - Overlay repair and safe maintenance

Close Pulse Weaver before updating. Setup automatically creates and verifies a
full backup of app files and settings before committing the update. BACK UP NOW
creates an additional restore point. RESTORE BACKUP / ROLL BACK restores the app
version and settings together; it first backs up the state being replaced.
Backups are stored beside the installation in "Pulse Weaver Backups", outside
the folder removed by uninstall. Keep them private: they contain account data.
Encrypted credentials remain tied to this Windows account/machine.
Use the revised 1.12.7 RECOVERY installer with the pre-1.12.8 backup if needed.
Do not reinstall older binaries on top of newer overlay settings. The recovery
installer refuses that unsafe downgrade and offers backup restore instead.

Includes the native landscape/portrait Camera editor, overlay draft/publish foundation, Alert Box v1 and the Astra audit repairs. Show Control remains the live-output UI; overlay authoring is in Camera and triggers are in Action.
No personal configuration or platform credentials are embedded in this payload.

README-FIRST-1.12.9-private.txt

Record: packaging\README-FIRST-1.12.9-private.txt

Pulse Weaver 1.12.9 BETA - YouTube registration and privacy update
Close Pulse Weaver before updating. Setup automatically creates and verifies a full backup of app files and settings before committing the update. BACK UP NOW creates an additional restore point. RESTORE BACKUP / ROLL BACK restores the app version and settings together.
This build adds the Pulse Weaver Privacy Policy and Terms of Service to the installed docs folder and links their public versions from the app. YouTube connection now explains the requested access, requires acceptance before OAuth, uses the YouTube force-SSL scope, protects locally stored tokens with Windows DPAPI, and provides an in-app disconnect/revoke control.
The hosted Kick relay now queues events only for active desktop sessions, removes expired events before they can be returned, and deletes delivered events from its live database. Cloudflare recovery history can retain deleted database states for the provider's recovery period, as described in the Privacy Policy.
Backups are stored outside the installation in "Pulse Weaver Backups". Keep them private because they can contain account data. Revoking an account does not edit old user-controlled backup archives; delete backups you no longer need.
No personal configuration or platform credentials are embedded in this payload.

README-FIRST-1.8.4.txt

Record: packaging\README-FIRST-1.8.4.txt

PULSE WEAVER STREAMING STUDIO 1.8.4

==========

QUICK START

---

1. Keep this entire folder together. PulseWeaverEngine is the custom OBS fork.

2. Run PulseWeaverStudio.exe. No PowerShell or existing OBS installation is needed.

3. On first launch, choose INSTALL PULSE WEAVER NATIVE ENGINE.

4. Open TWITCH at the top-right and choose CONNECT WITH TWITCH.

5. In Camera, import an existing OBS setup only if you want a copied starting point.

WHAT CHANGED IN 1.8.4

---

* Twitch subscriptions now have Select All, Recommended and Select None controls.

* Sources now expose visibility, lock, duplicate, up/down ordering, filters and remove.

* The audio mixer now inventories all live OBS inputs, not only the selected scene.

* Audio channels include live dB meters, volume, mute, monitor routing and filter chains.

* The new filter editor applies OBS noise suppression, gate, expander, compressor, limiter, gain, VST and visual filters directly to the private engine.

ISOLATION

The engine installs into LocalAppData\PulseWeaverCore\managed-obs and uses portable mode. It does not use or modify the normal OBS AppData profile. Closing Pulse Weaver shuts down its managed engine so cameras and audio devices are released.

TWITCH

The official Pulse Weaver development Client ID is included. Twitch sign-in uses the outbound EventSub WebSocket transport: no webhook, port-forwarding or cloud relay.

README-FIRST-1.8.5.txt

Record: packaging\README-FIRST-1.8.5.txt

PULSE WEAVER STREAMING STUDIO 1.8.5

==========

QUICK START

---

1. Keep this entire folder together. PulseWeaverEngine is the custom OBS fork.

2. Run PulseWeaverStudio.exe. No PowerShell or existing OBS installation is needed.

3. On first launch, choose INSTALL PULSE WEAVER NATIVE ENGINE.

4. Open TWITCH and choose CONNECT WITH TWITCH.

5. Show Control is your live dashboard. Camera edits scenes; Lights builds looks and display effects; Action handles chat, events, alerts and automation.

IMPORTANT ISOLATION CHANGE

Pulse Weaver 1.8.5 will not connect to an installed copy of OBS. Its executable, portable configuration, WebSocket authentication, profiles and Twitch output are restricted to LocalAppData\PulseWeaverCore\managed-obs.

Import is a one-way copy into that managed directory. Normal OBS AppData is used only as a read-only import source when you explicitly request an import. Twitch/output changes are rejected unless the connected executable is inside managed-obs.

WHAT CHANGED IN 1.8.5

---

* New performer-first Show Control landing page with simultaneous horizontal and vertical previews, activity, show health and live status.
* Expanded controls: stream info, Studio Mode, replay buffer/save, virtual camera, recording and Go Live.
* Twitch stream information editor for title, searchable category, language and tags.
* Action now includes a live Twitch chat/activity feed and can send chat messages.
* Lights is now Lights, Looks & Visuals: lighting, displays, pixels, reusable looks, overlay appearance, alert style and visual effects.
* Canvas selection keeps the selected overlapping source when dragging. Alt-click cycles overlapping unlocked layers; locked layers can be clicked through.
* Source visibility and lock state use eye and padlock icons without changing the selected layer.
* Managed-engine startup is cancellable and tracked so closing Pulse Weaver cannot leave a late-starting OBS process holding cameras or audio devices.

TWITCH

The official Pulse Weaver development Client ID is included. Twitch sign-in and event subscriptions use the outbound EventSub WebSocket transport. No public webhook, port-forwarding or cloud relay is required.

README-FIRST-1.9.0-native.txt

Record: packaging\README-FIRST-1.9.0-native.txt

PULSE WEAVER STREAMING STUDIO — NATIVE PREVIEW

==========

This build is the custom OBS fork itself. It is not the older WPF controller

and it does not need an installed copy of OBS or an OBS WebSocket password.

START

Open bin\64bit\PulseWeaverCore.exe.

1. Open bin\64bit\PulseWeaverCore.exe.

2. Open Camera to check sources, audio, and the 16:9 scene.

3. Open the vertical editor and choose DUPLICATE CURRENT 16:9 SCENE.

4. In Action, connect Twitch and complete the browser sign-in.

5. In Show Control, choose both scenes, check both previews, then go live.

Twitch's dual-format output requires Enhanced Broadcasting eligibility on the

connected Twitch channel. The TWITCH DUAL FORMAT button configures the native

Pulse Weaver vertical canvas as the additional Twitch canvas.

ISOLATION

Pulse Weaver always runs in portable mode. Its profiles, scenes, browser data,

plugins, service settings, and credentials are stored only in the config folder

beside this README. It does not read or modify %APPDATA%\obs-studio.

Keep the complete folder together. Do not move only the EXE out of bin\64bit.

To reset this preview, close Pulse Weaver and remove this build's config folder.

That folder belongs only to this portable copy.

CLOSING

Close the main Pulse Weaver window normally. The engine and any browser/capture

helpers it owns will close with it. This behaviour is verified in this build.

PREVIEW NOTES

Twitch chat, EventSub events, stream-info editing, chat commands, the compact

show mixer, and the native horizontal/vertical editors are integrated. Aitum is not required; if present, its scenes are offered only as a one-time import. Third-party services may integrate through the authenticated local Control API.

LICENSE

Pulse Weaver's OBS-derived engine is GPL-2.0-or-later. The upstream license is included under data\obs-studio\license and the corresponding source is in the project's engine\obs-studio directory.

Root updates record

UPDATES.md

Record: UPDATES.md

GitHub updates

Published maintenance addition (v1.12.8 / revised 1.12.7 recovery setup): private setup now stages replacement, verifies a full app/settings backup in the sibling Pulse Weaver Backups directory, and supports paired app/config restoration and interrupted-operation recovery. Both EXEs, corresponding source and checksums are published in v1.12.8. All four remote asset hashes were verified. The in-app updater's network channel rules below are unchanged.

Studio → Updates offers a manual check and a daily automatic-check preference. Checks read public GitHub Releases without a GitHub token. Failed background checks wait at least an hour before retrying. Automatic checks never install an update by themselves. The upstream OBS/Sparkle updater remains disabled.

The installer writes bin/64bit/pulseweaver-update.json with schema 1, the installation channel and the installed release tag. The Mac package writes the same file in Contents/MacOS before signing. Development and portable copies without this identity do not guess an installation channel.

| Channel | Release tag | Required asset |

| --- | --- | --- |

| windows-public | v1.12.6 | PulseWeaver-Public-Dist-1.12.6-Setup.exe |

| windows-private | v1.12.8 | PulseWeaver-Setup-1.12.8-BETA.exe |

| mac-arm64-preview | mac-v0.1.0-alpha.2 | PulseWeaver-Mac-mac-v0.1.0-alpha.2-AppleSilicon.dmg |

Windows 1.12.2 and Mac alpha 2 introduce the updater. Windows installers use

their Program.Version constant; Mac uses PULSE_MAC_TAG. Update both installer project/payload versions when making the next Windows release. Increment the Mac workflow's tag before publishing its next build; never replace a released tag.

Only published, non-draft releases with an exact matching asset, positive bounded size and GitHub's sha256: asset digest qualify. Prereleases are intentional in these preview channels. Version components and Mac alpha numbers compare numerically. A newer Mac preview cannot supersede Windows, and the private Windows channel never falls back to the public installer.

Downloads use HTTPS, follow only GitHub/CDN redirects, stream to a temporary file and verify both length and SHA-256 before opening anything. Cancellation, missing digests, network errors and verification failures leave the installation alone.

All OBS outputs (including provider outputs) must be stopped before offering the update and again before installer handoff. Windows opens the normal setup UI and closes the app; setup still refuses to overwrite a running Pulse Weaver process.

Mac opens the verified DMG and closes the app; the user drags the replacement app to Applications. This is not an unattended Mac app replacement.

Windows setup preserves the config folder; Mac settings remain in the separate Library application-support folder. Successfully opened installer downloads are left in the user's temporary folder so setup can finish after the app exits.

Release/bootstrap requirements

Existing 1.12.1 and Mac alpha 1 installations need one manual installation of a new build containing the updater. They cannot acquire this feature retroactively.

Each release must include the matching installer for every supported channel. When shipping the next private build, upload its credential-free installer under the exact private asset name after the normal credential audit. Never publish configuration, app registration secrets, account tokens or the private handoff file. Missing private assets result in no eligible private update, never a cross-installation.

Use GitHub Releases' list endpoint, not /latest, because Mac/Windows previews share a repository and are separate release lines.

Validation

tests/Updates is a Qt6 Core/Network/Widgets CMake target. Its regression checks

cover mixed release channels, numeric versions/alpha order, drafts, downgrades, missing/bad digests, invalid asset sizes and names, foreign URLs and redirect restrictions. An optional first argument points to the packaged Qt plugin folder to verify TLS availability; an optional second argument supplies captured GitHub release JSON for actual-asset discovery checks. The Mac packaging script builds and runs the test with its bundled plugins before signing.
Both Windows setup /test modes validate written channel/version metadata and exercise preservation of configuration while replacing obsolete payload files.

Root status record

STATUS.md

Record: STATUS.md

Published 1.12.14 Beta: Pulse Weaver no longer inherits OBS Studio Mode's frozen Program-scene snapshot. The active 16:9 programme retains a live scene reference, so Camera transforms and animation filters appear immediately without a Stage change. Destination copies used for source exclusions also reconcile transforms every video frame. Native frontend, Camera and rendered Stage exclusion regressions pass. The exact recovery updater passes payload, layout, language, credential-migration and byte-preserving 1.12.13 upgrade/restore tests. Public main and tag v1.12.14 point to source commit 412790c31bc3b5f0da681dda45f718eea265018c; the published three assets match their local sizes and GitHub SHA-256 digests.

1.12.1 repair: private portrait scene copies preserve canvas dimensions and transforms; audio-only exclusions retain the original video scene. GPU local-output regression passes.

Pulse Weaver native preview status

1.12.3 keeps Camera scene selection preview-only while synchronising live scene-item transforms into Stage exclusion copies. Position, scale, bounds, rotation and crop changes now reach the active 16:9 output immediately, including Move plugin animation, without requiring a Stage change. Native frontend build and 16:9/9:16 rendered-output regressions pass.

Implemented and verified

- Published v1.12.8 as the latest GitHub release after user confirmation: private/beta updater, separate 1.12.7 recovery installer, corresponding source and SHA-256 checksums. All four uploaded sizes/digests match local artifacts. Release tag and public main point to audited source commit f80eec42827622c9dc1337ac8e020e09bdcd4234. Public Windows and Mac release channels are unchanged.
- Local 1.12.8 updater and separate revised 1.12.7 recovery EXE are ready. Both add verified full app/settings backups outside the installation, paired version/config restore, staged replacement and interrupted-operation recovery. The exact EXEs passed a cross-installer copied-profile upgrade/rollback (1,831 config / 3,987 total files byte-preserved). See artifacts/recovery-installers-1.12.8.md for links, hashes, usage and limits. No installed upgrade or online release was performed.

- Alert Box v1 audit repair (unreleased): startup/collection migration now runs after sources load; authored HTML/CSS/JS share an isolated renderer with an event bridge; publication refetches the current revision; mute/completion/replacement stop audio; unchanged legacy document fields remain lossless. Native and browser regression details, shutdown cleanup repair, and release limitations are recorded in artifacts/alert-box-repair-validation-2026-09-19.md. The installed app remains unchanged.
- Unreleased Overlay/Alert Box update adds explicit Camera landscape/portrait/Both placement, a private bundled-browser draft preview, ordered follow/sub/contribution/raid variations, media/sound/font/TTS/animation settings, provider payload normalization and Action-owned trigger/skip/mute/pause/clear controls. One host FIFO serves both layouts and grants audio to only one renderer. Published revisions reload safely after active alerts. Live render streams use scoped fragment capabilities and authenticated fetch; managed legacy source URLs migrate after a recovery journal without replacing source or scene-item identities. Custom code is sandboxed. Native app/plugin builds and the isolated store/alert/Camera suites pass. A clean portable GUI run verified the private responsive draft preview, publish and Camera source insertion, authenticated Action-to-browser live rendering, and the Show Control boundary. A copied real prior-version collection still requires source-URL migration and identity/transform comparison before packaging; no installer was built and the installed profile was not used for testing.
- Local 1.12.7 BETA upgrade EXE is packaged at artifacts/setup-1.12.7/PulseWeaver-Setup-1.12.7-BETA.exe. Its isolated payload/backup/preservation, credential-migration and language tests pass; Camera regressions also pass against the packaged runtime, whose frontend hash matches the tested native build. This is a local handoff, not a published release or an executed upgrade of the user's installation.
- Camera upgrade retention is a release gate: existing scenes and transforms must survive unchanged. Synthetic legacy scene-format tests pass on both canvases in absolute/relative modes, covering position, scale/flip, rotation, crop, bounds and identity across load/save/reload. Private setup now backs up configuration before upgrade, rejects configuration in its payload and protects config/backups from manifest cleanup; its isolated payload self-test passes with byte-for-byte scene preservation. A copied real prior-version collection still requires end-to-end validation before release; no installed user configuration was changed during these tests.
- Unreleased Camera update: Portrait now reuses the native landscape editor, docks, source context menus and transform controls against its separate canvas. Portrait scene selection is preview-only and saved independently of programme selection. Native build and D3D11 regressions cover canvas isolation, scene duplication, transform undo and concurrent preview references; isolated GUI checks cover source menus, fit/undo, dragging and unchanged Show Control programmes. The installed application has not been replaced.
- The Stage exclusion picker includes public audio inputs from other scenes and global devices, including inactive inputs, alongside the selected scene's sources. Audio inputs display an (audio) suffix while exclusions save the original OBS source name. Repeated sources appear once; private internal sources and unrelated visual sources stay out of the picker. Native frontend build and the standalone StageExclusions libobs regression pass. The installed beta requires an update to receive this change; Twitch Dual still shares one audio exclusion mix across both formats.
- 1.11.50 stabilizes statistics alignment while cycling outputs by reserving the identity column and preventing changing values from resizing metric columns. Main workspaces share outer margins; cards and headers use consistent spacing. The expanded mixer reserves room for the full 180px audio strips plus its frame and horizontal scrollbar, including after theme changes and restoring a saved divider position.
- 1.11.49 compacts Show Control's banner, output statistics and transport controls to give previews more height. A saved vertical divider adjusts the preview/mixer balance. Statistics keep status, uptime,

bitrate and drop percentage visible with data sent and frame count under Details. Transport retains labelled controls in one row at normal supported widths; the duplicate output label is hidden.

- Version 48 amendment: the collapsed audio mixer now derives its height from the themed header layout, keeping the Expand and Full mixer controls fully visible. Both controls have matching minimum heights; the toggle reads explicit hidden state and updates its tooltip.
- 1.11.48 gives the Show Control work surface and its viewport native window parents so OBS preview surfaces move with the scrolling content and clip to the visible viewport, instead of painting over the stage selector and mixer. Preview rendering and output routing are unchanged.
- 1.11.47 refines the navigation header with transparent 28px icon glyphs, consistent 13px Segoe UI labels and weight, and softer selection. Keyboard focus uses a text underline instead of a competing white frame. Lights, Camera and Action retain their established colours. Native build, 231-asset rendering checks, platform-colour regression checks and installer verification pass; the native header was inspected at wide and compact sizes.
- 1.11.46 restores platform identity while cycling previews and output statistics using a slim, softly faded colour bar within the theme artwork. Twitch stays purple, YouTube red, Kick green and recording amber in every preset. The Show Control Studio mode button is removed and the responsive transport layout updated. Lights, Camera and Action retain purple, cyan and orange section colours with matching theme-specific shapes.
- 1.11.45 replaces the muted v44 treatment with original illuminated vector assets based on the supplied purple/cyan/orange references. Backstage uses rounded light rims and pulse artwork, Marquee uses circular emblems and layered theatre arches, and Electric uses cut corners and signal artwork. Each preset includes 30 icon tiles, 30 transparent action glyphs and twelve control/header surfaces, including visible keyboard-focus states. Navigation, page headings, mixer, chat and camera labels are refined; functional callbacks and the brief interaction sweep remain unchanged.
- 1.11.44 unifies the native shell, dialogs, connections, overlays and chat under three presets: Backstage, Marquee and Electric. Studio → Appearance switches and remembers the preset. The P identity is retained with a consistent line-icon set, quieter surfaces, clear workspace selection and stable live/record colours. Optional 220 ms interaction sweeps are local to pressed controls, capped at three, and stop when hidden or complete.
- 1.11.43 corrects compounded Twitch Dual/Enhanced Broadcasting uptime. Show Control uses the longest normalized video-track timestamp instead of dividing the aggregate frame count by the main canvas FPS. Different track frame rates and shared encoders no longer distort the timer. Stopped outputs display zero; bitrate, frame-drop and data totals keep their existing meanings.
- 1.11.42 adds the restricted Lumia operator API v2 and a pushed event connection. Companion Lumia plugin 1.1.0 includes the P logo, independent platform start/stop, existing Stage/source/audio/media operations, recording, and 36 operator alert definitions. It contains no authoring or raw-request actions. Native and mocked integration tests exercise existing-source operations, state/event delivery and rejected edits without starting live broadcasts.
- 1.11.41 fixes Twitch Dual Format setup, Go Live and adding Twitch during a session resetting Enhanced Broadcasting bandwidth and video-track limits to Auto. All three paths now preserve the saved limits and retain dual-canvas routing. Existing Auto settings remain Auto: set Settings → Stream → Multitrack Video → Maximum Streaming Bandwidth explicitly to 6000 Kbps for a combined Twitch budget of 6000 Kbps; the normal encoder bitrate is a separate setting. This release preserves the v39 efficiency improvements and v40 chat overhaul.
- 1.11.40 replaces the cross-platform chat's per-fragment widgets with a shared, bounded rich-text feed. Twitch badges parse nested badge versions with channel overrides; Kick identities preserve numeric IDs, badge roles, colours and emotes; YouTube exposes its supplied role indicators. Messages wrap at

the panel width, paused scrollback stays anchored, and a jump-to-latest control resumes following. Click/right-click message menus handle Twitch, Kick and YouTube moderation, show missing-permission reconnect guidance, and update deleted messages on confirmed success. YouTube timeout requests now include their duration; Twitch/YouTube deletion events update the feed. Chat controls are compact and platform reading filters remain separate from posting destinations. Tests use local fixtures and do not moderate live viewers.

- 1.11.39 reuses completed native programme textures for Show Control previews, avoiding an extra scene composition per preview while retaining transitions, destination routing and a direct-render fallback for canvases without a video mix. Stage data is cached with file/directory change notifications and immediate invalidation on application saves. Custom previews suspend while minimised, and hidden/minimised workspaces skip page refresh work. Stream statistics wait for the output handler to exist, preventing a constructor-time startup crash. Output resolution, frame rate, encoder settings and operating controls are preserved.
- 1.11.38 adds a cycling live-output statistics panel to Show Control with per-output state, uptime, current bitrate, dropped frames and transmitted data. During a Pulse Weaver Go Live session, destination dropdowns also start or stop individual outputs immediately; ending the session restores configuration-only behaviour. Reapplying the current Stage for output routing, recording setup or Manage Stages now bypasses visual transitions, so Stingers run only for intentional Stage changes.
- 1.11.37 shares the native programme canvas between aligned destination outputs, avoiding duplicate active scene renders; private canvases remain for platform-specific scenes and source exclusions. Pulse Weaver-managed live encoders use zero-copy NVENC P4 single-pass with look-ahead disabled, while recording retains its higher-quality P5 two-pass preset. Long-session memory is bounded for chat, activity, event history, images and stinger copies; route teardown now also releases every cached stinger belonging to that output canvas. Twitch categories are searched by name from Twitch and store the selected ID internally.
- 1.11.36 explicitly disables NVENC look-ahead on Pulse Weaver-managed platform outputs, avoiding needless GPU scheduling work alongside the primary stream.
- 1.11.35 makes Manage Stages hide its duration control for Stinger and Cut, aligns Kick's unsupported 9:16 row with the other programme cells, and prevents Stage duration from overriding a Stinger's native media duration or A/B transition point.
- 1.11.34 removes redundant per-aspect transition and Capture Current controls from Show Control; Stage transitions remain configured centrally in Manage Stages. It also keeps Stinger media preloaded per output canvas and lets OBS determine each Stinger's true completion time.
- 1.11.33 keeps the operating layout intact while adding existing OBS Stinger transitions to the Stage chooser, compact auto-scrolling chat rows with cached Twitch emotes and image badges where platform data supplies them, and destination-coloured Show Control preview borders.
- 1.11.32 adds the unified operator chat dock: reading filters remain separate from the posting destination, platform identity/badges/colours are retained, Twitch emotes render from their native CDN, paused scrollback gains a new-message counter, and Twitch/YouTube message menus offer the platform moderation actions their connected account permits. Kick opens its Creator Dashboard for moderation.
- 1.11.31 removes the native OBS Controls dock from Camera and adds a restricted Lumia compatibility surface for Stage discovery/control, Show Control Go Live/End Stream, status alerts and recording actions. The separate Lumia 9.x plugin is packaged as PulseWeaver-Lumia-1.0.0.lumiaplugin.
- 1.11.30 stops hidden Camera, Show Control and studio programme previews from consuming GPU render time; only the preview surfaces in the visible workspace remain active.

- 1.11.29 routes Stage source exclusions through dedicated OBS audio mixes for Kick, YouTube and routed recordings. Distinct platform/canvas mixes share spare tracks where possible, while the configured Twitch live and VOD tracks remain intact.
- 1.11.28 corrects the built-in Kick OAuth credential handling, reliably completes or discards YouTube broadcasts so failed starts do not remain in Upcoming, and makes installer updates remove obsolete owned runtime files while preserving config. Windows installed-size metadata now reflects the complete installed application. It remains explicitly labelled UNSTABLE.
- 1.11.27 previews recording as a routed destination: Standard preserves OBS recording, while 16:9, 9:16 and Dual create Stage-aware MKV files with independent source exclusions. The shell lazily provisions only enabled output canvases, prefers NVENC for additional outputs with x264 fallback, stops rebuilding hidden-page state on every timer tick, hides unfinished Lights/Action surfaces behind Coming Soon, and leaves the upstream OBS configuration wizard available manually without opening it on first run.
- PulseWeaverCore.exe is a genuine OBS Studio 32.2.2 fork: the broadcast engine and the Lights / Camera / Action / Show Control interface run in one native process and call libobs directly.
- Show Control contains simultaneous real 16:9 and 9:16 previews, chat and event activity, a compact live meter/fader/mute/monitor/FX mixer, replay buffer, virtual camera, studio mode, recording, streaming, and Twitch dual-format setup.
- Show Control now uses destination-aware Stages instead of independent scene dropdowns. Stages can be captured, created, edited, duplicated and deleted; each cue independently assigns the horizontal scene, vertical scene, YouTube canvas and Kick canvas, while blank assignments remain unchanged.
- Twitch account login obtains its private broadcast destination through the official API. YouTube uses Pulse Weaver's registered Google desktop application, external-browser OAuth with PKCE, and the Live API to create/bind an unlisted broadcast. Kick implements external-browser OAuth 2.1 + PKCE, encrypted tokens, official channel/stream-key retrieval and chat send. No stream-key field is shown to users.
- One Go Live action can start the primary Twitch output plus independent YouTube and Kick RTMPS outputs. YouTube and Kick can each route either the horizontal or native vertical canvas; vertical routes own a canvas-bound encoder.
- Camera uses the same native OBS editor for both formats, with separate scene selection and canvas dimensions. Scenes, Sources, the context toolbar, mixer and transition docks keep the same layout when changing tabs. Portrait retains landscape-copy and optional scene-link actions in its scene context menu.
- The 9:16 canvas uses the native preview's drag, resize, crop, snapping, spacing guides, zoom and transform menus. Its editor selection does not assign a programme channel; Stage changes remain responsible for live scene switching.
- Pulse Weaver owns a 1080x1920 libobs canvas. It can duplicate/fitted-copy a horizontal scene and one-time import Aitum canvas scenes without requiring Aitum at runtime.
- The overlay designer provides persistent templates, draggable visual text/shape/image/video/goal layers, live event bindings, test triggers, advanced HTML/CSS/JavaScript, a loopback overlay host, and one-click insertion as a real OBS browser source. Hosted StreamElements, Lumia, and compatible overlay URLs can be imported directly.
- Native Twitch device login uses the registered Pulse Weaver client ID, encrypted portable credentials, token validation/refresh, WebSocket EventSub, selectable subscriptions with Select All/None, chat read/reply, first-message and per-session entrance events, stream title/category editing, and a persisted command chatbot.

- Automations are persisted, ordered, enableable multi-step flows with delays, event-field conditions, variables, and actions for scenes, sources, media, overlays, lighting looks, Twitch chat, HTTP, event emission, logs, streaming, recording, and registered native module actions.
- Lights supports bounded user-triggered /24 discovery, manual address entry, saved devices/displays, encrypted credentials, live WLED/Hue/Home Assistant/HTTP-DIY control, reusable show looks, and event-driven look actions.
- The native extension ABI lets modules register named automation actions and publish/subscribe to normalized events. A compiled sample clock module is included.
- Pulse AI detects the locally signed-in Codex CLI, sends a read-only current-show snapshot, accepts only schema-constrained operations, validates/applies them through libobs, and keeps an undo restore point. It does not give Codex write access to project files.
- The bearer-authenticated loopback API exposes health, scenes, sources/transforms, overlays, automations, modules, events, stream/record controls, and normal application shutdown. OBS WebSocket is not used by Pulse Weaver.
- Portable mode and updater isolation are forced before config discovery. An acceptance test created scenes/sources, transformed a source, switched a scene via a conditional event, served/triggered an overlay, discovered a native module, and exited normally. Hashes of the user's normal OBS profile, service credentials, and scene collections were identical before and after.
- A self-contained Windows setup executable embeds the same clean portable release, uses the Pulse Weaver icon, installs per-user without requiring an existing OBS installation, and passed its complete extraction/PE validation test without launching the engine or leaving a process behind.
- YouTube credential restoration now runs only after the isolated profile configuration and main window exist; a clean-profile startup regression test covers the former constructor-time access violation. The setup UI is DPI-scaled, resizable and gives its action row enough height at Windows display scaling.
- The distributable now deploys Qt's Windows Schannel TLS backend, fixing the transport-level HTTP 0 failure that prevented Twitch device login from starting. Twitch login failures also expose the real network error in the UI and native log.
- Camera now has a first-class Import OBS Setup workflow. It auto-detects %APPDATA%\obs-studio, accepts a chosen OBS data folder, copies profiles and scene collections under collision-safe imported names, retains native scene filters and profile settings, optionally includes the copied service.json, and can activate the imported setup immediately. Normal OBS remains read-only; global UI state, cookies, caches, logs and plug-in binaries are excluded.
- Show Control uses a full-height three-surface stage: native 9:16 portrait preview at left, native 16:9 programme centred, and the full chat/activity surface at right. The quick mixer is constrained to compact, complete channel strips so it cannot consume the stage or clip its faders.
- Camera uses OBSBasic's single native dock host again, with all dock areas enabled and a one-time migration that discards the incompatible 1.11.7 nested-dock state. The verified reset layout keeps Scenes and Sources beside a full native canvas and bounds Mixer, Transitions and Controls below it. The portrait programme preview now renders the custom canvas view directly, and a Camera → Show Control → normal-close regression exits with code 0 without invalid native-window errors.
- 1.11.9 renders the native vertical canvas view in both the editor and Show Control, keeps the highlighted vertical scene tied to the actual live canvas channel, and fixes the borrowed Twitch service ownership bug that caused obs_service_release crashes on exit. Show Control chat now has a one-line message composer with a compact send icon, and Quick Mix strips flex down to fit ordinary source counts before scrolling.

- 1.11.13 replaces the separate destination toggles with one explicit output plan: Twitch and YouTube can each be Off, 16:9, 9:16 or Dual, while Kick can be Off, 16:9 or 9:16. Twitch Dual configures the native vertical canvas as its Enhanced Broadcasting companion; YouTube Dual creates two account-owned broadcasts and native canvas-bound RTMPS outputs. Stages now keep independent horizontal and vertical scene assignments and source exclusions for every platform.
- 1.11.14 repairs account-owned output reliability: the registered Google desktop credential is corrected and validated against Google's token endpoint, successful YouTube sign-in is persisted immediately, Kick ingest URLs are normalized to the required /app endpoint, and Go Live now blocks with a specific actionable error instead of silently launching only some selected destinations.
- 1.11.15 repairs Kick user authorization and chat delivery. Existing saved accounts now restore their channel identity, expired user tokens refresh automatically and retry once, replacement refresh tokens are persisted, and user chat messages include the broadcaster ID required by Kick's current API. API error messages are surfaced instead of an unhelpful status code.
- 1.11.16 adds a fail-closed Go Live preflight. It validates every selected account/destination before output starts, presents the active Stage and exact platform-to-canvas plan in one confirmation, defaults to Cancel, and starts nothing unless the user explicitly chooses Go Live Now. YouTube broadcast preparation runs only after confirmation and still completes before Twitch or Kick is started.
- 1.11.17 retains the RTMP service objects for the full lifetime of Kick and YouTube independent outputs. This fixes the case where encoders were created but Kick never opened an ingest connection. Kick now reports LIVE only after libobs confirms output start, and asynchronous output failures surface their actual error.
- 1.11.18 preserves each scene item's transform reference when duplicating a Stage scene for an independent platform canvas. Imported 2560x1440 scenes routed to a 1920x1080/1280x720 Kick output therefore retain their intended 0.75 scale instead of being enlarged to 1.0 and cropped by one third.
- 1.11.23 restores the clean click-to-cycle programme previews without arrow boxes, adds an All Connected chat posting destination, accepts saved operator/bot username aliases in Action → Connections, condenses cross-platform echoes from those identities, and feeds relayed Kick chat events into the unified chat. Twitch and YouTube use Pulse Weaver's built-in release application identities with no editable Client ID controls or profile-stored application IDs. 1.11.22 added Camera autoscaling, stable preview geometry, the full-height chat rail, collapsible Quick Mix and explicit Kick 16:9-only capability handling.

Remaining preview limitations

- A real Twitch account/channel is still required to validate live delivery and streaming eligibility. The Google project, YouTube API, desktop OAuth client, sensitive YouTube scope and initial test user are configured, but the user must still approve the account consent flow inside Pulse Weaver before a real YouTube broadcast can be validated.
- Twitch dual-format output depends on Twitch Enhanced Broadcasting eligibility and negotiation.
- The custom vertical canvas does not yet expose a separate transition palette.
- The overlay designer has visual positioning and numeric sizing/rotation, but not a full keyframe timeline, nested groups, masks, or snapping guides.
- Hosted third-party overlays import by URL; Pulse Weaver does not reverse-engineer or convert proprietary Lumia/StreamElements project files.

- Device discovery finds endpoints; provider pairing/discovery metadata still has to be completed in the provider's normal way (for example, obtaining a Hue username or Home Assistant token).
- Kick incoming chat and events use Pulse Weaver's hosted relay. The relay validates Kick's RSA webhook signature and timestamp, deduplicates message IDs, isolates delivery by broadcaster, issues short-lived hashed desktop sessions, and retains queued events for only 15 minutes. Users do not enter a relay address or expose a port on their PC.
- YouTube live chat, paid memberships, membership gifts, milestones, Super Chats and Super Stickers are polled through the signed-in account and published to alerts/automations. New public channel subscribers are polled as youtube.channel.subscribe and normalize to audience.followed; YouTube does not reveal private subscriber identities. Kick's event keys and cross-platform semantic aliases are delivered through the signed relay. Advanced lighting protocols such as MQTT, OSC, MIDI, and Art-Net remain extension work.

The older WPF code under src/ is migration/reference material only and is not shipped as the product runtime.

Appendix F Index

Page references match the bundled A4 print edition. Select a number to jump to its discussion or glossary entry.

Action 14, 23
Alert layer 10, 23
Audio monitoring 23
Browser source 6, 23
Canvas 5, 23
Capture source 10, 23
Chat 5
Control 5, 23
Destination 5, 23
Discord receive only 23
Exclusion 5, 23
Feed 8, 23
Filter 6, 23
Go Live preflight 13, 23
HUD 5, 23
Intermission 23
Keypad 17, 23
Kick 12
Landscape 5, 23
Lighting Look 7, 23
Look 5, 23
Look target 23
Lumia 14, 23
Main Stage 7, 24
Move 8, 24
OBS Studio 5, 24
Portrait 5, 24
Programme 6, 24
Recording route 24
Replay buffer 24
Route 5, 24
Scene 5, 24
Scene item 5, 24
Show Control 5
Source 5, 23
Stage 5, 24
Stage group 24
Stage transition 10, 24
Stinger 11, 24
Streamer.bot 17
Studio Mode 6, 24
Trigger 17, 24
Twitch 12
UUID 8, 24
Virtual camera 82
Visibility 7, 23
Wrapper scene 24
YouTube 16