

The fermion sector of Cosmological Relativity: three chiral generations from the maximally-symmetric slicing structure

Daryl Janzen

Abstract

The companion papers establish that the black-hole/de Sitter substrate of Cosmological Relativity (CR) is a maximally symmetric manifold sliced perspectively, and that the Standard Model gauge group does *not* arise as a continuous isometry of it: the geometric route to $\mathfrak{su}(3)$ is walled, leaving the substrate's discrete orientation structure as the one opening for matter. This paper puts a Dirac spinor field on the slicing structure and asks what that discrete opening delivers. Three results follow, each stated at the weight it is earned. First, the signed areal radius forces the radial Dirac superpotential to change sign at the throat, binding exactly one chiral zero-mode there; its chirality is the diagram-automorphism parity $R = \gamma^5$ (an exact solution, not an assertion). The norm in which it binds is the one CR's ontology selects, and the point is load-bearing^R: the fermion is a mode of the *existent spatial leaf*, of which the spacetime is a projection, so its measure is the induced proper distance $d\ell = dr/\sqrt{|f|}$, in which the horizon turning points lie at *finite* distance and the $r = 0$ crossing is an integrable square-root singularity. In the conserved *spacetime* Dirac norm—the tortoise measure—the same static mode does *not* normalize, the horizons standing infinitely far. The two are not interchangeable, and CR reads the fermion on the leaf, where it is a bound state. Second, the substrate is symmetric in three 120° -separated hinges, and the maximally-symmetric—least-arbitrary—matter construction, which is the one CR's own founding principle selects, places a slicing plane on each: three throat walls, hence three chiral zero-modes. A one-hinge truncation is excluded not as disfavoured but as carrying an unfixed arbitrary modulus, which the principle forbids. That count is a well-defined index in the precise sense the ontology makes available: in the leaf's proper measure the closed slicing has *finite* total length^R, so the leaf is compact and its Dirac operator carries a well-defined analytical index—exactly where the bulk index on the non-compact substrate, which the boundary paper's non-compactness escape turns on, is obstructed. The signed-radius flip moreover passes through the $r = 0$ *branch point*^R—the wall and the branch point being one locus with two properties rather than two loci that coincide, which is checked on locus, type, definition, equivariance and separability—rather than a single-valued crossing on a loop, so the even-crossing constraint does not apply and the three same-chirality modes, on disjoint support, have no cancelling partner: $\dim \ker_+ = 3$, $\dim \ker_- = 0$, the net chirality a γ^5 -graded index. Its stability under deformations preserving the three-wall structure is the expected behaviour of such a count and is stated here at traced weight: the receipt establishes the mechanism—one mode per wall, the even-crossing obstruction on a simple loop, and the necessity of the $r = 0$ branch point—and marks the Atiyah–Singer statement on the branched bead as traced rather than computed. Third, the three zero-modes are permuted by the full S_3 generated by the three hinges, and that S_3 is not a second group resembling the substrate's own: each hinge designates one of the three roots of the horizon cubic as its own black-hole horizon, so a transposition of roots is a hop to a neighbouring hinge and the Weyl S_3 is the relation among the three hinges. Every root, designated the slicing parameter, returns the *same* $2M = r_0 - r_0^3$, so the three carry one mass parameter and are identical in content, distinguished only by which root each takes as its hole. *Which index that threeness is, this paper settles against its own first reading* (Section 6.1): the hinge S_3 is a *within-state*

index and not a family symmetry, the generations' own threeness being the turnaround's deck $\mathbb{Z}_3$, with the wall structure fixing the *number* at either seat. The identification of a generation with a wall is accordingly withdrawn here, and what the wall structure delivers is a count and a chirality rather than a seat. Those two data—a chirality and a count—are the two factors of one group, $D_6 = S_3 \times \mathbb{Z}_2$, and the paper closes by saying why they descend differently, which is a reading of established structure rather than a fourth result. The factors act on independent structures, the Weyl S_3 on the three roots and the inversion on the two rulings; on the substrate's waist those are the two relations a figure can bear to a circle, the roots being the three special points *on* it and the rulings the lines *tangent* to it, and *on* and *tangent* are independent relations. *The directness of the product is not itself the evidence for that, and should not be cited as though it were:* $\text{Aut}(A_2)$ is a Weyl S_3 extended by a diagram $\mathbb{Z}_2$, every automorphism of S_3 is inner, and a semidirect product by an inner automorphism is isomorphic to the direct one—so no semidirect alternative exists to be ruled out. What the two relations supply is which factor is which, and that they differ in *kind*. The kinds then differ for the same reason: a tangent is a line of the substrate, so exchanging the two rulings is a motion of it—an isometry, acting on the cut spinor as γ^5 , and chirality descends *gauged*; a root labels a different cut, so permuting the three moves through the solution space—the deck symmetry, and flavour is *global*. The Standard Model's arrangement of a gauged chirality against a global flavour is, in this reading, the difference between being *on* the one circle and being *tangent* to it, and this sector is where that difference becomes two physical data. The net structure—a count of three, a chirality, and a within-state S_3 —is the Standard Model's *discrete flavour structure*, obtained here as the maximally-symmetric slicing of a maximally-symmetric substrate. It is not the mass spectrum (electroweak breaking), and the boundary is drawn explicitly; what it does deliver about the gauge sector is the fourth result below. *The count that correspondence has to meet is specified rather than gestured at^R:* one generation splits 12 coloured against 3 colourless (4 with a right-handed neutrino), and the sector's deliverables are matched factor by factor against that split rather than against the total. *The correspondence with the Standard Model's content is stated explicitly rather than left implicit:* one generation there is fifteen Weyl fermions in five multiplets of $\mathfrak{su}(3)_c \times \mathfrak{su}(2)_L \times \mathfrak{u}(1)_Y$ —sixteen with a right-handed neutrino—and the quark/lepton distinction is which of them carries the colour **3**. *On this construction that distinction lands as a grading rather than as a count^R:* the triality class is what separates the two, a coloured constituent carrying a non-zero class and a lepton the zero one, and no counting argument in this sector distinguishes them. This sector fixes the number of such families, their chirality and the S_3 relating them, and fixes nothing about their internal content: not the multiplet count, and not the colour or isospin assignments. *Two items it does bear on:* the wall structure requires each generation's content to be anomaly-free on its own—there being no bulk gauge field for inflow to come from—and the observed content meets that condition on every count and only as a complete set; and given the colour and isospin assignments, that same condition fixes the hypercharges uniquely up to normalisation, so hypercharge is not independently undelivered. *The zero-mode is one Weyl mode per wall, not fifteen; the index counts families, not the states within them.* Carried across the branch point at $r = 0$ the structure is inherited rather than remade: the reassignment fixes the expansion rate and does not touch the leaf-carried content, so the generations cross unchanged; the family *originates* at the crest, where two of the three roots merge and the S_3 -symmetric locus splits undercritically into three; and the crest is a fixed point of S_3 but *not* of R , so the parity is untouched, the inherited matter stays chiral, and no matter/antimatter asymmetry is a cosmogenesis event—it stays the ordinary route. *Fourth, and reached after the three above, the discrete opening delivers more than a flavour skeleton.* The bundle the operator acts on is not a bundle of the substrate: every ambient candidate is real, and a real bundle's complexification carries a parallel conjugation, so its holonomy lands in the real form and none can carry $\mathfrak{su}(3)$. The module is the *branching* itself. Because the wall is a wall *of a hinge*, the construction carries three signed areal radii rather than one, so a wall crossing branches only the vantage that owns it and the monodromy is diagonal in the vantage basis and non-abelian across it; the smallest connected group containing the three wall monodromies and the hinge 3-cycle is $SU(3)$, with the lap as its

centre. Second quantisation—the ordinary step, available because the three wall modes are one operator’s kernel and therefore identical particles—places a three-fermion state in the exterior cube, one-dimensional and generated by ε , and returns baryon 1, diquark 0, meson 1: every channel the Standard Model has, with the configuration group *selected* rather than chosen. *And the negative half is as sharp and is stated with it:* the bundle is *flat*. Flat holonomy supplies exact selection rules and no curvature, so the construction delivers the discrete content of colour and supplies no force—the geometry quantises and does not couple. *Two further facts about the sector’s discrete group are recorded.* It is larger than $D_6 = S_3 \times \mathbb{Z}_2$: the residue pairing the horizon roots’ surface gravities carry has a holonomy about the branch points which, adjoined to the walls’ S_3 , closes the Weyl group of the substrate’s own complexified isometry algebra—so the excess is substrate-derived rather than assumed. And that holonomy acts on the walls’ chiralities, which are the σ_y eigenvalues of Proposition 1, changing their signs only in *pairs*: the observed configuration is therefore the unique member of its orbit with all three walls at one chirality, and $\dim \ker_-$ cannot be reached from $\dim \ker_+ = 3$ by any number of loops, three and zero lying in different parity classes. The generation count is thus not merely what the index returns but what no holonomy of this connection can move. The count is forced within CR by the programme’s own criterion of necessity, not by an added axiom, and the honest edge is stated plainly rather than gestured at: a framework declining that criterion reads the natural single-hinge index—one—not three. A further consequence is drawn in Section 7, and it runs the other way to the rest of the paper: because the fold the count reads is $D - 1$ in a D -dimensional cut, and because the horizon relation collapses to a single multiple-angle only at four and five dimensions while the mass-parity that grades chirality exists only in even dimension, four is the only dimension carrying both a generation count and a handedness. Within CR, and at the same altitude as the rest, three generations and four-dimensional spacetime are one fact read at two ends.

1 The question, and what is and is not claimed

One statement in this paper does not fit that description and is flagged here so it is not read as more than it is. Section 7 draws a consequence about the *dimension* of the cut—four dimensions being the only one in which the sector’s own two deliverables, the count and the chirality, both exist. It is at the same altitude as everything else here, forced within CR and owing its correspondence to the world; it is not a demonstration that the world is four-dimensional, and it carries one assumption of its own, that the metric function in a general dimension is the standard Tangherlini–de Sitter form.

The slicing operator of CR generates the spherically symmetric, stationary sector of general relativity as the perspectival reading of a single maximally symmetric substrate [10, 11, 5]. The boundary paper [6] asks whether the *matter* content can be read off the same substrate, and returns a precise negative for the gauge sector: $\mathfrak{su}(3) \not\subset \mathfrak{so}(5, 1)$, structurally, so the Standard Model gauge group is not a continuous substrate isometry. What that boundary leaves standing is the substrate’s *discrete* structure—the orientation parity and the threefold symmetry of the slicing—recorded there as the one opening through which matter might enter, and carried as a conjecture.

This paper takes up that opening concretely. We put a Dirac field on the slicing curve and compute what its zero-mode content is. The result is a fermion sector with exactly the discrete shape the Standard Model wears: three chiral generations carrying a family symmetry. We are careful throughout to separate what is delivered from what is not:

- **Delivered.** The generation *count* (three), the *chirality* of each generation (γ^5), and the S_3 relating the three walls—a *within-state* index rather than a family symmetry, the generations’ own threeness being the turnaround’s deck $\mathbb{Z}_3$ (Section 6.1), with the wall structure fixing the *number* at either seat. These are the discrete flavour structure [21]. *And, reached after*

them, the discrete content of **colour**: the module the operator’s colour structure acts on is the branching rather than any bundle of the substrate; the three wall monodromies with the hinge 3-cycle generate $SU(3)$; and second quantisation on the wall kernel returns baryon 1, diquark 0, meson 1, the configuration group selected rather than chosen. With them, the *kind* of each—why the chirality descends gauged and the family global—which Section 5 reads off the two relations the substrate’s waist admits.

- **Not delivered.** The *coupling*: the bundle above is flat, so the construction supplies colour’s exact selection rules and no force—it quantises and does not couple. Weak isospin as a *gauging*: T is a discrete horn swap and delivers a species label, not $SU(2)_L$ ’s chiral action, the two occupations differing on the right-handed pair (Section 6.1). Hypercharge’s normalisation is fixed by the winding rather than by the anomalies, which are homogeneous. And the mass spectrum: the zero-modes are massless, and their splitting is electroweak physics, external to the geometry.

The generation count is *forced within CR*, in the precise sense made explicit in Section 3: it follows from the maximal-symmetry principle that defines the programme, applied to the matter construction as the same principle is already applied to the substrate and to the discrete breaking [5]. It is not a theorem a framework lacking that principle must accept. That qualification is the honest content of the word “forced” here, and we do not inflate it.

2 The chiral wall

On the slicing curve the areal radius r is a *signed* coordinate: the curve runs forward through the seam and backward through $r = 0$ as one closed object—the *cosmogenetic bead* the framework proves one closed curve [11], on which this sector’s chiral wall is built— $r = 0$ being a branch point the field crosses smoothly, not a barrier [7, 13]. The massless radial Dirac problem separates into a first-order pair with superpotential

$$W(r) = \frac{\lambda\sqrt{f}}{r}, \quad f = 1 - \frac{2M}{r} - \frac{r^2}{\alpha^2}, \quad \lambda = j + \frac{1}{2}. \quad (1)$$

This superpotential is the explicit output of the leaf frame: the orthonormal tetrad $e^0 = \sqrt{f} dt$, $e^1 = dr/\sqrt{f}$, $e^2 = r d\theta$, $e^3 = r \sin\theta d\varphi$ of the $M \neq 0$ slicing geometry has radial-angular spin connection $\omega^2_1 = \omega^3_1 = (\sqrt{f}/r) e$, so the massless Dirac operator’s radial first-order pair carries exactly $W = \lambda\sqrt{f}/r$ (receipt: ^R); the factor $\sqrt{f}/r$ vanishes at the horizons ($f = 0$) and is odd in the signed radius. Because r is signed, W changes sign at $r = 0$: a domain wall [18]. The zero-mode equation $H\psi = 0$ for $H = -i\sigma_x\partial_x + m(x)\sigma_z$, with $m(x)$ the wall profile crossing zero at the throat, integrates to

$$\psi' = -m\sigma_y\psi \quad \implies \quad \psi(x) = \exp\left(-\int_0^x m dx'\right) \chi_+, \quad (2)$$

with χ_+ the $\sigma_y = +1$ eigenspinor. For a wall $m = \tanh(x/a)$ this is $\psi = \cosh^{-a}(x/a) \chi_+$, an exact normalizable solution; the conjugate branch χ_- grows as $\cosh^{+a}$ and is rejected [19].

The norm in which the mode is normalizable is the one CR’s ontology selects, and the point is load-bearing. The fermion is a field on the evolving spatial leaf—the existent of the layered ontology [11], of which the spacetime is a projection—so its norm is the induced proper-distance measure on the cut, $\int |\psi|^2 d\ell$ with $d\ell = dr/\sqrt{|f|}$. In that measure the turning points ($f = 0$, the horizons) lie at *finite* proper distance and the $r = 0$ crossing is an integrable $\sqrt{\cdot}$ -singularity, so the bound state is genuinely normalizable, as the tanh model captures. In the conserved *spacetime*

Dirac norm (tortoise measure $\int |\psi|^2 dr_*$, $dr_* = dr/f$), by contrast, the same static mode is *not* normalizable: the horizons sit at infinite tortoise distance, where the mode tends to a constant. The two are not interchangeable, and CR reads the fermion as a mode of the existent leaf, not a propagating spacetime field carrying the tortoise norm—on the leaf it is a bound state. Direct solution of the exact zero-mode across a full undercritical slicing confirms both limits (divergence at the horizons in the tortoise measure, convergence in the leaf’s proper measure). Hence:

Proposition 1. *Each throat wall binds exactly one normalizable chiral zero-mode. Its chirality is a definite σ_y eigenvalue, whose sign is the sign of the signed-radius flip; that operator is the diagram-automorphism parity $R = \gamma^5$ [9].*

This is the $\mathbb{Z}_2$ (chirality) half of the substrate’s discrete structure, realised as a bound state, not posited. *One feature of W deserves comment, since $\lambda = j + \frac{1}{2}$ appears in it and might be thought to carry multiplicity.* In the proper radial coordinate of the leaf frame, $dx = dr/\sqrt{f}$, the first-order pair integrates in closed form: $\int W dx = \int (\lambda\sqrt{f}/r)(dr/\sqrt{f}) = \lambda \ln|r|$, so the zero mode is a power law $\psi = |r|^{\pm\lambda}$ rather than the tanh model’s exponential.

That the mode is a power of the signed radius, and that the signed radius is a cube root at the wall, together decide a question about the mode that is worth settling here because it is not obvious and its answer sorts the spectrum.^R Near the wall $f \rightarrow -2M/r$ gives $r^3 = \frac{9}{2}M\ell^2$ in the leaf’s proper measure, so a crossing of the wall is a half-loop in ℓ and sends $r \mapsto \omega r$ exactly, $\omega = e^{2\pi i/3}$. *A mode transported across a wall therefore returns multiplied by $\omega^{-\lambda}$.* The consequence is a dichotomy rather than a uniform statement: a mode with $\lambda \equiv 0 \pmod{3}$ is unaffected and is an ordinary single-valued function of position, while a mode with $\lambda \not\equiv 0$ is *not*—its value depends on which path reached the point, two paths differing by one crossing disagreeing by $\omega^{-\lambda}$. *So the spectrum divides into modes that are functions of where they are and modes that are functions of how they got there, and the divide is exactly the residue $\lambda \bmod 3$ that Section 7.1 identifies as the quark/lepton discriminant.* A further consequence follows without extra input and is stated at the same weight: since a field on the manifold must be single-valued, a configuration whose total λ is not divisible by three is not a field on it at all, so only combinations of vanishing total residue exist as configurations. *We record the shape of that statement and claim nothing from it:* it is the shape of a confinement condition, and whether the residue it grades is the physical colour is the question the boundary paper walls and this paper does not reopen [6]. Near the branch point $f \rightarrow -2M/r$, so the leaf measure behaves as $d\ell = dr/\sqrt{|f|} \sim \sqrt{|r|/2M} dr$ and normalizability of $|r|^s$ requires $s > -\frac{3}{4}$. The decaying branch $s = +\lambda$ satisfies this for every λ ; the growing branch $s = -\lambda$ would require $\lambda < \frac{3}{4}$, which no $\lambda = j + \frac{1}{2}$ attains. At the horizons the measure carries an integrable inverse square root and ψ is finite, so the norm converges there as well^R.

Hence exactly one branch is bound for each j , and the tower over j is infinite. The angular spectrum is worth stating as the honest negative it is^R: λ fixes a *grading* and not a *content*—it indexes partial waves of one field and supplies no multiplet structure, so nothing in the angular sector *has yet been* read as internal content—and the receipt cited is explicit that this forecloses nothing: a graded infinite tower whose lowest level reproduces one generation remains a live reading, and it is closed, if at all, by the Kaluza–Klein negative below rather than by the spectrum itself. That is the ordinary angular decomposition of a four-dimensional field, not additional multiplet content: j labels the partial wave of each generation’s mode, and the index of Section 3 counts walls, not partial waves. *We record this because the appearance of λ in the superpotential invites the opposite reading—*that the wall problem might supply the internal structure of a generation—and it does not. *And it is not a Kaluza–Klein tower either, which is the other reading the shape invites.*^R A Kaluza–Klein tower requires an *internal* space to reduce on; λ indexes the Dirac operator on the transverse S^2 , and that S^2 is the $r^2 d\Omega^2$ of the four-metric—it is spacetime, and $2 + 2 = 4$ exhausts

the cut, so there is nothing left to reduce on and the levels are not distinct four-dimensional fields. The one genuine extra direction, the cut-normal, cannot supply a tower either, and for the opposite reason: it is a single *non-compact* dimension, giving a continuum rather than a discrete tower. The internal content remains where Section 7.1 places it, on the far side of the gauge wall. *That undelivered content is owed elsewhere in the programme too, and the two debts are one.* The cosmological companion inherits two composition data across the branch point: a ratio of energy densities taken over the matter as a whole, and a ratio of numbers taken over the baryons alone [1, 14]. *Passing between them requires knowing which fermions the handover delivers, in what numbers and at what masses*—which is this section’s undelivered content, approached from the cosmological side. That the two data appear there as independent empirical inputs is therefore not a separate gap: *it is how the missing representation content presents itself to a cosmology.* We record the identification and claim no derivation from it; what it fixes is that a route across the wall would discharge both debts, and that neither can be discharged without it. *It is worth stating plainly where the gap sits, since the index of Section 3 is easily read as producing more than it does.* That index counts zero modes of a Dirac operator acting on a bundle, and it returns one mode per wall *per internal state of that bundle*. The count of three is a count of walls; the multiplicity of a generation is the bundle’s rank. *So the question the undelivered content amounts to is a question about the bundle:* what does the operator act on, and what fixes it? On the ordinary route the bundle is imposed—one posits the gauge bundle and computes. On a geometric route the substrate would supply it, and the substrate is not short of bundles: the tangent bundle of the five-dimensional embedding space, the spinor bundles it carries, the normal bundle of the wall itself, and the two ruling bundles the framework’s construction already draws [11].

That list, however, can be settled at a stroke, and settling it moves the question rather than answering it.^R The obstruction is one nobody had written down: $\mathfrak{su}(3)$ requires a *complex* rank-three module, and a *real* bundle’s complexification carries a parallel conjugation, so its holonomy commutes with that conjugation and lands in the real form— $\mathfrak{so}(3)$, of dimension three, with no room for eight. Every member of the list falls to that or to rank. The embedding tangent bundle is real of signature (5, 1), and a metric-compatible complex structure J splits a space into η -orthogonal definite planes $\text{span}\{x, Jx\}$ and so forces both signature blocks to be *even*, which 5 and 1 are not; the spinor bundle has rank four; the rulings are lines. The wall’s normal bundle alone has the right rank, and it is reality rather than any decomposition that removes it—the 2+1 *splitting one is tempted to use is covariant only under the stabiliser of a chosen cut direction, whereas under the full transverse $SO(3)$ that bundle is the vector representation and is irreducible.* What the column shows is that every candidate was built from the substrate’s ambient geometry, and ambient geometry is real: the question was never which real bundle but where the complex structure is. It is at the branch point.

And finding it there requires taking this paper’s own definition of the wall more literally than the winding computation had been taking it.^R The wall is where the signed areal radius vanishes, and that radius is fixed *relative to the hinge about which the slicing plane swings*—so there are three of them, one per vantage, and three branch loci rather than one. The companion slicing paper states as much at the outset: the matter construction places a plane on each of the three hinges, giving “three throat walls at distinct points of the throat circle *with disjoint support*” [7].^R *The distinction had been invisible because the two readings agree on the label and differ only on the group:* with one radius the cover is cyclic and its monodromy abelian, which is why the search above returned only a $\mathbb{Z}_3$; with three, crossing a wall branches only the vantage that owns it. *That the corpus appeared to hold both is not a conflict between the papers but two constructions*—for the vacuum family the three hinges are equivalent vantages and a single swinging door charts everything, so a single radius is the right bookkeeping there; for the matter sector the planes are placed rather

than swung. Independently, eliminating $-X_0^2 + X_1^2$ between static de Sitter's $\alpha^2 - r^2$ and the equatorial section's $-X_0^2 + X_1^2 + X_2^2 = \alpha^2$ gives $r^2 = X_2^2$, so on the throat circle $r_j = \alpha \sin(\varphi - \theta_j)$, returning this paper's own "the back, $X_1 = -\alpha$ " rather than being fitted to it, and vanishing at each vantage's own wall and neither other.

Nothing then has to be adjoined. A single wall monodromy has determinant ω , so the unimodular content sits in the ratios, and $\gamma_A \gamma_B^{-1}$ is a non-central diagonal of determinant one; it fails to commute with the three-cycle permuting the vantages, the pair's commutant is the scalars, and the pair preserves no symmetric bilinear form—so the smallest connected group containing the three wall monodromies together with the hinge three-cycle is $SU(3)$ itself. *The two generators are this paper's two threes doing different jobs, needed together for the first time rather than kept apart: the diagonal one is the three walls, the permuting one is the three hinges, and neither alone is more than $\mathbb{Z}_3$ or S_3 .* A full lap, being the product of all three, comes out as $\omega^{-\lambda}$ times the identity—the centre—which is the sense in which the single-valuedness criterion of §2 is a statement about a lone constituent and not only about a pair of routes. *It also settles what cannot work:* the three colours cannot come from the three sheets of a single cover, since a mode has one triality and would then have one colour.^R *Nor is this rank-three object the one two paragraphs above.* That one was rank three because a cube root has three branches and it graded the tower by triality; this one is rank three because there are three hinges. A single mode occupies one line of the first and exists at *all three* vantages of the second, so all three colours of one constituent carry the same triality—which is the Standard Model's own relation between the centre, carried identically by every state in a representation, and the index running within it.

The reading owes an account of the null legs, since it is on the legs and not the equatorial arcs that this section reads the crossings.^R The leg joining two hinges grazes the wall owned by the *third*—three legs, three walls, each leg opposite its wall—which is this section's own observation that a hinge's legs never graze its own wall, seen from the other side. The assignment reproduces a multiplicity it was not built from: two punctures per hinge give $2 \times 2 = 4$ legs per hinge pair, all sent to one wall, returning the $12 = 3 \times 4$ of the twelve null legs. So each leg meets exactly one wall, the three legs meet the three walls once each as one lap does, and the closed bound triple acts by the centre. *What looks at first like the reading's difficulty is its content:* a constituent at one hinge is labelled by the leg it is not on, and a label that cannot be read locally is what route-labelling means.

What the resulting selection rule reaches, and what it does not, has to be said in one breath.^R The centre gives $N - \bar{N} \equiv 0 \pmod{3}$ and nothing finer—it does not distinguish a triple spread one per hinge from one doubled on a single hinge, exactly as the centre of $SU(3)$ does not—so triality zero is necessary for a colour singlet and not sufficient, and the one-per-hinge condition comes not from it but from the causal trichotomy of the six hinge-ends.^R *The two conditions arrive from unrelated places and neither does the other's work.* Sufficiency needs the invariants of the group just identified, and counting them on the tensor cube returns too many and, under the full holonomy group, the wrong one—which is a feature of gradings rather than a defect of this construction, since a grading records how many constituents occupy each slot and nothing about their order or sign, whereas ϵ_{abc} is a statement about antisymmetry.^R *Antisymmetry, however, is not a gauge datum, and this section has been carrying what supplies it since Proposition 1.*

The three wall modes are the kernel of one Dirac operator, so they are states of a single field and therefore identical particles—not by an added postulate but by what having a single operator means.^R A three-fermion state is accordingly not a general tensor; it lives in the exterior cube of the kernel, and since Λ^3 of a three-dimensional space is one-dimensional with the totally antisymmetric generator, *the surplus invariants are not states a symmetry fails to forbid—they do not exist:* the one with all three constituents on a single vantage vanishes by the Pauli principle, and the

symmetric combination is not in Λ^3 . Counted on the exterior powers the channels come out *baryon one, diquark none, meson one*—each exactly what $SU(3)$ gives, with the diquark a prediction rather than a fit, nothing here having asked that Λ^2 carry no invariant. *And the count decides a question this construction could not otherwise settle*: of the three defensible readings of which loops a bound configuration may traverse, exactly one returns all three channels correctly, and it is the unimodular group—the same group the $SU(3)$ entailment above reached by an unrelated argument. *One consequence bears on §2 in its favour*: under that group the baryon line has trivial holonomy and is invariant exactly, while the one-particle space carries no invariant at all and the action on it is irreducible, so a lone constituent does not return to itself up to a phase, which a ray could absorb, but returns a *different vector*. The single-valuedness criterion is thus doing its work without needing any distinction between fields and states to prop it up.

What remains is then not a defect but a description. All of this is holonomy—a flat bundle and exact selection rules—so the construction supplies the discrete content of colour and supplies no force, which is what the winding label was separately found not to supply.^R *And the flatness is a complete obstruction rather than a stage not yet reached, which is worth showing rather than asserting, since a reader is otherwise entitled to hear it as a promise.*^R The holonomy group generated by the three wall monodromies together with the hinge three-cycle is *finite*, of order 81—necessarily so, since the holonomy is branching and a branch structure has finitely many sheets—and a finite group in characteristic zero has vanishing first cohomology with any coefficients, so the representation does not deform as a representation of its own holonomy. Deformations of the fundamental group’s representation that keep each wall’s conjugacy class fixed are counted directly and the moduli space is *zero-dimensional*: a wall branches one vantage and leaves the other two alone, so its monodromy carries a repeated eigenvalue and its class is subregular, of dimension four rather than the regular six; three regular classes on a three-punctured base would have left a two-parameter family, and the disjointness of the vantages’ supports is exactly what removes it. *But the dimension is a bonus and not the argument.* The moduli space of flat connections consists of flat connections, so a deformation within it changes which flat bundle one has and not whether there is a field strength; obtaining curvature means leaving the flat locus, and no holonomy datum can take one off it, because holonomy is precisely the complete invariant a flat connection has. *Leaving it requires a variational principle, and a Yang–Mills term in four dimensions carries a dimensionless coupling that a single length cannot build*—the substrate’s one invariant being $\alpha = \sqrt{3}/\Lambda$, whose energy $\hbar c/\alpha$ sits some forty-one decades below the strong scale, and in the infrared rather than the ultraviolet direction from it. So the position is not that the coupling is unbuilt but that a coupling is not the kind of thing a holonomy supplies, which is the same verdict the winding received one level up and for the same reason. *What is not excluded here is a mechanism that is neither holonomy nor isometry; the isometry route is walled separately, and the honest statement is that no third mechanism has been named.* *One objection to a winding label deserves its answer here, since it is the natural one*: a route-dependent quantity is not readable at a place, and electric charge is.^R The winding splits as $w = n + \phi$ with n an integer lap count and ϕ a $\mathbb{Z}_3$ class, and the two pieces transport differently—one wall crossing multiplies the field by ω^{triality} while a full lap is three crossings and $\omega^3 = 1$ —so the *integer* part is route-independent and the fractional part is the monodromy. Hence w is locally readable exactly when it is an integer, exactly when the triality vanishes: a fractionally charged object is precisely one whose charge is route-dependent, hence not readable, hence not free. The $\mathbb{Z}_3$ is therefore the obstruction to charge being observable rather than a rival to it. *One qualification, entered here because the receipt-vs-sentence audit found this paper claiming otherwise*: the agreement between “is a field” and “has integer charge” is not an independent check that could have failed. On the identification used here the triality class *is* the fractional part of the charge, so the two predicates are the same predicate and agree on any

rational whatever. *What the argument establishes is the implication, not a test of it:* an object with non-zero triality is route-dependent, hence unobservable, and colour confinement is that statement read as a selection rule. A genuine test would compute the triality from the colour content independently of the charge, and this sector does not yet do so. *The winding itself, its closure rule and the derivation of the thirds are the companion slicing paper's [7]:* there the graze points cut the throat into three equal arcs, the two routes between punctures at different hinges differ by exactly one lap, and imposing closure on both horn-headed arrangements forces the winding into thirds with no Standard Model input. *One question that construction leaves is properly this paper's, because it is about matter content rather than about the lap,* and it has a clean answer with a clean negative before it.^R What exchanges uud and udd is not charge conjugation: $w \mapsto -w$ carries the quark class to the antiquark class, and no lap shift repairs it, because conjugation reflects through the origin while the (u, d) pair is not centred there. Solving for the involution that does it—rather than positing one—returns a unique *affine* map, $w \mapsto \frac{1}{3} - w$, whose constant is fixed by the pair itself. *And it is the Standard Model's own map:* with $Q = I_3 + Y/2$ the isospin Weyl reflection at fixed hypercharge is $Q \mapsto Y - Q$, and the constant came out equal to the quark doublet's hypercharge $\frac{1}{3}$ with nothing fitted. Its two factors are both already in hand— $w \mapsto -w$ is the slicing paper's independent charge $\mathbb{Z}_2$, and $w \mapsto w + \frac{1}{3}$ is one graze-point crossing, which is one wall. *An earlier reading here concluded that neither factor lies in D_6 —because $\text{Aut}(A_2)$ acts linearly and a map with a non-zero offset cannot—and drew from that a structural precondition. That reading is withdrawn, and the receipt cited withdraws it in its own text:* it compares objects in two different spaces, and the exchange is in fact the horn swap T , which is a substrate isometry and sits inside the configuration's own order-twelve group. *Nothing needs adjoining.* What survives, and is the part worth having, is the map itself: the involution that exchanges the two classes is $w \mapsto \frac{1}{3} - w$, solved for rather than posited, and its constant came out equal to the quark doublet's hypercharge with nothing fitted. *Two things are worth marking about the standing of the whole:* that the vantage rotates the areal direction is a reading of the sentence quoted above rather than a computation of it, though the companion paper's disjoint-support statement carries the same content independently; and the exhibit of the three radii is at the $M = 0$ member, where the cut is the substrate.

We have not examined whether any of these has the rank and the structure the Standard Model's content requires beyond what the preceding paragraph settles, and we do not claim that the question is closed. One further negative result bears on it and is recorded above: the angular decomposition does not supply multiplicity, since $\lambda = j + \frac{1}{2}$ labels partial waves and each contributes exactly one bound mode. *That result is stronger than a fact about the sphere we wrote down, because no other transverse space is available to the construction.*^R Run with the transverse curvature k left free, the operator of the companion slicing-operator paper returns as its entire kernel $f = k - 2M/r - \Lambda r^2/3$, so the operator alone does not fix k ; but k enters as an additive constant independent of M , and the family passes through $2M = 0$ six times per swing, at which marks the cut *is* the substrate, $f = 1 - r^2/\alpha^2$, whose constant term is unity—so $k = +1$ is an output of the construction rather than a choice of chart. Constant curvature $+1$ leaves the global form S^2/Γ , and there Γ is fixed by the spin structure the Dirac operator requires: every non-identity element of $\text{SO}(3)$ is a rotation about an axis meeting the sphere in two fixed points, so no non-trivial subgroup acts freely, and the one free finite action—the antipodal map, which is not in $\text{SO}(3)$ —has the non-orientable quotient $\mathbb{RP}^2$, which carries no spin structure at all. *The transverse space is therefore the round S^2 and nothing else, and the tower over λ is infinite for that reason rather than by stipulation.* Nor would any alternative have helped: an orbifold quotient $S^2/\mathbb{Z}_n$ thins each level's degeneracy from 2λ to roughly $2\lambda/n$ and removes no level, a quotient leaving untouched the local geometry that sets λ . *So the source of the tower's multiplicity is closed by exhaustion and not by inspection—a definite*

question about a definite object, rather than an absence. *Two questions have been called “the bundle question” and only one of them is this one:* what module the operator’s colour structure acts on is settled above, and it is the branching rather than any bundle of the substrate; what supplies the *multiplicity* of the tower is the question this paragraph leaves open, and it is not a verdict on the sector. *One of the substrate’s bundles can be checked immediately, and doing so also sharpens what is being asked.* The operator above acts on the leaf’s four-dimensional spinor bundle. The substrate’s own spinor bundle is five-dimensional in base, and in odd dimension the Dirac representation is irreducible of dimension $2^{\lfloor 5/2 \rfloor} = 4$, restricting to a codimension-one slice as the four-dimensional Dirac representation—the same rank the operator already uses^R. So the substrate’s spinor bundle supplies no multiplicity beyond what is in hand. The remaining natural candidates are of low rank as well: the tangent bundle of the embedding space has rank five, the wall’s normal bundle rank one, and each ruling family rank one.

But the check also corrects the question, and the correction matters more than the result. Fifteen is a sum of representations, not a bundle rank: a rank-fifteen bundle carrying no $\mathfrak{su}(3) \times \mathfrak{su}(2) \times \mathfrak{u}(1)$ action would supply nothing, while a rank-three bundle carrying colour would supply the essential thing. *So the question is not which bundle has the right rank but what would furnish the group action,* and the low ranks recorded above are therefore not evidence against those bundles—they are simply not the relevant measure. *We record one candidate examined and the question restated;* the remaining candidates, and the possibility of structure arising by means none of them carries alone, are untouched here.

2.1 A condition the construction imposes on its own content

One constraint follows from the construction as it stands, and it has not been drawn. The wall of Section 2 localizes chiral zero modes on a codimension-one surface of a higher-dimensional bulk, which is the configuration of Callan and Harvey [19]—cited above for the rejection of the growing branch, but carrying a second consequence. Chiral fermions confined to such a wall have an anomaly, and consistency requires it be cancelled either by inflow from the bulk or within the wall’s own content.

Here there is no inflow to be had. Inflow proceeds through a bulk term built from a gauge field, and this bulk has none: the substrate is maximally symmetric vacuum geometry, and the gauge group is established not to arise as an isometry of it [6]. *So the bulk contributes nothing, and the wall’s content must be anomaly-free on its own.* And because the walls are three separate loci carrying separate zero modes, the condition applies to each wall—which is to say *generation by generation*, not to the three together.

That is a requirement this construction imposes, and the observed content meets it non-trivially. A Standard Model generation cancels every condition— $[\mathfrak{su}(3)]^3$, $[\mathfrak{su}(2)]^2\mathfrak{u}(1)$, $[\mathfrak{su}(3)]^2\mathfrak{u}(1)$, $[\mathfrak{u}(1)]^3$, and the mixed $\mathfrak{u}(1)$ –gravitational—and cancels them only as a complete set: removing e^c leaves $[\mathfrak{u}(1)]^3 = -1$, removing u^c leaves 8/9, removing L leaves 1/4^R. *And the Standard Model’s anomalies cancel generation by generation, which is the pattern the three-wall structure requires and not the weaker one it might have required.*

We are careful about what this is. It is not a derivation of the content: anomaly freedom is a condition, and many contents satisfy it. *It is a condition the geometry supplies rather than one imposed to make a model work,* and it is the first of the undelivered items on which this sector says anything at all. It also has a definite falsifier: were a bulk gauge field to be found in the substrate, the inflow would be non-zero and the per-wall condition would relax, so the argument stands or falls with the absence established in [6].

The condition has a further consequence, which reduces the count of what this sector leaves

undelivered. Section 7.1 lists three items—colour, weak isospin, and hypercharge—and treats them as three. *They are not independent.* Given the gauge group and the multiplet structure, the per-wall anomaly conditions together with the existence of the Yukawa couplings that give the fermions mass—a representation-theoretic requirement, on which assignments admit a gauge-invariant $\bar{\psi}\phi\psi$ term *at all* and not on any coupling’s value—determine the hypercharges completely, up to a single overall normalisation. *That last qualification is not a formality, and the sector supplies what removes it.*^R Solved at general N_c the anomaly conditions are *homogeneous*—every hypercharge is proportional to one free q , and the cubic $[\mathfrak{u}(1)]^3$ condition, not used in the solve, is identically satisfied for every N_c and so selects nothing—which means the anomalies fix ratios and can produce no scale at all. The winding closure is not homogeneous: its unit is one full lap, a closed circuit rather than a chosen normalisation, so it returns absolute values. The two agree where they overlap, the winding’s $u = +\frac{2}{3}$ and $d = -\frac{1}{3}$ giving $q = \frac{1}{6}$ and the anomaly solution then reproducing all five Standard Model hypercharges exactly. Solving $[\mathfrak{su}(3)]^2\mathfrak{u}(1)$, $[\mathfrak{su}(2)]^2\mathfrak{u}(1)$, the mixed $\mathfrak{u}(1)$ –gravitational condition and the three Yukawa requirements yields

$$Y_Q = q, \quad Y_{u^c} = -4q, \quad Y_{d^c} = 2q, \quad Y_L = -3q, \quad Y_{e^c} = 6q,$$

which at $q = \frac{1}{6}$ is $\frac{1}{6}, -\frac{2}{3}, \frac{1}{3}, -\frac{1}{2}, 1$: the observed assignment^R. *And the cubic condition $[\mathfrak{u}(1)]^3$ is then satisfied identically rather than imposed*—the coincidence usually remarked on in the Standard Model’s hypercharges is a consequence of the linear conditions once the multiplet structure is given.

So the undelivered content is two items and not three. What remains genuinely outstanding is the gauge group and the multiplet structure; *hypercharge follows from them by a condition this construction supplies.* The per-wall character is what does the work here and is worth marking: cancellation *in total* across three generations would not fix the assignment within one, and it is the separateness of the three walls that makes the condition apply generation by generation. *And the identification is more useful than a shared debt, because the cosmological end carries measurements and this end does not.* The two data are of different kinds and their quotient is therefore a number: from $\eta = n_b/n_\gamma$ one has $\rho_b/\rho_\gamma = (30\zeta(3)/\pi^4)\eta m_b/T$, and from the onset condition one has ρ_m in units of ρ_γ at the same temperature, so *the ratio of the matter’s energy to the baryons’ is fixed by measured quantities alone*—of order a few at the onset, and rising with the onset temperature. *That is an empirical statement about what the handover delivers*, and it is owed an account by this sector rather than by a component introduced to meet it. The same holds on the relativistic side: what shares the radiation with the photons is likewise this sector’s to say.

Read this way the constraint proved in [6] is informative rather than prohibitive. It does not say that a geometric route to the representation content is impossible; it says that the connected isometry route is closed and identifies the single component the obstruction cannot reach. *Together with the numbers above, the two bound the search from opposite sides*—one fixing what an admissible mechanism must produce, the other fixing where such a mechanism may live. *We claim no construction here.* We record that the sector’s undelivered content is not unconstrained: it is constrained by a proved structural result and by measured ratios, and the fair reading of that pair is a well-posed problem rather than a wall. Reversing the wall reverses $\chi_\pm$, flipping the chirality—the parity is the chirality, exactly as the algebroid paper reads it off the constraint algebra.

3 Three walls: the count

The single wall of Section 2 sits at $r = 0$, and $r = 0$ is not the throat’s centre but a point *on* the throat circle—the back, $X_1 = -\alpha$, fixed relative to the hinge about which the slicing plane swings [7]. The substrate carries three such hinges, 120° apart at transverse distance 2α , of which

the throat circle is the incircle. That distance is not a stipulation the fermion construction inherits but an output of the substrate’s own geometry: the hole determines exactly one circle without further choice—the one on its own edge through its own centre—and 2α is where that circle ends, with the throat-as-incircle, the 60° the hole subtends there, and the triangle’s nine-point circle being the throat all equivalent to it [7]. So the three walls of this section stand on a triangle the hole placed, and the $\mathbb{Z}_3$ that permutes them is the hole’s own three-foldness rather than a choice made here. The walls therefore sit on the same circle everything else in the construction is read off—the circle whose radius is the curvature, whose tangents are the null rulings, and around which the slicing’s lap runs—so the generation count this section obtains is one of the faces that circle carries, and is collected as such [5]. The $\mathbb{Z}_3$ -fixed centre carries no wall; the walls lie on the circle, and the three hinges’ walls are three distinct points on it (polar $180^\circ, 300^\circ, 60^\circ$), a $\mathbb{Z}_3$ -orbit (Figure 1).

That the centre carries no wall is not a further observation about the figure but a consequence of what a wall is^R. Vantage j ’s signed areal radius $r_j = \alpha \sin(\varphi - \theta_j)$ on the throat circle is the restriction of a linear form on the transverse plane—the coordinate perpendicular to hinge j ’s static pair—and the three forms have rank two, so their common zero set is the single point at the centre. A wall is a locus across which one vantage’s superpotential changes sign, hence codimension one; a point is codimension two and has no side to cross to. The wall is accordingly the *line* $r_j = 0$, which is hinge j ’s own axis and meets the throat circle twice, at the front and at the back; naming $r = 0$ at the back fixes a point on one wall rather than selecting between two walls, and the two crossings are exchanged by the antipodal map, which is R . Taking the three forms’ mutual angles—which is a different question from where they vanish—they are of equal length, 120° apart, sum to zero identically, and have mutual cosine $-\frac{1}{2}$: the weight system of the fundamental of $\mathfrak{su}(3)$, and in rank two nothing else has that shape. The transverse plane is therefore the weight plane and the vantage index the weight label, reached here from the metric geometry with no representation theory in the derivation. The empty centre is then the origin of that plane, and the fundamental has no zero weight: a state seated at the centre would be a zero-weight vector of $\mathbf{3}$, of which there are none. The emptiness is an absence of a weight, not a vacancy waiting to be filled.


Two constructions are geometrically available: one plane on one chosen hinge, or one plane on each. They are not on equal footing.

Proposition 2. *Within CR the three-plane construction is forced.*

Argument. A one-plane construction must select *which* hinge to build on: a free modulus, unfixed by the geometry, an arbitrary choice among three $\mathbb{Z}_3$ -equivalent options. The $\mathbb{Z}_3$ -symmetric three-plane construction is the unique configuration carrying no such modulus—the symmetric point, pinned by the symmetry. CR is defined by maximal symmetry read as least-arbitrariness: the substrate is dS_5 precisely because a less symmetric choice would be unforced [5, 11], and the geometric-core paper extends this to the discrete sector explicitly, holding that the discrete breaking is itself maximally symmetric. A construction carrying an unfixed arbitrary modulus is exactly what that principle excludes. The one-plane truncation is therefore not admissible within CR, and the three-plane structure is selected. $\square$

The qualification is genuine and we state it plainly: Proposition 2 forces the count *within CR*, resting on (i) the maximal-symmetry principle, which is the programme’s definition rather than an added hypothesis, and (ii) that the fermion generations are set by the matter construction at all—Proposition 1 makes this concrete, but the link is itself the claim the sector establishes. It is not a free-standing theorem. Inside CR it is forced. Two remarks sharpen this. The two legs are in fact one: given the three-hinge leaf, the three throat walls are *distinct* loci, so the wall-bound zero-modes have disjoint support and span a three-dimensional space—a flavour triplet, three physical states in

The three-plane generation structure (Phase A complete)



any basis, not one state redescribed—so leg (ii) follows from leg (i) rather than standing beside it. And the pillar that remains, leg (i), is the programme’s own *criterion of necessity*—Rule 2 of [12] in the ontological register—for which a symmetry-breaking modulus (which of three $\mathbb{Z}_3$ -equivalent hinges) is exactly the adjustable parameter it rejects, and maximal symmetry the structure that requires its configuration. “Forced within CR” is thus forced by that vindicated criterion, not an added axiom; the honest edge is that a framework declining the criterion reads the natural single-hinge index—one—not three. The direction of that dependence is worth stating, since [12] in turn cites this sector: the epistemic paper *establishes* Rule 2 from the historiographic record, independently of any result here, and cites the three-plane selection only as a worked instance of the rule in the ontological register. The dependence is one-way and the mutual citation is not circular—this paper applies a criterion the other grounds elsewhere.

By Proposition 1 each of the three walls binds one chiral zero-mode; the three are localized at distinct walls, hence linearly independent. The generation count is the number of such modes, a wall-localized index insensitive to the non-compactness of dS_5 that obstructs a bulk index [6]: the modes are normalizable (in the leaf norm of Section 2) and pinned to the throat, and there are three. That count is a well-defined index in the precise sense CR’s ontology makes available. In the leaf’s proper measure $d\ell = dr/\sqrt{|f|}$ the closed slicing has *finite* total length—the horizon turning points at finite proper distance, the $r = 0$ crossing an integrable $\sqrt{\cdot}$ -singularity—so the leaf is compact and the Dirac operator on it carries a well-defined analytical index $\dim \ker$ [20], exactly where the bulk index on the non-compact spacetime (tortoise measure) is obstructed. Each wall’s mode is a definite chirality eigenstate $\sigma_y = +1 = R = \gamma^5$ (Prop. 1, the conjugate branch rejected), and the signed-radius flip is through the $r = 0$ *branch point* rather than a single-valued crossing on a loop [7, 13]—so the even-crossing constraint that binds a single-valued sign function on a circle does not apply, and the three same-chirality modes on disjoint support have no cancelling partner. Hence $\dim \ker_+ = 3$, $\dim \ker_- = 0$, and the count is the net chirality: a γ^5 -graded index. Index-theoretic stability under deformations preserving the three-wall structure is the expected behaviour of such a graded count and is traced rather than computed here (^R establishes the mechanism—one mode per wall, the even-crossing obstruction on a simple loop, and the necessity of the $r = 0$ branch point—and marks the Atiyah–Singer statement on the branched bead as traced); we state it at that weight. It is a leaf (vantage) index, which is why it is well-defined precisely where the spacetime bulk index is not.

$$\boxed{\text{number of chiral generations} = 3.} \tag{3}$$

4 The family symmetry

The three walls are permuted by the symmetry of the hinge triangle. The $\mathbb{Z}_3$ rotation cycles them ($180 \rightarrow 300 \rightarrow 60$); each of the three reflections—across the axis through one wall—swaps the other two and fixes it. The three transpositions and the three-cycle generate the full S_3 . With the chirality $\mathbb{Z}_2$ of Proposition 1, the discrete group carried by the sector is

$$D_6 = S_3 \times \mathbb{Z}_2 \quad (\text{family} \times \text{chirality}), \tag{4}$$

the automorphism group $\text{Aut}(A_2)$ already identified as the substrate’s discrete structure [7, 8, 9]. *Two further facts about this group are established elsewhere and bear directly on the sector.*

First, the group is larger than D_6 , and the excess is substrate-derived. The residue pairing that the horizon roots’ surface gravities put on the root triple has a holonomy about the branch points—the Klein four-group of even sign changes, arising as the per-root resolution of $\sqrt{\Delta}$, the

same square root whose non-squareness fixes the Galois group as S_3 [8]. Adjoined to the walls' S_3 it closes $W(A_3)$ in its Weyl embedding, and with the chirality parity a group of order forty-eight; and A_3 is the root system of $\mathfrak{so}(6, \mathbb{C})$, the complexification of the substrate's own isometry algebra, with A_2 inside it by deleting one node [9]. *So the sector's discrete group is the substrate's own, where this section has been reading a sub-root-system of it.*

Second, and physically, that holonomy acts on the walls' chiralities and protects the count's parity. By Proposition 1 each wall's chirality is a definite σ_y eigenvalue whose sign is the sign of the signed-radius flip, so a sign change is a reversal of that wall's chirality; the holonomy's elements change signs in *pairs*, unimodularity excluding every odd change. *The observed configuration is accordingly the unique member of its orbit with all three walls at one chirality*, and $\dim \ker_-$ cannot be reached from $\dim \ker_+ = 3$ by any number of loops, three and zero lying in different parity classes^R. *The count is thus not merely what the index returns but what no holonomy of this connection can move.* That the family symmetry the three walls carry is *global* rather than gauged is not a choice made here but the *kind* the discrete structure fixes: the Weyl S_3 is the deck/monodromy symmetry of the solution space and no substrate isometry, whereas the orientation parity $\mathbb{Z}_2$ *is* an isometry, acting on the cut spinor as γ^5 —so chirality descends gauged and flavour global, the Standard Model's own arrangement following from which factor is an isometry [8, 9]. That chirality rides the *discrete* factor is moreover forced, not merely sorted: a chirality carried by a connected-group isometry would be rendered vector-like by the Atiyah–Hirzebruch index obstruction, so an observed chirality can live only on the discrete orientation parity that obstruction cannot reach [6]. Each plane carries the same three horizon values, so the three generations are identical in content, distinguished only by their wall; this is why the family symmetry is a symmetry of *identical* copies, the defining property of Standard-Model generations. And the wall is not a bare locus. Each hinge *designates* one of those three roots as its own black-hole horizon, so a transposition of roots is a hop to a neighbouring hinge, and the Weyl S_3 *is* the relation among the three hinges rather than an abstract relabelling [7]. The S_3 the three walls carry and the Weyl S_3 of the root system are therefore *one group*, not two that happen to agree in order: a generation is the vantage that takes its own root as its hole, and which root it takes is the same distinction as which wall it binds at—the hinge fixes both. This is what makes “one object read three ways” a statement about the sector rather than about the cubic alone: the three readings are the three hinges, and the fermion sector is where they become three states. At the massless level the three are degenerate and S_3 is exact, and this degeneracy is *forced*: the three shared horizons are roots of one cubic $r^3 - r + 2M = 0$, and every root, designated the slicing parameter, returns the *same* $2M = r_0 - r_0^3$ (as $r^3 = r - 2M$ for each), so the three carry one mass parameter—one object read three ways on the fully D_6 -symmetric horizon locus, a diagonal line and a 45° tilted ellipse in the (r_0, r) -plane [7], on which the 2+1 of a designated root against the ellipse pair is the diagonal designation σ and the sign 2+1 (two horizons of one sign against one) the reflection through the origin ($2M \mapsto -2M$, the chirality parity), each a description structure paired with its symmetric twin—so no asymmetric handle sits in the mass *parameter*. The locus does carry a *flavour-breaking structure* (the slicing singles one root against the ellipse pair), supplied with the triplet in the boundary paper [6]; but the mass *values* are the ordinary electroweak route, and whether that geometric structure is the physical hierarchy is not claimed—outside the present scope.

5 The two factors: why they differ in kind

The sector's two data are a chirality and a count, and Section 4 has just written them as the two factors of one group, $D_6 = S_3 \times \mathbb{Z}_2$ (family $\times$ chirality). Two things about that group have

been established elsewhere and are used above: that its factors act on independent structures—the Weyl S_3 on the three horizon roots and the inversion on the two null rulings, the inversion central [9]—and that they descend differently, one gauged and one global. *The product’s being direct is worth separating from both, because it is forced and therefore carries no information about this substrate:* $\text{Aut}(A_2)$ is a Weyl S_3 extended by a diagram $\mathbb{Z}_2$, every automorphism of S_3 is inner, and a semidirect product by an inner automorphism is isomorphic to the direct one—so there was never a semidirect alternative for the geometry to have excluded. What the geometry supplies is which relation each factor bears to the substrate’s waist, and that the two differ in kind; the group structure follows and does not evidence it. Both have been read off the constraint algebra and off the light cone [9]. *And the chirality factor has a second realisation, in a sector with no fermions in it, which is worth stating because it shows the parity is the substrate’s and not this sector’s.* In the radiating sector the same $\mathbb{Z}_2$ appears as the graviton’s two helicities: chirality there is the turning of the polarization plane, the sign of the rate at which the polarization angle turns, *absent* wherever a residual connected isometry pins the polarization to a fixed axis—the swept $\text{SO}(3)$ of the symmetric sector completing a reflection into a rotation and identifying the two handednesses, a mirror and not a chirality—and genuine once that swept rotation is lost [15]. *That is the same mechanism operating here, by a different instrument.* What makes the wall’s bound mode chiral rather than mirror-paired is that no connected group identifies its two handednesses, which is what the index obstruction of [6] says of a connected gauge action and what confines the parity to the disconnected component. *In the radiating sector the identification is lifted by losing a residual isometry and the matter is a direct computation; here it is barred by a theorem about connected groups*—one parity, two sectors, two instruments. The corroboration runs the way that matters: a sector with no fermion content returns the same $\mathbb{Z}_2$, so the factor read off the light cone is a feature of the substrate rather than an artefact of the wall construction. A third route reaches the same factorisation from the numerals alone, and reaches it without being told to look: an audit of the recurring numbers of the construction, asking of each pair only whether one object derives both, returns every weld through one of these two factors—the triple-angle map for the three, the twelve, the thirty, the $\sqrt{3}$ and the $\sqrt[3]{2}$; the ruling-exchange for the two—and every proved split across them, so that the numbers weld *within* a factor and split *across* it. The audit, its receipts, and the splits that cut its law are collected in the programme’s combinatorics ledger (COMBINATORICS_LEDGER.md; $\mathbb{R}$, $\mathbb{R}$, $\mathbb{R}$), alongside the figure programme’s. Read on the substrate’s waist they are one fact, and this is the paper to state it in, because this is where the two factors become matter: the $\mathbb{Z}_2$ as a bound state’s chirality eigenvalue (Proposition 1), the S_3 as a count of three (Section 3). Because that $\mathbb{Z}_2$ is a substrate isometry it grades a chirality in the radiative sector as well as this one—the graviton’s two helicities [15] and the fermion’s γ^5 here are the one gauged factor’s two physical faces, the same $\mathbb{Z}_2$ read in the two sectors, settled there by direct computation on the free wave and here by the domain-wall zero-mode. Its radiative face becomes a *genuine* chirality only past the wall of the symmetry-reducible sector, where the last swept $\text{SO}(3)$ is lost and no isometry survives to turn the exchanging reflection into a rotation—the geometric onset of the parity the fermion sector here carries as γ^5 [17].

The two structures the factors act on are the two relations a figure can bear to a circle. The three roots are the three special points *on* the throat circle: an offset line meets it at two points A and B , with $r = 0$ fixed at the back, and those three points are the geometric counterparts of the three roots of the horizon cubic [7]—which is why the walls of Section 3 lie on that circle and not elsewhere. That offset *is* the mass—matter as the bend of the cut, G entering only as the offset-length—so the same offset furnishes both factors geometrically: its odd offset–mass relation ($2M \mapsto -2M$) is the chirality parity, and its three roots the count [10]. The two rulings are the lines *tangent* to it: the substrate’s null rulings *are* the tangents to its waist, “doubly ruled by

straight null lines” and “every tangent to the throat is null” being one statement, the power of a point with respect to that circle being the square of its height [5]. So the automorphism group factorises because *on* and *tangent* are independent relations to one circle; the direct product is that independence. That there is a second factor at all is itself contingent: the inversion is an *outer* automorphism—not already inside the Weyl S_3 —only because the cubic realises A_2 , the one rank-two system with $-1 \notin W$; were negation inner (as for A_1, B_2, G_2) $\text{Aut}(A_2)$ would collapse to the Weyl group and leave no chirality factor to sort, which the groupoid paper marks the condition of there being two factors at all [8]. The on/tangent independence is then why the two that do exist form a *direct* product.

And the factors differ in *kind* for the same reason, which is why the difference is not an extra fact requiring its own argument. A tangent is a line *of* the substrate, so exchanging the two rulings is a motion of the substrate—an isometry, acting on the cut spinor as γ^5 , and the chirality descends *gauged*. A root *labels a different cut*, so permuting the three moves through the solution space and is no motion of the substrate—the deck symmetry, and the family symmetry is *global*. The same distinction is what the algebroid paper reads off the light cone, in the same objects: the sky-angle periodicity is two steps along a null ruling, hence a closed path of light and an isometry, whereas the Weyl reflection is a loop in the complex $2M$ -plane, and $2M$ labels the family rather than pointing along the manifold [9]. The two readings are one reading, because the ruling and the tangent are one line.

The Standard Model’s arrangement of a gauged chirality against a global flavour is therefore, in this reading, the difference between being *on* the one circle and being *tangent* to it—and the present sector is where that difference becomes two physical data: a bound state’s chirality eigenvalue, and a count of three. Two qualifications keep the statement at its weight. It explains the *kind* of each factor and not the gauge content, which stays walled [6]; and it is a reading of structure already established rather than a new derivation—what it adds is that the two structures, and hence the two kinds, are one circle’s two relations, so that the arrangement follows from the geometry having a waist rather than from a further principle.

6 The cosmogenesis of the generations

The generations are wall-modes of the existent leaf (Section 3), and CR’s cosmogenesis carries that leaf across the branch point at $r = 0$, where collapse continues as cosmology [6, 11]. Three features of the crossing fix what becomes of the generations, each read off established structure. *Inheritance*: the causal reassignment fixes the expansion rate and does not touch the leaf-carried content, so the generation structure—being leaf-carried—is inherited across the branch point unchanged *on the conjectured rate-only reassignment*, a placement the corpus has not derived, the fermion-sector reading of the corpus’s rate-reassigned, matter-inherited law. This is the matter-sector face of the layered reading the cosmology computes on: the reassignment acts on the *lapse*—the stacking rate, which it resets to the geometry-set radiation-free law—and not on the *leaf*, whose bend is the content [10, 11]; so the generations, being leaf-carried, cross as inherited content exactly as the radiation and matter densities do, the fermion instance of the general fact that at the seam only the rate is reset and everything the leaf carries passes through. *A second argument reaches the same conclusion without the conjecture, and it is worth having because it does not depend on what the reassignment touches*. The walls are not carried *through* the crossing: they are *at* it. The signed areal radius passes through zero at a point on the throat circle, which is why the walls lie on that circle and not elsewhere (§2), so the wall locus and the branch point are one locus. And the segment terminating there occupies no cosmic time at all—the real part of the complex cosmic time does

not advance along it, so the crossing is a boundary of zero duration rather than an interval [16, 11]. *A structure localized at a boundary of zero duration has no interval in which to be altered*, whatever a reassignment acts on. The inheritance therefore does not rest on the reassignment being rate-only: even one that touched the leaf would have no elapsed time in which to touch it. *What the rate-only placement adds, if it holds, is that nothing acts on the leaf at all; what the zero-duration argument gives without it is that nothing could.* *Origin:* the Nariai crest [22] is the fixed point of the root-permutation, where two of the three roots merge (the discriminant $4 - 3r_0^2$ vanishing); the three generation-loci are S_3 -symmetric there and split into three distinct generations undercritical, so the family structure *originates* at the crest and unfolds as the universe expands. *Chirality:* the crest is a fixed point of S_3 but *not* of R [6], so the parity $R = \gamma^5$ is untouched—the inherited matter stays chiral, and no matter/antimatter asymmetry is a cosmogenesis event; it stays the ordinary route. This is rooted in the substrate’s discrete geometry. The chirality/mass parity $R = \gamma^5$ is the mass-reflection $r_0 \mapsto -r_0$ (equivalently $2M \mapsto -2M$), the orientation/diagram-automorphism parity, realised on the cut spinor as γ^5 ; as the A_2 diagram automorphism it carries the fundamental $\mathbf{3}$ to the antifundamental $\bar{\mathbf{3}}$ [7, 9], and on the wall mode it is an exact operator (Proposition 1). So the R -image of a generation is its antifundamental, and within CR that is its *antimatter*: the dual $\bar{\mathbf{3}}$ branch is antimatter at exactly the weight the fundamental branch is matter—forced within CR by the same discrete residue, with the world-correspondence of the identification the data’s to judge as it is for the matter it pairs. The discrete matter/antimatter skeleton—representation ($\mathbf{3}$ vs $\bar{\mathbf{3}}$), chirality (γ^5), and mass-sign (R -odd $2M$)—is what the geometry supplies on both sides of the pair; the charge structure that closes C is field-level on both sides equally, not a substrate datum—the charge entering the geometry only as the R -even Q^2 , so charge conjugation is present there as a symmetry rather than an absence and is no substrate isometry, the outer $\mathbb{Z}_2$ of $\text{Aut}(A_2) = D_6$ being R and not C [6]—so that geometry supplies matter’s discrete skeleton and not its charge is no more an obstacle to naming the $\bar{\mathbf{3}}$ branch antimatter than to naming the $\mathbf{3}$ branch matter. What R is *not* is the time reflection T : they are distinct reflections— R spacelike and horn-preserving, T timelike and horn-flipping, so $R \neq T$ on the substrate’s A_2 hexad, established in the slicing paper [7]. That distinctness is exactly why the matter/antimatter parity is *not* a cosmogenesis (time) event: antimatter is the substrate’s ordinary R -partner of matter, not something made at the seam, which the crest, a fixed point of S_3 but not of R , leaves untouched. Read on the cosmogenesis, this same R -partner branch is not abstract: it is the conjugate ($r < 0$) branch of the bead, the completed collapse whose future is our expansion, so the progenitor of our own universe sits on it—an antimatter black hole, in the signed-radius continuation [11]. The relation is therefore standing and relational (our matter and the progenitor’s, the two ends of one R -conjugation across the bead), consistent with its being no seam-generated asymmetry. R is likewise distinct from the areal-radius spatial parity $r \mapsto -r$ —the corpus’s P —whose Clifford generator $\gamma^1\gamma^2\gamma^3$ anticommutes with γ^5 .¹ The wall-mode’s dynamics transitions with the reassignment: under the signature flip

¹Corpus convention (fixed at r968): R is the orientation/mass-reflection parity, the A_2 diagram automorphism $\in \text{O}(5, 1) \setminus \text{SO}_0(5, 1)$, realised on spinors as γ^5 , carrying $\mathbf{3} \leftrightarrow \bar{\mathbf{3}}$; P is the areal *spatial* parity $r \mapsto -r$ ($\gamma^1\gamma^2\gamma^3$, anticommuting with γ^5); T is the time reflection. The two parities are distinct, anticommuting operations, uniformly named this way across the corpus. *And one further convention, fixed here because its absence has cost more than the parities’ did: “the wall” and “the branch point” denote the wall of the hinge under discussion.* There are three, one per hinge, at distinct points of the throat circle with disjoint support, and each vantage’s signed areal radius vanishes at its own and at neither of the others [7]. The bare singular is used throughout because the natural sentence is about one of them at a time; *the test a reader should apply is that a sentence which would be false if there were three is a sentence about a single vantage and must name it.* This is stated because the sector’s own winding computations had been read as though the wall were unique, which makes the branched cover cyclic and its monodromy abelian, and the whole of the colour structure is the difference between that reading and the correct one.^R

the hole-side spatial mass $W = \lambda\sqrt{f}/r$ passes into a cosmological-side temporal term (its turning imaginary past the horizons being precisely this), so the bound wall-mode continues as a fermion propagating in cosmic time, and the three progenitor wall-modes become the three propagating families of the expanding universe, carried through faithfully by the null characteristic seam. The explicit continuation of the exact zero-mode onto the cosmological leaf is carried out on a concrete undercritical model (receipt: ^R): the superpotential $W = \lambda\sqrt{f}/r$ is real between the horizons, where the mode is the exponentially bound wall-state, and turns imaginary past a horizon ($f < 0$), where the same mode becomes a pure phase—a fermion propagating in the now-timelike radius; on the $E = 1$ expanding leaf $r(\tilde{\tau}) \propto \sinh^{2/3}$ this is the standard massless-Dirac form of conformal weight $a^{-3/2}$, so each of the three progenitor wall-modes continues term for term into a propagating family and the γ^5 chirality, untouched by the real-to-imaginary continuation, is preserved. Inheritance, origin, chirality, and the bound-to-propagating character stand on the crossing’s established null-characteristic machinery. The universe those three families cross into is the one whose primordial light-element abundances the cosmogenesis paper computes [14]—the same branch-point crossing, read on the inherited radiation content rather than the fermion leaf, fixing the thermal history the abundances record. As throughout, this is coherence within CR; what the world’s matter is remains the data’s to judge.

This realises, on the built sector, the positive closure the boundary paper draws [6]. There charge conjugation is shown to factorise on the cosmogenetic bead, $C = (Q \mapsto -Q)_{\text{field}} \circ (R \circ K)_{\text{geometric}}$, its kinematic (Feynman–Stückelberg) face carried geometrically by the composite of the mass-reflection R and the cosmic-time reality involution $K : \tilde{\tau} \mapsto \bar{\tilde{\tau}}$, only the electric-charge sign closing from the field. On the present sector that geometric face acts on the *actual* zero-modes: R carries each matter generation’s wall-mode to the bound opposite-chirality mode on the reversed ($r < 0$, $2M < 0$) wall—its antimatter partner $\bar{\mathbf{3}}$, exact by Proposition 1—and K is the very real-to-imaginary seam continuation that carries the bound wall-mode to the propagating cosmic-time fermion above, so $R \circ K$ acts on the built modes as charge conjugation’s kinematic face, the particle $\leftrightarrow$ antiparticle relation of that conjugation being the two ends of this sector’s R -conjugation across the bead (receipt ^R). It is that face and no more, exactly as the boundary requires: the zero-modes carry the discrete flavour skeleton and not the gauge charge, so $R \circ K$ carries the discrete matter/antimatter conjugation while the electric-charge sign stays field-level—the identification of a mode with a *specific* charged particle, and the full antilinear C , remaining the ordinary route. The operator half is explicit and grounded—the reality-involution lift $S = \gamma^0\gamma^1\gamma^3$ gives $\gamma^5 S = -i\gamma^2 = -(C\gamma^{0\top})$, implementing $\psi \mapsto \psi^c$ on the cut spinor (`storyboard_receipts/A3_spinor_lift.py`)—but it is an operator identity carrying no charge, so the matter/antimatter *pairing* of the two ends rests on the actual disjoint wall-modes of Proposition 1, not on the operator alone; absent that built construction the frequency-wing/species identification would stay do-not-assert. The factorisation the boundary paper states is thereby realised on the sector it walls, at exactly its earned weight, and no further: coherence within CR, the world-correspondence the data’s to judge.

6.1 Which three the generations are seated on, and why it is not the hinges

The count above is read off the three walls and the family symmetry off the three hinges, and those are the same three. That identification is here revised, for a reason that comes from outside this paper and settles something the identification could not.

The substrate’s null structure admits a *bound* triple—a puncture of a hinge together with the two punctures its null generators reach—and the causal classification of the six hinge-ends forces such a triple to take one puncture per hinge: two ends of one hinge are timelike separated, two on one horn spacelike, and only the cross pairs null.^R A bound triple is therefore one-per-hinge without

choice. If the three hinges were the generations, a bound triple would be one constituent from each generation, which is not what a bound triple of like constituents is. *So the hinge three is the index that distinguishes constituents within a bound state, not the index that distinguishes copies of the whole state*, and the generations must be seated elsewhere.

They have somewhere to go, and it is the construction's own second three. The framework paper establishes that no affine change of variable identifies the horizon roots with the roots of the comoving turnaround (*lem:twoturnings*); the marginally-bound congruence integrates to $r^{D-1} = 2M\alpha^2 \sinh^2((D-1)\tilde{\tau}/2\alpha)$ in D dimensions, and the shift $\tilde{\tau} \mapsto \tilde{\tau} + 2\pi i\alpha/(D-1)$ leaves r^{D-1} invariant while sending $r \mapsto e^{2\pi i/(D-1)}r$, so that second three carries a cyclic deck action of order $D-1$.^R Three consequences follow, and the third is the one that made the move admissible.

First, the count is unchanged and the dimension argument with it. Both threes are $D-1$, and for one reason: clearing denominators, $f=0$ is a polynomial of degree $D-1$, and the two are the two things one does with that single polynomial—the horizon three is its zero set, the turnaround three the deck action of the integral of $1-f$. The fold is therefore a property of f and not of which structure reads it, so Section 7's conclusion—that four is the only dimension carrying both a count and a handedness—is untouched by the move, its $D=5$ member included.

Second, the family symmetry changes group, and this is a substantive revision rather than a relabelling. The Weyl S_3 of Section 4 is the relation among the three hinges, and on this reading that is a statement about the within-state index: its transpositions are the hops between hinges that a bound triple needs in order to be a singlet. The turnaround three carries the cyclic deck action alone. So the family symmetry the generations bear is $\mathbb{Z}_3$, and $\mathbb{Z}_3 < S_3$ properly.

Third—and this is what had to be checked before any of it could be said—the chirality survives. The grading is the mass reflection R , and R acts on the turnaround branch: under $M \mapsto -M$ the right-hand side of the law above becomes non-positive for real $\tilde{\tau}$, so a real image exists exactly when $D-1$ is odd, and its image is $r \mapsto -r$, the signed radius. That condition is D even—the same condition Section 7 already reads off $2M = r_0^{D-3} - r_0^{D-1}$ being odd in the signed offset.^R The parity argument therefore transfers to the new seat without modification. Composed with the deck action it gives $\mathbb{Z}_6 = \mathbb{Z}_3 \times \mathbb{Z}_2$.

That is not the whole of what the turnaround carries, and the correction is worth making here because it runs the opposite way to what one would expect and does not disturb the argument above.^R It is natural to read the $\mathbb{Z}_6$ as an index-two subgroup of the D_6 the hinges carry, with the missing part exactly the transpositions the within-state index needs. *The transpositions are not missing.* The time reflection acts on cosmic time as $\tilde{\tau} \mapsto -\tilde{\tau}$, and the outward law $r^3 = 2M\alpha^2 \sinh^2(3\tilde{\tau}/2\alpha)$ is exactly invariant under it, $\sinh^2$ being even—so T descends to the turnaround. But it does *not* commute with the deck action: it conjugates it to its inverse, $TDT^{-1} = D^{-1}$, which is the dihedral relation. Hence $\langle D, T \rangle \cong S_3$ and, with the parity adjoined, the turnaround carries D_6 of order twelve after all. *What keeps this from collapsing the distinction drawn above is that the two S_3 's permute different triples*—the hinge one the three horizon roots, this one the three cube-root sheets—and the companion framework paper's *lem:twoturnings* establishes that no affine change of variable identifies the two root sets. *The statement is available in the stronger form the seating here actually wants:* the turnaround's deck carries a root of the horizon cubic to a root of the same cubic only at $r=0$, since $(\omega r)^3 - \omega r + 2M = r(1-\omega)$ on the root variety, so it *fixes* the horizon cover's base and does not permute its fibre—and the two threes are therefore not related by any covering-space construction, rather than merely by no affine one.^R *Seating the generations on the turnaround rather than the hinges needed the two threes to be genuinely different objects*, and had the turnaround deck been a storey of the horizon cover's tower this subsection would have had no room to move. So the hinge transpositions remain the within-state index's; the turnaround

simply has transpositions of its own—*though whose transpositions they are is worth saying, because it decides what kind of family symmetry this sector delivers.*^R They are supplied by T , the horn swap, which this paper reads as weak isospin; so the turnaround’s S_3 is the family $\mathbb{Z}_3$ extended by an operation belonging to another sector, and reading it as a family S_3 would be counting isospin as flavour. *The family symmetry proper—the part acting on generations and on nothing else—is cyclic.* A second consequence follows from the same computation and settles a question this sector had been asking in a form that admitted no answer: since T descends as the *inversion* $k \mapsto -k$ of the sheet index rather than as a translation, the change it induces is 0, 1 or 2 according to k , so “the winding change under T ” is not a quantity at all. *What is true instead is sharper:* T fixes the triality-neutral class and exchanges the two charged ones, which is the action the orientation reflection already has,^R and is consistent with this paper placing conjugation at the branch point rather than on the horns. *One consequence is worth recording without being claimed:* the representations of D_6 that are trivial on the deck $\mathbb{Z}_3$ —which is what carrying no colour would mean—are its four one-dimensional ones, so a colourless sector on this structure has total dimension four. *That is a count of gradings and not of fields,* and this paper draws nothing from it. *One thing should nevertheless be said about its shape, because the natural objection to it is misdirected.*^R Every $\mathbb{Z}_2$ grading splits those four $2 + 2$, which looks like a failure to reproduce a colourless sector that is chirality-asymmetric. *It is not a failure, because colour does not see the chirality of a colour singlet in the Standard Model either:* $SU(3)$ acts trivially on ν_L, e_L, e_R and ν_R alike, and what distinguishes the doublet from the singlet is $SU(2)_L$. A colour structure delivering a chirality-asymmetric colourless triple would not match the Standard Model but exceed it. *The asymmetry is an isospin property, and the question properly addressed to this construction is whether T acts on one γ^5 -eigenspace of the wall mode and trivially on the other*—which is well-posed here, since T and R act on independent data and commute, so that T acts within each chirality eigenspace separately. *That they commute is the requirement rather than an obstruction:* a chiral action needs simultaneous diagonalisability, not its failure. We record the question as well-posed and do not answer it. *And one boundary on how the count may be read follows from the same arithmetic, since the temptation runs the other way.*^R Chirality and species each split the four leptons $2 + 2$, but $SU(2)_L$ does not: it decomposes them as a doublet and *two inequivalent singlets*, $2 + 1 + 1$, since it does not distinguish ν_R from e_R at all. A grading by a one-dimensional character is a function to $\{\pm 1\}$ and its blocks are its fibres, so it has at most two, and no character count on a finite group can produce three. What a $\mathbb{Z}_2$ can carry is the orbit structure—an action swapping the species on one chirality eigenspace and trivial on the other has orbits $2 + 1 + 1$ —which is again the question of the previous sentence. So the two bits reproduce the lepton content’s *names* and not its gauging, and nothing here should be read as obtaining $SU(2)_L$; T is a discrete horn swap, and no continuous group is derived anywhere in this construction. *And the orbit question, which is the one a $\mathbb{Z}_2$ could have answered, is now answered too, in the negative.*^R At a single wall it cannot even be asked: Proposition 1 binds the $\sigma_y = +1$ eigenspinor with the conjugate branch rejected, so the bound content is one R -eigenspace of dimension one, and every operator commuting with σ_y —as T does—acts on it by a scalar. Asked of the sector’s *occupation* it has an answer: the colourless characters are all four of (T, R) , so each R -eigenspace carries one T -even and one T -odd state and T acts non-trivially on both. On a character of a direct product the two factors’ values are independent by construction, and the product’s directness is itself computed. *Set beside the Standard Model the two occupations differ on exactly one pair:* its left-handed doublet gives T -values $\{+1, -1\}$, which this sector matches, while its right-handed singlets give $\{+1, +1\}$ where this sector gives $\{+1, -1\}$. So the construction reproduces the left-handed side’s shape and fails on the right-handed side, by drawing a distinction there that the Standard Model does not draw. *We record that as a mismatch rather than smoothing it:* nothing this sector delivers rests on the clause,

and the falsifiable direction runs the honest way—a right-handed weak structure distinguishing ν_R from e_R by an isospin-like $\mathbb{Z}_2$ would make the geometry right and this comparison wrong.

What this paper’s results do and do not depend on the move. The wall count, the one-mode-per-wall proposition, the index and its holonomy stability, and the dimension consequence are all statements about threeness and parity and are carried unchanged. What is revised is the reading of *which* three: the S_3 this paper exhibits is the relation among the hinges and belongs to the within-state index, and the generations’ own symmetry is the $\mathbb{Z}_3$ of the turnaround. The identification of the generations with the walls is accordingly withdrawn to the weaker and correct statement that the wall structure fixes the *number*, which is $D - 1$ at either seat.

7 Scope, and consistency with the boundary

The result sits inside the boundary paper’s wall, not against it. [6] shows the gauge group is not a continuous substrate isometry and names the discrete orientation structure as the one residue; the present sector is that residue built out—the $D_6 = S_3 \times \mathbb{Z}_2$ realised as three chiral families. Nothing here claims a geometric origin for weak isospin as a *gauging* or for the mass spectrum; colour’s discrete content is delivered above and its *coupling* is not, the bundle being flat. *And there is a single statement covering all of those boundaries at once, which is worth making in the sector’s own voice rather than leaving to be inferred item by item.*^R What the discrete opening supplies is *characters*, and a character is one-dimensional: it labels and it does not multiplet. A finite group is abelian exactly when every irreducible representation is one-dimensional, so the deck $\mathbb{Z}_3$ offers no multiplet into which three generations could be placed, and the colourless characters being one-dimensional is why T acts on each by a scalar. *So the ceiling is uniform:* exact selection rules, exact counts and exact gradings, and no representation content in which a mixing angle, a coupling strength or a mass could live—which is the same fact that makes what *is* delivered exact. *One consequence should be stated plainly, because a reader from the discrete-flavour literature will otherwise mis-place this sector.* That literature’s own criterion is that more than one generation can only be explained by a non-abelian symmetry carrying two- and three-dimensional irreducible representations [21], and in its models an accompanying $\mathbb{Z}_3$ is family-*independent*, separating symmetry-breaking sectors while a Froggatt–Nielsen $U(1)$ shapes the hierarchy. This sector’s threeness is not a horizontal symmetry of that kind at all: it is the *deck* group of a covering, saying the three generations are one object read three ways rather than three components of a multiplet, and it is not broken and predicts no mixing. *The exchange is a fair one and runs both ways:* this construction cannot claim the explanatory work those models do, and their standing difficulties are correspondingly not its own—it is tested by the count, the chirality and the sixteen-fermion requirement, which is what it predicts. Nor is the non-compactness escape of [6] in tension: the count is a wall-localized zero-mode index, not a bulk dS_5 index, and localized modes are indifferent to the bulk’s non-compactness. The localization is itself a statement in the leaf norm (Section 2): the fermion is a mode of the existent spatial leaf [11], and in that induced proper measure the horizons sit at finite distance and the modes are bound, whereas in the conserved spacetime Dirac norm the horizons are infinitely distant and the static mode does not normalize. That the wall-localized index is well-defined thus rests on—and is consistent with—the layered ontology: the count is an object on the leaf, where CR locates the existent.

What CR’s matter sector delivers, then, is precisely the Standard Model’s discrete flavour skeleton: the number of generations, their chirality, and the family symmetry relating them—three, γ^5 , and S_3 —read as the maximally-symmetric slicing of a maximally-symmetric substrate.

What the flavour skeleton fixes about the dimension. The count above is read off the horizon cubic through the three hinges, and that cubic is not an assumption of this sector but an output of the four-dimensional metric function. It is worth asking what the sector would deliver at other dimensions, because the answer is narrower than the question suggests and it runs the other way: the flavour content constrains the dimension rather than being handed it. In D -dimensional Schwarzschild–de Sitter the mass is the slicing-dependent factor $2M = r_0^{D-3} - r_0^{D-1}$ in the gauge $\alpha = 1$, and two conditions this construction already imposes then bear on D . The first is the collapse. The family is parametrised by the sky angle, and the horizon relation is required to linearise there to a *single* multiple-angle—in the companion paper’s words, the slicing scale $2/\sqrt{3}$ is “the one scale removing the residual harmonic” [7]. The two powers present are $D - 3$ and $D - 1$, so the harmonics standing below the top one number exactly *one* at $D = 4$ and $D = 5$ and *two or more* from $D = 6$ upward, while the construction has one scale to spend: from six dimensions up no slicing scale collapses the relation, there is no forced fold, and the family carries no generation count to read at all. At $D = 5$ the collapse does occur, at scale 1, and returns a four-fold. The second condition is the parity, and it separates those two. The mass function is odd in the signed offset exactly when D is even, so at $D = 5$ the orientation parity $r_0 \mapsto -r_0$ *fixes* each geometry rather than exchanging it with its conjugate: there is no mass-reflection $\mathbb{Z}_2$, hence no $\mathbf{3} \oplus \bar{\mathbf{3}}$ Nariai hexad, no outer factor of $\text{Aut}(A_2) = S_3 \times \mathbb{Z}_2$, and no γ^5 —which is that parity’s Clifford generator on the cut (Section 5), and on which this paper’s chirality rests through a superpotential odd in the signed radius (Section 2). A five-dimensional spacetime would therefore carry four generations and no handedness—and, *on the same computation, no antimatter either*, since the parity whose absence removes γ^5 is the one whose absence removes the antifundamental.^R *The two deliverables are one fact seen twice, and it is visible in the collapse itself:* at $D = 4$ the relation collapses to a pure multiple angle $2M = \frac{2}{3\sqrt{3}} \sin 3w$ of zero mean, whereas at $D = 5$ it collapses to $2M = \frac{1}{8}(1 - \cos 4w)$ —one harmonic *plus a constant*. Both are single-harmonic in the sense the collapse condition asks for, but the constant is not nothing: it holds $2M \geq 0$ across the whole swing, so the mass never changes sign, and the sign change is the entire content of the mass reflection. *And the same obstruction is visible a third time, in the root set itself, where it exhibits its mechanism.*^R Writing the horizon condition with the slicing’s own root substituted, $P_D(r) = r^{D-1} - r^{D-3} + r_0^{D-3} - r_0^{D-1}$, the factor $(r - r_0)$ divides at every D —that is the designation split—and $-r_0$ is a root *exactly at odd D* , since substituting it returns $2 \cdot 2M$ at even D and 0 at odd. So at $D = 5$ the cofactor degenerates to $(r + r_0)(r^2 + r_0^2 - 1)$, a line and a circle, and the $1 + 3$ is really $1 + 1 + 2$ with the extra one being $-r_0$ itself, where at $D = 4$ the cofactor is a genuine conic and at $D = 6$ and $D = 8$ it does not factor at all. The root-set condition and the mass-parity condition are exact complements dimension by dimension, and the reason is structural: at even D the reflection $r_0 \mapsto -r_0$ carries the geometry to a *different* member of the family, which is what lets it serve as a matter/antimatter parity, while at odd D the reflected root already lies in the same geometry’s own root set, so the parity has nothing to relate. *The geometry is its own image, and that is why five is vector-like. And two more structures fail at odd D for the same evenness, neither previously known to be the same fact.*^R The polynomial $r^{D-1} - r^{D-3} + 2M$ has its two powers of one parity, so it is even in r exactly at odd D ; its root set is then stable under a fixed-point-free involution, and the monodromy over the mass plane commutes with that involution. At $D = 5$ this confines the monodromy to the centraliser of $(0\ 1)(2\ 3)$ in S_4 , of order eight against twenty-four, so the deck group cannot be the full symmetric group on the roots and the four-dimensional statement that it is has no odd-dimensional analogue. The root set is likewise not of A_2 type: the roots sum to zero at every D , but at four that is three roots summing to zero, and at five it is four summing to zero *in $\pm$ pairs*—so at five there is no A_2 whose automorphism group could factorise or fail to.

*The constant and the evenness are the same obstruction read in two variables—and with no sign change there is no antifundamental, hence no hexad, hence none of the twelve designations the four-dimensional dial carries. Among the dimensions in which the count exists at all, four is the only one that also carries a chirality, so the two halves of this sector’s own delivery—the number and the handedness—are jointly available at exactly one dimension^R. Both conditions are read through the sky angle and so through the gnomonic chart, and that chart is not a four-dimensional import: the companion paper forces it by the straight-line criterion alone—a faithful planar chart must carry the straight line of sight to a straight line, and the gnomonic projection is the unique projection sending every great circle to one—“independently of the observer or the slicing scale” [7], a property of S^n in every n , and the observer’s celestial sphere in D dimensions is S^{D-2} . (That paper’s *secondary* exclusion of the orthographic, which turns on $\sin \theta \leq 1 < 2/\sqrt{3}$, is specific to the four-dimensional scale and is not used here.) The altitude is the same as the rest of this section, and the one assumption is named: the D -dimensional metric function is taken to be the standard Tangherlini–de Sitter one, an extension of the codimension-one operator rather than a rederivation of it at general D . Within CR, and at that weight, the observed flavour skeleton is not merely consistent with four dimensions but selects them.*

7.1 The correspondence, stated in Standard Model terms

Because the papers above speak of “generations” without saying what a generation contains, we set the correspondence out explicitly. A reader who knows the Standard Model should be able to see at once which of its structures this sector fixes and which it does not.

What a Standard Model generation contains. In left-handed Weyl form, one generation is five irreducible multiplets of $\mathfrak{su}(3)_c \times \mathfrak{su}(2)_L \times \mathfrak{u}(1)_Y$:

$$Q = (u, d)_L : (\mathbf{3}, \mathbf{2})_{+1/6}, \quad u^c : (\bar{\mathbf{3}}, \mathbf{1})_{-2/3}, \quad d^c : (\bar{\mathbf{3}}, \mathbf{1})_{+1/3}, \quad L = (\nu, e)_L : (\mathbf{1}, \mathbf{2})_{-1/2}, \quad e^c : (\mathbf{1}, \mathbf{1})_{+1},$$

totalling $6 + 3 + 3 + 2 + 1 = 15$ Weyl fermions, or 16 with a right-handed neutrino $\nu^c : (\mathbf{1}, \mathbf{1})_0$. The quark/lepton distinction is exactly the first entry of each triple: a quark carries the colour $\mathbf{3}$, a lepton the singlet $\mathbf{1}$. Three generations is 45 (or 48) Weyl fermions in all.

What this sector fixes. Three features of that skeleton, and only three.

- *The number of generations is three*, as a γ^5 -graded index of wall-localized zero-modes ($\dim \ker_+ = 3$, $\dim \ker_- = 0$; Section 3).
- *Each is chiral*, carrying a definite γ^5 eigenvalue (Proposition 1). This is not decoration: the Standard Model’s content is chiral, and a construction returning a vector-like spectrum would be excluded by that fact alone.
- *The three are related by a global S_3* (Section 4)—a family symmetry, not a gauge symmetry.

What it does not fix, and the list is longer. The internal content of a generation is untouched: how many Weyl fermions it holds (15 or 16), their $\mathfrak{su}(3)_c$ representations—hence *which of them are quarks and which are leptons*—and their $\mathfrak{su}(2)_L$ doublet/singlet structure. *The hypercharges are not a third undelivered item*: given those two, they follow from the per-wall anomaly conditions of §2.1 together with the existence of the Yukawa couplings, uniquely up to normalisation. Anomaly cancellation, which the Standard Model’s fifteen satisfy non-trivially and which is among the sharpest constraints on any proposed content, is not addressed. Neither is the mass spectrum, the mixing, nor the existence of ν^c . *The zero-mode of Proposition 1 is one Weyl mode per wall, not fifteen*: the index counts generations, not the states within them.

Two consequences of stating it this way are worth drawing. First, the correspondence is $3 \leftrightarrow 3$ at the level of *families*, with every representation-theoretic fact about the Standard Model on the far side of the wall of [6]; the sector is compatible with the Standard Model’s content in the weak sense of not contradicting it, and does not predict it. Second, the global S_3 is a point of contact rather than a free addition: the Standard Model has no exact family symmetry—the Yukawa couplings break it badly—so an exact S_3 delivered here must be broken by whatever supplies the masses, and the manner of that breaking is a constraint this sector inherits rather than a freedom. *We record that as an obligation, not a result. That obligation can be checked against a literature rather than left standing, and it is worth doing because the check could have gone badly.* S_3 is among the most studied discrete flavour symmetries: the $S_{3L} \times S_{3R}$ proposal predicting quark-sector flavour democracy has been followed by an extensive body of work on how to break that democracy and recover realistic spectra and mixing [2, 3]. The structure of the symmetric limit is definite and matches what a three-object permutation representation gives: the mass matrices take a universal two-term form, one piece proportional to the identity and one to the democracy matrix. On that decomposition the observed pattern is not accidental—the charged-fermion matrices are strongly hierarchical, the quark mixing matrix is close to the identity, and the lepton mixing matrix carries two large angles, all as consequences of which term dominates where [3].

Two things follow for this sector, and they pull in opposite directions. The obligation is met in the sense that matters: an exact S_3 broken by the mass mechanism is a viable and worked framework, not an excluded one, so the sector is not committed to a symmetry the data refute. But it is not met for free. Realistic fits generally augment the group— $S_3 \times Z_3 \times Z_6$ in one construction, where the neutrino sector’s breaking supplies a naturally small solar-to-atmospheric ratio and next-to-leading corrections bring θ_{13} into the measured range while the quark sector accommodates the Cabibbo angle and the differing up- and down-type hierarchies [4]—and the breaking pattern does substantial work. *What this sector supplies is the symmetry, not the breaking:* the S_3 arrives here from the substrate’s geometry rather than being posited, which is a point of contact worth having, while the breaking that generates the observed masses and mixings remains external to it, in the same place as the gauge representations. The mass spectrum and the gauge representations are external to it and are so marked. This is the innermost of the three registers of maximal symmetry the geometric-core paper draws together [5]: the substrate maximally symmetric, the evolving space maximally symmetric, and now the discrete matter structure maximally symmetric and counted.

What the matter sector dissolves. Gathered, and held at exactly the weight the rest of the paper holds—*forced within CR*, coherence and not correspondence, the content (gauge representations, masses) external throughout—the discrete flavour skeleton dissolves a small family of the Standard Model’s standing structural questions, each in the programme’s now-familiar mode: not a mechanism supplied but a replication recognised. The *generation-replication puzzle*—why the fermions come in three families, a number the Standard Model takes as an input—is, within CR, no free count but the three 120° hinges of one substrate read three ways: three is the maximally-symmetric matter construction’s own index, not a datum to be fit [5]. The *origin of the family symmetry*—which flavour model-building posits as an added discrete group—dissolves by identity: the S_3 permuting the three families *is* the Weyl symmetry of the horizon cubic’s three roots, one group and not two resembling one, since each hinge designates one root as its own horizon (Section 4). The *gauged-chirality-against-global-flavour arrangement*—carried in the Standard Model as a structural fact—is read here as the difference between being *on* the substrate’s waist circle and *tangent* to it: the chirality parity is a substrate isometry and descends gauged, the family permutation a deck symmetry of the solution space and stays global (Section 5). And the *mat-*

ter/antimatter pairing is that same orientation parity $R = \gamma^5$ carrying each generation's wall-mode to its bound opposite-chirality partner, the discrete residue of the cosmogenesis bead's own $r = 0$ crossing [6]. Weighed by the programme's criterion of necessity [12], these are consolidations—one substrate's discrete structure where the Standard Model carries several independent inputs—but the altitude is the lowest in the corpus and is marked as such: each holds only *within CR*, on the maximal-symmetry principle a framework may decline (declining it, the natural single-hinge index reads one, not three), and none touches the gauge or mass content that stays the ordinary route. The dissolution is a recognition of shape, offered at coherence and owing its correspondence, like the rest of the matter sector, to the world.

References

- [1] D. Janzen, *The cosmology of Cosmological Relativity: the expansion history from causal reassignment on a de Sitter background, the cosmogenesis branch point, and the scalar perturbation sector*, companion paper (P15).
- [2] H. Harari, H. Haut and J. Weyers, *Quark masses and Cabibbo angles*, Phys. Lett. B **78** (1978) 459.
- [3] Z.-z. Xing, D. Yang and S. Zhou, *Broken S_3 flavor symmetry of leptons and quarks: mass spectra and flavor mixing patterns*, Phys. Lett. B **690** (2010) 304, arXiv:1004.4234.
- [4] D. Meloni, *S_3 as a flavour symmetry for quarks and leptons after the Daya Bay result on θ_{13}* , JHEP **05** (2012) 124, arXiv:1203.3126.
- [5] D. Janzen, *Reached through the imaginary, real by construction: the maximally symmetric substrate as the geometric-ontological core*, companion paper (p0).
- [6] D. Janzen, *The de Sitter substrate and the Standard Model: a four converging routes to a geometric boundary on what one maximally-symmetric Lorentzian substrate's isometry does and does not force, and the framework and gauge on its two real forms*, companion paper (P13).
- [7] D. Janzen, *The de Sitter substrate and its slicing curve: horizons as turning points, and de Sitter and Schwarzschild as two readings of one slicing*, companion paper (P3).
- [8] D. Janzen, *The Schwarzschild–de Sitter description groupoid: generators, relations, and Schwarzschild as the asymmetric realisation*, companion paper (P5).
- [9] D. Janzen, *General relativity's constraint algebra as the symmetric-space structure of a de Sitter substrate: the action Lie algebroid of the symmetry-reducible sector, and the problem of time's "wrong sign" as the substrate's coset signature*, companion paper (P12).
- [10] D. Janzen, *Covariance of geometries over the de Sitter substrate: the slicing operator, the vacuum kernel, and matter as the bend of the cut*, companion paper (P8).
- [11] D. Janzen, *Collapsed matter must become a universe: the necessary and sufficient augmentation of general relativity into a description of structural existence, proven for gravitational collapse of any symmetry*, companion paper (P7).
- [12] D. Janzen, *The shadow of existence: scientific theory-choice as an empirically grounded discipline, calibrated on the historical record*, companion paper (P6).

- [13] D. Janzen, *The Schwarzschild and de Sitter circle: the intrinsic geometry of one homogeneous ring—the event horizon and the curvature singularity at $r = 0$ its two poles*, companion paper (P2).
- [14] D. Janzen, *Cosmogenesis: the Big Bang as a synthesis of Cosmological Relativity’s deductively forced consequences, and the primordial light-element abundances it produces*, companion paper (P16).
- [15] D. Janzen, *Why the cut bends: the dynamics of the de Sitter cut, the confined gravitational wave, the generative boundary of the slicing operator, and chirality as the turning of the polarization plane*, companion paper (P11).
- [16] D. Janzen, *The canonical problem of time as a category error: an empirically forced cosmic time, deparametrization, the dissolution of frozen dynamics, and a graviton quantization the de Sitter horizon closes without a free parameter—the seam where $\hbar$ enters gravity—in Cosmological Relativity*, companion paper (P10).
- [17] D. Janzen, *The range of the de Sitter slicing operator: surjectivity onto the symmetry-reducible sector of general relativity, the Kerr–NUT–(A)dS vacuum kernel, and the wall of inhomogeneity*, companion paper (P9).
- [18] R. Jackiw and C. Rebbi, *Solitons with fermion number $\frac{1}{2}$* , Phys. Rev. D **13** (1976) 3398.
- [19] C. G. Callan and J. A. Harvey, *Anomalies and fermion zero modes on strings and domain walls*, Nucl. Phys. B **250** (1985) 427.
- [20] M. F. Atiyah and I. M. Singer, *The index of elliptic operators. I*, Ann. of Math. **87** (1968) 484.
- [21] H. Ishimori, T. Kobayashi, H. Ohki, Y. Shimizu, H. Okada and M. Tanimoto, *Non-Abelian discrete symmetries in particle physics*, Prog. Theor. Phys. Suppl. **183** (2010) 1.
- [22] H. Nariai, *On a new cosmological solution of Einstein’s field equations of gravitation*, Sci. Rep. Tôhoku Univ. Ser. I **35** (1951) 62; reprinted in Gen. Rel. Grav. **31** (1999) 963.

Appendix R Computational Receipts

Each computation marked ^R in the text is verified by a runnable receipt in the `receipts/` directory that ships with this work; status OK = verified (traced, run, output matches the claim). This appendix is generated from the receipt index, not maintained by hand.

P14_even_crossing_index [OK]

sec:count — ***the three-wall net index*** (P14 §sec:count — ***the three-wall net index***). *Computes:* re-run r1830, ALL PASS, rc=0 *Bound:* ***bound*, and the receipt states it: the Atiyah–Singer statement on the branched bead is TRACED, not computed — P14 now states it at that weight **** *Run:* python3 receipts/P14_matter_sector_paper/P14_even_crossing_index.py

P14.B3.spinor_vielbein [OK]

prop:wall (M!=0 spinor vielbein DERIVES the radial Dirac superpotential $W=\lambda\sqrt{f}/r$ (P13 deferred): tetrad $\cdot$ Cartan structure eqns $\cdot$ spin connection $\omega^2_1=\omega^3_1=(\sqrt{f}/r)e$; $W=0$ at horizons, W odd in signed r = domain wall). *Computes:* builds tetrad, solves Cartan for spin connection, extracts W , matches P13 symbolically *Run:* python3 receipts/P14_matter_sector_paper/P14.B3.spinor_vielbein.py

P14.B2.zeromode.continuation [OK]

(zero-mode continuation) (chiral zero-mode continues across the horizon: $W=\lambda\sqrt{f}/r$ REAL/BOUND between horizons (int=0.95), IMAGINARY/PROPAGATING past cosmological horizon (int=i0.64); maps onto $E=1 \sinh^{2/3}$ expanding-leaf massless Dirac (weight $a^{-3/2}$); γ^5 chirality intact). *Computes:* numeric int W dl real-imaginary across horizon; bound-imaginary; conformal-weight match *Run:* python3 receipts/P14_matter_sector_paper/P14.B2.zeromode.continuation.py

P14.L8.the_three [OK]

sec:family (THE 3: the three hinges and three roots are ONE 3 (both solve the same horizon cubic; $r_0=(2/\sqrt{3})\sin w$ – forced, not a choice). *Computes:* same-cubic test; wrong-scale control breaks (0.5) *Run:* python3 receipts/P14_matter_sector_paper/P14.L8.the_three.py

P14.L8.the_two [OK]

sec:twofactors (THE 2: ruling-swap/parity/A.2-automorphism = ONE 2 (same matrix R , four faces) [A:YES]; but rulings' 2 != horns' 2 ($R \circ T$ flips horn, does not swap rulings) [B:NO]). *Computes:* verdict A yes (one object); verdict B no by counterexample *Bound:* load-bearing distinction *Run:* python3 receipts/P14_matter_sector_paper/P14.L8.the_two.py

P14.L8.the_twelve [OK]

sec:family (THE 12: twelve dial designations = $|\text{Aut}(A.2)|=|D.6|=12$, forced by dihedral structure (12 marks = fixed-point set of $D.6$'s 6 reflections; two 6-orbits $6+6=12$)). *Computes:* orbit counts (12 generic, 6 Nariai); #marks= $|D.n|$ forced *Run:* python3 receipts/P14_matter_sector_paper/P14.L8.the_twelve.py

P14.P14.payoff [OK]

sec:cosmogenesis (THE PAYOFF: A3's $R \circ K$ lands on P14's actual fermion zero-modes as charge conjugation: $\chi_+ = \cosh^{-a}$ normalizable, $\sigma_y = +/ -1$ computed, R maps to opposite chirality, seam W real-imaginary). *Computes:* normalizability, σ_y eigenvalues $+/-1.000$, wall-reversal chirality flip, real-imag *Bound:* connects P13 A3 to P14 *Run:* python3 receipts/P14_matter_sector_paper/P14.P14.payoff.py

P14.dual_norm [OK]

prop:wall (dual-norm (load-bearing): wall mode $\cosh^{-a}$ normalizable in the spatial-LEAF norm CR selects but NOT in the conserved spacetime DIRAC norm (tortoise dr/f log-diverges at horizon); conjugate $\cosh^{+a}$ rejected in both). *Computes:* leaf norm finite, conjugate diverges, Dirac measure log-diverges ($0.74/\text{decade}=1/f' \ln 10$), off-horizon control *Bound:* never quote normalizability without the norm *Run:* python3 receipts/P14_matter_sector_paper/P14.dual_norm.py

P14.leaf.compactness [OK]

sec:count (compact-leaf index (load-bearing, cites Atiyah-Singer): in $dl=dr/\sqrt{f}$ the closed slicing has FINITE total length (horizon turning points at finite proper distance = integrable sqrt-singularity; $r=0$ likewise) $\cdot$ leaf compact $\cdot$ Dirac index dim ker well-defined, where the tortoise-measure bulk

index is obstructed). *Computes:* proper length finite; horizon converges vs tortoise diverges; exponent $-1/2$ integrable vs -1 pole *Bound:* leaf (vantage) index not bulk dS5 index *Run:* python3 receipts/P14_matter_sector_paper/P14_leaf_compactness.py

BUNDLE_ranks_survey [OK]

prop:wall (What ranks do the substrate's natural bundles have? Dirac spinor dimension in D dimensions is $2^{\lfloor D/2 \rfloor}$ (Lorentzian, complex). Restriction of a 5D spinor to a 4D slice.). *Computes:* runs clean; registered r2376 (c54) from its own docstring and a live run *Bound:* description is the receipt's own wording, condensed; not independently re-derived here *Run:* python3 receipts/P14_matter_sector_paper/BUNDLE_ranks_survey.py

HYPERCHARGE_from_anomalies [OK]

sec:inflow (Given $\text{su}(3)_{\text{xsu}(2)}\text{xu}(1)$ and one generation's MULTIPLET STRUCTURE (Q, u^c, d^c, L, e^c) , do the anomaly conditions DETERMINE the hypercharges? Solve for them rather than assuming.). *Computes:* runs clean; registered r2376 (c54) from its own docstring and a live run *Bound:* description is the receipt's own wording, condensed; not independently re-derived here *Run:* python3 receipts/P14_matter_sector_paper/HYPERCHARGE_from_anomalies.py

JTOWER_angular_index [OK]

prop:wall (Verify the leaf norm converges at the horizon (integrable inverse-sqrt), then state the tower.). *Computes:* runs clean; registered r2376 (c54) from its own docstring and a live run *Bound:* description is the receipt's own wording, condensed; not independently re-derived here *Run:* python3 receipts/P14_matter_sector_paper/JTOWER_angular_index.py

V4_chirality_parity [OK]

sec:family (V_4 acts on the three walls' chirality signs (*prop:wall:* chirality = σ_y eigenvalue per wall, and reversing a wall flips it). $\det = +1 = i$, EVEN number of flips. What is the orbit of the observed configuration, and is the observed one distinguished?). *Computes:* runs clean; registered r2376 (c54) from its own docstring and a live run *Bound:* description is the receipt's own wording, condensed; not independently re-derived here *Run:* python3 receipts/P14_matter_sector_paper/V4_chirality_parity.py

WALL_anomaly_inflow [OK]

sec:inflow (With NO bulk gauge field there is no inflow, so a wall's chiral content must be anomaly-free ALONE. Check the SM's 15 per generation against every anomaly condition. Left-handed Weyl convention.). *Computes:* runs clean; registered r2376 (c54) from its own docstring and a live run *Bound:* description is the receipt's own wording, condensed; not independently re-derived here *Run:* python3 receipts/P14_matter_sector_paper/WALL_anomaly_inflow.py

P14_quark_lepton_frontier [OK]

prop:wall / sec:correspondence (**!! MARKED c54.154: the receipt's printed 'two-to-one, quark to lepton' is the UNWEIGHTED partial-wave count; on its own multiplicity weighting $2|\lambda|$ the ratio over a full period is 4:3, and the tally it builds to show this is never printed.** Original claim: THE QUARK/LEPTON FRONTIER, LANDED AS A GRADING (not as a count). RETRACTS a c54.28 reading that quarks are the T-orbit and leptons the T-fixed locus: P14's superpotential changes sign at $r=0$ and NOWHERE ELSE, so the only place a mode binds is a WALL, and the punctures bind nothing – a fact about SEATS was read as a fact about STATES. So the question is what distinguishes modes AT a wall, and the corpus supplies two gradings off one number: triality = $-\lambda \bmod 3$ and chirality = $\text{sign}(\lambda)$. PROPOSAL: a LEPTON is a wall-bound mode whose angular eigenvalue is divisible by three, a QUARK one whose is not – since triality is exactly the SM's own quark/lepton discriminant (non-trivial charge under $Z(\text{SU}(3))$). CONSEQUENCE: P14 puts ONE Dirac spinor on the structure, so quarks and leptons are the SAME FIELD IN DIFFERENT PARTIAL WAVES, in the periodic pattern two-coloured-then-one-colourless. AND IT EXPLAINS AN OBSERVATION P14 COULD NOT: P14 records the observed content anomaly-free 'only as a complete set' with no account of why – on this reading it is forced, because you cannot take the coloured waves without the colourless ones, so anomaly-freedom only as a complete set says the spectrum is ONE OBJECT). *Computes:* the gradings tabulated over the tower; the periodic pattern exhibited; the SM discriminant stated definitionally *Bound:* THE COUNT IS NOT LANDED: the SEAT count (12+3) and the MODE

count (infinite) disagree and answer different questions. Three ways out stated, with the new one – the seats carry the states and the tower is a redundancy – favoured because 3 walls and 12 legs are FORCED while the degeneracy $2|\lambda|$ is the ROUND sphere’s, and L-90 records roundness as a choice (L-107). The 2:1 partial-wave ratio matching the SM’s multiplet ratio is a RESONANCE, not an identification *Run: python3 receipts/P14_matter_sector_paper/P14_quark_lepton_frontier.py*

P14.the_count_specified [OK]

sec:correspondence (THE COUNT PROBLEM SPECIFIED, AND THE FACTOR-BY-FACTOR MATCH OF THE TWELVE. One SM generation is 15 Weyl fermions splitting 12 COLOURED + 3 COLOURLESS, and that split is the corpus’s own since triality is its quark/lepton discriminant. The twelve null legs factor by the corpus’s OWN sheet index as 3 (graze point / colour) x 2 (horn) x 2 (ruling, graded by R), and against the SM: the 3 is colour, the first 2 is WEAK ISOSPIN, the second 2 is CHIRALITY – with multiplicities agreeing STATE BY STATE, four legs per graze point against u_L,d_L,u_R,d_R at 3 each. The horn/isospin leg is not a guess: P03_winding_and_closure already records $\sigma\text{-}\zeta\text{colour}$, $T\text{-}\zeta\text{weak isospin}$, $R\text{-}\zeta\text{chirality}$ and species. ** AND THE MISMATCH IS SHARPER THAN ‘12+3=15 IS UNEXPLAINED’: the three walls CANNOT supply the colourless three because P14 sec:count has already spent them as the three GENERATIONS. Reading them as one generation’s leptons is a category error. ** Discharge condition given as five testable requirements S1-S5, of which S3 is decisive: the colourless triple is chirality-ASYMMETRIC (2 left, 1 right) while every object the geometry has offered comes in R-conjugate PAIRS, so the colourless three must sit on an R-FIXED locus). *Computes:* the 15 states tabulated by colour, isospin, chirality and charge; the leg product enumerated and its multiplicities compared one by one; the R-fixed loci the corpus knows about tabulated against the requirement *Bound:* NO CORRESPONDENCE IS ASSERTED. The 12 ζ , 12 agreement is exhibited, not derived, under an assignment the corpus had already made for two of three factors; and whether a LEG is the right object to call a state is L-74’s antecedent, which the winding receipt marks as NOT SHOWN. The specification exists so a candidate can be TESTED rather than argued about *Run: python3 receipts/P14_matter_sector_paper/P14_the_count_specified.py*

P14.quantisation_not_strength [OK]

(winding sector – NOT cited in any paper) (**!! CORRECTED c54.154: THIS ROW SAID ‘NOT cited in any paper’ AND THE PAPER CITES IT** (matter_sector_paper sec on holonomy). The receipt also self-describes as ‘NOT A PAPER RESULT’. **And the audit found its evidential core circular: the 1/3 gap is a one-element SET LITERAL, never differenced from the value list, and ‘adjustable by any parameter? NO’ is a format string with no interpolation.** The paper’s sentence is carried by ‘P14_the_flat_bundle_cannot_carry_a_force’, not by this. Original claim: A TOPOLOGICAL LABEL QUANTISES AND CANNOT SCALE, SO CHARGE HAS THREE PARTS AND THE GEOMETRY SUPPLIES ONE. A coupling is the constant in $D = d - i e A$, so it presupposes a CONNECTION and a normalisation against it – and the corpus supplies $\text{su}(3)$ ’s algebra without the object it acts on. THE NAIVE DIMENSIONAL ARGUMENT IS REJECTED AS TOO QUICK: the corpus is full of dimensionless numbers; ** the right distinction is MODULUS vs COUPLING – r_0 and $2M/\alpha$ label which SOLUTION you are on, while a coupling appears INSIDE AN INTERACTION, and the corpus has no interaction for one to sit in. ** ** AND THE WINDING SETTLES IT BY WHAT IT IS: a signed COUNT of graze points in thirds of a lap, with no continuous parameter anywhere in the definition and a gap of exactly 1/3 adjustable by nothing. ** The precedent is exact – Dirac’s $e g = 2 \pi n$ quantises the PRODUCT and delivers neither factor. ** SO CHARGE = QUANTISATION (the geometry) + SIGN (the field, P13’s proved factorisation) + STRENGTH (the field, not supplied) – the same three-tier shape P13 found for conjugation, with the geometry’s share smaller and sharper than ‘charge is the winding’. ** AND THE SECTOR’S THREE STANDING GAPS ARE ONE: L-96 lacks a BUNDLE, L-125 a CONNECTION, P14 the bundle’s RANK – all ‘a symmetry supplied, the object it acts on not’, all closing on one object, and P14 posed it first). *Computes:* the dimensionless quantities classified modulus/coupling/topological; the winding’s value set and its fixed 1/3 gap; the three-part decomposition scored against what is established; the three gaps written in a common form *Bound:* ** NOT A PAPER RESULT – the winding derivation is in no paper body. AND ONE THING IS SETTLED NEGATIVELY, WHICH IS ALSO PROGRESS: the coupling will not come from the winding, ever. A topological label quantises and does not scale, so if

a coupling is to come from this geometry it must come from the BUNDLE and not from the LABEL
 ** *Run: python3 receipts/P14_matter_sector_paper/P14_quantisation_not_strength.py*

P14.charge_or.colour

[OK]

(winding sector – NOT cited in any paper) (**!! CORRECTED c54.154: THIS ROW SAID 'NOT cited in any paper' AND THE PAPER CITES IT.** **AND ITS ADVERTISED FALSIFIABLE CHECK IS A TAUTOLOGY: 'tri == 0' and 'q == 1' are the same predicate on the same number, so 'agree on every content tested' holds for 1/2 and -7/4 as well.** The paper's 'the check could have failed' is withdrawn at c54.154. Original claim: THE Z₃ IS THE OBSTRUCTION TO CHARGE BEING OBSERVABLE, NOT A RIVAL TO IT. The objection: a route-dependent quantity is not readable at a place, but electric charge is. ** THE WINDING SPLITS – and the corpus split it first: every $w = n + \phi$ with n an integer LAP COUNT and ϕ a Z₃ class (u and d share fractional part 2/3; $\bar{u}$ and $\bar{d}$ share 1/3). ** AND THE TWO PIECES TRANSPORT DIFFERENTLY: one crossing multiplies the field by ω^{triality} , a full lap is three crossings and $\omega^3 = 1$, ** so the INTEGER part is route-INDEPENDENT and the FRACTIONAL part IS the monodromy. ** HENCE w is locally readable iff integer iff triality vanishes – so a fractionally charged object is exactly one whose charge is route-dependent, hence not readable, hence not free. ** THE CHECK, WHICH COULD HAVE FAILED: 'is a field' (total triality zero) and 'has integer charge' agree on all ten contents tested including the three the closure rule rejects, and then symbolically – a colour singlet has $n_q - n_{\bar{q}} = 0 \pmod 3$ and the charge's fractional part is $(3 n_q - (n_q - n_{\bar{q}}))/3$. So the SM's colour-singlet/integer-charge correlation, which THERE follows from hypercharge, is HERE the same statement as single-valuedness **). *Computes:* the six species split; the two transports; ten contents tested on both conditions; the singlet identity verified symbolically *Bound:* ** NOT A PAPER RESULT – the winding derivation is in no paper body and this does not change that. AND WHAT REMAINS A READING: that w IS the electric charge is NOT proved. What is proved is that w has the right STRUCTURE – an integer observable part and a confined fractional part in thirds – and a quantity with the right structure is not thereby the quantity. Nothing here supplies a gauge field, a coupling or a scale: the winding has no units and charge does ** *Run: python3 receipts/P14_matter_sector_paper/P14_charge_or_colour.py*

P14.route_or.point

[OK]

prop:wall / sec:chirality (A MATTER FIELD IS LABELLED BY A ROUTE IFF IT IS COLOURED – THE WINDING DERIVATION'S ANTECEDENT, DISCHARGED. CRITERION: point-labelled iff monodromy trivial on every closed loop. THE FIELD: P14's $W = \lambda \sqrt{f}/r$ gives $W dl = \lambda dr/r$ exactly (the roots cancel), so $\psi \sim r^{-\lambda}$; and near the wall $r^3 = (9/2) M l^2$, so a crossing is a half-loop sending $r \rightarrow \omega r$. ** TRANSPORTED ALONG THE TWO EQUATORIAL ROUTES (one and two graze-point crossings) the field picks up $\omega^{-\lambda}$ and $\omega^{-2\lambda}$, whose RATIO IS ω^{triality} – so the routes agree IFF triality vanishes. ** HENCE a quark is ROUTE-labelled and a lepton is an ordinary single-valued function on the base: the antecedent holds for exactly the objects the derivation applies it to. ** AND BOTH ANTECEDENTS ARE NOW DISCHARGED BY ONE FACT READ TWO WAYS – closure was struck at c54.32 on the same single-valuedness principle – so the winding derivation's conditional is UNCONDITIONAL. AND CONFINEMENT BECOMES A STATEMENT: only a combination of vanishing total triality is a field on the manifold at all, so COLOUR SINGLET-NESS IS SINGLE-VALUEDNESS **). *Computes:* the two transports computed and their ratio taken; the triality table with route-independence decided per class *Bound:* NOTHING NEW IS DERIVED: every ingredient predates the question – $\psi \sim r^{-\lambda}$ and the omega-per-crossing are c54.25's, the two-route fact is the derivation's, triality = $-\lambda \pmod 3$ is L-78's. The new act is recognising that P14_mode_monodromy_at_the_wall ANSWERS L-74, which it was not written to do. ** AND THE ONE REMAINDER IS REAL: the Z₃ established is COLOUR's, being the centre by construction; that the same label is the ELECTRIC charge you can measure is a further step and remains a reading ** *Run: python3 receipts/P14_matter_sector_paper/P14_route_or_point.py*

P14.the.bundle.is.the.branching

[OK]

sec:openquestions ("what does the operator act on, and what fixes it?") (EVERY BUNDLE ON P14's

OWN CANDIDATE LIST IS ELIMINATED, AND THE OBJECT THAT MEETS THE REQUIREMENT IS NOT A BUNDLE OF THE SUBSTRATE. THE OBSTRUCTION NOBODY WROTE DOWN: $\mathfrak{su}(3)$ needs a COMPLEX rank-3 module, and a REAL bundle's complexification carries a parallel conjugation, so its holonomy lands in the real form $-\mathrm{SO}(3)$, dimension 3, no room for eight. Verified by imposing $\mathrm{conj}(X)=X$ on a general element of $\mathfrak{su}(3)$: what survives is exactly the real anti-symmetric matrices. ** THE LIST FALLS ENTIRELY: embedding tangent bundle real of signature (5,1), and an eta-compatible J forces both signature blocks EVEN ($\mathrm{span}\{x, Jx\}$ is eta-orthogonal and definite) – 5 and 1 are ODD; spinor bundle rank 4; ruling bundles are LINES, rank 1; the wall's normal bundle has the right rank and dies by reality. ** ** AND THAT CORRECTS L-115, WHICH KILLED THE SAME NORMAL BUNDLE BY A 2+1 SPLIT THAT IS ONLY $\mathrm{SO}(2)$ -COVARIANT: under the FULL transverse $\mathrm{SO}(3)$ whose fixed-point set the equatorial section is, the normal bundle is the vector rep and is IRREDUCIBLE. The conclusion stands, the argument is replaced. ** THE PATTERN IS THE FINDING: every candidate is built from AMBIENT geometry and ambient geometry is REAL – the question was never which real bundle but WHERE THE COMPLEX STRUCTURE IS. ** IT IS THE BRANCH POINT: $E = \pi_1^*(\text{mode bundle})$ from the wall's three-sheeted cover – complex because the cover is, rank the order of the deck group, FLAT with holonomy the sheet monodromy P . $P^3=I$, $\det P=+1$, unitary; its eigenlines ARE the triality grading; $\psi \sim r^{(-\lambda)}$ is an eigenvector for every λ ; and $\lambda=0 \bmod 3$ is the deck-INVARIANT line (1,1,1) – a colourless state is the trivial summand of the regular representation, which is L-72's single-valuedness and L-74's point-labelling READ AS A SUBSPACE. ** ** AND THE GAP IS EXACTLY ONE GENERATOR WIDE: with the clock Q adjoined, $QP = \omega PQ$, the commutant of $\{P, Q\}$ is the scalars (IRREDUCIBLE on C^3), and $\{P, Q\}$ preserves NO symmetric bilinear form (only $B=0$), so it is not conjugate into $\mathrm{SO}(3)$ – the only proper connected irreducible subgroup of $\mathrm{SU}(3)$. Hence the smallest connected group containing both is $\mathrm{SU}(3)$ itself. **). *Computes:* reality obstruction solved on a general $\mathfrak{su}(3)$ element; the four candidates ranked and each eliminated by a stated reason; P 's order, determinant, unitarity, eigenlines and the mode's eigenvector property asserted per λ ; the Heisenberg relation, the commutant, and the invariant-form system all solved *Bound:* ** THE CIRCULARITY IS REFUSED EXPLICITLY: the geometry does NOT supply Q . Q is a relative phase BETWEEN sheets that is not a deck transformation, and the mode's own sheet phases do not supply it – those are what make the mode a P -eigenvector, i.e. P 's eigenbasis restated. SUPPLIED: rank 3, complex, flat, Z_3 holonomy, the grading, the singlet line. NOT SUPPLIED: the second generator, hence the enlargement, hence curvature, hence STRENGTH – which is what P14_quantisation_not_strength found independently for electric charge. Two routes now say the geometry quantises and does not couple. ** AND A CORRECTION TO THIS RECEIPT'S OWN FIRST VERSION, RECORDED RATHER THAN QUIETLY FIXED: at c54.50 it used the shift in the WRONG DIRECTION – pushing the sheet index instead of pulling it – got $\omega^{(+\lambda)}$, found it disagreed with the corpus's triality, and reported the DISAGREEMENT as an unfixed lap-orientation convention and a hazard for the winding sums. There was no convention: the monodromy of a section is PULLBACK along the deck map, the direction is FORCED, and the established result was right (P14_the_lap_orientation_is_derived). The alarm is WITHDRAWN. Every conclusion stands, because both shifts generate the same Z_3 with the same eigenlines – and the statement gets stronger, the eigenvalue IS the triality with no convention interposed ** *Run:* python3 receipts/P14_matter_sector_paper/P14_the_bundle_is_the_branching.py

P14_the_lap_orientation_is_derived

[OK]

prop:wall (THE ORIENTATION OF THE LAP ABOUT THE WALL IS DERIVED, NOT CONVENTIONAL – WRITTEN TO CORRECT A FALSE ALARM THIS NODE RAISED ONE REVISION EARLIER. THE DECK MAP IS FIXED BY THE GEOMETRY: near the wall $r^3 = (9/2) M l^2$, the sheets are $r_k = \omega^k r_0$, and a crossing sends $r_{-j} \omega r$, so $D : k \rightarrow k+1$ with no freedom. ** AND THE MONODROMY OF A SECTION IS PULLBACK ALONG D , WHICH FIXES THE DIRECTION OF THE SHIFT: $(D^* s)_k = s_{k+1}$, because a function is evaluated at the IMAGE, so the index moves the same way the map does. ** ** THE DERIVED MONODROMY REPRODUCES THE ESTABLISHED PHASE EXACTLY FOR EVERY λ – eigenvalue $\omega^{(-\lambda)}$, which IS the triality, with no convention interposed. ** The c54.50 matrix is verified here to be the INVERSE deck generator. ** EVERY CONCLUSION OF THE CORRECTED RECEIPT SURVIVES, AND

NOT BY LUCK: the two shifts generate the SAME Z_3 with the SAME eigenlines, so only the LABELLING of two of three eigenlines was swapped and the swapped labelling was the wrong one. ** Re-verified under the derived matrix: rank, flatness, Z_3 holonomy, the invariant line (1,1,1), the eigenvector property, the clock/shift relation, irreducibility, the absence of an invariant symmetric form, hence $SU(3)$ as the smallest connected group containing both. ** AND THE SUMS ARE UNAFFECTED, CHECKED RATHER THAN ASSERTED: P03.thirds_from_closure's x, y and both totals are computed from k alone and never touch the label's sign; the orientation decides only WHICH coloured class is called triality 1 and which 2 – and those two are exchanged by overall sign reversal, which that receipt already identifies as C. **). *Computes:* the deck action built from the cube roots with nothing assumed about shift direction; $M = P^{-1}$ verified; the eigenvalue matched against L-78's phase for $\lambda = 0.6$; nine L-127 claims re-run under M; the three classes tabulated under both orientations *Bound:* ** ONE REAL THING SURVIVES THE WITHDRAWAL, WHICH IS WHY THIS IS NOT ONLY AN ERRATUM: the orientation flip acts on the ledger exactly as CHARGE CONJUGATION does – it swaps quark with antiquark and fixes the leptonic class. So the geometry produces a C-PAIR and does not, on its own, say which member is matter. That is the boundary paper's 'the sign of Q is field-level, not geometric' and the framework's antimatter-progenitor theorem arriving a THIRD time, at a third level. AND THE METHOD FAILURE IS RECORDED AS SUCH: a node whose brand-new matrix disagreed with a result established twenty revisions earlier recorded the ESTABLISHED result as the doubtful one. The base rate is against the new work every time, and flagging a disagreement honestly is not a substitute for doing the derivation that settles it ** *Run:* python3 receipts/P14_matter_sector_paper/P14_the_lap_orientation_is_derived.py

P14.the.wall.is.a.wall.of.a.hinge

[OK]

sec:chirality / sec:openquestions (THE SIGNED AREAL RADIUS IS DEFINED RELATIVE TO A VANTAGE, SO THERE ARE THREE OF THEM AND THREE BRANCH LOCI, THE MONODROMY IS NON-ABELIAN, AND THE GENERATOR P14.the.bundle.is.the.branching FOUND MISSING IS THE RATIO OF TWO VANTAGES' WALL MONODROMIES. ** A FORK BOTH OF WHOSE SIDES ARE ALREADY IN THE CORPUS: (i) ONE radius vanishing at all three walls (P14.route.or.point, as computed) – cyclic cover, ABELIAN; (ii) THREE radii, one per vantage (P14's own header 'the back, $X_1 = -\alpha$, FIXED RELATIVE TO THE HINGE about which the slicing plane swings', and P03.wall.is.the.graze.point's 'the wall is a wall OF a hinge – not a hedge, the DEFINITION'). The two agree on the LABEL and part on the GROUP, which is why it survived unnoticed. ** THE DECISION TABLE, because a re-reading that breaks the winding sector is worth nothing: triality $= -\lambda \bmod 3$ holds under both; the thirds and three classes are insensitive; and ROUTE-DEPENDENCE HOLDS UNDER BOTH, verified for every hinge pair and vantage. ** AND ONE ESTABLISHED SENTENCE SEPARATES THEM IN (ii)'s FAVOUR: 'a lone coloured constituent has no well-defined value at a point' is FALSE AS WRITTEN under (i), where a full lap gives $\omega^{-3\lambda} = 1$ identically, and literally true under (ii), where the lap acts by $\omega^{-\lambda}$. ** ** UNDER (ii) A FULL LAP ACTS BY THE CENTRE OF $SU(3)$ AND THE INDIVIDUAL WALLS DO NOT ** – the product of the three wall monodromies is $\omega^{-\lambda} I$, verified central with $\det 1$, while each crossing is a non-central diagonal. ** AND THE MISSING GENERATOR IS SUPPLIED WITHOUT ADJOINING ANYTHING: the $SU(3)$ content is in the RATIOS (a single wall monodromy has $\det \omega$), $\gamma_A \gamma_B^{-1}$ is a det-one non-central diagonal, it does not commute with the hinge 3-cycle, their commutant is the SCALARS (irreducible on C^3) and they preserve NO symmetric bilinear form – so the smallest connected group containing the three wall monodromies and the hinge 3-cycle is $SU(3)$ ITSELF. ** ** THE TWO GENERATORS ARE THE CORPUS'S TWO THREES DOING DIFFERENT JOBS, THE FIRST TIME THEY HAVE BEEN NEEDED TOGETHER RATHER THAN KEPT APART: the DIAGONAL generator is the three WALLS and the PERMUTATION generator is the three HINGES; neither alone is more than Z_3 or S_3 . ** AND THE DECIDING PREMISE IS COMPUTED RATHER THAN LEFT OWED: eliminating $-X_0^2 + X_1^2$ between static de Sitter's $\alpha^2 - r^2$ and the section's $-X_0^2 + X_1^2 + X_2^2 = \alpha^2$ gives $r^2 = X_2^2$, so on the throat circle $r_j = \alpha \sin(\phi - \theta_j)$ – which RETURNS P14's own 'the back, $X_1 = -\alpha$ ' rather than being fitted to it – and each vantage's radius vanishes at its own wall and at NEITHER of the other two.). *Computes:*

the lap product asserted central with det 1; route-dependence tabulated over all three hinge pairs x three vantages; the commutant and the invariant-form systems solved; the areal radius eliminated from the two embedding relations; the zero set evaluated at all three walls for all three vantages *Bound: ** WHAT IS NOT SETTLED, EXACTLY:* that the vantage ROTATES the areal direction is a READING of P14's sentence – the one non-computed link – and the evaluation is at the $M = 0$ member, where the cut IS the substrate; a full settlement evaluates r on the slicing curve at $M \neq 0$. AND ONE ESTABLISHED RESULT IS PUT AT RISK AND IS FLAGGED RATHER THAN WAVED AT: P03.wall_is_the_graze_point found a hinge's own null legs graze the OTHER TWO hinges' walls and never its own, so under (ii) a mode carried along its own hinge's leg crosses no branch point of its own radius. Route-dependence on the equatorial ARCS survives; whether the LEG count and the ARC count are the same count is a real question reading (i) never forced anyone to ask. AND THE REMAINING GAP IS NO LONGER A GENERATOR: a FLAT bundle with finite holonomy has no CURVATURE, so the STRENGTH is still not supplied – P14.quantisation_not_strength untouched **
Run: python3 receipts/P14_matter_sector_paper/P14.the.wall.is.a.wall.of.a.hinge.py

P14_leg_count_equals_arc_count

[OK]

sec:chirality (THE NULL LEGS AND THE EQUATORIAL ARCS DELIVER THE SAME THREE MONODROMY OPERATORS, SO THE VANTAGE READING OF THE WALL COSTS THE CORPUS NOTHING – AND THE SELECTION RULE IT YIELDS IS THE CENTRE'S, NECESSARY FOR A SINGLET AND NOT SUFFICIENT. P14.the.wall.is.a.wall.of.a.hinge flagged a risk against itself: under the vantage reading a mode is branched only at its own wall, while P03.wall_is_the_graze_point found a hinge's own legs graze the OTHER TWO hinges' walls – so the legs looked phase-free. ** THE LEG JOINING TWO HINGES GRAZES THE WALL OF THE THIRD ** – computed from P03.twelve_null_legs' tangency rule, for all three pairs: three legs, three walls, each leg opposite its wall. AND THAT IS P03.wall_is_the_graze_point's OWN FINDING FROM THE OTHER SIDE: hinge a's legs graze walls c and b, never a, because the leg grazing wall a is b-c, which does not touch hinge a at all. ** CROSS-CHECKED AGAINST A COUNT DERIVED WITHOUT THIS RULE: two punctures per hinge gives $2 \times 2 = 4$ legs per hinge pair, all sent to one wall, so $12 = 3 \times 4$ – reproducing P03.twelve_null_legs' 'twelve legs, three graze points, four apiece' exactly. ** ** THE DEBT IS DISCHARGED: each leg meets exactly one wall, the three legs meet the three walls once each, one equatorial lap meets the three walls once each – same three diagonal operators, same product, and the closed bound triple acts by $\omega^{(-\lambda)} I$, asserted central with det 1. ** ** AND THE APPARENT PROBLEM IS THE CONTENT: that a vantage-a mode is unbranched on hinge a's own legs means the constituent at hinge a is labelled by the leg it is NOT on – the opposite side of the triangle. A label a state cannot read locally is precisely 'route-labelled rather than point-labelled', and it is why the label is unobservable on one constituent and observable only on the closed triple. ** ** AND A READING REFUTED BY ITS OWN TABLE, RECORDED BECAUSE IT WAS ABOUT TO BE WRITTEN: 'the singlets are exactly the one-per-hinge triple and the conjugate pair' is FALSE – two constituents on one hinge and one on another is also triality-zero, because the triality sum counts the NUMBER of constituents mod 3 and is blind to their distribution. That is not a defect but what a centre IS: QCD's Z.3 gives $N_q - N_{\bar{q}} = 0 \bmod 3$ and nothing finer. TRIALITY ZERO IS NECESSARY FOR A SINGLET AND NOT SUFFICIENT. ** So the two conditions come from two unrelated places and are complementary, neither doing the other's work: the centre's rule from the monodromy, and one-puncture-per-hinge from P03.hexagon_null_triple's CAUSAL trichotomy.). *Computes:* the leg-to-wall assignment asserted as the third-hinge rule for all three pairs; the $12 = 3 \times 4$ multiplicity asserted against L-61; the closed-triple product asserted central with det 1; the triality sums tabulated over six configurations including the one that refutes the tempting reading *Bound: ** SUFFICIENCY NEEDS THE SU(3) INVARIANTS, WHICH P14.the.wall.is.a.wall.of.a.hinge HAS ONLY JUST MADE AVAILABLE* – the one-per-hinge triple is the epsilon_abc contraction over the three vantages, a computation that could not be posed before and is NOT DONE HERE. AND AN ARGUMENT FOR THE VANTAGE READING USING NEITHER M NOR THE VANTAGE-ROTATION STEP: one shared radius would vanish at all three walls, making every wall a wall of every hinge – which makes VACUOUS the hinge-j-wall bijection P03.wall_is_the_graze_point verified wall by wall as 'the ANTIPODAL map, canonical, not a choice'. The $M=0$ embedding computation

remains the constructive argument; the fork no longer rests on it alone, and the two arguments have nothing in common. STILL OWED, STAKES LOWER RATHER THAN GONE: r on the slicing curve at $M \neq 0$. AND THE FRONTIER IS UNCHANGED AND NOW ALONE – THERE IS NO CURVATURE: rank, grading, group and selection rule are all HOLONOMY, and holonomy quantises; a force needs curvature, which P14_quantisation_not_strength said in advance would not be supplied

P14.the_gap_is_antisymmetry [OK]
sec:openquestions (THE INVARIANTS OF THE FLAT HOLONOMY GROUP COUNTED AGAINST $SU(3)$'s – GIVING THE CORPUS'S STANDING 'THERE IS NO CURVATURE' A SIZE AND A NAME, AND TURNING UP A FAILURE SHARPER THAN THE ONE IT WAS LOOKING FOR. TWO GROUPS ARE IN PLAY AND THE CORPUS MUST SAY WHICH: $\Gamma_{full} = \langle \gamma_0, \gamma_1, \gamma_2, P_i \rangle$, order 81, is the ACTUAL HOLONOMY GROUP (encircling ONE wall is a loop) and a single γ_c has det ω , so it is NOT in $SU(3)$; Γ_{SU} is its unimodular part, order 27. **** epsilon transforms by the determinant, so which group is demanded decides whether the baryon exists at all, and the counting is meaningless until that is said. *** THE MESON CHANNEL IS EXACT IN BOTH GROUPS: one invariant on $V(x) V^*$, the same as $SU(3)$, and it is δ^a_b . The flat holonomy alone picks the meson out and nothing else – NO CONNECTION IS NEEDED FOR IT, and the corpus has been under-claiming there. *** THE BARYON CHANNEL FAILS IN TWO DIFFERENT DIRECTIONS. ** Under Γ_{SU} there are THREE invariants where $SU(3)$ admits one; epsilon is in the span – COMPUTED not asserted, the projector's basis being {all-on-one-vantage, even-permutation sum, odd-permutation sum} with $\epsilon = \text{even} - \text{odd}$ – so the structure does not FORBID the baryon, ** but the SYMMETRIC sum $\text{even} + \text{odd}$ is in the span too and $SU(3)$ forbids it, so the structure cannot tell the baryon from it; the excess is exactly two. ** AND UNDER Γ_{full} IT IS WORSE THAN A GAP: there is exactly ONE invariant and IT IS NOT epsilon – 54 of the 81 elements move epsilon – the unique invariant being the ALL-THREE-ON-ONE-VANTAGE state, three constituents of the SAME colour, which is exactly what a baryon is not. ** So under the stricter and more natural reading of single-valuedness the geometry returns the WRONG STATE rather than too many. ** THE NAME OF THE GAP: both spurious states are ones a flat Z_3 -graded structure cannot distinguish from the baryon, because a grading records HOW MANY constituents sit in each slot and NOTHING about the ORDER or the SIGN. epsilon is anti-symmetry, antisymmetry is exchange, and exchange is what a discrete abelian grading has no access to. SO WHAT IS MISSING IS NOT 'FORCE' IN THE ABSTRACT – IT IS THE ANTISYMMETRY. **). *Computes:* both groups closed by exact integer arithmetic mod 3 and their orders asserted (81, 27); unimodularity of Γ_{SU} asserted element by element; invariant dimensions by the character sum, asserted integral; epsilon's invariance tested directly against every group element; the projector asserted idempotent before its columns are read; epsilon and the symmetric sum both shown in the span by rank *Bound:* ** AND IT MAY NOT BE A GAUGE QUESTION AT ALL, POSED HERE AND NOT ANSWERED: the fermionic exchange sign is a SPIN datum rather than a gauge datum, and this sector's constituents are Dirac zero-modes carrying an exact chirality operator. Whether spin-statistics can do what the connection was being asked to do is REGISTERED, NOT CLAIMED. WHAT THE CORPUS MUST NOW FIX AND HAS NEVER HAD TO: WHICH GROUP SINGLE-VALUEDNESS IS DEMANDED UNDER. P14_route_or_point's criterion was written when there was one radius and the question could not arise; it arises now and is load-bearing rather than bookkeeping. A FIRST VERSION OF THIS COMPUTATION WAS WRONG AND IS RECORDED AS SUCH: multiplying sympy matrices with cube roots and re-simplifying does not canonicalise, so the closure reported $|\Gamma_{SU}| = 29$ – a prime, hence impossible – while the basis extraction returned 27 'invariants' from a non-idempotent average. The rewrite is combinatorial and the orders now come out right ** *Run:* python3 receipts/P14_matter_sector_paper/P14.the_gap_is_antisymmetry.py**

P14.no_choice_of_group_works [OK]
sec:openquestions (WHICH GROUP SINGLE-VALUEDNESS IS DEMANDED UNDER – WORKED, AND IT ENDS IN A TENSION RATHER THAN A RESOLUTION: THE READING THAT GETS THE MESON RIGHT IS THE READING THAT GETS THE BARYON WRONG, IN EVERY CANDIDATE. ** THE HIDDEN ASSUMPTION, NAMED: P14.the_gap_is_antisymmetry counted invari-

ants in $V(x) V(x) V$, right IF each constituent is an E-valued field with an internal index over all three values – but P14_the_wall_is_a_wall_of_a_hinge built E as a DIRECT SUM of one line per vantage, so a constituent is a mode OF a vantage, a section of ONE summand. The distinction was never stated because nothing turned on it. ** ** SO A ONE-PER-VANTAGE TRIPLE IS A SECTION OF A LINE, NOT AN ELEMENT OF A TENSOR CUBE: it is a section of $L_0(x) L_1(x) L_2 = \det E$. No epsilon to contract, no invariant subspace to count – the space is ONE-dimensional and the only question is whether that line is trivial. IT IS NOT: $\det E$ has holonomy $\omega^{(-\lambda)}$ around a SINGLE wall, and is trivial around a full lap and around the rigid rotation. ** So the baryon question is exactly whether a single-wall loop is available to a bound triple – a question about the CONFIGURATION SPACE, which the corpus has never specified. THREE CANDIDATES, EACH ARGUABLE FROM WHAT THE CORPUS ALREADY SAYS: Gamma_full (81, every closed path is a path – the literal meaning of single-valued); Gamma_SU (27, only unimodular transports); Gamma_rigid (9, the rigid 120-degree rotation and the full lap, defensible because P03_hexagon_null_triple pins a triple to one puncture per hinge BY CAUSALITY – move one constituent off its puncture and the null relations fail, so the intermediate configurations are not bound triples at all). ** THE TABLE, AND NO CANDIDATE GETS BOTH CHANNELS RIGHT – ASSERTED IN THE RUN, NOT EYEBALLED: Gamma_full gives baryon 1 but epsilon NOT invariant (the WRONG STATE) and meson 1 correct; Gamma_SU gives baryon 3 with epsilon among them (over-counted by two) and meson 1 correct; Gamma_rigid gives baryon 9 with epsilon among them but MESON 3 – THE MESON IS LOST. **). *Computes:* $\det E$'s holonomy computed on each generator; all three groups closed by exact integer arithmetic and their orders reported; invariant dimensions by character sum, asserted integral; epsilon's invariance tested against every element of each group; and the negative conclusion asserted (the run fails if any row is right) *Bound:* ** SO FIXING THE GROUP DOES NOT HELP. The previous receipt closed by asking the corpus to fix it; the answer is bad in every direction and the badness MOVES BETWEEN CHANNELS rather than going away. If no choice of holonomy group works, THE MISSING STRUCTURE IS NOT A GROUP – which is what the same pair of leads concluded from the other side when the gap's name came out as ANTISYMMETRY. Two independent routes now say what is absent is not a bigger symmetry but a datum of a different KIND. AND THE MODELLING CORRECTION SHARPENS THAT INDEPENDENTLY: with E a direct sum the three constituents are DISTINGUISHABLE – they sit at three distinct vantages – so 'which ordering' is not a physical label unless they are IDENTICAL PARTICLES, and antisymmetry is meaningless for distinguishable objects. THE GEOMETRY DOES NOT MERELY FAIL TO SUPPLY THE EXCHANGE SIGN; AS BUILT IT DOES NOT HAVE THE KIND OF OBJECT THE EXCHANGE SIGN IS A PROPERTY OF. WHAT IS OWED IS THEREFORE NOT A CHOICE OF GROUP BUT AN ACCOUNT OF WHEN TWO CONSTITUENTS AT DIFFERENT VANTAGES ARE THE SAME PARTICLE – askable here, since the constituents are Dirac zero-modes of ONE operator differing only by which wall binds them; a question about the OPERATOR, not the bundle. Registered; nothing claims it does ** *Run:* python3 receipts/P14_matter_sector_paper/P14_no-choice-of-group.works.py

P14_statistics_not_gauge

[OK]

sec:count / sec:openquestions (THE THREE WALL MODES ARE THE KERNEL OF ONE DIRAC OPERATOR, HENCE IDENTICAL PARTICLES, AND SECOND QUANTISATION – A STEP THIS SECTOR NEVER TOOK – REMOVES THE INVARIANT OVER-COUNT OUTRIGHT AND SELECTS THE CONFIGURATION GROUP UNIQUELY. ** THIS PAPER ANSWERS ITS OWN QUESTION: prop:wall binds ONE chiral zero-mode per wall and the index computed is the index of A Dirac operator – three modes, ONE operator, ONE kernel – and excitations of a single field are IDENTICAL PARTICLES by construction, not by an extra postulate. ** ** THE STEP NEVER TAKEN IS THE ORDINARY ONE. ** Everything in this sector treated the modes as classical labels and asked which TENSORS are invariant; a three-fermion state is not a general tensor, it lives in the EXTERIOR CUBE of the kernel, and most of the tensor cube is not a state at all. ** SO THE SPURIOUS INVARIANTS OF P14_the_gap_is_antisymmetry ARE NOT STATES A SYMMETRY FAILS TO FORBID – THEY DO NOT EXIST: ** Λ^3 of a 3-dimensional space is ONE-dimensional and its generator IS epsilon; the all-on-one-vantage state vanishes by the PAULI PRINCIPLE and the symmetric sum is not in Λ^3 at all. ** THE TABLE REDONE, AND EXACTLY ONE ROW

IS RIGHT – asserted in the run: Gamma_full (81) gives baryon ZERO (the determinant map onto the cube roots is onto, so no three-fermion invariant exists) and meson 1; Gamma_SU (27) gives BARYON 1, DIQUARK 0, MESON 1 – every channel exactly SU(3)’s; Gamma_rigid (9) gives baryon 1, diquark 0, but MESON 3, and nothing should expect statistics to help there, a particle and an antiparticle being neither identical nor antisymmetrised. ** ** AND THE DIQUARK IS A PREDICTION RATHER THAN A FIT: Lambda^2 K carries NO invariant under any candidate, matching SU(3), and nothing in this construction asked for it – the one row that could have come out wrong without anyone noticing in advance. ** ** SO WHICH GROUP SINGLE-VALUEDNESS IS DEMANDED UNDER IS NOT A CONVENTION TO BE PICKED – IT IS DETERMINED, by the one input that had been left out. And the selected group is the unimodular one, exactly the group P14_the_wall_is_a_wall_of_a_hinge used to reach su(3) by an entirely different argument. TWO ROUTES, NO SHARED PREMISES, ONE GROUP. **). Computes: all three groups closed by exact integer arithmetic; invariant dimensions from the exterior-power characters (det for Lambda^3, (tr^2 - tr of the square)/2 for Lambda^2), each asserted integral; the unique survivor asserted by name; unimodularity of the selected group and the vanishing of the one-particle invariants asserted Bound: ** A WORRY RAISED IN DRAFT AND THEN ANSWERED, RECORDED RATHER THAN DELETED: both the baryon line and a lone constituent’s line are ONE-dimensional, so both would seem to return up to a PHASE – and a state is a RAY, so a phase is a Berry phase and no inconsistency, which would leave confinement resting on a field/state distinction never argued for. THAT IS NOT THE SITUATION, and the error was comparing holonomies from TWO DIFFERENT GROUPS: gamma_A belongs to Gamma_full, not the selected group. Under Gamma_SU every element has det 1, so the baryon line has TRIVIAL holonomy and is invariant on the nose; while the invariants in K number ZERO and the action is IRREDUCIBLE, so a lone constituent has no invariant line and comes back a DIFFERENT VECTOR. IT IS PHASE VERSUS PERMUTATION, NOT PHASE VERSUS PHASE – the escape hatch is not needed and P14_route_or_point is stronger than it was written. WHAT REMAINS IS NOT A DEFECT BUT A DESCRIPTION: all of this is HOLONOMY – a flat bundle and exact selection rules, with no interaction. The geometry now supplies the full hadron selection content of colour and still supplies no force

** Run: python3 receipts/P14_matter_sector_paper/P14_statistics_not_gauge.py

P14_two_rank_threes

[OK]

sec:openquestions (THIS SECTOR CARRIES TWO RANK-THREE BUNDLES AND THE PAPER WAS CALLING BOTH 'THE BUNDLE' IN ADJACENT PARAGRAPHS. FOUND while discharging the bundle lead under the register’s languishing rule, not by looking for it. THE TWO OBJECTS: the PUSHFORWARD from a wall’s three-sheeted cover (rank 3 because a cube root has three branches), and $E = L_0 + L_1 + L_2$, one line per VANTAGE (rank 3 because there are three hinges). ** Different bundles, introduced four sentences apart. ** ** WHAT THE PUSHFORWARD’S THREE ACTUALLY ARE: pushing a flat Z_3 line bundle along the cover carries the REGULAR representation, which decomposes into the three CHARACTERS – so those lines sort DIFFERENT MODES by lambda mod 3. They are a grading of the TOWER. ** ** THE TEST THAT SEPARATES THEM: fix one mode and count the lines it occupies. A given mode occupies EXACTLY ONE pushforward line and exists at ALL THREE vantages. ** The two threes do opposite jobs – the pushforward three separates different modes and is blind to which wall binds them; the vantage three separates the three copies of ONE mode and is blind to lambda. ** SO READING THE PUSHFORWARD’S EIGENLINES AS THE THREE COLOURS WOULD BE THE SEAT/MODE ERROR AGAIN – counting VALUES of one object as distinct STATES. ** The receipt that introduced them did not commit it, but the paper as it stood INVITED it, the 'colourless line' sentence sitting four sentences from the paragraph where colour is the vantage index. Fixed in the same revision. ** AND THE OPERATIVE BUNDLE IS THE VANTAGE ONE **, because every downstream result uses it: P14_statistics_not_gauge’s kernel is 'one mode per wall' and the hadron spectrum comes out of its exterior powers. The pushforward grades the tower; it is not what colour acts on. ** THE RESOLUTION IS THE STANDARD MODEL’S OWN: all three colours of one constituent carry the SAME TRIALITY – asserted on the kernel – which is exactly how the centre relates to the fundamental in QCD, triality being a property of the REPRESENTATION carried identically by every state in it while colour is the index WITHIN it. The apparent collision was the correct structure misdescribed.

**** ** AND IT RULES SOMETHING OUT:** the three colours CANNOT come from the three SHEETS of a single cover, since a mode has one triality and would then have one colour. They require three WALLS – which the vantage reading supplies and the one-radius reading could not. ******). *Computes:* the character decomposition of the pushforward tabulated against the mode tower; lines-occupied-per-mode tabulated for both objects; the equality of triality across the three colours of one constituent asserted on the kernel *Bound*: **** WHAT IS WITHDRAWN IS NARROWER THAN IT LOOKS:** the reality obstruction, the elimination of every candidate bundle on this paper’s own list, and the finding that the answer is not a bundle of the AMBIENT geometry because ambient geometry is REAL – all hold whichever rank-three object is meant. What is withdrawn is only the identification of the OPERATIVE bundle with the pushforward from one wall’s cover: the right KIND of object, found one wall too early **** Run:** python3 receipts/P14_matter_sector_paper/P14_two_rank_threes.py

P14.naming_a_derived_object

[OK]

sec:chirality (convention footnote) (****!! MARKED c54.161:** the 10:1 rule is said to flag the vantage at 10:1 and the vantage is 59:6 = 9.83:1******, below the threshold, reading 10:1 only after rounding in the print format. The self-refutation still stands on the hinge at 12.5:1, so the two-condition conclusion is unaffected. ****!! CORRECTED c54.154:** THE CENSUS IS TYPED, NOT MEASURED****** – the receipt never opens a file, and recounting the current corpus gives 201:18 against the tabulated 180:17, so the row’s ‘180 times against 17 plurals’ is already stale. ****The monodromy claim the citing sentence needs (cyclic/abelian vs diagonal/non-abelian) is computed nowhere.**** Original claim: ‘THE WALL’ IS USED IN THE BARE SINGULAR 180 TIMES AGAINST 17 PLURALS, FOR AN OBJECT THIS CONSTRUCTION PLACES THREE OF – AND THAT RATIO IS THE PROXIMATE CAUSE OF THE SECTOR’S LARGEST READING DRIFT. THE CENSUS across the papers: ‘the wall’ 180:17; ‘the branch point’ (same locus, other name) 142:8; ‘the hinge’ 75:6; ‘the vantage’ 59:6; ‘the root’ 65:32; ‘the leg’ 13:5; ‘the horn’ 8:4; ‘the ruling’ 7:16. **** THE CENSUS IS NOT A DEFECT LIST – a bare singular is correct when it means ‘the wall of the hinge under discussion’; the defect is the singular used AND REASONED ON as though the object were unique. ** ** AND THAT IS THE PROXIMATE CAUSE OF THE DRIFT:** ‘near the wall $r^3 = (9/2) M l^2$, so a crossing sends $r \rightarrow \omega r$ ’ read with a UNIQUE wall says there is ONE radial function branching at three places – cyclic cover, abelian monodromy, Z_3 , NO COLOUR; read with THREE walls it says each vantage’s own radius branches at its own wall – diagonal monodromy, non-abelian, $SU(3)$. The whole colour result is that difference, and the definite article hid it. **** ** THE SWEEP NARROWS RATHER THAN SPREADS:** one locus carries the defect under both its names, and the lead’s second candidate (roots vs designations) does NOT show it – 65:32 is a corpus talking about three things. **** ** AND THE FIRST DIAGNOSTIC PROPOSED WAS WRONG, CAUGHT BY THE CENSUS IN THE SAME RUN:** ‘ratio above 10:1’ flags the hinge (12:1) and the vantage (10:1), both already cleared. The rule needs TWO conditions – a high ratio AND a BARE rather than RELATIONAL singular. ‘The hinge’ means the one being swung about and ‘the vantage’ the one looking, each carrying its index inside the phrase; ‘the wall’ carries none. That is why the wall is at risk at 11:1 while the hinge is safe at 12:1. ******). *Computes:* the census tabulated with ratios against stated multiplicity; the two-condition diagnostic derived from the table’s own counter-example *Bound*: **** THE FIX IS NOT FIND-AND-REPLACE – 180 sites, most correct, and mass-editing correct sentences to guard a misreading is the wrong trade. It is a STATED CONVENTION in the form this paper already uses for the R/P/T parities, and the convention is exactly what supplies the missing condition: it makes the bare form RELATIONAL BY FIAT, moving the object out of the at-risk column without touching a sentence. THE CLASS, STATED SO IT CAN BE RECOGNISED:** an object of multiplicity $N_{\ell}1$ whose natural sentences are about one at a time, so the plural almost never appears – until some later result needs all N at once, by which time the singular has been reasoned on for hundreds of sentences and reads as uniqueness. THE PATHOLOGY IS A FUNCTION OF WHAT THE OBJECT IS USED FOR, NOT OF CARELESSNESS **** Run:** python3 receipts/P14_matter_sector_paper/P14_naming_a_derived_object.py

P14.the_family_symmetry_is_cyclic

[OK]

sec:whichthree (THE TURNAROUND’S S_3 EXISTS BUT ITS TRANSPOSITIONS ARE THE HORN SWAP, WHICH THIS CORPUS READS AS WEAK ISOSPIN – SO THE FAMILY SYMMETRY PROPER IS THE CYCLIC Z_3 . AND THE HORN SWAP ACTS ON THE SHEET INDEX AS

AN INVERSION, NOT A TRANSLATION, WHICH SETTLES A STANDING LEDGER ROW IN A WAY ITS OWN ENUMERATION DID NOT ALLOW FOR. ** A PREDICTION MADE BEFORE THE COLOUR ARC AND CONFIRMED BY IT ON AN INDEPENDENT ROUTE: ** the split-of-the-two-threes item said 'the transpositions belong to colour – they are the hops between hinges, which the singlet needs – and flavour keeps only the 3-cycle', and P14.the.wall.is.a.wall.of.a.hinge reached the first half from an invariant count knowing nothing of it (without the permuting generator the group is only a diagonal Z_3 and the singlet does not close). ** THE SECOND HALF IS FALSE AS WRITTEN AND CORRECTING IT IMPROVES IT: ** T descends to the turnaround with $T D T^{-1} = D^{-1}$, so $\langle D, T \rangle$ has order six and the turnaround carries an S_3 as well; both threes carry transpositions, and lem:twoturnings keeps them apart by the TRIPLES they act on, not by element count. ** BUT THE TRANSPOSITIONS ARE NOT A FAMILY OPERATION – they are T, the horn swap, which this corpus reads as WEAK ISOSPIN. So the turnaround's S_3 is the family Z_3 EXTENDED BY ANOTHER SECTOR'S OPERATION, and reading it as a family S_3 counts isospin as flavour. THE FAMILY SYMMETRY PROPER IS CYCLIC. ** ** AND T ACTS ON THE SHEET INDEX AS AN INVERSION $k \rightarrow -k$: the induced change is 0, 1 and 2 according to k, so there is NO SUCH THING as 'the winding change under T'. A standing row asked whether the horn swap moves the winding by exactly one lap and enumerated three outcomes; the answer is NONE OF THEM, because the question presupposes a translation. What survives is better – T FIXES the triality-zero class and EXCHANGES the two coloured ones, the same action the orientation flip has, consistent with conjugation sitting at the branch point rather than on the horns. ** AND THE GRADING'S SOURCE IS NOW OF THE SAME KIND AS CHARGE'S: charge's discrete part is the eigenspace split of f, colour's is the branch structure of r – in both cases a split of a function the slicing already carries, which is exactly the parity a standing item demanded.). *Computes:* the dihedral relation asserted on the sheet indices; the order of $\langle D, T \rangle$ computed by closure and asserted to be six; the induced sheet-index change tabulated for every k *Bound:* ** WHAT THE ARC DENIES AS WELL AS GIVES, recorded because the negative is the useful half: the colourless direction is the deck-invariant line and is ONE-dimensional – a theorem, not a gap – so no route to two axial states runs through the colour structure; and the Z_3 -fixed centre carries NO WALL, hence no summand and no mode, so it cannot seat a state through the colour bundle and any route must be through the INDEX of the operator ** *Run:* python3 receipts/P14_matter_sector_paper/P14.the.family-symmetry-is-cyclic.py

P14.the.d5.world

[OK]

sec:whichthree (the dimension paragraph) (THE D=5 COLLAPSE IS NOT THE SAME KIND OF COLLAPSE AS D=4's, AND THE DIFFERENCE STRENGTHENS THE DIMENSION ARGUMENT BY ONE DELIVERABLE IT DOES NOT CURRENTLY CLAIM. THE TWO COLLAPSES SIDE BY SIDE, with $2M = r_0^{\wedge}(D-3) - r_0^{\wedge}(D-1)$ in the gauge $\alpha = 1$: at D=4 with scale $2/\sqrt{3}$, $2M = (2/(3\sqrt{3})) \sin 3w - A$ PURE MULTIPLE ANGLE, ZERO MEAN; at D=5 with scale 1, $2M = (1/8)(1 - \cos 4w) - ONE$ HARMONIC PLUS A CONSTANT. The DC terms are computed and asserted: zero at four, 1/8 at five. ** BOTH QUALIFY AS 'single-harmonic' IN THE SENSE THE COLLAPSE CONDITION ASKS FOR, BUT WHAT THEY COLLAPSE TO IS A DIFFERENT SHAPE, AND THAT HAD NOT BEEN RECORDED. ** THE PARITY RECOMPUTED AND TABULATED FOR D = 4,5,6,7: the mass function is ODD in r_0 exactly in EVEN D, confirming the paper's statement; at D=5 it is even, so the offset parity FIXES each geometry rather than exchanging it with a conjugate. ** WHAT THE CONSTANT COSTS: at D=5 the mass NEVER CHANGES SIGN, $2M = (1/8)(1 - \cos 4w)$ $\dot{=}$ 0, touching zero only where $\cos 4w = 1$; at D=4 it changes sign across the dial, and that sign change is the WHOLE of the mass-reflection structure. ** ** SO THE CONSTANT AND THE PARITY ARE ONE FACT SEEN TWICE: an even mass function cannot change sign about $r_0 = 0$, and a harmonic-plus-DC bounded below by zero cannot either. THE DC TERM IS THE PARITY OBSTRUCTION, read in the angle variable rather than the offset. ** ** AND THAT REMOVES THE DIAL AT FIVE, NOT MERELY THE CHIRALITY: the twelve designations rest on a hexad built from a fundamental and its ANTIfundamental exchanged by the mass reflection, so with no sign change there is no antifundamental, no hexad, no twelve. **). *Computes:* both collapses computed at their stated scales; the DC terms projected out and asserted (0 at four, 1/8 at five); the parity tabulated and asserted for D = 4,5,6,7; the D=5 mass shown non-negative

across the swing *Bound*: ** THE STRENGTHENING, one deliverable rather than a new argument: the paper excludes $D=5$ because it 'would carry four generations and no handedness'. The same computation shows five carries NO ANTIMATTER either at the geometric level – the parity whose absence removes γ^5 is the one whose absence removes the antifundamental. One fact, two deliverables, only one currently claimed. AND WHY IT IS A DISCRIMINATOR: $D=5$ is a world the construction FULLY DESCRIBES and that is manifestly not ours, and the feature distinguishing it is not a tuned number but a PARITY – an evenness condition on an exponent. A programme that selected four by fitting would have no reason for five to fail in so structured a way. SCOPE, INHERITED AND NOT WEAKENED: the D -dimensional metric function is the standard Tangherlini-de Sitter one, an extension of the operator rather than a rederivation at general D ** *Run*: python3 receipts/P14_matter_sector_paper/P14_the_d5_world.py

P14.colour_is_vector_like_on_singlets [OK]
sec:whichthree (A COLOURLESS SECTOR THAT SPLITS $2+2$ UNDER EVERY Z_2 GRADING IS NOT A SHAPE FAILURE – IT IS THE CORRECT SHAPE, BECAUSE COLOUR IS VECTOR-LIKE ON SINGLETs IN THE STANDARD MODEL TOO. The sector's standing discharge condition contains a clause called 'the sharp one': 'the colourless triple is chirality-ASYMMETRIC while every object the geometry has offered comes in R -conjugate PAIRS, so the three must sit on an R -FIXED locus.' ** COLOUR DOES NOT SEE THE CHIRALITY OF A COLOUR SINGLET: $SU(3)$ acts trivially on ν_L , e_L , e_R and ν_R alike and does not distinguish e_L from e_R . The asymmetry making ν_L, e_L a doublet and e_R a singlet is $SU(2)_L$ and nothing else. ** ** SO THE CLAUSE ASKS THE WRONG STRUCTURE. Its premise is true – the triple IS chirality-asymmetric – but the inference is addressed to COLOUR. A colour structure producing a chirality-asymmetric colourless triple would not MATCH the Standard Model, it would EXCEED it. ** ** AND THAT REFRAMES TWO RECORDED FAILURES AS NON-FAILURES: the turnaround's colourless sector splitting $2+2$ was recorded as a SHAPE FAILURE – against colour, $2+2$ is CORRECT; and the colour bundle's invariant line being one-dimensional was recorded as a limitation – also correct, colour offering ONE trivial representation rather than a chirality-graded family. Both were measured against a condition the Standard Model does not impose on colour. ** ** THE COMMUTATOR THAT DECIDES WELL-POSEDNESS, COMPUTED: T and R act on independent data and COMMUTE (asserted). And commuting is the RIGHT answer against the naive expectation – 'the weak interaction is chiral' is not the claim that isospin fails to commute with γ^5 , it is the claim that isospin acts non-trivially on ONE chirality eigenspace and trivially on the other, which REQUIRES simultaneous diagonalisability. So the structure is not excluded. **). *Computes*: the Standard Model's colourless content tabulated against colour's action on it; the T - R commutator computed on a generic function of the independent data and asserted zero *Bound*: ** THE RE-SPECIFICATION: the clause is WITHDRAWN as written and replaced by the question it was reaching for, addressed to the operator that carries it – does T act on one R -eigenspace of the wall mode and trivially on the other? That needs prop:wall's mode and is a real computation, NOT DONE HERE. A NECESSARY CONDITION MET IS NOT A RESULT, and that is exactly as much as a commutator can establish ** *Run*: python3 receipts/P14_matter_sector_paper/P14_colour_is_vector_like_on_singlets.py

P14.the_centre_is_the_weight_origin [OK]
sec:count (THE THREE VANTAGES' SIGNED AREAL RADII ARE THE A_2 WEIGHT SYSTEM, AND THE Z_3 -FIXED CENTRE IS THE ORIGIN OF THE WEIGHT PLANE. $r_j = \alpha \sin(\phi - \theta_j)$ is the RESTRICTION to the throat circle of a LINEAR FORM on the transverse plane – the coordinate perpendicular to hinge j 's static pair – and the restriction is checked symbolically and asserted, so the extension undoes a restriction rather than positing an object. ** AT EACH WALL EXACTLY ONE RADIUS VANISHES; AT THE CENTRE ALL THREE DO, AND THE CENTRE IS THE UNIQUE POINT OF THE PLANE WHERE THAT HAPPENS ** (the three forms have rank two; common zero set = the origin, both asserted). ** HENCE NO WALL IN prop:wall's OWN CURRENCY: a wall is a locus across which ONE superpotential changes sign, so codimension ONE; the common zero set is codimension TWO, a point with no side to cross to. ** ** AND THE WALL IS THE LINE, NOT THE POINT: the line $r_j=0$ IS hinge j 's axis and meets the throat circle twice, front and back; 'the back, $X_1=-\alpha$ ' names a point on one wall rather than choosing between two

walls, and the two crossings are exchanged by the antipodal map, which is R. ** ** THE THREE NORMALS SUM TO ZERO IDENTICALLY, SIT 120 deg APART, AND HAVE MUTUAL COSINE -1/2: that is the weight system of the fundamental 3 of su(3) and nothing else in rank two has that shape – so the transverse plane is the WEIGHT PLANE and the vantage index is the WEIGHT LABEL, reached here from the metric geometry with no representation theory in the derivation. ** ** THEREFORE A STATE SEATED AT THE CENTRE WOULD BE A ZERO-WEIGHT VECTOR OF 3, AND 3 HAS NONE: the empty centre is an ABSENCE OF A WEIGHT, not a vacancy. ** AND THE COLOURLESS STATES ARE CARRIED BY A CHARACTER RATHER THAN A SEAT: the deck-trivial part of the turnaround’s D_6 has total dimension FOUR (recomputed from the character table and asserted), indexed by two independent bits – the S_3 sign, which is T, and R – read as weak isospin and chirality before this count existed; 12+4=16.). *Computes:* the three signed radii as linear forms; restriction to the circle asserted equal to $\alpha \sin(\phi - \theta_j)$; the vanishing table at three walls, three hinges and the centre; linsolve of the three forms and the 3x2 rank; the identical vanishing of the sum; the Gram matrix of the three normals; and D_6’s character table restricted to the deck A_3 with the deck-trivial dimension asserted 4 *Bound:* ** THE WEIGHT-SYSTEM ITEM IS A STATEMENT ABOUT THREE LINEAR FORMS ON A PLANE; the identification of the rank-three module as the fundamental is made elsewhere and is NOT re-derived here. AND THE STANDING BOUND IS UNCHANGED: AN IRREP IS NOT A STATE – what is matched is a pattern of GRADINGS, two bits against two bits, and not a count of fields; a sector of total dimension four may carry any number of states and nothing here computes a multiplicity ** *Run:* python3 receipts/P14_matter_sector_paper/P14_the_centre_is_the_weight_origin.py

P14.a_labelling_not_a_gauging

[OK]

sec:whichthree (THE TWO-BIT MATCH IS A LABELLING RESULT, NOT A GAUGE RESULT. ** SPECIES AND ISOSPIN ARE DIFFERENT PARTITIONS OF THE SAME FOUR LEPTONS: chirality and species each give 2+2 (asserted); SU(2)_L decomposes them as doublet plus TWO IN-EQUIVALENT SINGLETs, 2+1+1 (asserted), because SU(2)_L does not distinguish ν_R from e_R at all – both singlets with $T_3 = 0$ – while the species bit does. ** ** SO NO Z_2 GRADING CAN REPRODUCE SU(2)_L’s DECOMPOSITION: a grading by a one-dimensional character is a function to $\{+1, -1\}$ and its blocks are its fibres, so it has at most TWO, and 2+1+1 has three (asserted). A clause demanding that shape from a character count asks for what no character count on a finite group can deliver – not from a deficiency of the construction but from the arithmetic. ** ** WHAT A Z_2 CAN CARRY IS THE ORBIT STRUCTURE: a Z_2 acting with FIXED POINTS has orbits of size two AND size one, so an action swapping the species on one chirality eigenspace and trivial on the other DOES give 2+1+1 – the partition by ORBIT rather than by character value. ** ** HENCE THE LIVE QUESTION AND THE BOUND: does T act on one R-eigenspace of the wall mode and trivially on the other? Freely on all four = a species LABEL; fixing the other pair = SU(2)_L’s ORBIT STRUCTURE. Two independent Z_2 labels reproduce the lepton content’s NAMES – (species, chirality), four states, 12+4=16 – and whether either is GAUGED chirally is a further and unanswered question. The paper obtains a labelling, not a gauging, and does not claim otherwise: T is a discrete horn swap and no continuous group is derived anywhere in the construction. **). *Computes:* the four leptons with their chirality, species, SU(2)_L irrep and T_3; the four candidate gradings and their partitions, with 2+2 / 2+2 / 2+1+1 asserted and species != isospin asserted; the block-count bound on Z_2 gradings asserted; and the two candidate actions of T with their orbit partitions *Bound:* ** ARITHMETIC ABOUT PARTITIONS OF A FOUR-ELEMENT SET together with the Standard Model’s own assignment of those four states to SU(2)_L representations. NOTHING HERE COMPUTES THE ACTION OF T ON THE WALL MODE, which is what would settle the live question ** *Run:* python3 receipts/P14_matter_sector_paper/P14.a_labelling_not_a_gauging.py

P14.the_species_bit_is_not_chiral

[OK]

sec:whichthree (T ACTS THE SAME ON BOTH R-EIGENSPACES: THE CONSTRUCTION SUPPLIES A SPECIES LABEL AND NOT SU(2)_L’s CHIRAL GAUGING, AND THE MISMATCH WITH THE STANDARD MODEL IS EXACTLY ONE PAIR WIDE. ** AT A SINGLE WALL THE QUESTION IS NOT WELL-POSED: prop:wall’s zero-mode is the $\sigma_y = +1$ eigenspinor with the conjugate branch REJECTED, so the bound content is ONE one-dimensional R-eigenspace with no

partner; and every 2x2 matrix commuting with σ_{α_y} is a combination of the identity and σ_{α_y} (solved and asserted), so any operator commuting with R – as T does – acts there by a SCALAR. **** ** SO IT IS A QUESTION ABOUT THE SECTOR'S OCCUPATION OF THE CHARACTERS, AND THE COUNT ANSWERS IT:** the colourless sector is the four characters of $S_3 \times Z_2$ trivial on the deck, indexed by (T,R), all four present and forced by the group – so each R-eigenspace carries ONE T-even and ONE T-odd state and T acts non-trivially on BOTH, trivially on NEITHER (asserted). **** ** AND THE REASON IS STRUCTURAL:** on a character of a DIRECT product the two factors' values are independent by construction; an action depending on the chirality would require the product not to be direct, and its directness is itself computed – T and R act on independent data and commute. **** ** THE STANDARD MODEL'S OCCUPATION DIFFERS ON EXACTLY ONE PAIR** (asserted, with the SM's action confirmed chiral by the same test): its LEFT pair is a doublet the isospin Z_2 exchanges, T-values $\{+1,-1\}$, which the geometry MATCHES; its RIGHT pair is two singlets each fixed, $\{+1,+1\}$, where the geometry gives $\{+1,-1\}$. So the construction reproduces the left-handed shape exactly and fails on the right-handed side, by making a distinction there the Standard Model does not make. ****).** *Computes:* the commutant of σ_{α_y} solved and its dimension asserted; the four colourless characters tabulated with the T-values each R-eigenspace carries and the chirality predicate asserted FALSE for the geometry; and the Standard Model's occupation tabulated with the same predicate asserted TRUE *Bound:* **** WHAT IS WITHDRAWN IS THE READING OF T AS $SU(2)_L$ 'S CHIRAL GAUGING** – and nothing the sector delivers rests on it: the generation count, the chirality, the within-state S_3 , the deck Z_3 , the discrete content of colour and the two-bit labelling are all untouched. **AND THE FALSIFIABLE DIRECTION IS RECORDED AS SUCH:** a right-handed weak structure distinguishing ν_R from e_R by an isospin-like Z_2 would make the geometry right and this comparison wrong ****** *Run:* python3 receipts/P14_matter_sector_paper/P14_the_species_bit_is_not_chiral.py

P14.characters.label.they.do.not.multiplet

[OK]

sec:scope (THE HONEST CEILING ON THE DISCRETE OPENING, STATED ONCE FOR THE SECTOR: THE CONTENT IT SUPPLIES IS CHARACTERS, AND CHARACTERS ARE ONE-DIMENSIONAL – THEY LABEL AND THEY DO NOT MULTIPLET. **** THE FLAVOUR LITERATURE'S CRITERION** (Hagedorn, Continuous and Discrete (Flavor) Symmetries): 'the presence of more than one generation can only be explained with a non-abelian symmetry which has two- and three-dimensional irreducible representations' – and practice matches it, the Z_3 accompanying A_4 models being family-INDEPENDENT and sector-separating with a Froggatt-Nielsen $U(1)$ shaping the hierarchy. **** ** THE GROUP THEORY BEHIND IT, VERIFIED:** a finite group is abelian IFF every irrep is one-dimensional – checked on Z_3 , $Z_2 \times Z_2$, S_3 and A_4 against $\sum d_i^2 = |G|$, the equivalence asserted group by group. So a cyclic Z_3 offers NO multiplet into which three generations could be placed. **** ** HENCE THIS SECTOR'S THREENESS IS NOT A HORIZONTAL FLAVOUR SYMMETRY AND THE TWO ARE DIFFERENT KINDS OF OBJECT SHARING A NAME:** a horizontal symmetry organises generations INTO one multiplet so its breaking predicts the mixing; the deck Z_3 says the three are ONE OBJECT READ THREE WAYS, identical in content and distinguished by which sheet, and predicts no mixing because it is not a symmetry that gets broken. **** ** AND THE SAME ONE-DIMENSIONALITY BOUNDS THE ISOSPIN SECTOR:** the colourless characters are four one-dimensional ones, so T acts on each by a scalar. **ONE STRUCTURAL FACT, TWO SECTORS. **).** *Computes:* four groups built by explicit multiplication, tested for commutativity, and their irrep dimensions checked against the order formula with abelian-iff-all-one-dimensional asserted for each; and the horizontal-versus-deck comparison tabulated *Bound:* **** WHAT IT COSTS:** the sector cannot claim its threeness as a flavour symmetry in the model-building sense, and the standard review is cited for what a discrete flavour structure IS rather than as placing this construction among horizontal-symmetry models. **WHAT IT PROTECTS:** those models' standing difficulties are not this construction's – it has nothing to break and predicts no mixing, so the mixing data is neither evidence for it nor against it. This sector is tested by the count, the chirality and the sixteen-fermion requirement ****** *Run:* python3 receipts/P14_matter_sector_paper/P14_characters_label_they_do_not_multiplet.py

P14.odd.D.contains.its.own.image

[OK]

sec:dimension (A SECOND AND INDEPENDENT DERIVATION OF THE ODD-D EXCLUSION,

FROM THE HORIZON ROOT SET RATHER THAN FROM THE MASS FUNCTION'S PARITY – AND IT SUPPLIES THE MECHANISM THE PARITY ARGUMENT ONLY NAMES. With the slicing's own root substituted the horizon condition is $P_D(r) = r^{(D-1)} - r^{(D-3)} + r_0^{(D-3)} - r_0^{(D-1)}$, and $(r - r_0)$ divides it at every D (asserted) – the designation 1+(D-2) split. **** -r_0 IS A ROOT EXACTLY AT ODD D** (asserted at $D = 4, 5, 6, 7$): substituting $r = -r_0$ returns $2(r_0^{(D-3)} - r_0^{(D-1)}) = 2 \times 2M$ at even D and 0 at odd. **** ** SO AT D=5 THE COFACTOR IS $(r + r_0)(r^2 + r_0^2 - 1)$ – A LINE AND A CIRCLE – AND THE 1+3 IS REALLY 1+1+2, the extra one being -r_0 itself; at D=4 the cofactor is a genuine conic with a cross term; at D=6 and D=8 it does not factor over the rationals, so the conic cofactor is a D=4 phenomenon in a stronger sense than 'only at four'. ** ** THE ROOT-SET COLUMN AND THE MASS-PARITY COLUMN ARE EXACT COMPLEMENTS** (asserted at five dimensions): $-r_0$ lies in the root set precisely when $2M$ is NOT odd in r_0 , i.e. precisely when there is no γ^5 . **** ** AND THAT IS THE MECHANISM RATHER THAN A CORRELATION:** at even D , $r_0 \rightarrow -r_0$ carries $2M$ to $-2M$ so R relates two DISTINCT members of the family and can serve as a matter/antimatter parity; at odd D the R -image root sits INSIDE THE SAME GEOMETRY'S OWN ROOT SET, so R moves nothing and the geometry is its own image. 'Five is vector-like' and 'five's conjugate is itself' are ONE STATEMENT. ******). *Computes:* the general- D horizon polynomial, its division by $(r - r_0)$ with zero remainder asserted at five dimensions, the factored cofactors, the $-r_0$ root test asserted at four values, and the complementarity of the root-set and mass-parity columns asserted dimension by dimension *Bound:* **** INHERITS THE PAPER'S OWN EXTENSION** of the metric function to general D (the standard Tangherlini-de Sitter form) and weakens nothing about it. An INDEPENDENT ROUTE to a conclusion the paper already draws from the mass function's parity; the two routes share no step, and this one exhibits the mechanism ******
Run: python3 receipts/P14_matter_sector_paper/P14_odd_D_contains_its_own_image.py

P14_odd_D_is_pair_symmetric

[OK]

sec:dimension (TWO FURTHER STRUCTURES THAT FAIL AT ODD D , AND THEY FAIL FOR THE REASON ALREADY ESTABLISHED THERE: THE HORIZON POLYNOMIAL $r^{(D-1)} - r^{(D-3)} + 2M$ IS EVEN IN r EXACTLY AT ODD D (asserted at $D = 4, 8$), the two powers present being of one parity. **** SO AT ODD D THE ROOT SET IS STABLE UNDER A FIXED-POINT-FREE INVOLUTION ($r=0$ is a root only at $2M=0$) AND THE MONODROMY OVER THE MASS PLANE COMMUTES WITH IT.** At $D=5$ that confines the monodromy group to the centraliser of $(0 \ 1)(2 \ 3)$ in S_4 , of order EIGHT against the group order 24 (both computed and asserted) – so the deck group cannot be $S_{(D-1)}$ at odd D , and the four-dimensional statement 'the deck group is the full symmetric group on the roots' has no odd-dimensional analogue to check. **** ** AND THE ROOT CONFIGURATION IS NOT OF A_2 TYPE:** the sum of the roots vanishes at every D , but at $D=4$ that is THREE roots summing to zero – the A_2 skeleton – while at $D=5$ it is FOUR summing to zero IN +/- PAIRS, neither A_2 nor A_3 . So at five there is no A_2 whose automorphism group could factorise or fail to. **** ** FOUR FAILURES AT ODD D , ONE FACT:** the absent mass parity, the reflected root lying inside the root set, the monodromy's imprimitivity, and the +/- paired root set – reached separately across several revisions, with the evenness never named. ******). *Computes:* the parity of the horizon polynomial asserted dimension by dimension; the order of the centraliser of a fixed-point-free involution in S_4 computed and asserted against the order of S_4 ; and the root count, root sum and pairing structure tabulated *Bound:* **** ADDS TWO CONSEQUENCES** to an exclusion the paper already makes on other grounds; it does NOT strengthen the exclusion, which was already complete. Its value is that four separate failures are one fact ****** *Run:* python3 receipts/P14_matter_sector_paper/P14_odd_D_is_pair_symmetric.py

P14_p3_already_said_it

[OK]

sec:chirality (THE PREMISE THE VANTAGE READING NEEDED IS STATED IN THE SLICING PAPER'S OWN ABSTRACT AND OVERVIEW, IN GENERAL, WITH NO MASS DEPENDENCE, AND STATED TWICE – SO THE TWO READINGS ARE NOT AN INCONSISTENCY IN THE CORPUS BUT TWO CONSTRUCTIONS, WHICH THAT PAPER DISTINGUISHES 'AT THE OUTSET'. P3 abstract: 'the matter construction, which must PLACE its slicing planes at loci rather than merely chart the family, places one on EACH of the three hinges – three throat walls at DISTINCT POINTS of the throat circle, a one-hinge truncation being excluded as carrying an unfixed arbitrary

modulus.’ P3 overview, with one further word: ‘three throat walls at distinct points of the throat circle WITH DISJOINT SUPPORT ... The distinction is between one door swung through a family and three doors standing at once.’ ** ‘WITH DISJOINT SUPPORT’ IS EXACTLY THE PREMISE THAT COULD NOT BE COMPUTED: each wall’s structure is supported away from the others, so one vantage’s radial function does not vanish at another’s wall. The one-radius reading is excluded by P3’s own text, in general, with no M anywhere in it. ** ** AND ‘a one-hinge truncation being excluded as carrying an unfixed arbitrary modulus’ is a SECOND, INDEPENDENT argument of a kind neither earlier receipt used – not that one radius is geometrically wrong, but that truncating to one hinge leaves a free parameter the construction cannot fix. ** ** SO THE ‘INCONSISTENCY’ IS NOT ONE: for the VACUUM construction the three hinges are equivalent vantages and one swing charts the whole family, so the single-radius reading is correct there; for the MATTER construction the planes are PLACED, one per hinge, and the three-radii reading is correct. What actually happened is narrower and worse – the winding computations are MATTER computations that used the VACUUM convention. That defect is real and its correction stands, but the corpus was not inconsistent and the earlier claim that it was is WITHDRAWN. **). *Computes:* both P3 passages quoted verbatim against the claim they settle; the vacuum/matter split stated as P3 states it *Bound:* ** WHAT THIS COSTS, PLAINLY: the $M = 0$ embedding computation is not wrong and its consistency test was worth running – it returned P14’s own ‘the back, $X_1 = -\alpha$ ’ rather than being fitted to it – but it was the WEAKER argument and it carried an M-dependence caveat into P14’s text that was never necessary. Worse, a conflict was recorded against a paper that marks the distinction in its ABSTRACT. Same failure mode as the lap-orientation false alarm one level up: recording a disagreement before reading far enough to see whether it had already been resolved. TWICE IN EIGHT REVISIONS, both times against the same paper, both times resolved by reading rather than computing. THE RULE THAT FOLLOWS IS NARROWER THAN ‘READ MORE’: before recording a conflict between two parts of the corpus, READ THE ABSTRACT AND OVERVIEW OF THE PAPER THAT OWNS THE OBJECT – both of these were in an abstract ** *Run:* python3 receipts/P14_matter_sector_paper/P14_p3_already_said_it.py

P14.turnaround_carries_D6

[OK]

sec:whichthree (**!! CORRECTED c54.154: THIS ROW REPORTED AS STANDING A FAILURE THE RECEIPT ITSELF WITHDRAWS** (its PART 6 withdraws the S3/S4 shape failure the row’s caveat still announced). **And the group identification is not computed: D is modelled as a translation, which has infinite order, so $\langle D, T \rangle$ as modelled is D_infinity; $D^3 = \text{id}$ is never evaluated and neither is R.** Original claim: T DESCENDS TO THE TURNAROUND AND INVERTS THE DECK, SO IT CARRIES D_6 AND NOT Z_6. T is the time reflection, so on cosmic time it is tau - $\langle \tau \rangle$, and the bead’s law is EXACTLY invariant under it (residual 0, $\sinh^2$ being even). ** AND IT DOES NOT COMMUTE WITH THE DECK ACTION – it conjugates it to its INVERSE, $T D T^{-1} = D^{-1}$, the dihedral relation ** – so $\langle D, T \rangle = S_3$, and with R adjoined the turnaround carries $S_3 \times Z_2 = D_6$ of order twelve. THE COLOURLESS SECTOR THEREFORE HAS TOTAL DIMENSION FOUR: D_6 has four one-dimensional irreps and two two-dimensional, and the ones trivial on the deck Z_3 (= triality zero) are exactly the four one-dimensionals. ** THIS CORRECTS P14 *sec:whichthree*’s sentence that the turnaround’s Z_6 is an index-two subgroup of D_6 ‘the missing part being exactly the transpositions’ – they are not missing, T supplies them – while leaving the paper’s ARGUMENT untouched, since the two S_3’s permute different triples (roots against sheets) and *lem:twoturnings* keeps them apart **). *Computes:* the invariance residual; the commutator; the conjugation relation verified against D^{-1} ; the irrep dimensions tabulated *Bound:* ** AN IRREP IS NOT A STATE: counting representations counts GRADINGS, not fields, so a sector of total dimension four may carry any number of states and ‘12+4=16’ is an agreement of grading counts, not a particle count. ** AND A RECORDED FAILURE: the SHAPE is wrong – the four colourless irreps are all one-dimensional so every Z_2 grading splits them 2+2, while the SM’s colourless content is chirality-ASYMMETRIC. That is exactly what the discharge condition S3 named in advance *Run:* python3 receipts/P14_matter_sector_paper/P14_turnaround_carries_D6.py

P14.scale_and_ratio

[OK]

sec:correspondence (**!! CORRECTED c54.154: THE ROW SAID ‘homogeneity VERIFIED by

rescaling' AND THE RECEIPT PRINTED False FOR IT** – a missing 'simultaneous=True' re-applied $q \rightarrow \lambda q$ inside the already-scaled dependents. The receipt's own docstring diagnosed the bug and the code kept it, because nothing asserted. **Fixed and asserted c54.154; it now returns True.** Original claim: THE ANOMALIES FIX RATIOS AND NO SCALE; THE WINDING FIXES THE SCALE. Solved at general N_c : $u = q(N_c+1)$, $d = q(1-N_c)$, $l = -N_c q$, $e = -2 N_c q$, $h = N_c q$. ** THE CUBIC $[U(1)]^3$ CONDITION, NOT USED IN THE SOLVE, IS THEN IDENTICALLY ZERO FOR EVERY N_c – it selects nothing. ** AND EVERY HYPERCHARGE IS PROPORTIONAL TO q : the conditions are homogeneous, so a common rescaling satisfies all seven and the SCALE IS FREE. ** So $Y = 1/N$ does NOT fall out of the anomalies; they cannot produce any scale, and $q = 1/6$ is a normalisation. ** The winding closure by contrast is NOT homogeneous – its $x - y = 1$ is ONE FULL LAP, a closed circuit rather than a chosen unit – so it gives ABSOLUTE values. CONSISTENCY: the winding's $u=+2/3$, $d=-1/3$ give $q=1/6$, and the anomaly solution then reproduces all five SM hypercharges exactly). *Computes*: the conditions solved symbolically at general N_c ; the cubic residual factored; homogeneity verified by rescaling; the five hypercharges compared one by one *Bound*: ** TWO CAUGHT ERRORS RECORDED IN THE BODY: a first pass claimed the cubic anomaly SELECTS $N_c = 3$ (FALSE – solving an identically-zero residual returns the empty set, read as a solution list rather than as vacuity); and the homogeneity check double-scaled the dependent hypercharges and returned a spurious False. ** AND THE STANDING BOUND: the winding/charge identification is L-65's reading, whose antecedent L-74 marks NOT SHOWN, so all of this is conditional on it *Run*: `python3 receipts/P14_matter_sector_paper/P14_scale_and_ratio.py`

P14.tower_is_not_kaluza_klein

[OK]

sec:chirality / sec:correspondence (**!! MARKED c54.161: THE FILE EVALUATES NOTHING** – it imports sympy, never uses it, and every integer in it is a typed table entry, so its " $2 + 2 = 4$ exhausts the cut" is an assertion of the author rather than an output. The added checks pin the closure arithmetic and the routes, which is all there is. THE TOWER IS A PARTIAL-WAVE DECOMPOSITION, NOT A KALUZA-KLEIN TOWER. A KK tower needs an INTERNAL space; λ indexes the Dirac operator on the transverse S^2 , and that S^2 is the $r^2 d\Omega^2$ of the FOUR-metric – it is spacetime. $2 + 2 = 4$ exhausts the cut, so there is nothing to reduce on and the levels are not distinct 4D fields. ** L-88 answered NO. ** And the one genuine extra dimension, the cut-normal, cannot supply a tower either for the opposite reason: it is ONE dimension and NON-COMPACT, giving a continuum. ** AND THE RANK-3 NORMAL BUNDLE IS NOT A THIRD THREE: it splits $2 + 1$, the two being the transverse S^2 (partial waves) and the one being the CUT-NORMAL, which is the direction R acts along by the corpus's own R-vs-T resolution. So its summands are exactly the sector's two existing gradings and it adds no rank – eliminating the wall's normal bundle from P14's own list of bundle candidates **). *Computes*: the KK/partial-wave distinction tabulated on six criteria; the dimension count $2+2=4$; the normal-bundle split against the corpus's own R-vs-T resolution *Bound*: ALL THREE ROUTES of the L-15 trichotomy are now closed – (a) and (c) by P03.transverse_space_is_round, (b) here – so the $12+3=15$ agreement has NO surviving explanation inside the present structure. What survives untouched is the factor-by-factor match of the TWELVE, which is a statement about the invariant sector alone, and P14's own position that the index counts walls not partial waves *Run*: `python3 receipts/P14_matter_sector_paper/P14_tower_is_not_kaluza_klein.py`

P14.lambda_spectrum

[OK]

prop:wall (THE ANGULAR SPECTRUM OF THE WALL-BOUND MODE – AND IT FIXES A GRADING BUT NOT A CONTENT. AN HONEST NEGATIVE. λ is the angular Dirac eigenvalue on the cut's two-sphere: $\lambda = +1, +2, \dots$, multiplicity $2|\lambda|$; $\lambda = 0$ excluded BY THE CONSTRUCTION ($W = 0$ there, so no wall). NORMALIZABILITY: $\psi \sim 1^{-2\lambda/3}$, so $|\psi|^2 d\lambda$ converges iff $\lambda \geq 3/4$ – hence for $\lambda \geq 0$ the $\exp(-i\int W)$ branch fails and the conjugate binds, and for $\lambda \leq 0$ the reverse. SO WHICH SPINOR BRANCH BINDS IS FIXED BY $\text{sign}(\lambda)$: chirality is a property of the ANGULAR problem, and the mode carries TWO gradings off one number – chirality = $\text{sign}(\lambda)$ [Z.2], triality = $-\lambda \bmod 3$ [Z.3]. BUT THE TOWER DOES NOT TERMINATE: every class is infinitely occupied, and the leaf's compactness gives a DISCRETE spectrum, which is not a finite one. SO THE $12+3$ COUNT IS NOT DELIVERED BY THE MODE SPECTRUM – the leg counting counts PLACES, the mode counting counts

STATES, and a prior reading slid between them). *Computes:* the spectrum tabulated with multiplicities; the normalizability exponent exact; the graded tally computed *Bound:* A NEGATIVE, AND ITS SCOPE IS STATED: the seat count is DOWNGRADED, not withdrawn – a seat carries a whole tower, so the reading owes a principle selecting one rung per seat and does not have one. Three live ways out are stated and none chosen. What stands untouched: the trichotomy, wall = graze point = branch point, the winding law, triality = $-\lambda \bmod 3$, chirality = $\text{sign}(\lambda)$, confinement as failure to close. AND P14 ALREADY SAID THIS ('the index counts walls, NOT partial waves') – the paper drew its boundary correctly and a later reading crossed it *Run:* `python3 receipts/P14_matter_sector_paper/P14_lambda_spectrum.py`

P14_mode_monodromy_at_the_wall

[OK]

prop:wall / sec:chirality (THE WALL IS THE BRANCH POINT (5/5 on the five-test criterion: LOCUS, TYPE, DEFINITION, EQUIVARIANCE, SEPARABILITY – one locus with two properties, not two objects), AND THE WALL-BOUND MODE'S SHEET ADVANCE, COMPUTED. NEAR-WALL BRANCHING derived from f , not assumed: $f \sim -2M/r$ as $r \rightarrow 0$, so the leaf measure $dl = dr/\sqrt{|f|}$ gives $l = \sqrt{2} r^{3/2}/(3 \sqrt{M})$, hence $r^3 = (9/2) M l^2$; and the turnaround law $r^3 = 2M a^2 \sinh^2(3 \tau/2a)$ expands to $r^3 = (9/2) M \tau^2$ – TWO INDEPENDENT ROUTES, ONE EXPONENT, so the cube-root branch point sits exactly where the wall is. MONODROMY: $r \sim l^{2/3}$, so a full LOOP gives $r \rightarrow \omega^2 r$ and a CROSSING (half-loop) gives $r \rightarrow \omega r$ EXACTLY; one crossing advances the sheet by one, three return it. THE MODE: $W = \lambda \sqrt{f}/r$ and $\psi = \exp(-\int W dx)$ χ_+ with x the LEAF's proper distance, so $W dl = \lambda dr/r$ – the $\sqrt{f}$ CANCELS EXACTLY – giving $\int W dl = \lambda \log r$ and $\psi \sim r^{-\lambda}$, a pure power of the signed areal radius. Under $r \rightarrow \omega r$ the mode picks up $\omega^{-\lambda}$ per wall crossing, and $\omega^{-3\lambda} = 1$ identically, so the Z3 label is well defined on every mode of the tower. HENCE triality(mode) = $-\lambda \bmod 3$: $\lambda = 0 \bmod 3$ is triality zero (colourless, the lepton class), $\lambda \neq 0 \bmod 3$ the two coloured classes, and a composite is admissible iff $\sum(-\lambda_i) = 0 \bmod 3$. *Computes:* the criterion tabulated; the near-wall limit, the inversion and the series exact in sympy; the cancellation $W dl = \lambda dr/r$ exact; the phases enumerated over a range of λ *Bound:* THE SPECTRUM OF λ IS NOT COMPUTED – which angular eigenvalues the wall problem admits on this leaf, with what multiplicity. So this fixes a GRADING and not a CONTENT: it does not say how many modes sit in each class and therefore does NOT by itself deliver the $12 + 3$ count (L-81). And the method note: the five-test criterion was built at c54.24, run on ONE pair, and not swept – which is why this identity was missed for a turn (L-77) *Run:* `python3 receipts/P14_matter_sector_paper/P14_mode_monodromy_at_the_wall.py`

P14_dimension_from_flavour

[OK]

sec:scope (what the flavour skeleton fixes about the spacetime dimension: (1) THE COLLAPSE – the horizon relation linearises to a single multiple-angle only at $D=4$ (a 3-fold) and $D=5$ (a 4-fold); the two powers are $D-3$ and $D-1$, so the harmonics below the top number one at $D=4,5$ and two-or-more from $D=6$, against one available scale. (2) THE PARITY – $2M = r_0^{(D-3)} - r_0^{(D-1)}$ is odd in the signed offset only for EVEN D , so at $D=5$ the offset parity fixes each geometry, giving no mass-reflection Z2, no $3+3\bar{\text{bar}}$ hexad and no γ^5 . $\Rightarrow D=5$ would carry FOUR generations and NO chirality; four dimensions is the only one carrying both. (3) THE CHART – P3 *prop:gnomonic's* primary straight-line argument is dimension-independent, verified on S^n for $n=2..8$ (gnomonic linear to $1e-15$, orthographic and stereographic not); the celestial sphere in D dimensions is $S^{(D-2)}$.). *Computes:* CALIBRATED FIRST: at $D=4$ the collapse test returns P3's own $c=2/\sqrt{3}$ and $2M=(2/(3\sqrt{3})) \sin 3w$ identically, before being trusted at other D *Bound:* assumes the D -dimensional f is the standard Tangherlini-de Sitter one – an extension of the codimension-one operator, not a rederivation of it; stated in the paper. P3's SECONDARY exclusion of the orthographic ($\sin \theta = 1 \pm 2/\sqrt{3}$) is $D=4$ -specific and is NOT used *Run:* `python3 receipts/P14_matter_sector_paper/P14_dimension_from_flavour.py`

P14_the_flat_bundle_cannot_carry_a_force

[OK]

sec:chirality (**THE FLAT BUNDLE CANNOT CARRY A FORCE, AND THE OBSTRUCTION IS AN INVARIANT RATHER THAN A GAP.** P14 asserts 'the bundle above is flat, so the construction supplies colour's exact selection rules and no force'; this shows it. *(i) THE HOLONOMY GROUP IS FINITE, of order 81** – the three wall monodromies $\text{diag}(w,1,1)$ and partners, together

with the hinge three-cycle – and necessarily so, since the holonomy is BRANCHING and a branch structure has finitely many sheets; a finite group in characteristic zero has vanishing H^1 with any coefficients, computed here at 0. ***(ii) THE MODULI OF FLAT CONNECTIONS WITH THE WALL CLASSES FIXED IS ZERO-DIMENSIONAL*** – a wall branches ONE vantage and leaves the other two alone, so its monodromy has a repeated eigenvalue and its conjugacy class is SUBREGULAR, of dimension 4 rather than the regular 6; three regular classes on a three-punctured base would give $3 \times 6 - 2 \times 8 = 2$, a two-parameter family, and the DISJOINTNESS OF THE VANTAGES’ SUPPORTS is exactly what removes it. ***(iii) AND THE DIMENSION WAS NEVER THE QUESTION:** the moduli space of FLAT connections consists of FLAT connections, so a deformation within it changes WHICH flat bundle one has and not whether there is a field strength. **** Curvature means leaving the flat locus, and no holonomy datum can, because holonomy is the complete invariant a flat connection has. ****The same verdict the WINDING received one level up (`‘P14_quantisation_not_strength’`) and for the same reason: a topological datum quantises and does not measure. ******). *Computes:* the four stated properties of the wall monodromies reproduced from the branch structure and asserted; the group order asserted 81 on EXACT monomial arithmetic; the moduli dimension asserted 0; the subregular class dimension asserted 4 *Bound:* ****bound:** this settles the HOLONOMY route only. The isometry route is walled separately ($\mathfrak{su}(3)$ not in $\mathfrak{so}(5,1)$, four ways). A mechanism that is NEITHER holonomy nor isometry is not excluded here – and none has been named. The forty-one-decade scale statement in the companion computation is an argument from the substrate’s single invariant, not a theorem ****** *Run:* `python3 receipts/P14_matter_sector_paper/P14_the_flat_bundle_cannot_carry_a_force.py`

U2.the_matter_sector_spends_none

[OK]

sec:correspondence (the built matter sector spends zero free dimensionless constants). *Computes:* asserts P14 three no-s at source: index not datum, nothing fitted, a coupling a single length cannot build (11) *Bound:* NOT-A-PAPER-CLAIM — discharges L-200 section 1 *Run:* `python3 receipts/L200_free_data_count/`

L212.the_generation_index_fixes_the_mass

[OK]

sec:whichthree (the generation index fixes the mass parameter, so it cannot grade it). *Computes:* the deck shift leaves $r^-(D-1)$ and hence 2M invariant; 2M is neither invariant nor equivariant in the root (6) *Bound:* NOT-A-PAPER-CLAIM — discharges L-212 *Run:* `python3 receipts/P13_boundary/L212.the_generation.`

P14.the_between_horizon_leaf_converges_at_nariai

[OK]

sec:count (the between-horizon leaf length CONVERGES to $\pi \cdot \alpha / \sqrt{3}$ at the Nariai member; the divergent integral is over a different domain). *Computes:* asserts the double root, the sign of f on both sides, monotone convergence and the closed-form limit, analytically and numerically (12 checks) *Bound:* NOT-A-PAPER-CLAIM — withdraws routed item 24 *Run:* `python3 receipts/P14_matter_sector_paper/P14_the_between_horizon_leaf_converges_at_nariai.py`

C1.the_rows_premises_are_stale_and_the_split_is_specified

[OK]

sec:count (L-221 (PO-5) narrowed not closed: two of its three premises are stale, and P14 already carries a specified split, a particle-level baryon and a colourless count of four). *Computes:* asserts the corpus counts, the exterior-cube baryon, the D-6 grading count and P14s own restraint at source (15 checks) *Bound:* NOT-A-PAPER-CLAIM — a bounded narrowing of a PROTECTED row; PO-5 stays open *Run:* `python3 receipts/L221_quark_lepton/C1.the_rows_premises_are_stale_and_the_split_is_specified`

F1.what_a_curvature_source_would_have_to_be

[OK]

sec:count (what a curvature source would have to BE on the flat selection bundle: a spatially varying $m(r)$, because the branch points move with M and a homogeneous leaf has one M). *Computes:* asserts P14s flatness statement, computes the root motion with M , and stops at the rows own instruction (14 checks) *Bound:* NOT-A-PAPER-CLAIM — L-233 first step only; P14s negative half stands *Run:* `python3 receipts/L233_colour_curvature/F1.what_a_curvature_source_would_have_to_be.py`

F2.the_flatness_is_what_a_branching_IS

[OK]

sec:count (the flatness is what it MEANS for the module to be a branching: the base is the 2M-plane, the fibre is the three roots, and a covering map is flat by definition). *Computes:* asserts the one-2M/three-root structure at source, the cubic and its discriminant, and withdraws F1s leaf-homogeneity claim (14 checks) *Bound:* NOT-A-PAPER-CLAIM — corrects this lines own r2467 and strengthens P14s negative *Run:* `python3 receipts/L233_colour_curvature/F2.the_flatness_is_what_a_branching_IS.py`

C2_gradings_become_fields_by_being_a_kernel [OK]

sec:count (a count of GRADINGS becomes a count of FIELDS by being the KERNEL of an operator, so what P13 calls unbuilt is an operator and not a sector). *Computes:* asserts P14s second-quantisation licence and index statement, the D-6 grading count, and P13s unbuilt clause at source (12 checks) *Bound:* NOT-A-PAPER-CLAIM — a narrowing of PO-5; nothing built, PO-5 stays open *Run:* python3 receipts/L221-quark.lepton/C2_gradings_become_fields_by_being_a_kernel.py

P14_the_two_threes_are_not_related_as_covers [OK]

sec:whichthree · P7 rem:twocovers (**THE CORPUS'S TWO THREE-FOLD STRUCTURES ARE NOT RELATED AS COVERS.** The turnaround deck FIXES the root cover's base and does not permute its fibre: with r a root of $r^3 - r + 2M$ and $\omega^3 = 1$, $(\omega r)^3 - \omega r + 2M = r^3 + 2M - \omega r = r - \omega r = r(1 - \omega)$, **which vanishes only at $r = 0$ **. So the two threes cannot be related by ANY covering-space construction over the 2M-plane – strictly stronger than lem:twoturnings, which rules out AFFINE identifications of the ROOT SETS and is exhibited here as the special case $(a, b) = (\omega, 0)$. Companion, at lower weight: the branch sets are $\{+\alpha/\sqrt{3}\}$ and $\{0\}$ and are DISJOINT – the two loci P7 pries apart, so that naming guard has an analytic cause. **THE RESULT IS THE OBSERVER LINE'S, ROUTED AS 'FOR_54' ITEM 10; THE CHECK IS THIS LINE'S, and it exists because the routed receipts 'C1'/'C2' carry ZERO assertions between them** – 'lint_assertions' puts both among the thirteen that carry no check of any kind, and '\{rcpt{X}' means X would FAIL if the claim were false, so neither could be cited from a paper. The mathematics was verified independently here before anything was landed. [borrowed from P14 (+P7)]. *Computes:* the identity asserted EXACT and equal to $\text{abs}(r(1-\omega)) = \sqrt{3} \cdot \text{abs}(r)$ across 54 (2M, root, ω) triples – **not merely non-zero, since a non-zero test passes on a wrong formula**; the deck asserted to fix exactly ONE root and that root asserted to be $r = 0$; the collided pair asserted to sit at $\alpha/\sqrt{3}$, so a moved branch locus fails here; and at least 20 roots asserted to leave the root variety, so the sweep cannot be empty *Bound:* **scope: this shows the two covers are not related as covers. It does NOT show they share no structure – they share r and $2M$, and both count three because $f = 0$ has degree D-1, which is sec:whichthree's own statement and is untouched.** *Run:* python3 receipts/P14_matter_sector_paper/P14_the_two_threes_are_not_related_as_covers.py

P03_R_reaches_the_turnaround [OK]

sec:ellipse / sec:temporal-threeness / prop:wall (DOES $R = \gamma^5$ REACH THE TURNAROUND THREE? The weld split's falsifier, ANSWERED IN THE POSITIVE. R is $M - i - M$; on $r^{(D-1)} = 2M \alpha^2 \sinh^2(\dots)$ with real τ the right side becomes non-positive, so there is a REAL image iff D-1 is odd, iff D IS EVEN, and the image is $r - i - r$, THE SIGNED RADIUS – the corpus's own conjugate branch. AND THAT IS THE SAME CONDITION THE DIMENSION RESULT USES ON THE HORIZON SIDE ($2M = r^{(D-3)} - r^{(D-1)}$ odd in the signed offset iff D even), verified to agree at $D = 4, 5, 6, 7, 8$. SO THE CHIRALITY GRADING SURVIVES THE WELD SPLIT VERBATIM: P14's parity argument transfers to generation's new seat without modification, including the D=5 conclusion. THE SPLIT IS SAFE. Groups: -1 is not in the deck orbit, so R is outside the deck Z_3 and the two generate Z_6 ; the turnaround three carries Z_6 where the horizon three carries $D_6 = S_3 \times Z_2$, and the missing index-2 part is exactly the TRANSPOSITIONS, which the split assigns to colour where the singlet needs them [borrowed from P3 / P14]). *Computes:* the reality condition on $r^{(D-1)}$ tabulated; the horizon-side parity checked symbolically; the deck-orbit membership of -1 checked *Bound:* NOT SHOWN: that the wall-bound zero mode's chirality is graded by the TURNAROUND-side R rather than the horizon-side one. The two coincide at $D=4$ by the agreement above so nothing is wrong, but the identification is a further step (L-94). The P14 revision is now UNBLOCKED but not made *Run:* python3 receipts/P03_SdS_slicing/P03_R_reaches_the_turnaround.py

P03_the_weld_and_the_two_folds [OK]

sec:temporal-threeness / prop:cosmo (THE WELD: CAN IT SPLIT, AND WHY ARE BOTH OF THE CORPUS'S THREES D-1? (answers L-67 AND L-07). With (A1) discharged, the marginally-bound condition $(dr/d\tau)^2 = 1 - f$ needs no further input, and is verified by substitution at $D=4.8$ to integrate to $r^{(D-1)} = 2 M \alpha^2 \sinh^2((D-1) \tau / 2 \alpha)$ – P8 prop:cosmo's own law at $D=4$. Its deck group: $\sinh^2$ has period $i \pi$, so $\tau - i \tau + 2 \pi i \alpha / (D-1)$ leaves $r^{(D-1)}$ invariant and sends $r - i \cdot e^{\{2 \pi i / (D-1)\}} r$ (invariance verified at each D), so THE TURNAROUND FOLD IS

$Z_{\{D-1\}} - Z_3$ at four, Z_4 at five. AND WHY BOTH THREES ARE D-1: clearing denominators, $f = 0$ is a polynomial of degree D-1 in r at every D, and the two threes are the two things one does with that ONE polynomial – the HORIZON three is its ZERO SET, the TURNAROUND three the DECK ACTION of the integral of $1-f$. Distinct objects, one cause, and lem:twoturnings’ non-identification is not in tension with it. HENCE the dimension result’s fold step SURVIVES the split unchanged and structurally: the fold is a property of f , not of which structure reads it, so moving generation from one D-1 object to another cannot change a D-1 count. D=5 still gives four generations, now off Z_4 [borrowed from P3 / P8]. *Computes:* the law verified by substitution into the E=1 condition at D=4.8; the period’s invariance checked symbolically at each D; the numerator degree computed *Bound:* THE SPLIT IS SHOWN ADMISSIBLE, NOT EXECUTED. Two costs: (i) the horizon three carries S.3 (Weyl/monodromy) and the turnaround three only Z_3 (cyclic deck), so on the split P14’s family-symmetry sentence becomes a statement about COLOUR and flavour carries Z_3 – content, not damage, but a substantive revision (L-91); (ii) WHETHER $R = \gamma^5$, the OFFSET parity, reaches the turnaround three AT ALL is not shown, and P14 needs the generations chiral – this is the split’s falsifier and is UNRUN (L-92). The papers are NOT revised, and should not be until L-92 is run *Run:* python3 receipts/P03_SdS_slicing/P03_the_weld_and_the_two_folds.py

P14.the_isospin_exchange

[OK]

sec:correspondence / sec:charge (WHAT EXCHANGES uud AND udd, AND WHERE IT SITS. CLEAN NEGATIVE FIRST: charge conjugation ALONE cannot do it – w_{-i} -w carries the quark class to the ANTIQUARK class (uud $-i$ antibaryon), and no lap shift works either, because C reflects through the ORIGIN and the (u,d) pair is not centred there. THE UNIQUE INVOLUTION IS AFFINE: $w_{-i} 1/3 - w$, SOLVED FOR rather than posited ($c = u + d$). AND IT IS THE STANDARD MODEL’S OWN MAP: with $Q = I_3 + Y/2$ the isospin Weyl reflection at fixed Y is $Q_{-i} Y - Q$, and the constant came out equal to the quark doublet’s hypercharge $1/3$ with nothing fitted. ITS TWO FACTORS ARE BOTH THE CORPUS’S: w_{-i} -w is P3’s independent charge Z_2 , $w_{-i} w + 1/3$ is ONE graze-point crossing = one wall. AND NEITHER IS IN D.6 – $\text{Aut}(A_2)$ acts LINEARLY, so a map with nonzero offset cannot lie in it, which is exactly why P3 sec:charge’s remark that the charge Z_2 is adjoined ‘rather than sitting within it’ is the structural precondition for the exchange to exist. DARYL’S ‘THEY’RE EVEN THE OPPOSITE DIRECTION’ IS THE PROOF: a reflection reverses direction and a translation does not, and u,d sit at $+1/2$ and $-1/2$ about the fixed point $1/6$ [borrowed from P14 / P3]). *Computes:* the candidate maps tabulated and rejected; the involution solved for symbolically; the SM identity checked; the wall-count counterfactual run for $N = 1.6$ with the integrality condition solved *Bound:* THE FORCING IS TO A PAIR NOT A POINT: $3/(2N) + 1/2$ is integral at $N = 1$ AND $N = 3$, and $N = 1$ is excluded by CR’s own one-hinge-truncation argument rather than by this computation. AND A REAL TENSION IS UNCOVERED: P3 sec:charge shows $Q \neq 0$ DESTROYS the $r=0$ branch point the whole matter sector stands on, so CR’s winding charge and Maxwell’s Q are NOT the same object and the involution inherits only the SHAPE of P3’s Z_2 . That debt is registered, not discharged *Run:* python3 receipts/P14_matter_sector_paper/P14.the_isospin_exchange.py

P03_transverse_space_is_round

[OK]

sec:slicing / sec:chirality (THE TRANSVERSE SPACE IS THE ROUND S^2 , FORCED TWICE, AND THE TOWER DOES NOT TRUNCATE. CR’s operator run with the transverse curvature k LEFT FREE gives the entire solution space $f = k - 2M/r - \text{Lambda } r^2/3$, so the operator alone does not fix k – exactly as L-90 said. BUT k is an additive constant independent of M , and CR’s family passes through $2M=0$ six times per swing where the cut IS the substrate ($f = 1 - r^2/\alpha^2$, constant term 1), so $k = +1$ is an OUTPUT. AND the global form is fixed independently by SPIN STRUCTURE: no non-trivial subgroup of $SO(3)$ acts freely on S^2 (every rotation has an axis), the only free finite action is the antipodal map, and its quotient RP^2 is non-orientable hence carries no spin structure – so $\Gamma = 1$. AND the tower survives every option: even on an orbifold S^2/Z_n , lambda still runs over all positive integers and only the degeneracy thins from 2 lambda to $\sim 2 \text{ lambda}/n$, because a quotient cannot change the local geometry that sets lambda . ** RECORDED AS A LOSS: L-15’s bet that the seat count $12+3=15$ explains one SM generation rested entirely on roundness being a choice, and L-15’s own falfier (5) therefore fires ** [borrowed from P3 / P14]). *Computes:* $G^t.t$ computed from the metric with a free-curvature transverse 2-space; dsolve for the entire kernel; the de Sitter

member verified to solve it at $\Lambda = 3/\alpha^2$; the finite subgroups of $SO(3)$ enumerated against free action; the Z_n -invariant degeneracies tabulated for $n = 2, 3, 5$ up to $\Lambda = 8$ *Bound*: WHAT IT DOES NOT DO: it does not explain the $12+3 = 15$ agreement, and it closes the route that would have. It leaves L-15's TRIALITY grading (a lepton is a wall mode with $\Lambda = 0 \bmod 3$) entirely untouched, and it leaves L-88 – the tower's Kaluza-Klein shape – as the count's only surviving route
Run: `python3 receipts/P03_SdS_slicing/P03_transverse_space_is_round.py`

P03_hexagon_null_triple

[OK]

sec:tour (THE HINGE-ENDS' CAUSAL TRICHOTOMY, AND WHY THE 2+1 IT CARRIES HAS NO ABSOLUTE ASSIGNMENT (Daryl's geometry; OBJECT CORRECTED by him at c54.19 – the c54.18 version of this receipt read the six as six independent hinges and was wrong). THE OBJECT: the hinge is the LINE the door swings on, at transverse 2α , direction TIMELIKE, hence not one of the substrate's null rulings and not contained in it – it PIERCES the substrate once per horn at $X_0 = +\sqrt{3}\alpha$. THREE hinges, TWO ends apiece; the six are 3×2 . (And planes through a fixed LINE form a one-parameter pencil, which is why the construction has exactly one dial.) THE TRICHOTOMY: $X.Y = \alpha^2(-3\epsilon\epsilon' + 4\cos(\theta_a - \theta_b))$ classifies all fifteen pairs without remainder – TIMELIKE iff same hinge (3 pairs, $X.Y = 7$), spacelike iff same horn (6, $X.Y = -5$), NULL iff neither (6, $X.Y = \alpha^2$). So every end is null-joined to exactly two, both opposite horn and both on OTHER hinges; two ends of one hinge CANNOT be null-separated since the hinge is timelike, so the pair a null binding appears to exclude IS THE HINGE ITSELF. The six chords project TWO-TO-ONE onto the three triangle sides ($U_i\text{--}\bar{U}_j$ and $U_j\text{--}\bar{U}_i$, the two rulings told apart by horn), each tangent to the throat at its midpoint. THE 2+1: from any end the causal reach splits the three HINGES as {mine, timelike} against {the other two, null}. AND ITS ASSIGNMENT IS RELATIVE, PROVED: the symmetry group $D_3 \times Z_2$ (order 12) acts TRANSITIVELY on the six ends and with ONE ORBIT on each causal class, so causal character is a COMPLETE invariant of a pair and nothing singles any end out [borrowed from P3]). *Computes*: all fifteen pairs, the orbit counts and the tangency verified exactly in sympy *Bound*: ASSERTS NOTHING ABOUT uud OR udd – and the c54.18 row's 'honest gap' (that it fails to show the two like members are alike as u and u are) is RETRACTED as a misreading: per Daryl the structure is just as well-posed as udd as it is uud, they are complementary, and species is relative in the same way, so a geometry that singled one out absolutely would be the failure. Where such a distinction would have to come from is quoted not derived: P3 sec:charge's charge Z_2 is INDEPENDENT of $\text{Aut}(A_2)=D_6$ and fixes every root. Registered L-59, untested
Run: `python3 receipts/P03_SdS_slicing/P03_hexagon_null_triple.py`