P-014 Sash Window Repairs: Blocked Brief Record

Nov 13, 2026 · @Daryl

Synthetic test pack T03. The business, URLs, records and observations are fictional.

Disposition: Blocked: Return to B1. Page Opportunity and Intent Validator. The evidence dossier is ready, but P-014 has no approved page role or action, and nobody has decided whether repair and replacement get one URL or two. Both were treated as unavailable, so there is no section plan and no writer handoff.

1. Brief status and writer route

- **Status:** Blocked: Return to B1. Page Opportunity and Intent Validator
- **Writer route:** None selected. The route depends on the page job B1 approves.
- **Brief revision:** None assigned. This is a blocked disposition record for B1-014 / P-014.
- **Failed gates:**
  - B1-014: The page role and page action (Create, Improve or Consolidate) are not approved. The pack calls the page "proposed", but nobody has approved it.
  - A4-014: Ownership between `/services/sash-window-repairs/` and `/services/sash-window-replacement/` is unresolved. Whether repair and replacement belong on one page or two is undecided, and the decision owner was unavailable before this request.
- **Dossier:** B2-014 is Ready for B3, with an evidence cut-off of 30 October 2026. It isn't the failed gate.
- **Main limitation:** The pack disagrees with itself. A3-014 puts replacement outside this URL's query family, and C03 names the replacement page as the approved alternative route. But B1-014 says the page may cover repair, replacement or both, and A4-014 leaves the one-page or two-page decision open. B3 can't settle this by inference.
- **Human approval: Awaiting approval**
- **Approval conditions:** No editorial approval of a brief revision was supplied, and no specialist reviewer is recorded. C02 includes a safety condition (photos only from indoors, without moving the sash). On the next pass, the production owner should confirm whether that wording needs service team review.

- **Return action:** B1, with A4 as the upstream owner, approves the page role and action for P-014 and records URL ownership against the replacement URL. Then B3 runs again. B2 dependency for that pass:
  - If B1 approves a repair-only page, B2-014 can be reused as supplied.
  - If B1 approves a combined repair and replacement page, A3 needs a revised query family and B2 needs replacement evidence. C01 to C03 cover repair assessment and routing only.

2. Page identity and boundary

Field	State
URL	`https://joinery.example/services/sash-window-repairs/` (confirmed as proposed)
Market and language	English-speaking Bristol audience, UK English (confirmed)
Role, page type, action	Not approved (B1-014)
Candidate owned topic	Timber sash window repair assessment for sticking sashes and worn cords in Bristol (A3-014, C01). Depends on the A4 decision.
Candidate linked elsewhere	Replacement, via `/services/sash-window-replacement/` (C03). Depends on the A4 decision.
Excluded regardless of the decision	Same-day work, fixed repair prices, first-hand testing claims, savings claims (C04, C05)
Nearest URL	`/services/sash-window-replacement/`. Its distinct job is unconfirmed.
Material to retain	Not established. The pack doesn't say whether any content exists at this URL.

3. Reader, intent and success outcome

Confirmed from A3-014: The reader has a sticking sash or a worn cord. They want to know whether the company assesses the issue and what information to provide. The intent is a local service enquiry, and the next step is a repair assessment enquiry through the

contact page. The editorial objective is a useful enquiry, with no predicted ranking or conversion result.

Deferred: The success test, which depends on the page job B1 approves. Provisionally, if the page is repair-only, success would look like this: the reader can tell whether their symptom is in scope and knows what to put in the enquiry.

4. Content promise and differentiation plan

Deferred. For the next pass:

- **Baseline need:** Confirm whether the company handles the symptom, and know what to send.
- **Common failure:** Unknown, because no SERP observations were supplied.
- **Proposed differentiator:** A text-based symptom and photo checklist drawn from C02. It has evidence behind it, but whether it counts as the page's main contribution depends on B1.

5. Evidence and claims controls

These are kept from B2-014. Which section uses each claim is deferred.

Claim	Status	Source	Permitted meaning and conditions
C01	Verified for use	S01, rows 2 and 3	The company assesses sticking timber sashes and worn sash cords in Bristol. Timber sash windows only.
C02	Verified with qualification	S02, fields 1 to 3	Ask for the affected window and the symptom. Ask for photos of the full window and the affected area only if the customer can take them safely from indoors without moving the sash. Photos support triage. They don't confirm repairability, scope or price. Attribute the checklist to the service intake process.

Claim	Status	Source	Permitted meaning and conditions
C03	Verified for use	S03, rows 1 and 2	The contact form takes a text description for a repair assessment enquiry. The team requests photos separately if useful. The replacement page is the approved alternative service route.

Do not use:

- C04 (Unsupported): same-day work and a fixed repair price.
- C05 (Client confirmation required): first-hand testing and savings claims.
- Any claim that the form accepts photo uploads (C03 says photos are requested separately).

Unresolved: A3 lists "broken sash cord" as a query variant, but C01 covers *worn* sash cords. On the next pass, B2 should confirm whether broken cords are in assessment scope. Until then, a broken cord can only appear as a symptom the reader describes in their enquiry.

6. Section blueprint

Deferred. Section order depends on the approved page job and the URL boundary.

7. Original-asset and visual plan

Deferred. There's no approved customer imagery. The only candidate asset is the text checklist from C02.

8. Query, entity and terminology rules

Kept from A3-014 and A2-014:

- **Primary family:** Timber sash window repair in Bristol.
- **Variants:** "Sticking sash" and "broken sash cord" are distinct symptoms under the same service task. Keep them separate by meaning, and see the cord scope gap in section 5.
- **Terminology:** Say "assessment" wherever the diagnosis is still open.

- **Exclusion:** Replacement is outside this family for this URL, unless A4 decides otherwise.

9. Internal-link and CTA requirements

- **Approved action:** Link to `https://joinery.example/contact/` for a repair assessment enquiry. The CTA concept is "request a repair assessment". The form takes text only.
- **Replacement URL:** C03 approves it as the alternative route, but whether and where to link it depends on A4.
- **Placement:** Deferred.

10. Voice and natural-writing instructions

Kept from A2-014:

- UK English, direct and practical.
- Third person or neutral instructions. No first person.
- No fixed quotes, urgency, promises or jargon.

11. Production requirements and acceptance tests

Deferred. The gates, in order:

1. B1 approves the page role and action.
2. A4 resolves URL ownership.
3. B2 confirms the cord scope, and adds replacement evidence if B1 approves a combined page.
4. B3 runs again.
5. An authorised human approves that exact brief revision, with a date, plus any required clearance for the C02 safety wording.

12. Selected W-series writer handoff

There is no writer handoff. Drafting may not begin.

Note for the next pass: Check "broken sash cord" in A3 against "worn sash cords" in C01 before re-running. It's minor, but it would make it into a draft if nobody catches it.