Content brief B3-014 r1: Sash window repairs (P-014)

Nov 13, 2026 · @Daryl

Ready for W1. Local Service Content Writer. The pack passes every gate for P-014. Drafting still can't start, because no editorial approval of this brief revision was supplied.

1. Brief status and writer route

- **Status:** Ready for W1. Local Service Content Writer
- **Selected writer:** W1. Local Service Content Writer
- **Brief revision:** B3-014 r1. I assigned this label because the pack didn't include one
- **Page ID and action:** P-014, Improve (B1-014)
- **Dossier:** B2-014, Ready for B3. Evidence cut-off is 30 October 2026
- **Record consistency:** B1-014, A2-014, A3-014, A4-014 and B2-014 all cover the same URL, the same Bristol audience and UK English. The pack gave no upstream revision numbers, so the record IDs serve as the references
- **Page opportunity approval:** Given by the editorial owner, per B1-014. The approver's name and the date weren't supplied
- Human approval: Awaiting approval
- **Specialist review:** The pack doesn't require any. The C02 safety condition is carried as a fixed claim condition, and no separate clearance is pending
- **Main limitations:** There are no SERP observations and no approved customer imagery. The current page copy wasn't supplied, apart from the mention of an existing photo checklist. The contact form takes text only
- **Open items (none of them block the brief):**
  - **OI-1.** A3-014 lists "broken sash cord" as a symptom, but C01 only covers "worn sash cords". Until B2 confirms that S01 rows 2 and 3 include broken cords, the page doesn't say broken cords are assessed. The narrower C01 wording still serves the reader task
  - **OI-2.** The existing photo checklist and the current page copy weren't in the pack. The writer checks both against this brief before reusing anything (see section 2)
  - **OI-3.** The brief approval needs an approver name and a date

2. Page identity and boundary

- **URL:** `https://joinery.example/services/sash-window-repairs/`. It stays the existing URL: no new URL, redirect or merge
- **Role and page type:** Local service page for timber sash window repair (A4-014)
- **Market and language:** Bristol, UK English
- **Page job:** Help homeowners decide whether to request a repair assessment for a timber sash window
- **Approved action:** Improve

Owned here	Briefly answered, linked elsewhere	Excluded
Sticking sashes and worn sash cords on timber sash windows (the symptoms and the service scope); what to include in a repair enquiry; the assessment limitation; the existing photo checklist	Replacement as a separate service, linked to `/services/sash-window-replacement/`	Pricing, emergency availability and general window installation (A4-014). Also out, because nothing in the dossier supports them: response times, same-day work, causes of the symptoms, DIY repair steps, other window materials or types, areas outside Bristol, and advice on repairing versus replacing

- **Nearest URL:** `https://joinery.example/services/sash-window-replacement/`, which owns the replacement options
- **What to keep:** The existing photo checklist, brought in line with C02. Keep other existing copy only where it falls inside the owned topics and C01 to C03 support it. Anything else doesn't carry forward and goes on a list for the editorial reviewer

3. Reader, intent and success outcome

- **Reader:** A homeowner in Bristol with a timber sash window
- **Situation:** A sash is sticking, or a sash cord looks worn
- **Concern:** Whether the company assesses this problem, and what to send

- **Primary task and intent:** Find out whether the problem is assessed and what information to provide. This is local service intent that ends in an enquiry
- **Decision:** Whether to request a repair assessment
- **Desired outcome:** A text enquiry that names the affected window and the observed symptom. If the service team asks for photos, the reader has them ready, but only if they can take them safely
- **Next step:** The contact form (C03)
- **Secondary intent:** A reader who is weighing up replacement gets to the replacement page quickly
- **Sign of success:** From the page alone, a reader can tell whether their symptom is covered, list what to put in the enquiry, explain that photos don't settle repairability or price, and get to the contact form. The editorial objective is a useful enquiry. The brief predicts no ranking or conversion result

4. Content promise and differentiation plan

- **Baseline:** Confirm that sticking sashes and worn cords on timber sash windows in Bristol are assessed. Then cover what to put in an enquiry, what photos can't do, and how to ask for an assessment
- **Common failure:** Unavailable, because no SERP or market observations were supplied. A possible reader risk, offered only as a hypothesis: someone might expect a photo to get them a price or a repair decision, or might move a damaged sash to photograph it
- **Primary differentiator:** A symptom and photo checklist taken from the service intake process (C02), with its safety and triage limits kept in place. It's delivered as text and builds on the existing photo checklist
- **Supporting asset:** Nothing beyond the checklist. There's no approved customer imagery
- **Practical consequence:** The reader sends a complete first enquiry, doesn't take photos unsafely, and doesn't expect photos to confirm repairability, scope or price
- **Content promise (planning level):** For Bristol homeowners with a sticking timber sash or a worn sash cord, the page confirms the problem is assessed. It sets out what the service intake process asks for, explains what photos can and can't show, and points to a repair assessment request. Replacement, pricing and emergency work stay off the page

5. Evidence and claims controls

Claim	Status	Source and locator	Approved meaning	Used in	Conditions and attribution	Review trigger
C01	Verified for use	S01, approved service scope, rows 2 and 3	The company assesses sticking timber sashes and worn sash cords in Bristol	S1	Timber sash windows only, Bristol only. The page says "assesses", not "repairs" or "fixes"	S01 scope, area or window types change
C02	Verified with qualification	S02, service intake note, fields 1 to 3	Ask for the affected window and the observed symptom. For an initial assessment, photos of the full window and the affected area	S2, S3	Photos only when the customer can take them safely from indoors without moving the sash. Photos support triage and don't confirm repairability, scope or price. Attribute the checklist to the service intake process	S02 intake fields change
C03	Verified for use	S03, approved contact and service route register, rows 1 and 2	The contact form takes a text description for a repair assessment enquiry. Photos are requested separately if useful. The replacement page is the approved alternative route	S2, S4, S5	The form is text only. Don't suggest that photos can be uploaded	The form gains uploads or a route changes

All three claims fall inside the 30 October 2026 cut-off. If publication slips or a source owner reports a change, recheck the affected source.

Do not use:

- **C04** (Unsupported, S04 line 1): same-day work and a fixed repair price
- **C05** (Client confirmation required, S04 line 2): claimed first-hand testing and savings

- **Not supported anywhere in the dossier:** any price, cost range or quote; emergency availability or response times; repair outcomes or success rates; testimonials, reviews or case examples; causes of sticking or cord wear; DIY repair steps, or safety advice beyond C02; window materials other than timber; areas outside Bristol; uploading photos through the form; ranking or conversion predictions
- **Unresolved:** Whether broken sash cords count as an assessed service (OI-1)

6. Section blueprint

ID	Working purpose	Reader need	Key point	Claim and source IDs	Qualification or disclosure	Asset or format	Boundary	Completion test
S1	Confirm the service fits	Does the company assess my sticking sash or worn cord?	Sticking sashes and worn sash cords on timber sash windows in Bristol are assessed	C01 (S01 rows 2 and 3)	Timber only, Bristol only. Use "assessment" wording. No outcome, price or timing	Short, direct answer near the top	No other materials, no causes, no claim about broken cords (OI-1)	The opening section answers the scope question before anything else and makes no promise
S2	Prepare the enquiry. This is the primary differentiator and keeps the existing photo checklist	What should I include?	Name the affected window and describe the symptom you've seen. Photos of the full window and the affected area can help if the service team asks for them	C02 (S02 fields 1 to 3), C03 (S03 rows 1 and 2)	Attribute to the service intake process. Every photo item carries the condition "safely from indoors without moving the sash". Photos go to the team separately when asked, not through the form	Text checklist marked up as a real list (A-01)	No instructions to open, move or lean out of a window. No outdoor or ladder photos. No measurements or items beyond C02	Every item traces to C02 and every photo item carries the condition. Existing checklist items outside C02 are flagged, not kept
S3	Set expectations (the assessment limitation)	Will photos tell me whether it can be repaired, or what it costs?	Photos support triage only. They don't confirm repairability, scope or price	C02 (S02 fields 1 to 3)	Keep "assessment" wherever diagnosis is still open. No prediction of the outcome	Short, plain statement before the CTA	No price, timescale or "likely repair" language	The limitation appears before S5 and gives no price, timeframe or likely outcome
S4	Send replacement readers to the right page	What if I'm thinking about replacement?	Replacement is a separate service with its own page	C03 (S03 rows 1 and 2)	None	One short mention with a link	No replacement options, comparisons or advice on repairing versus replacing	One mention, linked to the replacement page, and nothing more

ID	Working purpose	Reader need	Key point	Claim and source IDs	Qualification or disclosure	Asset or format	Boundary	Completion test
S5	Next step	How do I ask for an assessment?	Use the contact form to send a text description that covers the checklist. The service team asks for photos separately if useful	C03 (S03 rows 1 and 2)	The form is text only. No response time, same-day promise, urgency or price	CTA concept: request a repair assessment	One CTA and no secondary offers	The CTA comes after S2 and S3, links to `/contact/`, describes a text enquiry, and mentions no timing, price or urgency

7. Original-asset and visual plan

Asset	Provenance	Availability	Purpose and section	Permission and owner	Dependency	Accessible alternative and fallback
A-01 Symptom and photo checklist	S02 service intake note (C02), plus the existing photo checklist on P-014	The C02 content is available. The wording of the existing checklist wasn't supplied	Preparing the enquiry, in S2	C02 is verified with qualification and attributed to the service intake process. No asset owner is recorded	The writer reconciles the existing checklist with C02	It's text, so no alternative is needed. If the existing checklist can't be reconciled, fall back to a checklist built from C02 items only

Images: None. No customer imagery is approved. If the live page shows images of customer work, flag them to the editorial owner. Adding any image needs asset approval and a new brief revision.

8. Query, entity and terminology rules

- **Primary family:** Timber sash window repair in Bristol
- **Variants by meaning:** "sticking sash" (a symptom) and "worn sash cord" (a symptom, and C01's scope term). Hold "broken sash cord" until OI-1 is resolved. Until then, describe cord problems as worn sash cords

- **Entities and criteria:** Timber sash window, sash, sash cord, Bristol, repair assessment, service intake process, contact form
- **Vocabulary:** Use "assessment" or "repair assessment" while diagnosis is still open, not "diagnosis", "quote" or "estimate". Prefer plain words to trade terms
- **Exclusions:** Don't target replacement terms, price or cost terms, emergency terms, installation, or other window materials
- **No targets** for keyword density, exact-match phrases or entity counts

9. Internal-link and CTA requirements

Destination	Reader purpose	Placement	Anchor or CTA concept	Constraints
`https://joinery.example/contact/`	Request a repair assessment	S5	Request a repair assessment	Text description only. Photos are requested separately. No timing or price
`https://joinery.example/services/sash-window-replacement/`	Readers whose question is really about replacement	S4	Sash window replacement service	A short acknowledgement only. Replacement options stay on that page

No other internal links and no secondary CTA were approved.

10. Voice and natural-writing instructions

- UK English spelling
- Write in the third person ("the service team", "the company") or as neutral instructions. No first-person claims
- Keep the tone direct and practical, with no urgency, promises, fixed quotes or jargon
- Pitch it at homeowner level: describe what the reader can see, not how the mechanism works
- Use short sections, a real list for the checklist, and descriptive headings
- Controlled terms: "assessment" wherever diagnosis is still open. The CTA concept is "request a repair assessment"
- Leave out em dashes, filler, invented experience, testimonials, savings and outcome claims

11. Production requirements and acceptance tests

- **Format:** An update to the existing service page, with a text checklist and no images. No FAQ, because the pack has no evidenced reader question that S1 to S5 leave unanswered
- **Length:** No constraint was supplied, so none is set
- **Evidence:** C01 to C03 only
- **Accessibility:** Mark up the checklist as a list, use link text that names the destination, and keep all essential meaning in text

Acceptance tests for the draft:

1. S1 answers whether sticking sashes and worn sash cords on timber sash windows in Bristol are assessed, before any other detail
2. Every statement about service scope stays within timber sash windows and Bristol
3. Checklist items come only from C02 and are attributed to the service intake process. Each photo item carries the "safely from indoors without moving the sash" condition
4. Before the CTA, the draft says photos support triage and don't confirm repairability, scope or price
5. The draft never says photos can be uploaded or attached through the form, and it says the service team asks for photos separately if useful
6. There's no price, cost range, fixed quote, same-day promise, emergency availability, response time, savings, testing or outcome claim
7. Replacement gets one short mention with a link to the replacement page, and no replacement options or advice on repairing versus replacing
8. The CTA concept is "request a repair assessment". It links to `/contact/` and comes after S2 and S3
9. The draft uses UK spelling and third-person or neutral instructions, makes no first-person claims, keeps "assessment" wherever diagnosis is open, and has no jargon, urgency or em dashes
10. The draft doesn't present "broken sash cord" as an assessed service unless a new brief revision has resolved OI-1
11. The writer lists any existing page content that was removed or not carried forward

Approval gate: Drafting needs an authorised human to approve B3-014 r1 and its scope, with the approval date recorded. No specialist clearance is recorded or required by the pack.

These changes reopen B3 or upstream review and need a new brief revision: a new claim or source; a change to the contact form, such as adding uploads; a change to the service scope or area; resolution of OI-1; any request to add pricing, timing, imagery or replacement content; a change to the A4 ownership.

12. Selected W-series writer handoff

- **Writer:** W1. Local Service Content Writer
- **References:** Brief B3-014 r1. Records B1-014, A2-014, A3-014 and A4-014. Dossier B2-014, with an evidence cut-off of 30 October 2026
- **Page job and boundaries:** Sections 2 and 3
- **Differentiator:** Section 4 (the A-01 checklist, built from C02)
- **Blueprint and evidence controls:** Sections 5 and 6
- **Assets:** Section 7 (A-01 only, no images)
- **Links and CTA:** Section 9
- **Voice:** Section 10
- **Pause and return if:**
  - a claim outside C01 to C03 seems necessary (back to B2)
  - the existing page has content that conflicts with section 5 or falls outside section 2 (to the editorial owner)
  - the contact form or service routes differ from C03 (back to B2)
  - someone asks for pricing, same-day work, emergency work or replacement content (back to B1 and A4)
  - the broken-cord wording is needed (back to B2, see OI-1)
- **Can drafting begin?** No. It waits until an authorised human approves B3-014 r1 and its scope, with a recorded date.