M BraidedByMae · Next.js 15 · Tailwind v4

DESIGN FIX BRIEF · APRIL 2026

Make it *stunning.* Make it convert.

A structured brief for Claude Code Opus — 8 targeted fixes ranked by impact, with exact file paths, before/after code, and a ready-to-paste prompt.

00 Design System Context

PROJECT

BraidedByMae — African hair braiding service, Nuremberg DE. Personal brand built on trust, artistry, and warmth. Mobile-first audience.

COLOR PALETTE

TYPOGRAPHY

Playfair Display — headings

DM Sans — body & UI

STACK

Next.js 15 · Tailwind v4 · Framer Motion · next-intl (FR/EN/DE) · Prisma · Zod

01 Fix Priority Overview

#	FIX	FILE	PRIORITY	EFFORT
1	Render the missing headline copy	`Hero.tsx`	CRITICAL	Trivial
2	Add "À propos" to navigation	`Header.tsx`	CRITICAL	Trivial
3	Fix booking button label confusion	`Step1Service.tsx`	HIGH	Trivial
4	Add WhatsApp CTA button	`ContactCTA.tsx`	HIGH	Easy
5	Fix muted text contrast (WCAG AA)	`globals.css`	HIGH	Trivial
6	Replace "M" card with real photo	`About.tsx`	HIGH	Easy
7	Remove empty portfolio filter tabs	`Portfolio.tsx`	MEDIUM	Easy
8	Collapse 6 ServiceReveal → compact layout	`ServiceReveal.tsx`	MEDIUM	Medium

02 Detailed Fix Instructions

CRITICAL

`src/components/sections/Hero.tsx`

Render the missing headline — "Vos cheveux, notre passion"

The translation key `hero.headline` exists in all three locales but is never rendered. The most emotionally resonant line of copy on the site is silently dropped. The `<h1>` should carry this headline; the brand name can move to a smaller label above or below it.

❌ BEFORE

```
<h1 className="font-display text-8xl font-bold text-white"> BraidedByMae </h1> <p className="text-white/70"> {t("subtitle")} </p>
```

✅ AFTER

```
<p className="font-accent text-2xl text-accent"> BraidedByMae </p> <h1 className="font-display text-8xl font-bold text-white"> {t("headline")} </h1> <p className="text-white/70"> {t("subtitle")} </p>
```

IMPLEMENTATION NOTES

- Move "BraidedByMae" brand name to a `font-accent` label **above** the h1, styled like the tagline (smaller, gold colour)
- The h1 becomes `t("headline")` — "Vos cheveux, notre passion" — keeping the large display size
- Use `whitespace-pre-line` on the h1 so the `\n` in the JSON creates a natural line break
- Add a `motion.div` stagger delay of `0.4s` on the h1, `0.2s` on the brand label

CRITICAL

`src/components/layout/Header.tsx`

Add "À propos" to the navigation bar

The About section exists and has rich content (cities covered, home service, availability), but there is **no nav link to reach it**. Users who want to learn about Mae have no clear path.

❌ BEFORE

```
const navLinks = [ { key: "services", hash: "services" }, { key: "portfolio", hash: "portfolio" }, { key: "booking", hash: null }, { key: "reviews", hash: "reviews" }, ]
```

✅ AFTER

```
const navLinks = [ { key: "services", hash: "services" }, { key: "portfolio", hash: "portfolio" }, { key: "booking", hash: null }, { key: "reviews", hash: "reviews" }, { key: "about", hash: "about" }, ]
```

IMPLEMENTATION NOTES

- Add `{ key: "about", hash: "about" }` to `navLinks`
- Add the translation key to all three locale files: `"about": "À propos"` / `"About"` / `"Über mich"`
- Confirm `id="about"` exists on the About section element (it does in `About.tsx`)
- On mobile, it will appear automatically in the full-screen overlay nav

HIGH

`src/components/booking/Step1Service.tsx`

Fix the "Next" button — it reads like a label, not an action

The button currently renders `t("steps.datetime")` which outputs "Date & Heure →". Users read this as a section label, not a call to action. It creates a moment of friction and confusion in the booking funnel.

❌ BEFORE

```
<button type="button" onClick={handleNext}> {t("steps.datetime")} → </button>
```

✅ AFTER

```
<button type="button" onClick={handleNext} className="... group inline-flex items-center gap-2"> {t("form.next")} <ArrowRight
```

```
className="h-4 w-4 transition-transform
group-hover:translate-x-1" />  </button>
```

IMPLEMENTATION NOTES

- Add a new translation key `"next": "Continuer"` / `"Continue"` / `"Weiter"` under `booking.form` in all 3 locale files
- Import `ArrowRight` from `lucide-react` (already a project dependency)
- Apply the same animated arrow pattern already used in `Hero.tsx` and `ContactCTA.tsx` for visual consistency
- Apply the same fix to the "Next" buttons in `Step2DateTime.tsx` and `Step3Contact.tsx`

HIGH

`src/components/sections/ContactCTA.tsx`

Add a WhatsApp CTA button

WhatsApp is the dominant contact channel for local services in Germany. The translation key `contact.whatsapp` already exists in all locale files, but there is **no WhatsApp button anywhere** in the UI. This is a direct conversion gap.

IMPLEMENTATION — ADD AFTER THE BOOKING CTA BUTTON

```
{/* WhatsApp — replace +49XXXXXXXXX with Mae's real number */}
<a
  href="https://wa.me/49XXXXXXXXX"
  target="_blank"
  rel="noopener noreferrer"
  className="group inline-flex items-center gap-2 px-8 py-4
    rounded-full font-semibold border-2 border-white/30
    text-white text-base cursor-pointer transition-all
    duration-300 hover:border-white hover:bg-white/10
    hover:-translate-y-0.5"
>
  {/* WhatsApp SVG icon */}
  <svg viewBox="0 0 24 24" fill="currentColor" className="h-5 w-5">
    <path d="M17.472 14.382c-.297-.149-1.758-.867-
2.03-.967-.273-.099-.471-.148-.67.15-.197.297-.767.966-.94
1.164-.173.199-.347.223-.644.075-.297-.15-1.255-.463-2.39-
1.475-.883-.788-1.48-1.761-1.653-
2.059-.173-.297-.018-.458.13-.606.134-.133.298-.347.446-.52.149-.174.198-.29
1.612-.916-
2.207-.242-.579-.487-.5-.669-.51-.173-.008-.371-.01-.57-.01-.198
0-.52.074-.792.372-.272.297-1.04 1.016-1.04 2.479 0 1.462 1.065 2.875
1.213 3.074.149.198 2.096 3.2 5.077 4.487.709.306 1.262.489
1.694.625.712.227 1.36.195 1.871.118.571-.085 1.758-.719 2.006-
```

```
1.413.248-.694.248-1.289.173-1.413-.074-.124-.272-.198-.57-.347m-5.421
7.403h-.004a9.87 9.87 0 01-5.031-1.378l-.361-.214-3.741.982.998-
3.648-.235-.374a9.86 9.86 0 01-1.51-5.26c.001-5.45 4.436-9.884 9.888-
9.884 2.64 0 5.122 1.03 6.988 2.898a9.825 9.825 0 012.893 6.994c-.003
5.45-4.437 9.884-9.885 9.884m8.413-18.297A11.815 11.815 0 0012.05 0C5.495
0 .16 5.335.157 11.892c0 2.096.547 4.142 1.588 5.945L.057 24l6.305-
1.654a11.882 11.882 0 005.683 1.448h.005c6.554 0 11.89-5.335 11.893-
11.893a11.821 11.821 0 00-3.48-8.413Z"/>
  </svg>
  {t("whatsapp")}
</a>
```

- Place it directly below the main "Réserver" button, before the social icons
- Style it as a **secondary/ghost button** — white border, transparent background — so it complements but doesn't compete with the primary CTA
- Store Mae's WhatsApp number in `.env` as `NEXT_PUBLIC_WHATSAPP_NUMBER` and reference it via `process.env`

HIGH

`src/app/globals.css`

Fix muted text contrast — fails WCAG AA for body copy

`#6B6B6B` on `#FFF8F0` yields a contrast ratio of ~4.4:1, which only meets AA for text ≥18px bold. All the small body copy, card metadata, and form hints at 13–15px fail the standard. This affects accessibility and SEO.

❌ BEFORE — 4.4:1 RATIO

```
--color-muted: #6B6B6B;
```

✅ AFTER — 5.9:1 RATIO (AA ✓)

```
--color-muted: #595146;
```

IMPLEMENTATION NOTES

- Change `--color-muted` from `#6B6B6B` to `#595146` — a warm brown-grey that respects the cream palette and hits 5.9:1 contrast on `#FFF8F0`
- Also update dark mode: `--color-muted` from `#A0A0A0` to `#B0A89E` (ensures contrast on `#1A1A1A`)
- Run WebAIM Contrast Checker after the change to verify all text/background combinations

HIGH

`src/components/sections/About.tsx`

Replace the decorative "M" card with Mae's actual photo

This is a personal service business. The About section's purpose is to build trust through human connection — but the right side shows an abstract brand card with a coloured

circle and the letter "M". A real photo of Mae at work would dramatically increase trust and bookings.

IMPLEMENTATION

- Replace the entire decorative `<div>` card with a `<div className="relative w-full max-w-sm aspect-[3/4] rounded-3xl overflow-hidden">`
- Inside it, use Next.js `<Image src="/images/about/mae.jpg" alt="Mae — BraidedByMae" fill className="object-cover" />`
- Add a subtle gradient overlay at the bottom: `absolute inset-0 bg-gradient-to-t from-black/30 to-transparent`
- Add a floating caption badge bottom-left: `absolute bottom-4 left-4 bg-white/90 backdrop-blur-sm rounded-xl px-4 py-2` with Mae's name and tagline
- If no photo is available yet, use one of the existing portfolio images temporarily: `/images/portfolio/box-braids/IMG_4089.JPG`

```
{/* Drop-in replacement for the visual side */}
<div className="relative w-full max-w-sm aspect-[3/4]
  rounded-3xl overflow-hidden shadow-[var(--shadow-elevated)]">
  <Image
    src="/images/about/mae.jpg"
    alt="Mae — BraidedByMae, Nuremberg"
    fill
    className="object-cover"
    sizes="(max-width: 768px) 100vw, 50vw"
    priority
  />
  <div className="absolute inset-0 bg-gradient-to-t
    from-black/40 to-transparent" />
  <div className="absolute bottom-4 left-4 right-4
    bg-white/90 dark:bg-surface/90 backdrop-blur-sm
    rounded-2xl px-4 py-3">
    <p className="font-display font-bold text-foreground">Mae</p>
    <p className="font-accent text-sm text-accent">
      Nuremberg
    </p>
  </div>
</div>
```

MEDIUM

`src/components/sections/Portfolio.tsx`

Remove filter tabs that return 0 results

The categories array includes "cornrows", "locs", and "men" but `portfolioImages` has no entries for these. Clicking these filter pills silently empties the grid — a broken affordance that damages trust.

❌ BEFORE

```
const categories = [ "all", "box-braids", "cornrows", // 0 images "twists", "locs", // 0 images "crochet", "men", // 0 images ]
```

✅ AFTER — OPTION A (REMOVE EMPTIES)

```
const categories = [ "all", "box-braids", "twists", "crochet", ] // OR — option B (derive from images) const categories = ["all", ...new Set(portfolioImages .map(img => img.category))]
```

RECOMMENDATION

Option B is preferred — derive the visible category tabs dynamically from `portfolioImages`. As new photos are added, the tabs will appear automatically. This is future-proof and eliminates the bug entirely.

MEDIUM

`src/components/sections/ServiceReveal.tsx` · `src/app/[locale]/page.tsx`

Collapse 6 full-screen service reveals into a scannable layout

Six consecutive `min-h-screen` sections = ~6 viewport heights before users reach the portfolio. This is overwhelming on mobile and causes severe scroll fatigue. A tabbed or compact two-column layout respects the user's time while still showcasing all services.

RECOMMENDED APPROACH — TABBED SERVICE SHOWCASE

- Create a new component `ServicesTabbed.tsx` replacing the 6× `ServiceReveal` loop in `page.tsx`
- Left side: vertical tab list of service names with accent colour indicators
- Right side: animated panel showing image + description + price + CTA for the selected service
- Use Framer Motion `AnimatePresence` with a subtle fade+slide between panels
- On mobile: collapse to a horizontal scroll of service cards (2 per row, compact height)
- Keep one hero-style ServiceReveal at the top for the most popular service (Box Braids) to preserve the visual drama

```
// src/components/sections/ServicesTabbed.tsx — structure
export default function ServicesTabbed() {
```

```
  const [active, setActive] = useState("boxBraids");

  return (
    <section id="services" className="py-24 px-4 bg-background">
      <div className="mx-auto max-w-7xl grid md:grid-cols-[280px_1fr] gap-8">
        {/* Tab list */}
        <nav className="flex md:flex-col gap-2 overflow-x-auto md:overflow-
visible">
          {serviceKeys.map(key => (
            <button key={key} onClick={() => setActive(key)}
              className={cn("flex items-center gap-3 px-4 py-3 rounded-xl
text-left
                transition-all", active === key
                ? "bg-primary/10 text-primary font-semibold"
                : "text-muted hover:text-foreground")}
            >
              {t(`${key}.name`)}
            </button>
          ))}
        </nav>
        {/* Animated panel */}
        <AnimatePresence mode="wait">
          <motion.div key={active} initial={{opacity:0, y:12}}
            animate={{opacity:1, y:0}} exit={{opacity:0, y:-12}}>
            {/* Image + content for active service */}
          </motion.div>
        </AnimatePresence>
      </div>
    </section>
  );
}
```

03 Ready-to-Paste Claude Code Prompt

PROMPT TO COPY

Paste this into Claude Code Opus 4.5

You are working on **BraidedByMae**, a Next.js 15 + Tailwind v4 website for an African hair braiding service in Nuremberg, Germany. The codebase uses Framer Motion, next-intl (FR/EN/DE), Prisma, and Zod. All component files are in `src/components/` , locale files in

`src/messages/` .

Please apply the following 8 UX/UI fixes in order. After each fix, confirm what you changed. Do not modify any API routes or database schema.

FIX 1 — Hero.tsx: Render the missing headline

The translation key `hero.headline` ("Vos cheveux, notre passion") exists in all locale files but is never rendered. Restructure the hero content block so:

- "BraidedByMae" becomes a small `font-accent` label above the h1 (similar to the tagline style)
- The `<h1>` renders `{t("headline")}` with `whitespace-pre-line` to honour the \n line break
- Keep all existing Framer Motion stagger animations; adjust delays so brand label animates at 0.2s, h1 at 0.5s, subtitle at 0.7s

---

FIX 2 — Header.tsx: Add "À propos" to navigation

Add `{ key: "about", hash: "about" }` to the `navLinks` array.

Also add the nav translation key to all three locale files:

- fr.json: `"about": "À propos"`
- en.json: `"about": "About"`
- de.json: `"about": "Über mich"`

FIX 3 — Step1Service.tsx + Step2DateTime.tsx + Step3Contact.tsx: Fix "Next" button label

The Next buttons currently render the name of the next step (e.g. "Date & Heure →") which reads as a label, not an action.

- Add translation key `booking.form.next` : "Continuer" / "Continue" / "Weiter" to all 3 locale files
- Replace the button content with `{t("form.next")}` + an `<ArrowRight>` icon from lucide-react
- Apply the animated arrow pattern already used in Hero.tsx: `group-hover:translate-x-1 transition-transform`

FIX 4 — ContactCTA.tsx: Add WhatsApp CTA button

Add a WhatsApp link button below the main "Réserver" button:

- Use `https://wa.me/49XXXXXXXXX` — replace with the correct number from

`process.env.NEXT_PUBLIC_WHATSAPP_NUMBER`

• Style as a ghost/outline button: white border, transparent background, white text — secondary to the primary CTA

• Include the WhatsApp SVG icon inline (the path is: M17.472 14.382c… — see full path at simpleicons.org/whatsapp)

• Use the translation key `t("whatsapp")` already present in the locale files

---

FIX 5 — globals.css: Fix muted text contrast for WCAG AA compliance

• Change `--color-muted` from `#6B6B6B` to `#595146` (warm brown-grey, 5.9:1 ratio on #FFF8F0)

• Change dark mode `--color-muted` from `#A0A0A0` to `#B0A89E`

FIX 6 — About.tsx: Replace decorative "M" card with a real photo

Replace the entire decorative brand card div with a photo card:

• Use Next.js `<Image>` with `fill` and `object-cover`

• Image src: `/images/about/mae.jpg` (if not available yet, fall back to `/images/portfolio/box-braids/IMG_4089.JPG` as a placeholder)

• Wrap in `aspect-[3/4] rounded-3xl overflow-hidden`

• Add a gradient overlay: `bg-gradient-to-t from-black/40 to-transparent`

• Add a floating caption badge bottom-left with Mae's name in Playfair Display and "Nuremberg" in Dancing Script

• Keep the existing Framer Motion slide-in animation

FIX 7 — Portfolio.tsx: Remove filter tabs with 0 results

Replace the hardcoded `categories` array with a derived one:

`const categories = ["all", ...new Set(portfolioImages.map(img => img.category))]`

This ensures only categories with actual images appear as filter pills. It's future-proof — new images added to `portfolioImages` will automatically create new tabs.

FIX 8 — ServicesTabbed.tsx (new file) + page.tsx: Collapse 6 full-screen reveals

Create a new component `src/components/sections/ServicesTabbed.tsx` :

• Left column (280px): vertical tab list of all 6 service names with a coloured accent indicator for the active tab

• Right column: animated content panel using `AnimatePresence mode="wait"` showing the

service image (use existing portfolio images), name, description, price, duration, and a "Réserver" CTA button

• On mobile: horizontal scrolling tab pills + stacked card below

• Import and use all existing `t()` translation keys from `"services"` namespace — no new copy needed

In `src/app/[locale]/page.tsx` :

• Keep ONE hero ServiceReveal for Box Braids only (the first one, for visual impact)

• Replace the remaining 5 ServiceReveal instances with `<ServicesTabbed />`

After all fixes are applied, run `next build` to confirm no TypeScript errors.

Copy prompt to clipboard

BraidedByMae Design Brief · Generated April 2026