





# SQL CLAUSE: JOIN

**Bachelor of Information Systems** 








# Learning Objective(s)



This material should address the following question(s).

How do we retrieves data from multiple database tables in SQL?





# Question




How do we retrieves data from multiple database table in SQL?



## JOIN


- In SQL, "joining tables" means combining data from two or more tables.
- A table join creates a temporary table showing the data from the joined tables.



- The SQL statement (that contains a JOIN), selects records that have matching values in both tables.
- This type of JOIN a.k.a INNER JOIN.
- Syntax:

```
SELECT * | column1, columnN
FROM TableNameA
JOIN TableNameB
ON TableNameA.key = TableNameB.key;
```





#### Inner Join Example

Table named Books stores information about books.

isbn_13	title	authors	publisher	<pre>published_year</pre>	edition
978-9380931913	Data Mining: Co	Jiawei Han, Micheline Kamber	Morgan Kaufmann	2011	3
978-1945051753	SQL QuickStart	Walter Shields	ClydeBank Media LLC	2019	1
978-0078022128	Software Engine	Roger S. Pressman, Bruce Maxim	McGraw- Hill	2014	8
978-0078022159	Database System	A. Silberschatz, H. F. Korth, S. Sudarshan	McGraw- Hill	2019	7

Table named Borrows stores information about individual borrowing with their corresponding number of days borrowed.

id	borrower_name	isbn_13	borrow_date	days_borrowed	
1	Sinta	978-9380931913	05/06/2023	20	
2	Butet	978-0078022128	19/06/2023	15	
3	Ucok	978-1945051753	10/07/2023	13	
4	Dapot	978-9380931913	14/08/2023	7	
5	Tiur	978-0078022159	15/08/2023	9	




Q: Join the two tables Books and Borrows, using the isbn\_13 field in both tables as the relationship between the two tables.

A: SELECT \*
FROM Books
JOIN Borrows
ON Books.isbn\_13 = Borrows.isbn\_13;

isbn_13	title	authors	publishe r	publishe d_year	edition	id	borrower_n ame	isbn_13	borrow date	days_borro wed
978- 93809319 13	Data Mining: Co	Jiawei Han, Michelin e Kamber	Morgan Kaufmann	2011	3	1	Sinta	978- 9380931913	2023-06-05	20
978- 93809319 13	Data Mining: Co	Jiawei Han, Michelin e Kamber	Morgan Kaufmann	2011	3	4	Dapot	978- 9380931913	2023-08-14	7
978- 19450517 53	SQL QuickSta rt	Walter Shields	ClydeBan k Media LLC	2019	1	3	Ucok	978- 1945051753	2023-07-10	13
978- 007 <del>80</del> 221 28	Software Engine	Roger S. Pressman , Bruce Maxim	McGraw- Hill	2014	8	2	Butet	978- 0078022128	2023-06-19	15
978- 00780221 59	Database System	A. Silbersc hatz, H. F. Korth, S. Sudarsha n	McGraw- Hill	2019	7	5	Tiur	978- 0078022159	2023-08-15	9



How do we return all records from the left table and the matched records from the right table?





## LEFT JOIN

- The LEFT JOIN returns all records from the left table and the matching records from the right table.
- The result is 0 records from the right side if there is no match.
- Syntax:


  SELECT \* | column1, columnN

  FROM TableNameA

  LEFT JOIN TableNameB

  ON TableNameA.key = TableNameB.key;





#### Left Join Example

Table named Books stores information about books.

isbn_13	title	authors	publisher	published_year	edition
978-9380931913	Data Mining: Co	Jiawei Han, Micheline Kamber	Morgan Kaufmann	2011	3
978-1945051753	SQL QuickStart	Walter Shields	ClydeBank Media LLC	2019	1
978-0078022128	Software Engine	Roger S. Pressman, Bruce Maxim	McGraw- Hill	2014	8
978-0078022159	Database System	A. Silberschatz, H. F. Korth, S. Sudarshan	McGraw- Hill	2019	7

Table named Borrows stores information about individual borrowing with their corresponding number of days borrowed.

id	borrower_name	isbn_13	borrow_date	days_borrowed	
1	Sinta	978-9380931913	05/06/2023	20	
2	Butet	978-0078022128	19/06/2023	15	
3	Ucok	978-1945051753	10/07/2023	13	



Returns all records from the left table (Books) and the matching records from the right table (Borrows)

SELECT \*

FROM Books

LEFT JOIN Borrows


ON Books.isbn\_13 = Borrows.isbn\_13;

isbn_13	title	authors	publishe r	publishe d_year	edition	id	borrower _name	isbn_13	borrow date	days_borro wed
978- 93809319 13	Data Mining: Co	Jiawei Han, Michelin e Kamber	Morgan Kaufmann	2011	3	1	Sinta	978- 9380931913	2023-06-05	20
978- 19450517 53	SQL QuickSta rt	Walter Shields	ClydeBan k Media LLC	2019	1	3	Ucok	978- 1945051753	2023-07-10	13
978- 00780221 28	Software Engine	Roger S. Pressman , Bruce Maxim	McGraw- Hill	2014	8	2	Butet	978- 0078022128	19/06/2023	15
978- 00780221 59	Database System	A. Silbersc hatz, H. F. Korth, S. Sudarsha n	McGraw- Hill	2019	7	nuLL	null	null	null	null

there is no matching records of book with isbn\_13 978-0078022159 from Borrows table



How do we return all records from the right table and the matched records from the left table?





# RIGHT JOIN

- The RIGHT JOIN returns all records from the right table and the matching records from the left table.
- The result is 0 records from the left side if there is no match.
- Syntax:


  SELECT \* | column1, columnN

  FROM TableNameA

  RIGHT JOIN TableNameB

  ON TableNameA.key = TableNameB.key;





#### Right Join Example

Table named Books stores information about books.

isbn_13	title	authors	publisher	published_year	edition
978-9380931913	Data Mining: Co	Jiawei Han, Micheline Kamber	Morgan Kaufmann	2011	3
978-1945051753	SQL QuickStart	Walter Shields	ClydeBank Media LLC	2019	1
978-0078022128	Software Engine	Roger S. Pressman, Bruce Maxim	McGraw- Hill	2014	8
978-0078022159	Database System	A. Silberschatz, H. F. Korth, S. Sudarshan	McGraw- Hill	2019	7

Table named Borrows stores information about individual borrowing with their corresponding number of days borrowed.

id	borrower_name	isbn_13	borrow_date	days_borrowed	
1	Sinta	978-9380931913	05/06/2023	20	
2	Butet	978-0078022128	19/06/2023	15	
3	Ucok	978-1945051753	10/07/2023	13	



Returns all records from the right table (Borrows) and the matching records from the left table (Books)

SELECT \*

FROM Books


RIGHT JOIN Borrows

ON Books.isbn\_13 = Borrows.isbn\_13;

isbn_13	title	authors	publishe r	publishe d_year	edition	id	borrower _name	isbn_13	borrow date	days_borro wed
978- 93809319 13	Data Mining: Co	Jiawei Han, Michelin e Kamber	Morgan Kaufmann	2011	3	1	Sinta	978- 9380931913	2023-06-05	20
978- 00780221 28	Software Engine	Roger S. Pressman , Bruce Maxim	McGraw- Hill	2014	8	2	Butet	978- 0078022128	19/06/2023	15
978- 19450517 53	SQL QuickSta rt	Walter Shields	ClydeBan k Media LLC	2019	1	3	Ucok	978- 1945051753	2023-07-10	13



How do we return all records when there is a match in either left or right table?





## FULL JOIN

- The FULL JOIN returns all records when there is a match in left or right table records.
- FULL OUTER JOIN and FULL JOIN are the same.
- Syntax:


  SELECT \* | column1, columnN

  FROM TableNameA

  FULL JOIN TableNameB

  ON TableNameA.key = TableNameB.key:





#### Full Join Example

Table named Books stores information about books.

isbn_13	title	authors	publisher	published_year	edition
978-9380931913	Data Mining: Co	Jiawei Han, Micheline Kamber	Morgan Kaufmann	2011	3
978-1945051753	SQL QuickStart	Walter Shields	ClydeBank Media LLC	2019	1
978-0078022128	Software Engine	Roger S. Pressman, Bruce Maxim	McGraw- Hill	2014	8
978-0078022159	Database System	A. Silberschatz, H. F. Korth, S. Sudarshan	McGraw- Hill	2019	7

Table named Borrows stores information about individual borrowing with their corresponding number of days borrowed.

id	borrower_name	isbn_13	borrow_date	days_borrowed
1	Sinta	978-9380931913	05/06/2023	20
2	Butet	978-0078022128	19/06/2023	15
3	Ucok	978-0131015142	10/07/2023	13



Returns all matching records from Borrows and Books tables whether the other table matches or not.

SELECT \*

FROM Books

FULL JOIN Borrows

ON Books.isbn\_13 = Borrows.isbn\_13;

isbn_13	title	authors	publishe r	publishe d_year	edition	id	borrower _name	isbn_13	borrow date	days_borro wed
978- 93809319 13	Data Mining: Co	Jiawei Han, Michelin e Kamber	Morgan Kaufmann	2011	3	1	Sinta	978- 9380931913	05/06/2023	20
978- 19450517 53	SQL QuickSta rt	Walter Shields	ClydeBan k Media LLC	2019	1	null	null	null	null	null
978- 00780221 28	Software Engine	Roger S. Pressman , Bruce Maxim	McGraw- Hill	2014	8	2	Butet	978- 0078022128	19/06/2023	15
978- 90780221 59	Database System	A. Silbersc hatz, H. F. Korth, S. Sudarsha	McGraw- Hill	2019	7	null	null	null	null	null
null	null	null	null	null	nuci	3	Ucok	978- 0131015142	10/07/2023	13

# Conclusion



- INNER JOIN clause is used to returns records that have matching values in both tables.
- LEFT JOIN clause is used to return all records from the left table, and the matched records from the right table
- RIGHT JOIN clause is used to return all records from the right table, and the matched records from the left table
- FULL JOIN clause is used to return all records when there is a match in either left or right table



# References



- R, Elmasri, et. al., Fundamentals of Database Systems.
- A. Silberschatz, et. al., Database System Concepts.
- R. K. Rainer, et. al., Introduction to Information Systems.
- G. M. Marakas et. al., Introduction to Information Systems: Essentials for The e-Business Enterprise.



# Course



Mario E. S. Simaremare

@simaremare



# Lecturer



Samuel I. G. Situmeang

@exemuel

