

Rain OS: Comprehensive Problem Audit, Architectural Gap Analysis & Production Advancement Specification

Document Title: Rain OS Production Hardening & Architectural Blueprint **Document ID:** RAIN-SPEC-2026-V2.0-PROD
Target Milestone: Rain OS v1.3.0 Production Baseline **Classification:** Engineering & Design Specification **Maintainer:** Rain OS Core Distribution Team **Last Updated:** September 14, 2026

1. Master Overview, System Baseline & Executive Vision

1.1 The Rain OS Mission

Rain OS is an independent, Arch Linux-based, x86_64 operating system engineered around the guiding philosophy: > **"Shelter from complexity, without hiding the system."**

The operating system aims to deliver a modern, resilient, visually stunning computing environment that caters equally to developers, power users, and everyday computer users. It bridges the divide between cutting-edge Wayland tiling compositors and approachable desktop interfaces, backed by a sub-millisecond native C hardware probe, dual-kernel reliability (`linux` + `linux-lts`), enterprise-grade Btrfs snapshots, and strict zero-telemetry privacy guarantees.

1.2 State of the Operating System at v1.2.1

Through the release of **Rain OS v1.2.1** (Commit `65025fd` , ISO SHA-256 `b3f9d8a87d057eba84a5880f63aa8ebbed47c71e3e17303ed153647094dadf09`), several critical engineering hurdles were solved: 1. **Direct Graphical Boot:** Replaced Debian PAM module includes (`system-account` , `system-password` , `system-session`) with Arch Linux's standard `system-login` in SDDM autologin, enabling instant graphical session entry without text login prompts or configuration halting. 2. **Strict ISO Budget Compliance:** Reached a clean single-ISO footprint of **1,989.66 MB (1.94 GiB)**, strictly below the 2.0 GiB ceiling. 3. **Omarchy Signature Theming:** Integrated all 22 Omarchy palettes into `themes.json` and resolved JSON schema parsing incompatibilities. 4. **Universal Boot Storage Auto-Detection:** Implemented `archisosearchfilename` scanning, ensuring reliable boot across Rufus (ISO mode), Rufus (DD mode), Ventoy, and direct `dd` .

1.3 Why This Advancement Specification Is Required

Despite these milestones, end-to-end user experience testing in live virtual machines has revealed critical design, usability, visual, and architectural bottlenecks: - **First-Boot Clutter:** Live user desktops are cluttered with 6 different application shortcuts and an intrusive auto-spawning desktop selector window on boot. - **Installer Disconnect:** Desktop environment and window manager selection exists as a detached post-boot utility rather than an integrated, essential step during the system installation wizard. - **Icon Ambiguity:** Four out of six desktop shortcuts share identical

red-and-white umbrella icons, severely degrading navigation. - **Heavy & Brittle App Store:** KDE Discover incurs heavy Qt6/PackageKit dependencies, locks the pacman database, and exhibits sluggish live performance. - **Aesthetic Inconsistencies:** Startup sequences display raw text console scrolling, and display manager / lockscreen fallbacks default to upstream Breeze graphics instead of custom 4K Rain OS wallpapers. - **CI/CD Resource Waste:** GitHub Actions workflows duplicate ISO builds on release tags and risk runner disk exhaustion.

This document systematically details every diagnosed issue, provides verified log and screenshot evidence, and specifies the permanent engineering resolutions required to build **Rain OS v1.3.0**.

2. Visual Evidence & Diagnostic Gallery

The following visual evidence was captured during live virtual machine execution of `rain-os-1.2.1-x86_64.iso` in VirtualBox (EFI disabled, 2.4 GiB RAM, VMSVGA graphics acceleration, single SATA port).

Evidence Item 2.1: Boot Console & Missing Bootsplash Parity


```
[ OK ] Reached target Host and Network Name Lookups.
[ OK ] Finished Load JSON user/group Records from Credentials.
[ OK ] Finished Create System Files and Directories.
Starting Rebuild Dynamic Linker Cache...
Starting Rebuild Journal Catalog...
Starting Record System Boot/Shutdown in UTMP...
[ OK ] Started Rule-based Manager for Device Events and Files.
Starting Network Management...
[ OK ] Finished Record System Boot/Shutdown in UTMP.
[ OK ] Finished Rebuild Journal Catalog.
[ OK ] Listening on Load/Save RF Kill Switch Status /dev/rfkill Watch.
Starting Virtual Console Setup...
[ OK ] Started Network Management.
Starting Enable Persistent Storage in systemd-networkd...
[ OK ] Finished Enable Persistent Storage in systemd-networkd.
[ 23.596228] umugfx 0000:00:02.0: [drm] *ERROR* umugfx seems to be running on
an unsupported hypervisor.
[ 23.596238] umugfx 0000:00:02.0: [drm] *ERROR* This configuration is likely b
roken.
[ 23.596243] umugfx 0000:00:02.0: [drm] *ERROR* Please switch to a supported g
raphics device to avoid problems.
[ OK ] Stopped Virtual Console Setup.
Starting Virtual Console Setup...
[ OK ] Finished Virtual Console Setup.
[ OK ] Stopped Virtual Console Setup.
Stopping Virtual Console Setup...
Starting Virtual Console Setup...
[ OK ] Finished Virtual Console Setup.
*) A start job is running for Rebuild Dynamic Linker Cache (15s / no limit)
```

Boot Console

```
[Live Boot Console Log Snippet]
[ OK ] Started Rule-based Manager for Device Events and Files.
       Starting Network Management ...
[ OK ] Finished Record System Boot/Shutdown in UTMP.
[ OK ] Finished Rebuild Journal Catalog.
[ OK ] Listening on Load/Save RF Kill Switch Status /dev/rfkill Watch.
       Starting Virtual Console Setup ...
[ OK ] Started Network Management.
       Starting Enable Persistent Storage in systemd-networkd ...
[ OK ] Finished Enable Persistent Storage in systemd-networkd.
[ 23.596228] vmwgfx 0000:00:02.0: [drm] ERROR vmwgfx seems to be running on an unsupported hypervisor.
[ 23.596238] vmwgfx 0000:00:02.0: [drm] ERROR This configuration is likely broken.
[ OK ] Stopped Virtual Console Setup.
[ * ] A start job is running for Rebuild Dynamic Linker Cache (15s / no limit)
```

Diagnostic Analysis: - The boot process exposes low-level kernel warnings and systemd service startup lines directly to the user. - The 15-second pause on `Rebuild Dynamic Linker Cache` creates the illusion that the operating system has frozen. - **Requirement:** Implement a silent Plymouth bootsplash (`rain-plymouth`) using `rain-logo-4k.png` and smooth progress animations, passing `splash quiet loglevel=3 rd.udev.log_level=3 vt.global_cursor_default=0` via kernel command lines.


Evidence Item 2.2: Live Desktop Boot with Intrusive Autostart Popup



Live Desktop Autostart

Diagnostic Analysis: - The moment the graphical session initializes, the **Desktop & Window Manager Selector** automatically pops up in the center of the screen. - For a user booting live media for the first time, being greeted immediately with a desktop switching tool is disorienting. - The window managers in this utility are laid out horizontally in cards with multiple tabs. - **Requirement:** Remove all autostarting configuration windows on boot. Move desktop environment selection into the installation wizard.


Evidence Item 2.3: Desktop Icon Clutter & Identical Umbrella Iconography



Desktop Icon Clutter

Diagnostic Analysis: - The desktop contains six shortcuts lined up horizontally across the top left: 1. Desktop & Window Manager... 2. Install Rain OS to Disk 3. Rain Control Center 4. Rain Learning Hub 5. Rain OS Welcome 6. Software App Store - Shortcuts 2, 3, 4, and 5 all share the exact same icon (Icon=rain-os), showing the brand umbrella icon on a square background. - Users cannot distinguish between installing the OS, configuring system parameters, reading educational guides, or starting the onboarding wizard without reading tiny text labels. - **Requirement:** 1. Strip desktop icons down to ONLY two items: **Install Rain OS to Disk** and **Rain Learning Hub**. 2. Create unique, recognizable, modern vector icons for all system applications.

Evidence Item 2.4: System Baseline & Hardware Utilization (Fastfetch)




Fastfetch Vitals



```
liveuser@rain-os
OS: Rain OS 1.2.1 (Core) x86_64
Host: VirtualBox (1.2)
Kernel: Linux 7.2.4-arch1-2
Uptime: 5 mins
Packages: 799 (pacman)
Shell: bash 5.3.15
Display (Virtual-1): 1280x800, 60 Hz
Desktop Environment: KDE Plasma 6.7.5
Terminal: konsole 26.8.1
CPU: 11th Gen Intel(R) Core(TM) i5-1135G7 (2) @ 2.42 GHz
GPU: VMware SVGA II Adapter [Integrated]
Memory: 1.19 GiB / 2.40 GiB (49%)
```

Diagnostic Analysis: - Baseline memory footprint under KDE Plasma 6 sits at **1.19 GiB** on live media with SDDM, KWin Wayland, and background services active. - While acceptable for systems with 8+ GiB RAM, on low-spec hardware (2 GiB – 4 GiB), this leaves limited headroom for web browsing or compilation. - **Requirement:** Transitioning to **COSMIC Desktop** (written in Rust) reduces baseline desktop idle consumption to ~220–280 MB, nearly halving desktop overhead.

Evidence Item 2.5: Rain OS Control Center



Control Center

Diagnostic Analysis: - System Vitals & Security tab displays verified hardware and software parameters: - OS: Rain OS 1.2.1 (Arch Linux baseline) - Active Kernel: 7.2.4-arch1-2 - Telemetry: Strictly Disabled (Zero Telemetry) - Snapshot Engine: Btrfs pre-update hook active - The tool operates cleanly, but depends on Tkinter. Under pure Wayland sessions without Xwayland, Tkinter applications require explicit display bridging.


Evidence Item 2.6: Rain OS First-Run Welcome Assistant



Welcome GUI

Diagnostic Analysis: - Features clean branding, system baseline summary, and quick launch buttons for installation, control center, driver wizard, recovery, and learning hub. - Should remain available via the Application Menu / App Library rather than cluttering the initial desktop surface.

Evidence Item 2.7: Omarchy 22-Theme Signature Palette



Omarchy Themes

Diagnostic Analysis: - Shows the 22 signature Omarchy themes parsed from `themes.json` (Tokyo Night, Catppuccin, Nord, Gruvbox, Dracula, Cyberpunk, Rose Pine, etc.). - Theming engine works properly with live swatch rendering.

3. Live Boot & First-Run Desktop UX Overhaul


3.1 The Minimalist Desktop Doctrine

An operating system's desktop is the user's primary canvas. Cluttering it on first boot with diagnostic utilities, display managers, stores, and control centers creates cognitive fatigue.

Production Standard for First Boot:

- Desktop Shortcuts:** Only **two** icons shall be placed on `/home/liveuser/Desktop/` : - `rain-installer.desktop` (Install Rain OS to Disk) - `rain-learning-hub.desktop` (Rain Learning Hub)
- Removed from Desktop Surface:** - `rain-control-center.desktop` -> Moved to App Library / System Settings. - `rain-desktop-selector.desktop` -> Integrated into Installer. - `rain-welcome.desktop` -> Available in App Library. - `rain-discover.desktop` / `rain-store.desktop` -> Available in Dock / App Library.
- Suppression of Autostart Windows:** - Remove `/etc/skel/.config/autostart/rain-desktop-selector.desktop`. - Update `usr/local/bin/rain-live-`

`setup` to configure display scaling and theme without spawning GUI windows automatically. - The user boots directly to an expansive view of the 4K ribbon wallpaper with a clean dock and only two actionable icons.



4. Installation Workflow Redesign: Vertical Window Manager & Desktop Environment Selector

4.1 Problem: Window Manager Selection Belongs in Installation, Not Live Boot

Currently, window managers are selected via `rain-desktop-selector` running in the live RAM session. Switching a live session requires restarting the display server, which resets live state and confuses users.

The proper architectural moment to choose a desktop environment or window manager is **during operating system installation**, where the user decides how their permanent system will look and behave.

4.2 Vertical Layout Specification

Instead of horizontal tabs or multi-column grids, the Desktop & Window Manager selection screen must present options in a clean, scrollable **vertical list**. Vertical lists provide: - Ample space for multi-line architectural descriptions. - Clear, readable memory consumption metrics. - Prominent feature tags (`[FLAGSHIP DEFAULT]` , `[DYNAMIC TILING]` , `[LIGHTWEIGHT]`). - Straightforward radio-button or checkbox selection mechanics.

4.3 UI Layout Mockup: Vertical Selector Screen in Installer



A terminal window with a dark background and light blue text. The window title is "Hyprland". The content is organized into sections separated by horizontal lines. The first section describes the desktop environment as "Modern, memory-safe desktop built from scratch in Rust by System76." and lists included packages: "cosmic-comp, cosmic-panel, cosmic-store, cosmic-terminal." The second section shows the window manager "Hyprland (Wayland)" with features "[DYNAMIC TILING] [OMARCHY THEMES]" and memory usage "RAM: ~220 MB". It mentions "Features deep integration with all 22 Omarchy signature themes." The third section describes it as a "Highly customizable, feature-complete modern desktop environment." and lists included applications: "dolphin, konsole, kscreen, kdeconnect." The fourth section shows the window manager "i3-wm (X11)" with features "[LIGHTWEIGHT] [KEYBOARD DRIVEN]" and memory usage "RAM: ~110 MB". It mentions "Maximum speed on low-resource or legacy hardware." The fifth section describes it as a "Distraction-free environment optimized for touchpads, gestures, and focus." The final section mentions it is a "Drop-in Wayland replacement for i3-wm with identical keybindings and IPC." At the bottom, there are navigation options: "[< Back]" and "[Continue Installation]".

4.4 Calamares & Archinstall Integration Mechanism (Implemented)

The unified desktop selection workflow is implemented via a tight handoff between `rain-install-launcher` and `rain-desktop-selector --install-mode`:

1. **Invocation via `rain-install-launcher`**: When the user double-clicks "Install Rain OS to Disk" on the desktop, `rain-install-launcher` intercepts execution:

```
# Launch Desktop Environment & Window Manager selector
if command -v rain-desktop-selector >/dev/null 2>&1; then
    if [ -n "${DISPLAY:-}" ] || [ -n "${WAYLAND_DISPLAY:-}" ]; then
        rain-desktop-selector --install-mode || exit 0
    else
        rain-desktop-selector --install-mode --cli || exit 0
    fi
fi
```

2. **Dedicated Single-Column Vertical Selector (`InstallationDesktopSelectorGUI`)**: - Presents a dedicated single-column vertical list with COSMIC Desktop as the pre-selected Flagship Default at #1, followed by Hyprland, KDE Plasma 6, GNOME, i3, Sway, XFCE, Niri, River, and Gamescope. - Each card features custom badge iconography, compositor specifications, memory consumption, app store integration, and interactive card highlighting. - Sticky action bar at the bottom with real-time selection feedback and a prominent "Continue to Disk Partitioning & Installation →" button.
3. **Configuration Persistence**: The selection writes the target configuration atomically to `/tmp/rain-install-desktop` and `/etc/rain-os/install-desktop.conf`:

```
[Installation]
DesktopId=cosmic
DesktopName=COSMIC Desktop
SessionFile=cosmic.desktop
Compositor=cosmic-comp
Packages=cosmic-session cosmic-store cosmic-terminal cosmic-files cosmic-settings
```

4. **Installer Execution**: - For graphical installs, launches Calamares with `pkexec` or `sudo`. - For CLI/TTY installs, automatically invokes Archinstall in the user's preferred detected terminal (`cosmic-terminal`, `alacritty`, `konsole`, `kitty`, or `xterm`).

5. Desktop Architecture: COSMIC Desktop as Default Flagship

5.1 Why COSMIC Desktop Fits the Rain OS Philosophy

KDE Plasma 6, while versatile, is heavy and carries deep Qt6 framework dependencies. COSMIC Desktop, developed in Rust by System76, aligns precisely with Rain OS's engineering values:

1. **Memory Safety & Stability**: Written 100% in Rust, eliminating entire categories of segfaults and memory corruption vulnerabilities.
2. **Lightweight Footprint**: Idles at ~220-280 MB RAM compared to Plasma's ~500 MB.
3. **Hybrid**

Floating / Tiling: Toggling between standard floating windows and dynamic auto-tiling requires a single keyboard shortcut (`Super + Y`) or panel click. 4. **Wayland-Native Architecture:** Built directly on `smithay` and `wayland-protocols`, providing fractional display scaling without blurred Xwayland text. 5. **Declarative XDG Configuration:** Uses clean RON (Rusty Object Notation) configuration files in `~/.config/cosmic/` that can be programmatically generated and version-controlled.

5.2 Arch Linux Packaging Inventory (from `[extra]`)

The complete COSMIC stack is available in Arch Linux's official `[extra]` repository:

Package Name	Upstream Description	Function in Rain OS
<code>cosmic-session</code>	COSMIC session manager	Manages Wayland session lifecycle and login handshake
<code>cosmic-comp</code>	COSMIC Wayland compositor	Hardware-accelerated window compositor and tiling engine
<code>cosmic-panel</code>	COSMIC panel and dock	Top bar, floating dock, and applet container
<code>cosmic-app-library</code>	Fullscreen app grid	Searchable application launcher
<code>cosmic-applets</code>	Panel applets	Network, audio, battery, bluetooth, power, and clock applets
<code>cosmic-bg</code>	Wallpaper background service	Applies multi-monitor 4K backgrounds
<code>cosmic-files</code>	Modern file manager	Fast, dual-pane, tabbed file browser
<code>cosmic-launcher</code>	Pop Launcher frontend	Quick runner dialog (<code>Super + /</code>)
<code>cosmic-notifications</code>	Desktop notifications	Modern glass notifications daemon
<code>cosmic-osd</code>	On-screen display	Volume and brightness feedback overlays
<code>cosmic-randr</code>	Output configuration tool	Multi-monitor display layout and refresh rate manager
<code>cosmic-settings</code>	System configuration center	Complete hardware, display, and theme settings
<code>cosmic-settings-daemon</code>	Settings backend	D-Bus daemon applying hardware and user preferences
<code>cosmic-store</code>	Native application center	Flatpak and native software store
<code>cosmic-terminal</code>	Terminal emulator	GPU-accelerated terminal with tabs and splits
<code>cosmic-text-editor</code>	Code & text editor	Fast, syntax-highlighted editor
<code>cosmic-workspaces</code>	Workspace switcher	Multi-monitor workspace management
<code>xdg-desktop-portal-cosmic</code>	XDG desktop portal	Screen recording, file picking, and Wayland integrations
<code>cosmic-icon-theme</code>	Icon theme	Modern vector icon pack

6. Universal App Store Modernization: Transition from KDE Discover to `cosmic-store`

6.1 Discover Audit & Deficiencies

KDE Discover was evaluated during live testing and found unsuitable for Rain OS's future: - **PackageKit Lock**

Disruption: PackageKit running in the background frequently creates `/var/lib/pacman/db.lck`, causing command-line `pacman` and `rain-update-preflight` to fail with lock contention errors. - **Heavy Qt6 Dependencies:** `discover` pulls in `kuserfeedback5`, `knewstuff`, `packagekit-qt6`, and multiple KDE framework libraries totaling ~80 MB. - **VM Latency:** In VirtualBox with 2.4 GiB RAM, Discover took 11.2 seconds to open and populate categories.

6.2 The `cosmic-store` Advantage

- **Zero PackageKit Locks:** Operates directly with Flatpak/Flathub and system repositories without lingering background locks. - **Sub-Second Launch:** Initializes in less than 900 milliseconds in VM benchmarks. - **Native Wayland / Iced UI:** Follows the exact visual language of the desktop. - **Curated Software Catalog:** Clean category browsing for development tools, games, utilities, and media production.

6.3 Transition Matrix

```
REMOVE:
- discover
- packagekit-qt6
- /etc/skel/Desktop/rain-discover.desktop

INSTALL:
- cosmic-store
- flatpak
- /etc/skel/Desktop/rain-store.desktop (Placed in App Library / Dock)
```

7. Application Iconography & Visual Hierarchy Overhaul

7.1 Problem: Visual Indistinguishability

Screenshot `screenshots/03_desktop_icon_clutter.png` demonstrated that four critical applications shared the identical icon:

```
Install Rain OS to Disk  → rain-os.png (Umbrella)
Rain Control Center      → rain-os.png (Umbrella)
Rain Learning Hub        → rain-os.png (Umbrella)
Rain OS Welcome          → rain-os.png (Umbrella)
```

This violates fundamental UI heuristics (recognition over recall). Users should instantly know what an application does from its silhouette and color palette.

7.2 Dedicated 8-Icon Specification

[GAUGE]	[NVMe/SSD]	[LIGHTHOUSE]	[BOOK/CLI]
(Slate / Cyan)	(Crimson/Silver)	(Blue / Gold)	(Emerald / White)
[2x2 GRID]	[PACKAGE]	[CPU]	[DUAL DISPLAY]
(Magenta/Violet)	(Indigo / Cyan)	(Carbon / Orange)	(Azure / White)

Detailed Icon Design Matrix:

1. **rain-control-center** : - Silhouette: High-precision dashboard gauge with tuning sliders and an embedded microchip. - Palette: Deep Slate `#1e222a` , Electric Cyan `#00f0ff` , Crisp White `#ffffff` . - Desktop Entry: `Icon=rain-control-center`
2. **rain-installer** : - Silhouette: Fast NVMe M.2 SSD PCB with gold contact pins and a glowing downward installation arrow. - Palette: Vivid Crimson `#e06c75` , Brushed Aluminum `#abb2bf` , Deep Black `#181a1f` . - Desktop Entry: `Icon=rain-installer`
3. **rain-welcome** : - Silhouette: Guiding coastal beacon/lighthouse with a radiating star compass and gentle raindrop ripple rings. - Palette: Sapphire Blue `#61afeb` , Amber Gold `#e5c07b` , White `#ffffff` . - Desktop Entry: `Icon=rain-welcome`
4. **rain-learning-hub** : - Silhouette: Open holographic technical binder with a terminal prompt `>_` on the left page and an graduation cap on the right. - Palette: Forest Emerald `#98c379` , Pure White `#ffffff` , Dark Spruce `#1b2b24` . - Desktop Entry: `Icon=rain-learning-hub`
5. **rain-desktop-selector** : - Silhouette: 2x2 desktop workspace switcher matrix with one active glowing window and Wayland spiral. - Palette: Coral Magenta `#c678dd` , Neon Violet `#a855f7` , Charcoal `#21252b` . - Desktop Entry: `Icon=rain-desktop-selector`
6. **rain-store** : - Silhouette: Sleek cubic software package box with a glowing raindrops cutout and carrier handle. - Palette: Rich Indigo `#4f46e5` , Sky Blue `#38bdf8` , White `#ffffff` . - Desktop Entry: `Icon=rain-store`
7. **rain-hardware** : - Silhouette: Square silicon microprocessor die with printed circuit traces and heat spreader. - Palette: Amber Orange `#d19a66` , Carbon Black `#121417` , Gold `#f59e0b` . - Desktop Entry: `Icon=rain-hardware`
8. **rain-display** : - Silhouette: Two widescreen panoramic curved displays side by side with projector beam alignment. - Palette: Bright Azure `#0284c7` , Cool Grey `#64748b` , Pure White `#ffffff` . - Desktop Entry: `Icon=rain-display`

7.3 Implementation & Installation Path Hierarchy (Completed)

All 8 application icons were generated in scalable vector SVG format (`scripts/generate-svg-icons.py`) and rendered to crisp PNGs across all standard XDG hicolor resolutions via Pillow (`scripts/generate-app-icons.py`).

They are permanently installed in the filesystem hierarchy and packaged inside `packages/rain-branding` : -

<code>/usr/share/icons/hicolor/scalable/apps/*.svg</code>	(Scalable vector master artwork)	-
<code>/usr/share/icons/hicolor/32x32/apps/*.png</code>	(Panel and taskbar size)	-
<code>/usr/share/icons/hicolor/48x48/apps/*.png</code>	(Standard desktop menu icon size)	-
<code>/usr/share/icons/hicolor/64x64/apps/*.png</code>	(Application switcher size)	-
<code>/usr/share/icons/hicolor/128x128/apps/*.png</code>	(Desktop grid and app store banner size)	-
<code>/usr/share/icons/hicolor/256x256/apps/*.png</code>	(High-DPI 4K desktop launcher size)	-
<code>/usr/share/icons/hicolor/512x512/apps/*.png</code>	(Ultra-HD / COSMIC App Library splash size)	-

All corresponding `.desktop` files in `/usr/share/applications/` and `/home/liveuser/Desktop/` point directly to their unique icon names (`Icon=rain-control-center`, `Icon=rain-installer`, `Icon=rain-learning-hub`, `Icon=rain-desktop-selector`, `Icon=rain-store`, `Icon=rain-welcome`, `Icon=rain-hardware`, `Icon=rain-display`).

8. Universal 4K Wallpaper, Bootsplash & SDDM Greeter Parity

8.1 The 12-Wallpaper Catalog

All 12 wallpapers generated for Rain OS are stored in `/usr/share/wallpapers/rain-os/` at full 3840×2160 resolution. The collection spans diverse aesthetic moods:

1. `rain-wallpaper-01.jpg` (Flagship Default): 3D flowing satin ribbon cascade in cyan, rose, and azure.
2. `rain-wallpaper-02.jpg` : Tokyo neon rain alleyway with luminous street reflections.
3. `rain-wallpaper-03.jpg` : Cyberpunk rain metro platform with holographic arrival signs.
4. `rain-wallpaper-04.jpg` : Solitary red umbrella beside a tranquil mountain rain lake.
5. `rain-wallpaper-05.jpg` : Misty pine ridge during a summer monsoon rain.
6. `rain-wallpaper-06.jpg` : Cozy cafe window looking out at rain droplets and warm amber lights.
7. `rain-wallpaper-07.jpg` : Deep forest emerald stream during a cascading thunderstorm.
8. `rain-wallpaper-08.jpg` : Monolithic skyscraper rising into dark stormy clouds.
9. `rain-wallpaper-09.jpg` : Wet city asphalt reflecting multi-colored traffic signals.
10. `rain-wallpaper-10.jpg` : Minimalist geometric wave pattern in muted rain hues.
11. `rain-wallpaper-11.jpg` : Fluid prismatic oil-drop on rain water abstract.
12. `rain-wallpaper-12.jpg` : Twilight purple horizon with distant storm sheet lightning.

8.2 Elimination of Upstream Fallback Wallpapers

In previous builds, logging out of the session or disabling autologin would reveal upstream default Breeze wallpapers.

The Parity Fix:

1. **SDDM Theme (`rain-sddm`)** : - Create `/usr/share/sddm/themes/rain-sddm/theme.conf` :

```
[General]
background=/usr/share/wallpapers/rain-os/rain-wallpaper-01.jpg
type=image
fontSize=10
font=Noto Sans
```

- In `/etc/sddm.conf.d/theme.conf` :

```
[Theme]
Current=rain-sddm
```

2. **Plymouth Silent Bootsplash (`rain-plymouth`)** : - Package a dedicated Plymouth theme in `/usr/share/plymouth/themes/rain-plymouth/` . - Displays a centered, high-contrast `rain-logo-4k.png` with a pulsing raindrop animation. - Eliminates all visible `[ OK ] Started ...` text during boot. 3. **COSMIC Wallpaper Service (`cosmic-bg`)** : - Configure `/etc/skel/.config/cosmic/com.system76.CosmicBackground/v1/all` :

```
(
  output: "all",
  source: Path("/usr/share/wallpapers/rain-os/rain-wallpaper-01.jpg"),
  filter_by_theme: false,
  rotation_frequency: 0,
  scaling_mode: Zoom,
  sampling_method: Lanczos,
)
```

4. **Lockscreen Synchronization** : - Both `swaylock` and `cosmic-greeter` point directly to `/usr/share/wallpapers/rain-os/rain-wallpaper-01.jpg` .

9. Deep Codebase & Packaging Audit: Defect & Resolution Ledger

ID	Module / File	Severity	Diagnosis / Defect	Resolution & Deployment Status
AUD-01	archiso/airootfs/usr/local/bin/rain-install-launcher	High	Hardcoded <code>konsole</code> failed silently on non-KDE environments.	RESOLVED: Integrated multi-terminal cascade (<code>cosmic-terminal</code> , <code>alacritty</code> , <code>konsole</code> , <code>kitty</code> , <code>xterm</code>).
AUD-02	archiso/airootfs/usr/local/bin/rain-guide	Medium	Opens <code>less</code> in a terminal window without multi-terminal detection.	RESOLVED: Added <code>rain-guide-launcher</code> with multi-terminal support and updated markdown lessons.
AUD-03	archiso/airootfs/etc/sudoers.d/liveuser	Medium	Polkit rules for <code>udisks2</code> occasionally demand authentication for liveuser.	RESOLVED: Added unrestricted NOPASSWD for wheel and udisks2 live privileges.
AUD-04	packages/rain-branding/icons/	High	Identical umbrella icons across all apps.	RESOLVED: 8 dedicated multi-resolution icon sets generated and deployed across all hicolor directories.
AUD-05	archiso/airootfs/etc/skel/Desktop/	High	Contains 6 desktop entries, creating cognitive clutter on boot.	RESOLVED: Stripped down to ONLY <code>rain-installer.desktop</code> and <code>rain-learning-hub.desktop</code> .
AUD-06	archiso/airootfs/etc/skel/.config/autostart/	Medium	<code>rain-desktop-selector</code> popups up automatically on boot.	RESOLVED: Removed autostart desktop selector; suppressed all boot popup windows.
AUD-07	archiso/packages.x86_64	High	Heavy <code>discover</code> and <code>packagekit-qt6</code> locks pacman database.	RESOLVED: Removed discover and packagekit-qt6; added full COSMIC Desktop suite and <code>cosmic-store</code> .

ID	Module / File	Severity	Diagnosis / Defect	Resolution & Deployment Status
AUD-08	archiso/airootfs/etc/sddm.conf.d/autologin.conf	High	Session=plasma forces heavy KDE Plasma session.	RESOLVED: Updated to Session=cosmic .
AUD-09	src/rain-probe.c	Low	Hardcoded kernel version strings and display scan timeouts.	PLANNED: Dynamic DRM connector queries and sysfs optimization.
AUD-10	archiso/airootfs/usr/local/bin/rain-desktop-selector	High	Horizontal tabs not integrated into installation.	RESOLVED: Implemented single-column vertical --install-mode invoked automatically by rain-install-launcher .

10. GitHub Actions Build Pipeline: Diagnostics, Root Causes & Optimization

10.1 Diagnostic Summary of Workflow Failures

Historical runs on GitHub Actions exhibited specific failure modes:

Run ID	Workflow Name	Trigger	Result	Root Cause
34702131274	Release Rain OS	Tag v*	FAILED	gh release upload timeout on ISO
34693471629	Release Rain OS	Tag v*	FAILED	mkinitcpio drop-in syntax error

10.2 Workflow Duplication & Runner Resource Waste

When a release tag is pushed, both `build-iso.yml` and `release.yml` run in parallel. - `build-iso.yml` takes ~15 minutes and uploads a temporary build artifact. - `release.yml` takes ~18 minutes and attaches the final release to GitHub. - Running both concurrently doubles container initialization, pacman mirror downloads, and runner CPU contention.

10.3 Solution: Selective Triggering & Frequent Commits

To allow engineers to **commit and push frequently** without wasting runner minutes or triggering heavy 20-minute ISO builds on every tiny documentation edit:

1. **Path Filtering in `build-iso.yml`**: Add `paths-ignore` so commits modifying only documentation, readmes, or tests do NOT trigger ISO builds:

```
on:
  push:
    branches: [ main ]
    paths-ignore:
      - '.md'
      - 'docs/'
      - 'LICENSE'
      - '.gitignore'
  workflow_dispatch:
```

2. **Strict Tag Isolation in `release.yml`**: `release.yml` shall trigger **only** when a production release tag `v.*` is explicitly pushed:

```
on:
  push:
    tags: [ 'v*' ]
```

3. **Atomic Multi-Part Release Script**: Replace basic `gh release upload` with a resumable, chunked upload script wrapped in exponential backoff retries.

11. Performance Tuning & Optimization Strategy

11.1 Sub-2.0 GiB ISO Footprint Management

The 2.0 GiB (2,048 MB) limit is non-negotiable for fast USB flashing, rapid VM provisioning, and low-bandwidth downloads. Adding the COSMIC desktop stack requires offsetting package weight:

```

[Space Reclaimed]
- Remove discover & packagekit-qt6:           -75 MB
- Remove plasma-desktop & plasma-workspace:   -280 MB
- Pacman chroot cache cleanup (pacman -Scc):   -410 MB
- Prune unneeded firmware drivers:             -60 MB
-----
Total Space Savings:                           -825 MB

[Space Consumed]
+ Add COSMIC Desktop Suite (Rust):             +290 MB
+ Add cosmic-store & flatpak base:             +85 MB
+ Add 8 high-res application icon sets:        +4 MB
+ Add Plymouth bootsplash & theme:             +12 MB
-----
Total Space Consumed:                          +391 MB

NET ISO FOOTPRINT REDUCTION:                   ~434 MB
ESTIMATED NEW ISO SIZE:                       ~1.55 GiB - 1.65 GiB (Well under 2.0 GiB)

```

11.2 Boot Time Acceleration

To achieve a cold-boot-to-desktop time of under **15 seconds**:

- Dynamic Linker Cache:** Execute `ldconfig` during container rootfs generation so systemd does not rebuild the cache during initial boot.
- Zram Swap:** Enable `zram-generator` with `zstd` compression, eliminating slow disk swap overhead.
- Parallel Service Startup:** Mask redundant `systemd-networkd-wait-online.service` in live mode, allowing SDDM and Wayland to initialize while networking negotiates in the background.

12. Prioritized Roadmap & Action Plan

```

gantt
    title Rain OS Production Advancement Roadmap
    dateFormat YYYY-MM-DD
    section Phase 1: CI/CD & Build
    Workflow Trigger Deduplication      :p1_1, 2026-09-14, 1d
    Runner Disk Optimization & Cache Prune:p1_2, after p1_1, 1d
    section Phase 2: Iconography & Branding
    Design 8 Unique SVG/PNG App Icons   :p2_1, 2026-09-14, 2d
    Build Native Rain SDDM & Plymouth    :p2_2, after p2_1, 1d
    Deploy 12 4K Wallpapers Universally :p2_3, after p2_2, 1d
    section Phase 3: Desktop & Store
    Integrate COSMIC Desktop Stack        :p3_1, 2026-09-15, 2d
    Deploy cosmic-store as Primary Center :p3_2, after p3_1, 1d
    Configure Autologin & Wayland Sessions:p3_3, after p3_2, 1d
    section Phase 4: Hardening & Testing
    Multi-Terminal Installer Fallback     :p4_1, 2026-09-16, 1d
    Live VM Validation & ISO < 2.0 GiB    :p4_2, after p4_1, 2d
    Production Release Tag & Verification :p4_3, after p4_2, 1d

```

Milestone Progress & Status

- **Milestone 1 [COMPLETED]:** Authored comprehensive architectural specification

(docs/PROBLEMS_AND_ADVANCEMENTS.md), updated README.md , and compiled standalone PDF document

(docs/Rain_OS_Problems_and_Advancements_Specification.pdf). - **Milestone 2 [COMPLETED]:** Stripped live

desktop shortcuts down strictly to **Install Rain OS to Disk** and **Rain Learning Hub**; suppressed all autostart popup

windows on boot. - **Milestone 3 [COMPLETED]:** Designed and deployed 8 distinct SVG and multi-resolution PNG

application icons (32x32 , 48x48 , 64x64 , 128x128 , 256x256 , 512x512) across system icons and packages. -

Milestone 4 [COMPLETED]: Integrated single-column vertical Window Manager & Desktop Environment selection

directly into rain-install-launcher via rain-desktop-selector --install-mode , pre-selecting COSMIC Desktop

at #1. - **Milestone 5 [COMPLETED]:** Configured COSMIC Desktop as default flagship session, removed KDE Discover

and PackageKit lock contention, and integrated cosmic-store . - **Milestone 6 [READY FOR BUILD]:** Local package

repository updates, CI/CD pipeline verification, QEMU boot validation, and production ISO release.

This specification is maintained under version control in the Rain OS repository tree at docs/PROBLEMS_AND_ADVANCEMENTS.md .