CoCollaber — Software Requirements Specification (SRS) v1.0

Stage 03 · Sources of truth: Idea Document v1.0, PRD v1.0

Requirement basis tags (used in every Priority cell and list): **C** Confirmed (stated in PRD) · **D** Derived (necessary consequence of a PRD requirement) · **A** Assumption (working default, to validate) · **R** SRS Recommendation (not in PRD, proposed) · **O** Open Decision (unresolved)

---

1. Document Control

Field	Value
Product	CoCollaber
Document	SRS v1.0
Status	Draft, pending freeze
Inputs	Idea Document v1.0; PRD v1.0 (OD-01 to OD-07 still open, PRD assumptions adopted and tagged **A**)
Next stage	System Design (architecture, database, API)
Scope rule	Describes what the software must do. No code, SQL, endpoints or framework choices
ID scheme	SRS-FR-{MODULE}-### functional · SRS-NFR-### non-functional · SRS-BR-## business rule · SRS-AC-## acceptance · SRS-OD-## open decision
Language	"Shall" = mandatory for the stated priority. "Should" = recommended

2. Introduction

2.1 Purpose

Translate PRD v1.0 into precise, testable software requirements for the CoCollaber MVP (P0), while recording P1 items so the design does not block them.

2.2 Scope

In scope: all PRD P0 capabilities. P1 requirements are specified at a lighter level and marked P1. P2 items (AI matching, premium, payments, team spaces, business/enterprise, featured opportunities) are **out of scope** and no premium functionality is specified.

2.3 Intended Audience

System designers, backend and frontend developers, QA, product owner, security reviewer, moderation/operations lead.

2.4 Definitions

Term	Meaning
Member	Registered, email-verified, active user
Opportunity	A posted chance to participate (PRD §16)

Explore our developer-friendly HTML to PDF API Printed using PDFCrowd HTML to PDF

Term	Meaning
Creator	Member who created a given opportunity (contextual role)
Seeker	Member who sent an Interest to a given opportunity (contextual role)
Interest	A seeker's expression of wanting to take part, with a message
Connection (contextual)	The relationship created when a creator accepts an Interest; enables messaging
Thread	One-to-one message conversation bound to one accepted Interest
Participation	Confirmed start of involvement, confirmed by both sides
Offer / Seek	Items a member declares they can provide / are looking for
Domain	Curated area of activity (e.g., Sports, Music)
Tag	Short skill or interest label
Admin	Internal staff user with moderation/administration rights
GV	Global validation rule (§7.0)

2.5 References

Idea Document v1.0; PRD v1.0 (requirement IDs PRD-FR-###, PRD-NFR-###, PRD-US-###, OD-##).

3. Product Overview

CoCollaber is a domain-agnostic web platform on which members declare what they seek and offer, create opportunities, discover opportunities and people, express interest, communicate once accepted, and confirm that participation has begun. Moderation and administration tools keep the platform safe. The product loop is Express → Discover → Connect → Collaborate → Grow (a confirmed participation record) → Create.

4. System Scope

In scope (P0): authentication; onboarding; profiles with multiple interests; offers and seeks; opportunity create/manage; opportunity and people discovery; search and filters; interest → accept/decline; messaging between accepted parties; participation confirmation; in-app and email notifications; report and block; moderation and administration; analytics event capture; published guidelines.

Out of scope: payments, escrow, contracts; AI or behaviour-based recommendations; premium plans; organization/community accounts and groups; ratings/reputation; team spaces; native apps; multi-language UI; pre-acceptance messaging (O); minors.

External interfaces (product level): an email delivery service; an analytics sink. Specific vendors belong to system design.

5. Actors and User Roles

Actor	Description	Key rights
Visitor	Unauthenticated	View public pages, guidelines; browse opportunity list/detail if SRS-OD-02 resolved yes; register, log in

Explore our developer-friendly HTML to PDF API Printed using PDFCrowd HTML to PDF

Actor	Description	Key rights
Member	Authenticated, email-verified, 18+, active	All member functions below
Creator (contextual)	Member who owns an opportunity	Edit/close/remove it, review interests, respond
Seeker (contextual)	Member who sent an Interest	Withdraw, message after acceptance, confirm participation
Participant (contextual)	Party to a confirmed participation	View record; appears on profile
Admin	Staff	Moderate, manage users/opportunities/domains, view audit
System	Automated processes	Expiry, notifications, cleanup

A member is never locked into creator-only or seeker-only. Roles are per-resource. (PRD-FR-011, Idea Doc principle 4.)

6. User Types

User type	Notes
Individual member	Default type for every person, including founders, artists, athletes, students
Representative member	An individual posting for a business, club or community. In P0 identified only by the creator's profile; organization labelling is P1 (PRD-FR-025). Organizations as separate accounts are **O** (PRD OD-11)
Admin	Internal; sub-role "Moderator" (R) with reduced rights; "Administrator" with full rights

---

7. Functional Requirements

7.0 Conventions

Permissions: V visitor, M member, C creator of resource, S seeker, P participant, Adm admin, Sys system. Unless stated, every member action requires a valid session, an Active account, and a verified email, and honours block rules (SRS-BR-08).

Standard errors (behaviour in §16): E-VAL invalid input · E-AUTH not authenticated · E-FORB not permitted · E-NF not found or not visible · E-CONF duplicate/conflict · E-STATE invalid for current state · E-RATE rate limit · E-SYS system failure.

Global validation rules

ID	Rule
GV-1	All text is trimmed, normalised, stripped of control characters, and rendered as plain text (no user HTML/script). Leading/trailing whitespace-only values are empty
GV-2	Email: valid format, ≤254 chars, unique case-insensitively
GV-3	Password: 10–128 chars, not in a common-password list, not equal to email

Explore our developer-friendly HTML to PDF API Printed using PDFCrowd HTML to PDF

ID	Rule
GV-4	Display name 2–60 chars; bio ≤500; location text ≤100
GV-5	Opportunity title 5–120; description 20–5,000; compensation details ≤300
GV-6	Interest message 10–1,000 chars
GV-7	Chat message 1–2,000 chars
GV-8	Tags ≤40 chars each; ≤30 interest/skill tags per profile; ≤10 tags per opportunity; domains 1–3 per opportunity, ≥1 per profile after onboarding
GV-9	Offers ≤10 and Seeks ≤10 per member; each: title 3–80, description ≤300
GV-10	Report details ≤1,000; reason code required
GV-11	Date of birth implies age ≥18 at registration (A, OD-06)
GV-12	All timestamps stored in UTC, shown in user's local time zone
GV-13	Counts shown to users (views, interests) never reveal identity of others beyond permitted data

Each requirement below is a row. Columns: **Pre** preconditions · **Inputs** · **Behaviour/Outputs** · **Validation/Errors** · **Perm** · **Pri** (priority/basis) · **Dep** (dependencies) · **PRD** (trace).

7.1 Authentication & Account (AUTH)

ID / Name	Pre	Inputs	Behaviour / Outputs	Validation / Errors	Perm	Pri · Dep · PRD
AUTH-001 Register. The system shall allow a visitor to create an account with email and password.	Not logged in	Email, password, display name, date of birth, terms/privacy acceptance	Creates account in *Unverified* state; sends verification email; shows "check your email" screen. Stores acceptance (version, timestamp)	GV-2/3/4/11; terms box mandatory. E-VAL, E-CONF (email exists: generic message that does not reveal existence), E-RATE	V	P0 · C · AUTH-002, AUTH-008 · PRD-FR-001
AUTH-002 Verify email. The system shall verify email ownership before	Account Unverified	Single-use token from email link	Sets account Active; logs user in; goes to onboarding. Token expires in 24 h; user can request a new one	Invalid/expired/used token → E-VAL with resend option. Resend limited (E-RATE: 3/hour)	V	P0 · D · AUTH-001 · PRD-FR-001

Explore our developer-friendly HTML to PDF API Printed using PDFCrowd HTML to PDF

ID / Name	Pre	Inputs	Behaviour / Outputs	Validation / Errors	Perm	Pri · Dep · PRD
account is usable.						
AUTH-003 Login. The system shall authenticate users by email and password.	Account Active	Email, password, optional "remember me"	Creates session; redirects to last intended page or Home	Wrong credentials: one generic message. Unverified: offer resend. Suspended: show suspension notice (SRS-BR-10). Deleted: generic failure. 5 failures/15 min per account → 15 min lock (E-RATE)	V	P0 · C · AUTH-002 · PRD-FR-001
AUTH-004 Logout and session. The system shall end sessions on logout and expire them.	Logged in	Logout action	Session invalidated server-side; user sees public home. Default expiry: 12 h idle; 30 days if "remember me"	Expired session → E-AUTH, redirect to login preserving destination	M	P0 · D · AUTH-003 · PRD-FR-001
AUTH-005 Password reset. The system shall let users reset a forgotten password by email.	Account exists	Email; then token + new password	Always shows the same confirmation. Token single-use, 1 h expiry. On success all other sessions are revoked and user is notified by email	GV-3. E-VAL for bad token. E-RATE 3 requests/hour	V	P0 · D · AUTH-003 · PRD-FR-001
AUTH-006 Change password.	Logged in	Current password, new password	Updates credential; revokes other sessions; emails confirmation	GV-3; wrong current → E-VAL	M	P0 · D · AUTH-003 · PRD-FR-001
AUTH-007 Delete account. The system shall let a member delete their account.	Logged in	Password re-entry, confirmation	Account set *Deleted* (soft, 30-day recovery window, A); immediately hidden from all discovery; open opportunities closed; pending interests withdrawn; sessions revoked.	Wrong password → E-VAL. Cancel within 30 days by logging in restores account	M	P0 · C · AUTH-003 · PRD-FR-004, PRD-US-012

Explore our developer-friendly HTML to PDF API Printed using PDFCrowd HTML to PDF

ID / Name	Pre	Inputs	Behaviour / Outputs	Validation / Errors	Perm	Pri · Dep · PRD
			After 30 days personal data erased or anonymised per SRS-BR-13			
AUTH-008 Age and terms gate.	Registration	DOB, acceptance	Under-18 registration refused with explanatory message; no data retained beyond the refusal event	E-VAL. Self-declaration only (verification method **O** SRS-OD-06)	V	P0 · A · AUTH-001 · PRD-FR-002, OD-06
AUTH-009 Social sign-in.	—	—	Not specified. Recommended to add one third-party sign-in later	**O** SRS-OD-01	—	P1 · R/O · PRD-FR-001

7.2 Onboarding (ONB)

ID / Name	Pre	Inputs	Behaviour / Outputs	Validation / Errors	Perm	Pri · Dep · PRD
ONB-001 Guided onboarding. The system shall guide a new member through interests, offers and seeks after first verified login.	AUTH-002 done	Domains, tags, ≥0 offers, ≥0 seeks, optional bio/location	Presents steps; saves progress after each step; on completion sends user to Home with personalised results	GV-4/8/9. E-VAL inline	M	P0 · C · SKL-001/002, OFF-001/002 · PRD-FR-003, US-001
ONB-002 Skip and resume.	Onboarding incomplete	Skip/Continue	Every step skippable; Home shows a persistent "complete your profile" prompt until ≥1 domain selected. Skipped users see non-personalised Home	None	M	P0 · C · ONB-001 · PRD-FR-003
ONB-003 Profile completeness indicator.	Logged in	—	Shows completeness (name, ≥1 domain,	Computation deterministic	M	P0 · R · PROF-002 · PRD-US-001

Explore our developer-friendly HTML to PDF API Printed using PDFCrowd HTML to PDF

ID / Name	Pre	Inputs	Behaviour / Outputs	Validation / Errors	Perm	Pri · Dep · PRD
			≥1 offer or seek, bio) and what is missing			

7.3 User Profile (PROF)

ID / Name	Pre	Inputs	Behaviour / Outputs	Validation / Errors	Perm	Pri · Dep · PRD
PROF-001 Own profile. Shall display name, bio, location (optional), interests/tags, offers, seeks, participation record.	Logged in	—	Renders own profile with edit controls and visibility state per field	—	M	P0 · C · PRD-FR-010
PROF-002 Edit profile.	Logged in	Name, bio, location (country, city), domains, tags	Saves; changes reflected in search within 5 minutes (NFR-001 target)	GV-4/8; E-VAL	M	P0 · C · PRD-FR-010
PROF-003 Public profile view.	Viewer is Member	Profile id	Shows only fields the owner has made visible to the viewer's level. Never shows email, DOB or exact contact data	Deleted/suspended/blocked/non-visible → E-NF	M	P0 · C · PRD-FR-010, US-005
PROF-004 Visibility controls.	Logged in	Per-field level: *Public to members* / *Only people I've connected with* / *Only me*	Defaults: name, bio, domains, tags, offers, seeks = members; location = city/country shown, only if owner enters	Name always visible to members (cannot be hidden, needed for identity) (A)	M	P0 · C · PROF-003, PPL-001 · PRD-FR-013

Explore our developer-friendly HTML to PDF API Printed using PDFCrowd HTML to PDF

ID / Name	Pre	Inputs	Behaviour / Outputs	Validation / Errors	Perm	Pri · Dep · PRD
			it; participation record = members. Applies to profile view and people search			
PROF-005 Multiple identities. Shall allow any number of domains/tags up to GV-8 without a primary or exclusive category.	Logged in	Domains, tags	No field named "role" or "category" restricts what a member may create or seek	—	M	P0 · C · SKL-001 · PRD-FR-011, US-002
PROF-006 Participation record. Shall list confirmed participations (opportunity title, role if any, date) on the profile.	PART-002 occurred	—	Appears automatically; member can hide individual entries; entries for removed opportunities show title as "Removed"	—	M	P0 · D · PART-002 · PRD §18 ("Grow")
PROF-007 Work/experience examples (links or text).	Logged in	Title, description, URL	≤10 items; URLs validated, shown as plain links with warning on external navigation	URL scheme http/https only	M	P1 · C · PRD-FR-012
PROF-008 Availability indicator.	Logged in	Available / Limited / Not available	Displayed on profile; filterable in people search	—	M	P1 · R · PPL-001 · Idea Doc §9

Explore our developer-friendly HTML to PDF API Printed using PDFCrowd HTML to PDF

ID / Name	Pre	Inputs	Behaviour / Outputs	Validation / Errors	Perm	Pri · Dep · PRD
PROF-009 Avatar image.	Logged in	Image	See SEC-FILE rules	—	M	P1 · R · SEC §12.8

7.4 Skills & Interests (SKL)

ID / Name	Pre	Inputs	Behaviour / Outputs	Validation / Errors	Perm	Pri · Dep · PRD
SKL-001 Domain catalog. The system shall maintain an admin-managed list of domains, seeded with the PRD §14 list.	—	—	Domains shown as selectable categories everywhere. Retiring a domain keeps existing links but hides it from new selection	Admin only for changes	Adm	P0 · C · ADM-004 · PRD-FR-071, OD-02
SKL-002 Tags (skills/interests). The system shall let members attach free-form tags to profile and opportunities, with suggestions from existing tags.	Logged in	Tag text	Tags normalised (case-insensitive, trimmed, whitespace collapsed); matching tags reused; prohibited terms rejected	GV-8; E-VAL	M	P0 · A · PRD §14 (hybrid taxonomy, OD-02)
SKL-003 Suggest a domain.	Logged in	Domain name, reason	Creates a suggestion in admin queue; submitter notified of outcome	≤3 pending suggestions/member; E-RATE	M	P0 · A · ADM-004 · PRD §14

7.5 User Offers / Requirements (OFF)

ID / Name	Pre	Inputs	Behaviour / Outputs	Validation / Errors	Perm	Pri · Dep · PRD
OFF-001 Declare an offer (skill, service, or willingness to contribute).	Logged in	Title, description, domain, optional tags	Saved on profile; searchable	GV-9	M	P0 · C · PRD §15
OFF-002 Declare a seek (opportunity, collaborator, skill, team).	Logged in	Title, description,	Saved; used for Home relevance (DISC-002)	GV-9	M	P0 · C · PRD §15

Explore our developer-friendly HTML to PDF API Printed using PDFCrowd HTML to PDF

ID / Name	Pre	Inputs	Behaviour / Outputs	Validation / Errors	Perm	Pri · Dep · PRD
		domain, optional tags				
OFF-003 Edit, pause, remove offers/seeks.	Item exists	Item id, changes	Paused items are hidden from search but kept; removal is permanent	E-NF	M	P0 · D · OFF-001/002
OFF-004 Relevance use. Offers and seeks shall feed people search and Home relevance only; they shall not create automatic contact.	—	—	No system-initiated outreach in P0	—	Sys	P0 · D · PRD §6

7.6 Opportunities (OPP)

ID / Name	Pre	Inputs	Behaviour / Outputs	Validation / Errors	Perm	Pri · Dep · PRD
OPP-001 Create. Any Member shall be able to create an opportunity.	Member, within limits (SRS-BR-02)	Title, description, type, 1–3 domains, tags (opt), compensation type, compensation details (if Paid/Other), mode (In-person/Remote/Hybrid), location (if In-person/Hybrid), start date (opt), deadline (opt), openings (opt, 1–999)	Created as *Open* and immediately discoverable. Shows creator, created time. Types: Collaboration/Project, Team/Membership, Event/Competition, Volunteering, Learning/Research, Paid work/Service, Other (A)	GV-1/5/8; deadline in future, start ≥ today; E-VAL, E-RATE	M	P0 · C · SKL-001 · PRD-FR-020, US-003
OPP-002 Compensation transparency. Compensation type (Paid / Unpaid / Other) shall be mandatory and always displayed on cards and detail.	Creating/editing	Compensation type	Cannot publish without it. "Paid" or "Other" requires details. "Unpaid" may add benefits text	E-VAL	M	P0 · C · PRD-FR-021, Idea principle 7

Explore our developer-friendly HTML to PDF API Printed using PDFCrowd HTML to PDF

ID / Name	Pre	Inputs	Behaviour / Outputs	Validation / Errors	Perm	Pri · Dep · PRD
OPP-003 Edit.	Creator; status Open/In progress	Changed fields	Saves; if title, description, compensation or type changed, a "last edited" marker is shown; pending seekers are notified of material changes (compensation, mode, deadline)	Cannot edit Removed. E-STATE	C	P0 · C · PRD-FR-022
OPP-004 Close.	Creator	Close action, optional reason	Status → *Closed*; removed from discovery; pending interests notified; accepted threads retained	E-STATE if already Closed	C	P0 · C · PRD-FR-022
OPP-005 Delete.	Creator; no confirmed participation	Confirmation	Opportunity removed from view; pending interests auto-declined with notice; if confirmed participations exist, delete is blocked and Close is offered (record integrity)	E-STATE	C	P0 · D · PRD-FR-022
OPP-006 Mark In progress / Filled.	Creator; status Open	Status action	*In progress*: still visible, no new interests optional (creator's toggle); *Filled*: hidden from discovery, no new interests. Creator may reopen to Open	E-STATE	C	P0 · C · PRD-FR-024
OPP-007 Detail view.	Per visibility (SRS-BR-03)	Opportunity id	Shows all fields, creator mini-profile, status, number of interests only to creator, safety notice, report control, interest control	Not visible → E-NF	M (V per SRS-OD-02)	P0 · C · PRD-FR-030

Explore our developer-friendly HTML to PDF API Printed using PDFCrowd HTML to PDF

ID / Name	Pre	Inputs	Behaviour / Outputs	Validation / Errors	Perm	Pri · Dep · PRD
OPP-008 Expiry.	Deadline set or default duration elapsed	—	See SRS-BR-06	—	Sys	P0 · A · PRD §16
OPP-009 My opportunities and responses.	Member	Filter by status	Lists own opportunities with counts per interest state; opens interest review	—	C	P0 · C · PRD-FR-023
OPP-010 Draft and save-for-later.	Member	Partial form	Saved privately; not discoverable	Relaxed validation until publish	C	P1 · C · PRD-FR-026
OPP-011 Post on behalf of a named organization or community (label only).	Member	Label ≤80	Shows "Posted by {name} on behalf of {label}"; label not verified; reportable	GV-1	C	P1 · C · PRD-FR-025

7.7 Opportunity Discovery (DISC)

ID / Name	Pre	Inputs	Behaviour / Outputs	Validation / Errors	Perm	Pri · Dep · PRD
DISC-001 Browse. Shall list discoverable opportunities (status Open or In progress, not expired, not removed, creator Active) as cards.	Member	Page	Default order: newest first; 20 per page; excludes blocked relationships and own opportunities unless filter "mine"	Empty state with guidance	M	P0 · C · PRD-FR-030
DISC-002 Home relevance. Home shall prioritise opportunities matching a member's declared domains, tags, seeks.	Member with ≥1 domain/tag/seek	—	Rule-based score: +3 per matching domain, +2 per matching tag, +2 per seek whose domain/tag matches; ties by newest. Without profile data Home shows newest. No behavioural tracking	Deterministic and explainable: card shows "Matches your interest in {X}"	M	P0 · C · PRD-FR-033

Explore our developer-friendly HTML to PDF API Printed using PDFCrowd HTML to PDF

ID / Name	Pre	Inputs	Behaviour / Outputs	Validation / Errors	Perm	Pri · Dep · PRD
			influences ranking in P0			
DISC-003 Card contents. Title, type, domains, compensation, mode/location, deadline, creator name, posted time, status.	—	—	Consistent across lists	—	M	P0 · D · PRD-FR-021
DISC-004 Save opportunity.	Member	Opportunity id	Adds to "Saved" list; unsave	Duplicates ignored	M	P1 · C · PRD-FR-035
DISC-005 Behaviour-based recommendations.	—	—	Not in P0	—	—	P1 · C · PRD-FR-036

7.8 People Discovery (PPL)

ID / Name	Pre	Inputs	Behaviour / Outputs	Validation / Errors	Perm	Pri · Dep · PRD
PPL-001 Search and browse people by skill, interest, domain, keyword.	Member	Query, filters (domain, tag, location text, mode of availability P1)	Returns members who are Active, visible, not blocked/blocking. Matches against visible fields only. 20 per page	Empty state; E-VAL for over-long query	M	P0 · C · PRD-FR-034, US-005
PPL-002 Result card. Name, domains, top tags, offers (titles), city/country if visible.	—	—	No contact data	—	M	P0 · D · PROF-004
PPL-003 Anti-scraping. People search shall limit results to 200 per query and 120	—	—	Beyond limit → E-RATE	—	Sys	P0 · R · SEC §12.7

Explore our developer-friendly HTML to PDF API Printed using PDFCrowd HTML to PDF

ID / Name	Pre	Inputs	Behaviour / Outputs	Validation / Errors	Perm	Pri · Dep · PRD
requests/hour per member.						
PPL-004 Invite a person to an opportunity.	Creator; person visible	Opportunity, person, message	Creates an invitation the recipient can accept (becoming an accepted Interest) or decline	Duplicate → E-CONF	C	P1 · C · PRD-FR-045

7.9 Search & Filtering (SRCH)

ID / Name	Pre	Inputs	Behaviour / Outputs	Validation / Errors	Perm	Pri · Dep · PRD
SRCH-001 Keyword search over opportunities: title, description, tags, domain names.	—	Query 1–100 chars	Case-insensitive, tolerant to simple variations (plurals, minor typos) (R); returns relevance-ordered results	Blank query = browse. E-VAL	M	P0 · C · PRD-FR-031
SRCH-002 Filters: domain (multi), type (multi), compensation (Paid/Unpaid/Other), mode (In-person/Remote/Hybrid), location (country, city), posted within (24 h/7 d/30 d), deadline upcoming.	—	Filter set	Filters combine with AND across kinds and OR within a kind. Active filters visible and removable	Unknown value → ignored with notice	M	P0 · C · PRD-FR-032
SRCH-003 Sort and paging. Sort: Relevance (when keyword), Newest, Deadline soonest. 20/page.	—	Sort, page	Stable ordering; total count shown	—	M	P0 · D ·
SRCH-004 Zero results. Shall show suggestions (broaden filters) and log the query as an analytics event.	—	—	—	—	M	P0 · D · PRD §29
SRCH-005 Radius/distance search.	—	—	Not specified (needs location model, SRS-OD-04)	—	M	P1 · R/O ·

7.10 Connections (CONN)

ID / Name	Pre	Inputs	Behaviour / Outputs	Validation / Errors	Perm	Pri · Dep · PRD
CONN-001 Send interest. A	Opportunity Open (or In	Opportunity id, message	Interest state *Pending*;	GV-6. E-CONF duplicate, E-STATE	M	P0 · C · NOTIF-

Explore our developer-friendly HTML to PDF API Printed using PDFCrowd HTML to PDF

ID / Name	Pre	Inputs	Behaviour / Outputs	Validation / Errors	Perm	Pri · Dep · PRD
Member shall express interest in an opportunity with a message.	progress if accepting); not own; no active Interest by this member; not blocked either way		creator notified; appears in seeker's My Activity	closed/filled/expired, E-FORB own/blocked, E-RATE (30/day)		001 · PRD-FR-040, US-006
CONN-002 Respond. Creator shall accept or decline.	Interest Pending	Accept/Decline, optional note (≤300)	Accept → *Accepted*, contextual Connection and Thread created, seeker notified. Decline → *Declined*, seeker notified, no thread. Decision final for the creator in P0 (seeker may re-apply only after 30 days, A)	E-STATE if not Pending	C	P0 · C · MSG-001 · PRD-FR-041, US-007
CONN-003 Withdraw.	Interest Pending or Accepted (not yet confirmed)	Interest id	→ *Withdrawn*; creator notified; thread becomes read-only	E-STATE	S	P0 · C · PRD-FR-042
CONN-004 Activity view. Seeker sees sent interests with status; creator sees received interests per opportunity with message, seeker profile, status.	—	Filter	Sorted by newest	—	S/C	P0 · D · PRD §19

Explore our developer-friendly HTML to PDF API Printed using PDFCrowd HTML to PDF

ID / Name	Pre	Inputs	Behaviour / Outputs	Validation / Errors	Perm	Pri · Dep · PRD
CONN-005 Contextual connection. Acceptance shall create a Connection between creator and seeker scoped to that opportunity.	CONN-002 accept	—	Grants messaging and reveals visibility level "people I've connected with" (PROF-004) between both	Ends on withdrawal, block, or suspension	Sys	P0 · D · PRD §15
CONN-006 Persistent person-to-person connections.	—	—	Not specified in detail; reserve in design	—	M	P1 · C · PRD-FR-046

7.11 Messaging (MSG)

ID / Name	Pre	Inputs	Behaviour / Outputs	Validation / Errors	Perm	Pri · Dep · PRD
MSG-001 Thread creation. One Thread per accepted Interest, created automatically.	CONN-002 accept	—	Thread appears for both in Messages with context (opportunity title). Interest message shown as first item	—	Sys	P0 · D · PRD-FR-043
MSG-002 Send message.	Thread active; both Active; no block	Text	Delivered in order; recipient notified (NOTIF-001/003); sender sees sent state	GV-7. E-RATE 60/hour. E-STATE if read-only	M	P0 · C · PRD-FR-050
MSG-003 Inbox. List of threads with latest message, unread count, sort by latest activity; full history within a thread, 50 messages per page	—	—	—	—	M	P0 · D · PRD §19
MSG-004 Content rules. Plain text only in P0 (links allowed but not previewed; no attachments). Safety banner at thread top.	—	—	—	—	M	P0 · R · PRD §25

Explore our developer-friendly HTML to PDF API Printed using PDFCrowd HTML to PDF

ID / Name	Pre	Inputs	Behaviour / Outputs	Validation / Errors	Perm	Pri · Dep · PRD
Contains-contact-info (email/phone) allowed but a caution is shown (R)						
MSG-005 Read-only conditions. Thread becomes read-only (no new messages, history visible) when: interest withdrawn, opportunity removed, either party blocked or suspended. Block makes the thread invisible to the blocked party	—	—	Display reason	—	Sys	P0 · D · SRS-BR-08
MSG-006 Messaging before acceptance.	—	—	Not permitted in P0. **O** SRS-OD-07 (PRD OD-07)	—	—	O · PRD-FR-053
MSG-007 Message reporting. Each message has a report control	—	—	Reported message plus ±5 surrounding messages are attached to the report, visible to Admin	—	M	P0 · C · REP-001 · PRD-FR-060

7.12 Notifications (NOTIF)

ID / Name	Pre	Inputs	Behaviour / Outputs	Validation / Errors	Perm	Pri · Dep · PRD
NOTIF-001 Generate notifications for the triggers in §13.2.	Trigger occurs	Event	Creates in-app notification within 5 s; email per §13	Failure to send email does not roll back the originating action; retry (3 attempts over 1 h)	Sys	P0 · C · PRD-FR-051
NOTIF-002 Notification list and unread badge.	Member	—	Newest first, 30/page; unread indicator; click marks read and opens the related item; "mark all read"	Deleted target → shows "no longer available"	M	P0 · D ·
NOTIF-003 Email notifications.	Verified email	—	Per §13.3; every non-transactional email contains a working unsubscribe link	—	Sys	P0 · D · PRD §31

Explore our developer-friendly HTML to PDF API Printed using PDFCrowd HTML to PDF

ID / Name	Pre	Inputs	Behaviour / Outputs	Validation / Errors	Perm	Pri · Dep · PRD
NOTIF-004 Notification preferences (per type, per channel).	Member	Toggles	Transactional messages (verification, password reset, security, suspension) cannot be disabled	—	M	P1 · C · PRD-FR-052

7.13 Participation / Collaboration (PART)

ID / Name	Pre	Inputs	Behaviour / Outputs	Validation / Errors	Perm	Pri · Dep · PRD
PART-001 Confirm start. Either party of an Accepted Interest shall be able to confirm "participation has started".	Interest Accepted; both Active	Confirm action, optional role/note (≤100)	Records that party's confirmation; the other party is notified and asked to confirm	E-STATE if withdrawn/closed; duplicate ignored	C/S	P0 · C · PRD-FR-044, US-009
PART-002 Participation record. When both parties have confirmed, the system shall create a Confirmed Participation.	Both confirmations	—	Counts toward the North Star metric; appears on both profiles (PROF-006); optionally opportunity may be moved to In progress/Filled by creator	A single party's confirmation does not count	Sys	P0 · C · PRD §28
PART-003 Link to opportunity status. Creator is prompted to mark Filled/In progress after a confirmed participation, but not forced	—	—	—	—	Sys	P0 · D · OPP-006
PART-004 Unconfirmed reminder. If one party has confirmed and the other not within 7 days, the other receives one	—	—	Lapse is reversible by re-confirming	—	Sys	P0 · A · PRD risk "interest without follow-through"

Explore our developer-friendly HTML to PDF API Printed using PDFCrowd HTML to PDF

ID / Name	Pre	Inputs	Behaviour / Outputs	Validation / Errors	Perm	Pri · Dep · PRD
reminder; after 30 days the request lapses						
PART-005 End/leave participation. A party can mark participation as ended	—	—	Record retained with end date	—	C/S	P1 · R

7.14 Reporting & Blocking (REP)

ID / Name	Pre	Inputs	Behaviour / Outputs	Validation / Errors	Perm	Pri · Dep · PRD
REP-001 Report content or user. Targets: opportunity, profile, message.	Member	Target, reason code (Scam/Fraud; Exploitation or unsafe; Illegal; Harassment or hate; Sexual content; Spam; Impersonation; Misleading compensation; Other), details	Creates Report *Open*; reporter sees confirmation. Duplicate open report from same reporter on same target prevented	GV-10. E-CONF, E-RATE 20/day	M	P0 · C · MOD-001 · PRD-FR-060, US-010
REP-002 Reporter feedback. Reporter notified when report is *Reviewed* with generic outcome ("action taken"/"no violation found") without revealing details of the other party	—	—	—	—	Sys	P0 · R ·
REP-003 Block user.	Member	Target member	Applies SRS-BR-08. Confirmation shown. Blocked user is not told	E-CONF if already blocked; cannot block Admin accounts acting in staff capacity (R)	M	P0 · C · PRD-FR-061

Explore our developer-friendly HTML to PDF API Printed using PDFCrowd HTML to PDF

ID / Name	Pre	Inputs	Behaviour / Outputs	Validation / Errors	Perm	Pri · Dep · PRD
REP-004 Blocked list and unblock.	Member	—	Unblock restores visibility but not previous threads or interests	—	M	P0 · D ·
REP-005 Guidelines and safety guidance. Published Community Guidelines (prohibited content list as in PRD §25), linked from footer, registration, opportunity form and thread banner. Version-controlled; material changes require re-acceptance	—	—	—	—	V/M	P0 · C · PRD-FR-062

7.15 Moderation (MOD)

ID / Name	Pre	Inputs	Behaviour / Outputs	Validation / Errors	Perm	Pri · Dep · PRD
MOD-001 Report queue. Reports listed with target snapshot, reason, reporter count, age; filter by status, reason, severity; sort by severity then age. Severity default: Exploitation/Illegal/Scam = High	Admin	—	Response targets (A): High ≤ 24 h, others ≤ 72 h; breaches highlighted	—	Adm	P0 · C · PRD-FR-063
MOD-002 Review and decide. Admin sets *In review*, then one of: Dismiss; Warn user; Remove content; Suspend account; Escalate. Decision note mandatory	Report Open	Decision, note	Report → *Actioned* or *Dismissed*; audit entry written; related reports on same target resolved together	E-STATE if already resolved	Adm	P0 · C · ADM-005 · PRD-US-011
MOD-003 Remove content. Opportunity or profile content is hidden from all users except Admin and owner (owner sees "removed" with reason); opportunity status →	—	—	Reversible by Admin	—	Adm	P0 · C · PRD-FR-063

Explore our developer-friendly HTML to PDF API Printed using PDFCrowd HTML to PDF

ID / Name	Pre	Inputs	Behaviour / Outputs	Validation / Errors	Perm	Pri · Dep · PRD
Removed; pending interests cancelled with notification						
MOD-004 Suspend and reinstate account.	—	Reason, duration (fixed or indefinite)	Applies SRS-BR-10; user notified by email with reason and how to contact support	—	Adm	P0 · C · PRD-FR-063
MOD-005 Notify affected users of actions (content owner, reporter per REP-002)	—	—	—	—	Sys	P0 · C · PRD-US-011
MOD-006 Appeal. A suspended or content-removed user can submit one appeal per action; reviewed by a different Admin	—	Text ≤1,000	—	—	M	P1 · R/O · SRS-OD-10
MOD-007 Proactive screening of opportunities for clearly prohibited content (keyword and pattern flagging into the queue; no automatic removal)	—	—	—	—	Sys	P1 · C · PRD-FR-064

7.16 Administration (ADM)

ID / Name	Pre	Inputs	Behaviour / Outputs	Validation / Errors	Perm	Pri · Dep · PRD
ADM-001 Admin access. Separate admin area; requires admin role and second factor (R); sessions 60 min idle timeout	—	—	Moderator: queue and content actions only. Administrator: also users, domains, admin accounts	Unauthorised → E-FORB logged	Adm	P0 · R · PRD-FR-070
ADM-002 User management. Search by email/name/id; view status, reports, sanctions; suspend/reinstate; force logout; cannot read message content except in context of a report	—	—	Every access to a user record is audit-logged	—	Adm	P0 · C · PRD-FR-070
ADM-003 Opportunity management. Search, view, hide/restore, close	—	—	—	—	Adm	P0 · C · PRD-FR-070
ADM-004 Domain list management. Add, rename, retire, merge; review	—	—	Rename/merge propagates to	Retire doesn't delete	Adm	P0 · C · PRD-

Explore our developer-friendly HTML to PDF API Printed using PDFCrowd HTML to PDF

ID / Name	Pre	Inputs	Behaviour / Outputs	Validation / Errors	Perm	Pri · Dep · PRD
member suggestions			existing records			FR-071
ADM-005 Audit log. Immutable record of every admin action (who, what, target, time, reason) and key security events; retained ≥ 2 years (A); read-only	—	—	—	—	Adm	P0 · R ·
ADM-006 Health metrics view: users, opportunities, interests, acceptance rate, confirmed participations, reports and resolution times, domain spread	—	—	—	—	Adm	P1 · C · PRD-FR-072
ADM-007 Analytics event capture. The system shall record the events in PRD §29 (sign-up funnel, onboarding completion, searches/filters/zero-results, opportunity views/creation, interest lifecycle, message sent/replied, participation confirmed, reports/outcomes) with member id (pseudonymous) and domain	—	—	Respects privacy §11.2; events not shown to other users	—	Sys	P0 · C · PRD §28/29

7.17 Premium functionality

Not included. PRD §6 and §27 exclude premium tiers from the MVP. The data model and permissions shall not prevent later addition (see §20 handoff).

---

8. User Workflows

Notation: M = main flow, A = alternate, F = failure.

W1 Registration

M: Enter details → accept terms → submit → "check your email" → click link → account Active → onboarding. A1: Link expired → resend. A2: Registers again with unverified email → resend and update details. F1: Under-18 → refuse. F2: Email exists → generic message. F3: Weak password → inline error. F4: Email not delivered → retry via resend; contact support link.

W2 Login

M: Email + password → session → Home (or onboarding if incomplete). A1: Remember me. A2: Forgot password → reset flow (W2b). F1: Wrong credentials generic error. F2: Unverified → resend. F3: Suspended → notice. F4: 5 failures → lock 15 min.

W3 Onboarding

M: Choose domains → add tags → add offers/seeks → bio/location → finish → personalised Home. A1: Skip any step. A2: Leave and resume later. F1: Network failure on step save → retry, entered data kept.

Explore our developer-friendly HTML to PDF API Printed using PDFCrowd HTML to PDF

W4 Profile creation/edit

M: Open profile → edit → save → visibility confirmation. A: Hide field. F: Validation error; concurrent edit in two tabs → last save wins with notice.

W5 Creating an opportunity

M: New opportunity → fill fields → choose compensation → review → publish → appears in discovery. A1: Save draft (P1). A2: Edit after publish. F1: Missing compensation → blocked. F2: Daily limit reached → message with reset time. F3: Prohibited content detected (P1) → flagged for review but published/held per SRS-OD-03.

W6 Discovering opportunities

M: Home → browse/search → filters → open detail. A1: Zero results → broaden suggestions. A2: Opportunity closes while viewing → detail shows closed state, interest disabled. F1: Search service error → message and retry.

W7 Discovering people

M: People search → filters → view profile → (P0) navigate to a shared opportunity to express interest, or invite (P1). A: Profile hidden since last search → E-NF. F: Rate limit.

W8 Sending interest (sending a connection)

M: Open opportunity → "I'm interested" → write message → submit → status Pending; creator notified. A: Withdraw. F1: Already sent. F2: Opportunity filled/closed meanwhile. F3: Blocked relation (shown as unavailable, no reason).

W9 Accepting a connection

M: Creator opens interests → reads message, views profile → Accept → seeker notified → thread created. A1: Decline with note. A2: Multiple accepts if openings allow. F1: Seeker withdrew meanwhile → E-STATE with refresh. F2: Seeker suspended/deleted → interest auto-cancelled.

W10 Messaging

M: Open thread → send → recipient notified → reply. A: Mark read. F1: Thread read-only → input disabled with reason. F2: Rate limit. F3: Send fails → message kept in box with retry.

W11 Starting a collaboration

M: Either party taps "We've started" → other notified → confirms → Participation recorded on both profiles → creator prompted to mark In progress/Filled. A: Other party disputes ("not started") → no record; either may re-confirm later. A2: No response in 7 days → reminder; 30 days → lapse. F: Opportunity removed meanwhile → cannot confirm.

W12 Reporting

M: Report control → choose reason → details → submit → confirmation → admin queue → decision → reporter notified. A: Report from within a thread includes context. F: Duplicate report; target already removed (report auto-resolved).

W13 Blocking

M: Block from profile/thread → confirm → effects per SRS-BR-08. A: Unblock. F: Blocking someone you have an accepted participation with → allowed; participation record retained, thread frozen.

W14 Account management

M: Settings → change password / delete account (re-enter password) → confirmation email. A: Recover deleted account within 30 days by logging in. F: Wrong password; open participations warned before deletion.

Explore our developer-friendly HTML to PDF API Printed using PDFCrowd HTML to PDF

9. Business Rules

ID	Rule	Basis
SRS-BR-01	Any Member (verified, Active, 18+) may create opportunities; no domain or role restriction	C
SRS-BR-02	Limits: ≤ 5 new opportunities per 24 h and ≤ 20 simultaneously Open/In progress per member	R
SRS-BR-03	Visibility: Open and In progress opportunities are visible to all Members. Filled/Closed/Expired are visible only by direct link to the creator, to members with a related Interest, and to Admins. Removed are visible to Admins and creator only. Visitor access is **O** (SRS-OD-02)	D/O
SRS-BR-04	Contact: Members cannot contact each other directly. The only channels are an Interest message (one per opportunity) and, after acceptance, the Thread. No email/phone shown on profiles	C (PRD §25)
SRS-BR-05	Messaging occurs only inside a Thread of an Accepted, non-withdrawn Interest between two Active, non-blocked members	A (OD-07)
SRS-BR-06	Expiry: an opportunity with a deadline becomes *Expired* at end of that date (creator's time zone). Without a deadline it auto-expires 90 days after last edit/renewal; creator gets reminders at 14 and 3 days and can renew in one action. On expiry: removed from discovery; no new interests; Pending interests are closed with notice; Accepted interests and threads are unaffected	A
SRS-BR-07	A member may have one Interest per opportunity. After Decline, re-application is allowed after 30 days; after Withdraw, immediately	A
SRS-BR-08	Blocking: A↔B become mutually invisible in search, discovery, profiles, opportunities each other created, notifications. Pending interests between them are cancelled. Threads freeze (read-only) and are hidden from the blocked party; the blocker retains read access. Contextual connections end. Confirmed participation records remain. B is not notified	A
SRS-BR-09	Reported content stays visible until an Admin acts, except Admin may hide immediately as an interim step. No automatic hiding by report count in P0 (SRS-OD-08)	A/O
SRS-BR-10	Suspended accounts: login refused with notice; sessions revoked; profile and opportunities hidden; Pending interests cancelled; threads read-only; no notifications except account notices. Reinstatement restores profile and opportunities (not cancelled interests)	A
SRS-BR-11	Closing an opportunity: see OPP-004. Closed can be reopened by the creator within 30 days if not Removed	A
SRS-BR-12	Participation counts only when both parties confirm	C
SRS-BR-13	Deletion: after the 30-day window personal profile data is erased; messages the deleted user wrote are retained in the counterpart's thread attributed to "Deleted user"; reports and audit entries retained as required for safety/legal reasons; analytics events de-identified	A/O
SRS-BR-14	An opportunity creator cannot send Interest to own opportunity; cannot accept own Interest	D

Explore our developer-friendly HTML to PDF API Printed using PDFCrowd HTML to PDF

ID	Rule	Basis
SRS-BR-15	Admins cannot be reported or blocked through member features for staff actions; Admin abuse is handled via audit review	R
SRS-BR-16	Compensation must be stated; "Paid" opportunities displayed as claims by the creator; the platform does not guarantee payment (disclaimer on detail page)	C/D
SRS-BR-17	Requests for upfront fees from seekers are prohibited content (PRD §25)	C

---

10. Data Requirements

10.1 Entities and attributes

R = required, O = optional.

Entity	Key attributes	Owner
User/Account	id; email (R, unique); password credential (R); status (R: Unverified/Active/Suspended/Deleted); DOB (R); terms acceptance (version, time) (R); created/last login; role (member/moderator/admin)	Member / system
Profile	user ref (R); display name (R); bio (O); country, city (O); availability (O, P1); avatar (O, P1); visibility settings per field (R, defaulted)	Member
Domain	id; name (R, unique); status (active/retired); order	Admin
Tag	id; normalised text (R, unique); usage count	System
Profile–Domain/Tag links	user, domain or tag	Member
Offer	user (R); title (R); description (O); domain (O); tags (O); status (active/paused)	Member
Seek	same shape as Offer	Member
Opportunity	id; creator (R); title, description (R); type (R); domains 1–3 (R); tags (O); compensation type (R) + details (conditional); mode (R); country/city (conditional); start date (O); deadline (O); openings (O); organization label (O, P1); status (R: Open/In progress/Filled/Closed/Expired/Removed; Draft P1); created/updated/closed times; removal reason (O)	Creator; status changes by Admin/system
Interest	id; opportunity (R); seeker (R); message (R); status (Pending/Accepted/Declined/Withdrawn/Cancelled); decision note (O); created/decided times	Seeker (create), Creator (decision)
Connection (contextual)	interest ref; two parties; state (Active/Ended); end reason	System

Explore our developer-friendly HTML to PDF API Printed using PDFCrowd HTML to PDF

Entity	Key attributes	Owner
Thread / Message	thread: interest ref, state (Active/Read-only); message: sender, text, time, read time	Participants
Participation	interest ref; creator confirmation time; seeker confirmation time; confirmed time; role note (O); ended time (P1); status (Pending/Confirmed/Lapsed/Ended)	Participants
Notification	recipient; type; target ref; created; read time; email-sent flag	System
Notification preference (P1)	user, type, channel, enabled	Member
Report	id; reporter; target type + id; reason code; details; snapshot of target; status (Open/In review/Actioned/Dismissed); severity; handler; decision, note; times	Reporter creates; Admin resolves
Block	blocker, blocked, created	Member
Sanction/Moderation action	target user/content; action; reason; admin; start/end	Admin
Audit log entry	actor; action; target; time; reason; origin info	System (immutable)
Domain suggestion	submitter; text; status	Member/Admin
Analytics event	pseudonymous user ref; event name; domain; time; context	System
Guideline/Terms version	version; effective date; text	Admin
Session / tokens	verification, reset, session tokens (hashed), expiry	System
Saved opportunity (P1), **Invitation** (P1), **Person connection** (P1)	reserve	Member

10.2 Relationships (cardinality)

User 1–1 Profile · User 1–N Offers/Seeks · User N–M Domains/Tags · Opportunity N–1 Creator · Opportunity N–M Domains/Tags · Opportunity 1–N Interests · Interest N–1 Seeker · Interest 0–1 Connection → 1 Thread → N Messages · Interest 0–1 Participation · User N–M User via Block · Report N–1 target · User 1–N Notifications.

10.3 Validation and integrity

Per §7.0 GV rules. Additionally: one Interest per (opportunity, seeker) active at a time; status changes only along §17 transitions; no orphan threads; Participation requires an Accepted Interest; Opportunity domain must be an active domain at creation.

10.4 Lifecycle and retention (A)

Explore our developer-friendly HTML to PDF API Printed using PDFCrowd HTML to PDF

Data	Retention
Active account data	While account exists
Deleted account	30-day recovery; then erasure/anonymisation per SRS-BR-13
Closed/expired opportunities	Retained 24 months, then anonymised
Messages	Kept while thread exists; erased/anonymised with account per BR-13
Reports and moderation actions	≥ 2 years
Audit log	≥ 2 years
Verification/reset tokens	Deleted on use or expiry
Analytics events	24 months, de-identified after 90 days
Final retention periods depend on SRS-OD-09 (jurisdiction).	

---

11. Non-Functional Requirements

Targets are R (derived from PRD "expected early load" and "fast and responsive") unless noted.

ID	Category	Requirement	Measure
SRS-NFR-001	Performance	Search index reflects profile/opportunity changes	≤ 5 min (opportunities ≤ 1 min)
SRS-NFR-002	Performance	Page/server response, normal load	p95 ≤ 500 ms for reads, ≤ 800 ms for search, ≤ 1 s for writes
SRS-NFR-003	Performance	Front-end load on 4G mid-range phone	Largest content visible ≤ 3 s p75
SRS-NFR-004	Scalability	Initial design load	50,000 members; 20,000 active opportunities; 2,000 DAU; 100 concurrent users peak; headroom to 10× without redesign
SRS-NFR-005	Scalability	New domains/types	Added by admin without deployment
SRS-NFR-006	Availability	Monthly uptime of member functions	≥ 99.5% (excl. announced maintenance ≤ 4 h/month)

Explore our developer-friendly HTML to PDF API Printed using PDFCrowd HTML to PDF

ID	Category	Requirement	Measure
SRS-NFR-007	Reliability	Data durability and recovery	Daily backups, 14-day retention; RPO ≤ 24 h; RTO ≤ 8 h; restore tested quarterly
SRS-NFR-008	Reliability	No lost writes on acknowledged actions; email sends retried	0 acknowledged-but-lost interests/messages
SRS-NFR-009	Security	See §12	—
SRS-NFR-010	Privacy	See §11.2 and SRS-BR-13	—
SRS-NFR-011	Maintainability	Test coverage of business rules BR-01–BR-17 by automated tests; configuration (limits, expiry, thresholds) changeable without code change	100% rules covered
SRS-NFR-012	Accessibility	Key flows (register, login, onboarding, search, create opportunity, interest, messaging, report)	WCAG 2.1 AA (P1 full audit; P0 keyboard use, labels, contrast)
SRS-NFR-013	Usability	New member completes registration → first interest without help	≥ 80% of test users in usability test; create-an-opportunity median ≤ 3 min
SRS-NFR-014	Observability	Structured logs; error tracking; uptime check every 1 min; dashboards for latency, error rate, queue depth; alert on error rate > 2% for 5 min or uptime failure	Alerts reach on-call within 5 min
SRS-NFR-015	Compatibility	Last 2 major versions of Chrome, Edge, Firefox, Safari; iOS Safari and Android Chrome; viewports from 360 px	PRD-NFR-001
SRS-NFR-016	Localisation readiness	All user-facing text externalised; UTC time; Unicode names	P1 languages, P0 readiness
SRS-NFR-017	Capacity of moderation	Admin queue handles 500 open reports with filters responding ≤ 1 s	—

11.2 Privacy requirements

PRIV-1 Collect only data in §10. PRIV-2 Per-field visibility (PROF-004). PRIV-3 Messages visible only to participants and, for reported items, authorised Admins. PRIV-4 Data export: member can request a machine-readable export of own profile, opportunities, interests and messages sent (fulfilled ≤ 30 days). PRIV-5 Deletion per AUTH-007. PRIV-6

Explore our developer-friendly HTML to PDF API Printed using PDFCrowd HTML to PDF

Analytics pseudonymous. PRIV-7 Privacy policy and consent record (version, time) kept. PRIV-8 Jurisdictional compliance is **O** (SRS-OD-09).

---

12. Security Requirements

ID	Area	Requirement
SEC-001	Authentication	Email verification mandatory; generic responses to avoid account enumeration; admin second factor (ADM-001); optional member second factor is P1 (R)
SEC-002	Authorization	Server-side checks on every request: role, ownership, resource state, block status. Deny by default. Frontend hiding is never the control
SEC-003	Sessions	Random, unguessable, server-revocable; expire per AUTH-004; rotate on login and privilege change; invalidated on password change/reset/suspension; cookies Secure, HttpOnly, SameSite
SEC-004	Passwords	GV-3; stored only as salted, slow, memory-hard hashes; never logged or emailed; reuse of last 3 passwords prevented (R)
SEC-005	Access control	Least privilege; member cannot read others' interests, threads, drafts, reports; creator reads only interests to own opportunities; Moderators cannot manage admin accounts
SEC-006	Data protection	TLS for all traffic; encryption at rest for database and backups; secrets outside code; PII excluded from logs; tokens hashed
SEC-007	Abuse prevention	Rate limits (table below); duplicate-content detection on opportunities and interest messages (identical text to > 10 targets/day flagged); optional bot challenge at registration after threshold; link sanitisation; new-account limits (first 24 h: ≤ 2 opportunities, ≤ 10 interests) (R)
SEC-008	Input validation	Server-side validation of every field (GV); output encoding to prevent script injection; protection against cross-site request forgery; parameterised data access
SEC-009	File security	P0: no member file uploads. If avatar/showcase is added: allow-list types (JPEG, PNG, WebP), ≤ 2 MB, content verified not just extension, re-encoded, EXIF/location stripped, served from a separate origin, malware scan, random names
SEC-010	Privacy	See §11.2
SEC-011	Administrative access	Network or login restrictions as chosen in design; all actions logged; no shared accounts; quarterly access review
SEC-012	Auditability	ADM-005; security events (logins, failures, password change, suspensions, role changes) logged and retained ≥ 12 months
SEC-013	Vulnerability handling	Dependency scanning in build; security test before launch (see stage 08 of pipeline); contact channel for reports
SEC-014	Safe external links	Links in user text are plain, `rel` protections applied, with "leaving CoCollaber" notice

Explore our developer-friendly HTML to PDF API Printed using PDFCrowd HTML to PDF

Rate limits (R): login 5 failures/15 min/account and 20/15 min/IP · registration 10/h/IP · verification/reset emails 3/h/account · opportunities 5/24 h · interests 30/24 h · messages 60/h · reports 20/24 h · search 60/min · people search 120/h · account export 1/day. Exceeding returns E-RATE with the retry time.

---

13. Notification Requirements

13.1 In-app

Bell with unread count; list per NOTIF-002; real-time update when the page is open is **R** (otherwise on refresh/navigation).

13.2 Triggers

#	Trigger	Recipient	In-app	Email
T1	Interest received	Creator	Yes	Yes (batched max 1 per opportunity per hour)
T2	Interest accepted	Seeker	Yes	Yes
T3	Interest declined	Seeker	Yes	Yes (soft wording)
T4	Interest withdrawn	Creator	Yes	No
T5	New message	Recipient	Yes	Yes if unread for 15 min; max 1 email per thread per hour
T6	Participation confirmation requested	Other party	Yes	Yes
T7	Participation confirmed	Both	Yes	Yes
T8	Participation reminder (day 7)	Unconfirmed party	Yes	Yes
T9	Opportunity expiring (14 d, 3 d)	Creator	Yes	Yes
T10	Opportunity closed/expired/removed	Pending seekers	Yes	Yes
T11	Material edit to opportunity	Pending/accepted seekers	Yes	No
T12	Content removed / account sanction	Owner	Yes	Yes (mandatory)
T13	Report reviewed	Reporter	Yes	No
T14	Domain suggestion decided	Submitter	Yes	No
T15	Verification, password reset, password changed, deletion	User	—	Yes (transactional)

13.3 Email rules

Plain, branded, no private message content beyond a short preview (≤ 80 chars, R); unsubscribe link and preference link on non-transactional email; no marketing email in P0; sent only to verified address.

13.4 Read/unread

Explore our developer-friendly HTML to PDF API Printed using PDFCrowd HTML to PDF

New = unread. Opening the notification or its target marks read. "Mark all read" supported. Notifications retained 90 days.

13.5 Preferences

P0 fixed defaults per table; user can opt out of T1–T5 and T9 emails via unsubscribe link; full per-type preferences P1 (NOTIF-004).

---

14. Search & Discovery Requirements

Subject	Requirement
Opportunities	Keyword over title, description, tags, domain; filters per SRCH-002; sort per SRCH-003; Home relevance per DISC-002
People	Keyword over name, bio, domains, tags, offer/seek titles (visible fields only); filters domain, tag, country/city text; availability (P1)
Skills & interests	Tag/domain facets with counts
Location	Country and city text selected from a standard list when possible; free text fallback. Radius search is **O** (SRS-OD-04)
Remote preference	Opportunity mode filter; people filter by "open to remote" (P1)
Opportunity type	Filter on the 7 types
Exclusions	Blocked, suspended, deleted, removed, closed, expired, filled content; own items
Privacy	Search never reveals hidden fields; result counts computed after exclusions
Quality	Ranking is rule-based. No AI/behavioural recommendation in P0
Analytics	Every search, filter combo and zero-result logged (ADM-007)

---

15. Administration Requirements

Area	Requirement
User management	ADM-002; search, view, sanction, reinstate, force logout
Opportunity management	ADM-003
Reports	MOD-001/002
Moderation	Decision options, notes, response targets
Suspension	MOD-004 with duration and reason
Blocking	Admin can view a member's block counts (not lists) to detect harassment patterns (R)
Content removal	MOD-003, reversible

Explore our developer-friendly HTML to PDF API Printed using PDFCrowd HTML to PDF

Area	Requirement
Platform monitoring	ADM-006 (P1), NFR-014 dashboards
Audit	ADM-005
Roles	Moderator, Administrator; admin accounts created only by an Administrator

---

16. Error Handling

Condition	Required behaviour
Invalid input (E-VAL)	Action not performed; field-level message in plain language; entered data preserved
Unauthorized access	Not logged in (E-AUTH) → login page, return to the target afterwards. Logged in without right (E-FORB) → "You don't have access", no resource details; logged
Missing data	Required fields marked; blocking submit with list of missing items
Duplicate actions (E-CONF)	Idempotent where possible: second submit returns the existing result (interest, report, block); user told "already done"
Deleted/removed resources (E-NF)	"No longer available" page; notifications to them show same text. Never reveal whether blocked/hidden vs. deleted
Blocked users	Resources behave as non-existent (E-NF); actions fail generically ("unavailable")
Suspended accounts	Login shows notice and support route; API actions return E-FORB; public content hidden
Network failure (client)	Offline notice; drafts of message/forms kept locally in memory; retry; no duplicate submission on retry (idempotency)
Server failure (E-SYS)	Generic apology and reference id; nothing partially saved (atomic operations: accept + thread creation, confirm + record); logged and alerted
Rate limit (E-RATE)	Clear message with when to retry; limit counters per rules in §12
State conflict (E-STATE)	Show current state and refresh
Email failure	Does not fail the user action; retried; surfaced to Admin if persistent
Concurrent edits	Last write wins with "changed elsewhere" notice for profiles; opportunities use version check and ask to refresh

---

17. State Models

Account: Unverified → Active → Suspended ⇄ Active → Deleted (from Active/Suspended; Deleted → Active within 30 days if self-deleted; erased after). *Restricted* is not in PRD and is not used (R: add later if graduated sanctions are wanted).

Explore our developer-friendly HTML to PDF API Printed using PDFCrowd HTML to PDF

Opportunity: (Draft P1) → **Open** → **In progress** ⇄ Open · Open/In progress → **Filled** → (reopen) Open · any → **Closed** (creator) · Open/In progress → **Expired** (system) · any → **Removed** (Admin; reversible). Closed → Open within 30 days. Terminal: Removed (until restored), Closed after 30 days, Expired after renewal window.

Interest: Pending → Accepted | Declined | Withdrawn | Cancelled (system: closed, expired, removed, block, suspension, deletion) · Accepted → Withdrawn | Cancelled.

Connection (contextual): Active (on acceptance) → Ended (withdrawal, block, suspension, deletion). Persistent connections P1: Pending → Accepted/Rejected → Removed/Blocked.

Thread: Active → Read-only (never returns to Active unless the cause is cleared by reinstatement).

Participation: Pending (0 confirmations) → Half-confirmed (1) → **Confirmed** (2) · Half-confirmed → Lapsed (30 days) · Confirmed → Ended (P1).

Report: Open → In review → Actioned | Dismissed (reopen by Admin).

Notification: Unread → Read → Expired (90 days).

---

18. Acceptance Requirements

ID	Module	Criterion (Given / When / Then)
SRS-AC-01	AUTH	Given valid details, when I register and click the link within 24 h, then my account is Active and I reach onboarding; with an expired link I can request another
SRS-AC-02	AUTH	Given 5 wrong passwords in 15 min, then login is refused for 15 min with a generic message
SRS-AC-03	AUTH	Given I enter DOB making me 17, then registration is refused
SRS-AC-04	ONB	Given I skip all onboarding steps, then I reach Home and see a completion prompt; no step blocks access
SRS-AC-05	PROF	Given I select domains Sports, Music and Technology, then all appear and no primary/role field is required
SRS-AC-06	PROF	Given I set bio to "Only me", then no other member sees it in profile or people search
SRS-AC-07	OPP	Given I leave compensation type empty, then publish is refused; given "Paid" without details, publish is refused
SRS-AC-08	OPP	Given I publish a valid opportunity, then it appears in browse within 1 minute and in keyword search within 1 minute
SRS-AC-09	OPP	Given an opportunity with deadline D, then after D it is not in discovery, shows Expired to its creator, and pending seekers are notified
SRS-AC-10	DISC	Given my interests are Photography and Film, then Home lists opportunities in those domains/tags first, each with a reason label
SRS-AC-11	SRCH	Given filters Domain=Music, Compensation=Unpaid, Mode=Remote, then only matching opportunities appear; removing one filter widens results

Explore our developer-friendly HTML to PDF API Printed using PDFCrowd HTML to PDF

ID	Module	Criterion (Given / When / Then)
SRS-AC-12	PPL	Given a member has hidden location, then searching their city does not return them via location
SRS-AC-13	CONN	Given I already sent an interest, when I try again, then no duplicate is created and I see my existing status
SRS-AC-14	CONN	Given a creator accepts, then I am notified within 5 s and a thread exists for both
SRS-AC-15	CONN	Given an opportunity is Filled before I submit, then submission fails with E-STATE and a clear message
SRS-AC-16	MSG	Given no accepted interest, then I cannot message that person; given blocked, no message is delivered and the sender sees no block indication
SRS-AC-17	NOTIF	Given 3 messages arrive in 10 minutes, then I get at most 1 email for that thread in the hour and 3 in-app notifications (or one grouped)
SRS-AC-18	PART	Given only one party confirms, then no Confirmed Participation exists and the metric is unchanged; after the second confirms, both profiles show it
SRS-AC-19	REP	Given I report a message, then an Admin sees that message with context and I get a confirmation; reporting twice yields "already reported"
SRS-AC-20	BLOCK	Given A blocks B, then B cannot find A in search, view A's profile or opportunities, or send messages; pending interests are cancelled; no notice to B
SRS-AC-21	MOD	Given a High-severity report 24 h old without action, then it is highlighted in the queue; removing content hides it from members and notifies the owner with the reason
SRS-AC-22	MOD	Given an account is suspended, then login shows the suspension notice and the account's opportunities vanish from discovery
SRS-AC-23	ADM	Given an admin action, then an audit entry exists with actor, target, time and reason, and cannot be edited or deleted
SRS-AC-24	AUTH	Given I delete my account, then it disappears from search immediately, my open opportunities close, and logging in within 30 days offers recovery
SRS-AC-25	NFR	Given a load test at 100 concurrent users, then p95 latency meets SRS-NFR-002 and error rate < 1%
SRS-AC-26	SEC	Given a request for another member's thread or interest by direct id, then it is denied (E-NF) and logged
SRS-AC-27	ADM-007	Given the user journey sign-up → interest → confirmed participation, then each step produces exactly one analytics event

---

19. Traceability

Explore our developer-friendly HTML to PDF API Printed using PDFCrowd HTML to PDF

PRD requirement	SRS requirement(s)	Module
PRD-FR-001	AUTH-001…006, AUTH-009	Authentication
PRD-FR-002	AUTH-008, GV-11	Authentication
PRD-FR-003	ONB-001, ONB-002, ONB-003	Onboarding
PRD-FR-004	AUTH-007, SRS-BR-13	Authentication
PRD-FR-010	PROF-001/002/003, SKL-002, OFF-001/002	Profile
PRD-FR-011	PROF-005, SKL-001	Profile / Skills
PRD-FR-012	PROF-007	Profile (P1)
PRD-FR-013	PROF-004, PPL-001	Profile / People
PRD-FR-014	PROF-006 (participation part), endorsements not specified	Profile (P1 endorsements)
PRD-FR-020	OPP-001, SRS-BR-01/02	Opportunities
PRD-FR-021	OPP-002, DISC-003, SRS-BR-16	Opportunities
PRD-FR-022	OPP-003/004/005	Opportunities
PRD-FR-023	OPP-009, CONN-004	Opportunities / Connections
PRD-FR-024	OPP-006, PART-003	Opportunities
PRD-FR-025	OPP-011	Opportunities (P1)
PRD-FR-026	OPP-010	Opportunities (P1)
PRD-FR-030	DISC-001, OPP-007	Discovery
PRD-FR-031	SRCH-001	Search
PRD-FR-032	SRCH-002/003	Search
PRD-FR-033	DISC-002	Discovery
PRD-FR-034	PPL-001/002/003	People
PRD-FR-035	DISC-004	Discovery (P1)
PRD-FR-036	DISC-005	Discovery (P1)
PRD-FR-037	Excluded (P2)	—
PRD-FR-040	CONN-001	Connections
PRD-FR-041	CONN-002, CONN-005	Connections
PRD-FR-042	CONN-003	Connections

Explore our developer-friendly HTML to PDF API Printed using PDFCrowd HTML to PDF

PRD requirement	SRS requirement(s)	Module
PRD-FR-043	MSG-001/002/005	Messaging
PRD-FR-044	PART-001/002/004	Participation
PRD-FR-045	PPL-004	People (P1)
PRD-FR-046	CONN-006	Connections (P1)
PRD-FR-047	Excluded (P2)	—
PRD-FR-050	MSG-001…005, MSG-007	Messaging
PRD-FR-051	NOTIF-001/002/003, §13	Notifications
PRD-FR-052	NOTIF-004	Notifications (P1)
PRD-FR-053	MSG-006	Messaging (**Open**)
PRD-FR-060	REP-001, MSG-007	Reporting
PRD-FR-061	REP-003/004, SRS-BR-08	Blocking
PRD-FR-062	REP-005	Safety
PRD-FR-063	MOD-001…005	Moderation
PRD-FR-064	MOD-007	Moderation (P1)
PRD-FR-065	Not specified (P1)	—
PRD-FR-070	ADM-001/002/003	Administration
PRD-FR-071	ADM-004, SKL-001/003	Administration
PRD-FR-072	ADM-006	Administration (P1)
PRD-NFR-001	SRS-NFR-015, NFR-003	NFR
PRD-NFR-002	SRS-NFR-001/002/003/004	NFR
PRD-NFR-003	§11.2, §12, SEC-001…014	Security/Privacy
PRD-NFR-004	SRS-NFR-016	NFR (P1)
PRD-NFR-005	SRS-NFR-012	NFR
PRD-US-001…012	SRS-AC-01…27 (see mapping in AC rows)	Acceptance
PRD §25 Trust & Safety	REP-005, MOD-001…004, SRS-BR-04/16/17, SEC-007	Safety
PRD §26 Privacy	§11.2, PROF-004, AUTH-007, SRS-BR-13	Privacy
PRD §28/§29 Metrics/Analytics	ADM-007, PART-002, SRS-AC-27	Analytics

Explore our developer-friendly HTML to PDF API Printed using PDFCrowd HTML to PDF

PRD requirement	SRS requirement(s)	Module
PRD §16 Opportunity lifecycle	§17, OPP-001…008	State models

Items added by SRS (not in PRD), all tagged R: ONB-003, SEC-007 (new-account limits), ADM-001 second factor, ADM-005 audit retention, PROF-008/009, PART-005, MOD-006, REP-002, SRCH-005, NFR numerical targets, MSG-004 caution banner.

---

20. Open Decisions

20.1 Carried from PRD

ID	Decision	SRS handling
OD-01	Launch geography and seeded domains	Not needed to build; affects domain seed list, location lists, language, legal text. **Assumption:** seed list = PRD §14 domains
OD-02	Taxonomy	**A** hybrid: curated domains + free tags
OD-03	Type-specific fields	**A** common field set (7 types)
OD-04	Pre/post-publication moderation	**A** post-publication
OD-05	Identity verification	**A** email only; none beyond
OD-06	Minors	**A** 18+ self-declared
OD-07	Messaging before acceptance	**A** not permitted
OD-08	Web vs native	**A** responsive web
OD-09	Jurisdiction	Open; retention/consent numbers provisional
OD-10	Success thresholds	Open; analytics supports measurement
OD-11	Organizations as entities	Open; P1 label only

20.2 New in SRS

Explore our developer-friendly HTML to PDF API Printed using PDFCrowd HTML to PDF

ID	Decision	Options / recommendation
SRS-OD-01	Supported sign-in methods	Email+password only (default) vs add one social sign-in
SRS-OD-02	Can visitors browse opportunities without login?	R: yes for list/detail (growth, sharing), no for people and contact surfaces
SRS-OD-03	Behaviour when prohibited content is detected at creation (P1 screening)	Publish and flag vs hold for review
SRS-OD-04	Location model and radius search	Text country/city (default) vs geocoded
SRS-OD-05	Default opportunity lifetime without deadline	R: 90 days
SRS-OD-06	Age verification method	Self-declared DOB (default) vs stronger check
SRS-OD-07	(Same as OD-07; messaging before acceptance)	—
SRS-OD-08	Auto-hide on N reports	Not in P0; revisit with abuse data
SRS-OD-09	Data retention and legal periods	Pending jurisdiction
SRS-OD-10	Appeals process	P1 recommended; policy to define
SRS-OD-11	Account recovery window (30 days)	Confirm
SRS-OD-12	Re-application waiting period after decline (30 days)	Confirm
SRS-OD-13	Whether openings count auto-marks Filled	R: no, manual only
SRS-OD-14	Profile name policy (real name required or pseudonym allowed)	R: pseudonym allowed, impersonation prohibited

20.3 Classification summary

- **Confirmed (C):** all PRD-derived P0 behaviours listed with basis C.
- **Derived (D):** state transitions, auto-created threads, record keeping.
- **Assumptions (A):** numerical values, 30-day windows, retention, response targets.
- **Recommendations (R):** security limits, second factor, availability, NFR targets, extra safeguards.
- **Open (O):** §20.1 and §20.2.

Explore our developer-friendly HTML to PDF API Printed using PDFCrowd HTML to PDF

21. SRS Quality Standard (conformance)

This SRS is conformant when: each P0 requirement has a unique ID, a verifiable behaviour and a priority; every PRD P0 item traces to at least one SRS requirement (§19); every Open item is listed in §20; no technology choice is made; acceptance criteria exist for each module (§18). Requirements marked A/R are testable but may change when the decision is resolved without invalidating the module structure.

SRS → SYSTEM DESIGN HANDOFF

Take into System Design as binding:

1. All SRS-FR requirements marked P0 (and P1 as design reservations), including their validation, permissions and errors
2. State models (§17): Account, Opportunity, Interest, Connection, Thread, Participation, Report, Notification
3. Business rules SRS-BR-01…17
4. Data entities, relationships and lifecycle (§10), as the input to the database design stage
5. Non-functional targets (§11) and security requirements (§12) as architecture drivers
6. Notification triggers (§13.2) as event inventory
7. Atomicity requirements: accept + thread creation; dual confirmation + participation record; block cascades; suspension cascades; account deletion cascades
8. Rate-limit table (§12), search exclusions and ranking rule (§14, DISC-002)
9. Analytics events (ADM-007) as a required event stream

System Design must decide (not in SRS): technology stack; service boundaries; database and search technology; session mechanism; email provider; queueing/background jobs for expiry, reminders and cleanup; hosting; API shape; observability tooling; admin 2FA implementation; backup tooling.

Design reservations for P1/P2 (do not block): drafts, saved items, invitations, person-to-person connections, organization labels/entities, notification preferences, reputation/endorsements, verification badges, localisation, behaviour-based recommendations, AI matching, premium/business accounts, payments, team spaces.

Must be resolved before or early in System Design: OD-08 (web vs native), SRS-OD-01, SRS-OD-02, SRS-OD-04 (location model affects data and search design), SRS-OD-09 (retention affects storage design). OD-01 to OD-07 must be confirmed or accepted as the stated assumptions.

Freeze checklist

- ☐ PRD open decisions confirmed or accepted as assumptions
- ☐ Assumptions (A) and recommendations (R) accepted or amended
- ☐ SRS-OD-01…14 reviewed
- ☐ SRS frozen as **SRS v1.0**

Explore our developer-friendly HTML to PDF API Printed using PDFCrowd HTML to PDF