International Function Point Users Group (IFPUG)

Function Point Counting Practices Manual

Release 4.3.1

Counting Practices Committee

Bonnie S. Brown, EDS an HP Company
Royce Edwards, Software Composition Technologies
E. Jay Fischer, JRF Consulting, Inc.
David Garmus, The David Consulting Group
Janet Russac, Software Measurement Expertise, Inc.
Adri Timp, Equens SE, Netherlands
Peter Thomas, Steria

For information about copies of this manual, contact

IFPUG
191 Clarksville Road
Princeton Junction, NJ 08550
U.S.A.
(609) 799-4900
E-mail: **ifpug@ifpug.org**
Web: http://www.ifpug.org

This page intentionally left blank.

Part 1 FSM

	Topic	Page
Foreward		i
Introduction		iii
1	Scope	1
1.1	Purpose	1
1.2	Conformity	1
1.3	Applicability	1
1.4	Audience	1
2	Normative references	1
3	Terms and definitions	1
4	Abbreviated terms	8
5	Measurement Process	8
5.1	Overview	8
5.2	Gather the available documentation	9
5.3	Determine the counting scope and boundary and identify Functional User Requirements	9
5.4	Measure data functions	10
5.4.1	Overview	10
5.4.2	Identify and group all logical data into data functions	10
5.4.3	Classify each data function as either an ILF or an EIF	11
5.4.4	Count DETs for each data function	11
5.4.5	Count RETs for each data function	12
5.4.6	Determine the functional complexity for each data function	13
5.4.7	Determine the functional size for each data function	13
5.5	Measure transactional functions	13
5.5.1	Overview	13
5.5.2	Identify elementary processes	14
5.5.3	Classify each elementary process as a transactional function	16
5.5.4	Count FTRs for each transactional function	18
5.5.5	Count DETs for each transactional function	18
5.5.6	Determine the functional complexity for each transactional function	19
5.5.7	Determine the functional size of each transactional function	19

	Topic	Page
5.6	Measure conversion functionality	19
5.7	Measure enhancement functionality	20
5.8	Calculate functional size	20
5.9	Document the function point count	21
5.10	Report the result of the function point count	22
	Annex A (**informative**) Consolidated complexity and functional size tables	23

Part 2 The Bridge - Applying the IFPUG Functional Size Measurement Method

Chapter 1: Introduction

Chapter 2: IFPUG FSM Method Overview

Topic	Page
Functional Size Measurement Method Procedure	2-2
Procedure by Chapter	2-2
Summary Counting Example	2-3
Summary Diagram	2-3
Gather the Available Documentation	2-4
Determine the Counting Scope and Boundary and Identify Functional User Requirements	2-4
Measure Data Functions	2-5
Measure Transactional Functions	2-6
Calculate the Functional Size	2-7

Chapter 3: Gather Available Documentation

Topic	Page
User View	3-2
Documentation Available During the Application Life Cycle	3-3
Phase: Initial User Requirements	3-4
Phase: Technical Requirements	3-5
Phase: Final Functional User Requirements	3-6

Topic	Page
Life Cycle Phase Comparisons	3-8
Useful Project/Application Documentation	3-9
Functional Size	3-10

Chapter 4: Determine Type of Count

Topic	Page
Definitions: Types of Function Point Counts	4-2
Development Project	4-2
Enhancement Project	4-2
Application	4-3
Diagram of Types of Counts	4-4
Estimated and Final Functional Size Measurements	4-4

Chapter 5: Determine the Counting Scope and Boundary and Identify Functional User Requirements

Topic	Page
Counting Scope and Boundary	5-2
Purpose of the Count	5-2
Counting Scope	5-3
Boundary	5-4
Determine Counting Scope and Boundary - Rules and Procedures	5-5
Boundary Rules	5-5
Counting Scope and Boundary Procedures	5-5
Hints to Help Identify the Counting Scope and the Boundary	5-6

Chapter 6: Measure Data Functions

Topic	Page
Definition and Primary Intent: ILFs and EIFs	6-2
Internal Logical File	6-2
External Interface File	6-2
Difference between ILFs and EIFs	6-2
Definitions for Embedded Terms	6-2
Data Function Counting Procedure	6-4

Topic	Page
Data Function Identification Rules	6-4
Data Function Classification Rules	6-5
Complexity and Contribution Definitions and Rules	6-5
DET Definition	6-5
DET Rules	6-5
RET Definition	6-7
RET Rules	6-7
Determination of Complexity and Contribution	6-8
Hints to Help with Counting	6-10

Chapter 7: Measure Transactional Functions

Topic	Page
Definition and Primary Intent: EIs, EOs and EQs	7-3
External Input	7-3
External Inquiry	7-3
External Output	7-3
Summary of the Functions Performed by EIs, EOs, and EQs	7-4
Definitions for Embedded Terms	7-5
Summary of Processing Logic Used by EIs, EOs and EQs	7-8
Transactional Function Counting Rules	7-9
Transactional Function Counting Procedures	7-9
Identify Each Elementary Process	7-10
Determine Unique Elementary Processes	7-11
Classify Each Elementary Process	7-13
Classify as an EI	7-13
Classify as an EO	7-13
Classify as an EQ	7-13

Part 3 Counting Practices

Chapter 1: Code Data

Topic	Page
Types of Data Entities	1-4
Methodology	1-9
Identifying Code Data	1-10
Considering Code Data and Code Data Transactions	1-14
Bibliography	1-15

Chapter 2: Logical Files

Topic	Page
Outline of the Methodology	2-2
Data Modeling Concepts	2-3
Step 1: Identify Logical Files	2-8
Step 2: Classify Logical Files	2-21
Step 3: Identify Data Element Types	2-21
Step 4: Identify Record Element Types	2-31
Bibliography	2-42

Chapter 3: Shared Data

Topic	Page
Counting Data Shared Between Applications	3-
Counting Scenarios – Group 1	3-7
Scenario 1: Read	3-7
Scenario 2: Static Image Copy	3-9
Scenario 3: Image Copy/Load - No Additional Processing	3-11
Scenario 4: Image Copy/Load One Physical Table - No Additional Processing	3-13
Scenario 5: Copy and Merge	3-15
Scenario 6: Screen Scraping	3-17
Counting Scenarios – Group 2	3-18

Topic	Page
Scenario 7: Updating the Same Data Store	3-18
Scenario 8: Standard Transaction Data	3-20
Summary	3-22

Chapter 4: Enhancement Projects and Maintenance Activity

Topic	Page
Measuring Enhancement Projects	4-2
Considerations and Hints	4-10
Inputs for Measuring Enhancement Projects	4-12
Procedure	4-13
Enhancement Project Example	4-14
Enhancement versus Maintenance Considerations	4-20
Summary	4-24

Chapter 5: Data Conversion Activity

Topic	Page
Conversion Functionality	5-2
Scenario 1: Enhancement Project Data Conversion	5-3
Scenario 2: Data Conversion with EIFs Referenced	5-3
Scenario 3: Assigning Default Values	5-3
What is Not Conversion Functionality	5-4
Summary	5-4

Part 4 Examples

Chapter 1: Data Function Counting Examples

ILF Examples

Example	Summary Description	Page
Audit Data	This example shows the analysis and measurement of data that is retained for audit purposes.	1-9

Example	Summary Description	Page
Report Definition	This example shows counting user defined report definitions maintained within an application.	1-15
Alternate Index	This example illustrates the analysis of user requirements for the report definition example that focuses on the requirements for physical implementation.	1-20
Shared Application Data	This example shows counting data that is maintained by more than one application.	1-21
Different Users/Different Data Views	This example shows that two applications can count the same file with different DETs.	1-29

EIF Examples

Example	Summary Description	Page
Referencing Data from Other Applications to generate output	This example identifies EIFs for an application that references data maintained by another application. The data is used to generate an external output.	1-39
Referencing Data from Another Application to use as part of an input process	This example also looks at referencing data from another application. This example identifies EIFs for an application that references data maintained by another application to use for an external input.	1-43
Providing Data to Other Applications	This is another example of counting data referenced from a different application.	1-48
Help Application	This is an example of counting a Help facility within the HR application.	1-50
Data Conversion	This is an example of counting when converting to a new application.	1-58
Transaction Input File	This example applies EIF counting rules to a transaction input file processed to add jobs to the Human Resources application.	1-60
Different Users/Different User View	This example shows that the view differs when an EIF is used by multiple applications.	1-62
Multiple Data Uses	This example illustrates multiple uses for the same data.	1-66

Chapter 2: Transactional Function Counting Examples

Elementary Process Identification Examples

Example	Summary Description	Page
New Employee/ Dependent Data	This example shows that multiple processes can make up one elementary process.	2-9
Print a Check/ Mark It Paid	This example illustrates the concept of primary intent in an elementary process.	2-16
View Job Assignments	This example shows that entering selection criteria for a report is not an elementary process.	2-21
Print Job Assignments/ Save Criteria	This example shows explicitly saving selection criteria for a later use is a separate elementary process.	2-26
Employee/ Interview Information	This illustrates another example of multiple processes making up one elementary process.	2-31
Employee/ License Information	This is a third example of multiple processes making up one elementary process.	2-36
Batch Employee Data Feed	This example illustrates that producing batch error reports and statistical reports are not separate elementary processes.	2-41
Assign Employee to Job	This example illustrates the evaluation of similar elementary processes to determine whether they are unique.	2-47
Similar Elementary Processes	This example illustrates two similar Elementary Processes that are counted as unique transactions.	2-56

EI Examples

Example	Summary Description	Page
Report Control Information	This example looks at control information used for reporting.	2-63
Screen Input	This example illustrates counting an online add transaction via a screen.	2-67

Example	Summary Description	Page
Batch with Multiple EIs and Duplicate EIs	This example shows counting a transaction file with multiple types or formatted record types.	2-70
Correcting Suspended Transactions	This example illustrates counting making corrections to jobs suspended to a file during batch processing of adding or changing jobs.	2-73
EI with Multiple File Types Referenced	This example illustrates using a data flow diagram to count an external input that references multiple files.	2-76
Data Conversion	This example illustrates counting the process of converting a group of data to a new format with additional data elements.	2-80
Referencing Data from Another Application	This example looks at why an external interface file (discussed in Part 2,Chapter 6) is not counted as an external input.	2-83
EI with Screen Output –1	This example illustrates an EI with a calculated field that is displayed.	2-85
EI with Screen Output –2	This example illustrates an EI with a calculated field and embedded EQs.	2-88
EI with Attributes Retrieved from an EIF	This example illustrates an EI with attributes retrieved from an EIF that do not cross the boundary.	2-91
EI Delete	This example illustrates counting DETs for a delete transaction.	2-97
Add Window Security	This example illustrates counting functionality to maintain application security.	2-100

EO Examples

Example	Summary Description	Page
Hard Copy Report Output	This example illustrates counting a hard copy report.	2-105
Online Reporting	This example shows the count for an online report.	2-108
Transaction Sent to Another Application	This example illustrates a transaction generated by one application and sent to another application.	2-111
Error/Confirmation Message	This example shows that error or confirmation messages are not counted as external outputs.	2-113

Example	Summary Description	Page
Performance Review Notification	This example illustrates a notification based upon a calculation.	2-114
EO Triggered without Data Entering the Boundary	This example illustrates the concept that an EO can be triggered without data entering the boundary.	2-117
Primary Intent of an EO	This example illustrates that an EO can update a file.	2-120
EO Transaction File	This example illustrates the existence of calculations determines that the elementary process is an EO and not an EQ.	2-123

EQ Examples

Example	Summary Description	Page
Application Menus	This example shows that navigational menus or other navigational aids are not counted as EQs.	2-129
List of Retrieved Data	This example illustrates the count for a list.	2-131
Drop-Down List Box	This example illustrates counting a drop-down list.	2-136
Field Level Help– First Occurrence	This example illustrates that field level help is counted for the first occurrence.	2-140
Field Level Help– Second Occurrence	This example illustrates that a second instance of field level help is not counted.	2-143
Implied Inquiry	This example illustrates counting an inquiry that is not explicitly stated but it is implied.	2-145
EQ Triggered without Data Entering the Boundary	This example illustrates counting data retrieval and display triggered internally by time.	2-149
Data Sent to Another Application	This example illustrates counting data sent to another application via a file.	2-152
Additional Help Functionality	This example illustrates counting additional help functionality.	2-155
Security Logon	This example illustrates counting the logon function.	2-159

Part 5 Appendices and Glossary

Appendix A: Functional Size Calculation Table

Topic	Page
Functional Size Calculation Table	A-2

Appendix B: The Change from Previous Version

Topic	Page
Introduction	B-2
Major Structural Change Areas in CPM 4.3	B-3
Version Control	B-3
Overview of Changes	B-4
Background	B-11
The Impact Study	B-11
Conversion from CPM 4.2 to 4.3	B-11
Impact on 4.2.1 Users Changing to 4.3	B-12
Recommendations	B-12

Appendix C: Adjusted Functional Size

Topic	Page
Steps for Calculating Adjusted Functional Size	C-3
Value Adjustment Factor Determination	C-4
Guidelines to Determine Degree of Influence for GSCs	C-6
Value Adjustment Factor Calculation Table	C-31
Adjusted Development Project Function Point (aDFP)	C-32
Formula: Adjusted Development Project Functional Size (aDFP)	C-32
Example: Adjusted Development Project Functional Size (aDFP)	C-33
Adjusted Enhancement Project Functional Size (aEFP)	C-37
Formula: Adjusted Enhancement Project Functional Size (aEFP)	C-38
Example: Adjusted Enhancement Project Functional Size (aEFP)	C-39
Adjusted Application Functional Size (aAFP)	C-43
Formula: Initial Adjusted Application Functional Size (aAFP)	C-43

Topic	Page
Formula: Adjusted Application Functional Size After Enhancement Projects (aAFPA)	C-44
Example: Application Count	C-45

IFPUG Glossary

Topic	Page
IFPUG Glossary	G-1