

Database Documentation for *Alice in DaSCHland*

Noémi Villars-Amberg

August 2026

Copyright: DaSCH

License: CC BY 4.0

Permalink: <https://ark.dasch.swiss/ark:/72163/1/0854>

How to cite: Noémi Villars-Amberg, “Database Documentation for *Alice in DaSCHland*”, August 2026
(<https://ark.dasch.swiss/ark:/72163/1/0854>).

Contents

Introduction	2
DaSCH Service Platform (DSP) Overview	2
External Mapping	2
About This Document	2
Data Model	4
Data Model Description	4
Controlled Vocabularies	5
Choice of External Mappings	5
Data Model - <i>daschland</i>	6
Visualisations	6
Classes	8
Properties	11
Cardinalities	14
Data Model - <i>project-metadata</i>	21
Visualisations	21
Classes	23
Properties	24
Cardinalities	25
Controlled Vocabularies	27

Introduction

DaSCH Service Platform (DSP) Overview

The DaSCH Service Platform (DSP) is a repository designed for the long-term preservation and reuse of humanities data. Developed and maintained by the Swiss National Data and Service Center for the Humanities (DaSCH), the DSP combines a standards-compliant RDF triplestore (currently Jena Fuseki) and a high-performance IIIF-compliant media server (currently Sipi).

The platform provides a generic HTTP-based API, implemented in Scala, for querying, annotating, and linking heterogeneous data in a unified way. A user-friendly interface is also available to simplify access. All software developed for the DSP is open-source, promoting linked open data and semantic web technologies. Each project hosted on the DSP builds its own data model, which can be mapped to reference ontologies for broader interoperability.

External Mapping

Projects are encouraged to link their data models to external reference ontologies wherever possible. This practice enhances interoperability, allowing custom data models to integrate seamlessly with other open datasets.

About This Document

This document serves as a guide to the data model of a specific project hosted on DSP. It explains how the project's data is structured, ensuring users can understand what information is available and how to utilise it effectively.

While the content is provided in English, additional languages may be available on the platform.

The document is organised into chapters, each offering a distinct perspective on the data model. The Classes, Properties and Cardinalities section contain a tabular representation of the data model. Some information may be repeated across chapters to improve usability.

Visualisations

This section includes diagrams that illustrate the data model's structure, including the classes and their relationships. These visuals provide an overview of how data entities are connected, making complex structures easier to understand.

Classes Section

This section lists all classes defined in the data model.

Each class represents a category of information, such as Person, Place, or Document.

The table includes:

- **Class:** The technical name in the data model.
- **Label (en):** The English name displayed in the interface.
- **Comment (en):** A brief description of the class.
- **Files:** Whether the class requires an associated file (e.g., an image).
- **External Mapping:** Links to external ontologies, if applicable.

Properties Section

Properties define the information that can be stored about each class or how classes relate other.

The table includes:

- **Property:** The technical name.
- **Label (en):** English label.
- **Comment (en):** A short description of the property's purpose.
- **Type:** The kind of information stored (e.g., Date, List, etc).
- **List:** The controlled vocabulary used with this property.
- **Link:** The class linked by this property.
- **External Mapping:** References to external vocabularies.

Cardinality Section

Cardinality specifies how many times a property can or must appear for a class. This ensures data consistency—for example, a `Person` class might require exactly one birth date but allow multiple alternative names.

The table includes:

- **Property:** The technical name.
- **Label (en):** The English label.
- **Cardinality:** The allowed or required number of instances.
- **Type:** The type of value stored.
- **List:** The controlled vocabulary used with this property.
- **Link:** The class linked by this property.

Controlled Vocabularies

Controlled vocabularies are standardised lists of terms defined by the project. They ensure consistent terminology across the dataset — for example, using `Photograph` instead of mixing `photo` and `picture`. This consistency improves searchability and data reuse.

The List property type is always tied to a specific controlled vocabulary, though a single vocabulary may apply to multiple properties.

The table includes:

- **List Name:** the technical name of the list.
- **Label (en):** The English label of the list.
- **Comments (en):** A brief description of the vocabulary's content.
- **Properties:** The properties that use this list.

Multiple Data Models

This project defines more than one data model, allowing for the separation of different thematic or structural research areas. Despite this separation, models can still reference one another—for example, a class in one model may use properties defined in another.

Each data model is documented in its own section, detailing its classes, properties, and cardinalities. Technical names without prefixes (e.g., `Book`) refer to the current model, while prefixed names (e.g., `second-ontology:Book`) indicate references to other models.

Data Model

Data Model Description

The project features two data models:

- **daschland** model: Focuses on the narrative of Alice in Wonderland.
- **project-metadata** model: Hosts the materials used to create the project and its documentation.

Both models leverage all class and property types available on the DaSCH Service Platform (DSP). They are fully documented (with comments at both class and property levels) and designed to showcase DSP's features. While most of the project is publicly accessible, certain classes and properties are private to demonstrate DSP's access control capabilities.

The **daschland** data model is built around the stories of Alice in Wonderland and Through the Looking Glass and what Alice found there:

- **Story** : An **ObjectWithoutRepresentation** class, linked to **Book Chapters**. It includes a private **Alternative Description** property to illustrate DSP's access control.
- **Book Chapter** : contains all **Story** subdivisions (chapters, introductions, poems). The **Alternative Description** property is private, to reflect the possibilities of DSP. The Richtext property **Description** of non-chapter resources (e.g. the Poem "All in the Golden Afternoon" (BCH_001)) includes **Comments**. A **Gallery Viewer** displays images from the original edition.
- **Location** is a superclass with two classes. The type of the class is **ObjectWithoutRepresentation**. Each resource of the class is a place that appeared in one of the two stories. The Richtext property **Description** illustrates the possibility of multiple cardinalities and contains descriptions in the four languages of the project, each of them being an instance of the property.
 - **Real world**, dedicated to the places that exist in our world featuring the Geoname property.
 - **Wonderland**, contains fictional locations from the stories.
- **Event** is as well a super class, of type **ObjectWithoutRepresentation**. The class **Event** contains a richtext property named **Description** that contains **standoff links** towards the class **Location** and the **Character** of Alice. Four subclasses depend on this class, and inherit all its properties:
 - **Conflict**
 - **Adventure**
 - **Social**
 - **Alternative** has its accessibility set to private, in order showcase DSP's access control.
- **Character** contains a property for **Alternative Description** that is private, in order showcase DSP's access control. The Richtext property **Description** contains **Footnotes** (e.g. "Alice" (CH_001), "Jabberwock" (CH_026)). The class contains a **Gallery viewer**.
- **Image** is a **StillImageRepresentation** class. It is also the superclass to two subclasses. **Annotations** are drawn on several images: the flamingo and the white rabbit are annotated each time they appear on an image, each with a specific colour. The concerned images are gathered in one Link Object called **Image_Annotations**. These annotations are also the place where the **Color** property can be found.
 - **Image Original**
 - **Image Alternative**: blurred, to demonstrate DSP's limited-view feature.
- **Book Cover** contain **Image**s stored on external servers. The link to the servers is mentioned in a URI Property.
- **Edition** is a **DocumentRepresentation** class and contain pdf that are directly readable.

- **Video** is a `MovingImageRepresentation` class. Video segments can be found in the video, illustrating this feature of DSP.
- **Audio** is an `AudioRepresentation` class. Audio segments can be found in two resources (“Dramatis Personae” (A_01); “Down the Rabbit-Hole” (A_02))

The **project-metadata** data model contains files that were used to create the project, as well as the documentation about the project, the database and a user guide on how to search the database.

- **Material** is a `TextDocument` class containing the original files used to import the data of the project on DSP.
- **Archive** is an `ArchiveDocument` class that hosts an Archive file, which contains all data that cannot be stored in another class.
- **Project Documentation** is meant to contain pdf versions of the project documentation (including this document).

Controlled Vocabularies

The vocabularies reflect DSP’s capabilities and are available in English and French (with German and Italian possible):

- **Event type** is hierarchical and has three levels. It serves to classify the resources of the class Events.
- **Keyword** is hierarchical and has four levels. It is present in several parts of the Database.
- **License** is a flat list containing licence names. Its purpose is to provide legal information to all resources of all classes.
- **Role** is a flat list containing only two values. Its purpose is to classify the characters as main or secondary.

Choice of External Mappings

The data models are mapped to established ontologies:

- FOAF (xmlns.com/foaf/0.1/)
- DCMI Terms (purl.org/dc/terms/)
- Schema (schema.org)
- Cidoc-CRM (cidoc-crm.org)

This mapping ensures reusability and provides a template for other projects, though some redundancy may exist.


Data Model - *daschland*

Visualisations

Class Hierarchy



Links Between Classes



Classes

Class	Label (en)	Comment (en)	Files	External Mapping
Audio	09. Audio	Audio version of Alice in Wonderland, chapter per chapter. Each Chapter of the story is linked with its audio version.	Audio Representation	crm:E73_Information_Object , schema:Audiobook
BookCover	08. Book Cover	Book covers of several editions of the stories. The covers are stored on external iif-servers. Each instance is linked to the story contained in the book they illustrate.	StillImage Representation	crm:E73_Information_Object , schema:ImageObject
BookEdition	07. Edition	Editions of the stories. Each edition is linked to the story they contain.	Document Representation	crm:E22_Human-Made_Object
Character	03. Character	Characters in the books can be divided into two groups: main characters and secondary characters. They are linked with images that show them, and which appear directly at character level. This is also connected to the Events that happen in the different parts of the stories.		crm:E89_Propositional_Object , schema:Person
Event	04. Event	Events taking place in the two stories. Events are divided in Subclasses, according to their type: Adventure, Conflict, and Social. Alternative Events are private. All events are directly linked to the chapter in which they take place. Some events are linked to characters, according to their type. The property "Description" contains stand-off links toward Location a class and Alice character		crm:E5_Event , schema:Event
EventAdventure	Event Adventure	Subclass of Event, of type Adventure. Protagonists (characters) of the events are linked with this sub-class.		crm:E5_Event , schema:Event

Class	Label (en)	Comment (en)	Files	External Mapping
EventAlternative	Event Alternative	Subclass of Event, of type Alternative. This class is in private access, as are all alternative data.		crm:E5_Event , schema:Event
EventConflict	Event Conflict	Subclass of Event, of type Conflict. Protagonists and Antagonists (characters) of the events are linked with this sub-class.		crm:E5_Event , schema:Event
EventSocial	Event Social	Subclass of Event, of type Social. Characters taking part to the event are linked here.		crm:E5_Event , schema:Event
Image	06. Image	Images that illustrate the original and alternative stories. These images are linked to the chapters in which they figure (in the original editions). The images are also linked to the characters that appear in them. In both cases, the images can be visualised as compound objects at character and chapter level.	StillImage Representation	crm:E73_Information_ Object , schema:ImageObject
ImageAlternative	Image Alternative	Subclass of Image. Illustrations from the alternative story, generated with an AI. Images Alternative are accessible in limited view.	StillImage Representation	crm:E73_Information_ Object , schema:ImageObject
ImageOriginal	Image Original	Subclass of Image. Original illustrations from the first edition, created by John Tenniel.	StillImage Representation	crm:E73_Information_ Object , schema:ImageObject
Location	05. Location	Places where the stories imagined by Lewis Carroll take place, subdivided according to whether they are located in the real world or in Wonderland. Locations are linked to Images.		crm:E53_Place , schema:Place
LocationRealWorld	Location Real World	Subclass of Location. Places existing in the real world, containing a property with Geonames referencing.		crm:E53_Place , schema:Place

Class	Label (en)	Comment (en)	Files	External Mapping
LocationWonderland	Location Wonderland	Subclass of Location. Places existing in Wonderland.		crm:E53_Place , schema:Place
Story	01. Story	The two stories written by Lewis Carroll. Each story has links to book editions and book covers. Each story contains chapters, which are linked with it. A video (film) is also linked to the story.		crm:E89_Propositional_Object , schema:Book
StoryChapter	02. Story Chapter	Chapters of the two stories, including prefaces and poems from the books, with full text. Each chapter is linked to its story. Audio recordings of each chapter are also linked. For each chapter, a link towards the location(s) where the action of the chapter is provided, as well as the events taking place during the chapters.		crm:E89_Propositional_Object , schema:Chapter
Video	10. Video	Film adaptations of the two stories. They are connected to the original stories.	MovingImage Representation	crm:E73_Information_Object , schema:Movie

Properties

Property	Label (en)	Comment (en)	Type	List	Link	External Mapping
hasAuthorship	Authorship	Author or creator of the file	Simple Text			crm:E21_Person , foaf:person , schema:author
hasCast	Cast	Cast members who appear on the media	Textarea			crm:E21_Person , foaf:person
hasChapterNumber	Chapter Number	Number of the chapter	Integer			schema:pagination
hasColor	Colour	Colour	Color			schema:color
hasCopyright	Copyright	Copyright of the media file	Simple Text			crm:P105_right_held_by , schema:copyrightHolder
hasDate	Publication Date	Date of publication	Date			crm:P4_has_time-span , schema:dateCreated
hasDescription	Description	Description	Richtext			crm:P190_has_symbolic_content , schema:description
hasDescriptionAlternative	Alternative Description	Alternative description, made to provide an example of restricted value	Richtext			crm:P190_has_symbolic_content , schema:description
hasEventTypeList	Event Type	Type of the event, determined by a list	List	Event Type		crm:P2_has_type , schema:itemListElement
hasFileName	File Name	Name of the original file	Simple Text			schema:name
hasFullText	Text	Text in english	Richtext			schema:text
hasGeoname	Geoname	Link to the Place on geonames website	Geoname			schema:identifier
hasGuestAmount	Amount of Guests	Amount of guests to the event	Integer			schema:amount
hasID	ID	Unique identifier	Simple Text			crm:P1_is_identified_by , schema:identifier
hasKeywordList	Keyword	Keywords associated to the record	List	Keyword		schema:keywords

Property	Label (en)	Comment (en)	Type	List	Link	External Mapping
hasLicenseList	License	License of use of the Media file	List	License		schema:license
hasName	Name	Name	Simple Text			schema:name
hasQuote	Quote	Quote, as written in the original story	Richtext			schema:spokenByCharacter
hasRoleList	Role	Importance of the character in the story	List	Role		schema:itemListElement
hasSeqnum	Seqnum	Sequence number used for compound object	Integer			schema:position
hasUrl	More Information	URL leading to an external page with more information	Uri			schema:url
hasWikidataLink	Wikidata ID	link to the corresponding Wikidata entry	Uri			crm:P1_is_identified_by , schema:identifier
isDangerous	Dangerous	Is the event dangerous?	Boolean			schema:value
isPartOfCharacter	Character(s) on the image	Character(s) on the image	Link		Character	crm:P5i_forms_part_of , schema:isPartOf
isPartOfStoryChapter	Part of chapter	Belongs to following chapter	Link		Story Chapter	crm:P5i_forms_part_of , schema:isPartOf
linkToAudio	Audio	internal link to Audio	Link		Audio	schema:audio
linkToBookCover	Book Cover	internal link to Book Cover(s)	Link		BookCover	schema:image
linkToBookEdition	Edition	internal link to the Edition(s)	Link		Book Edition	schema:bookEdition
linkToCharacter	Character(s)	internal link to Character(s)	Link		Character	crm:P11_had_participant , schema:character
linkToCharacterAntagonist	Antagonist(s)	internal link to Antagonist(s)	Link		Character	crm:P11_had_participant , schema:character
linkToCharacter Protagonist	Protagonist(s)	internal link to Protagonist(s)	Link		Character	crm:P11_had_participant , schema:character
linkToEvent	Event(s)	internal link to Event(s)	Link		Event	schema:event
linkToImage	Image(s)	internal link to Image(s)	Link		Image	schema:image

Property	Label (en)	Comment (en)	Type	List	Link	External Mapping
linkToLocation	Location	internal link to Location(s)	Link		Location	crm:P7_took_place_at , schema:contentLocation
linkToStoryChapter	Book Chapters	internal link to Book Chapters	Link		Story Chapter	crm:P5_consists_of , schema:chapter
linkToVideo	Video	internal link to Video(s)	Link		Video	schema:video

Cardinalities

The following section contains one table per class with its cardinalities.

Audio - 09. Audio

Property	Property Label	Cardinality	Type	List	Link
hasDescription	Description	0-n	Richtext		
hasCast	Cast	0-1	Textarea		
project-metadata:hasFileName	File Name	1	Simple Text		
project-metadata:hasTimeStamp	Time Stamp (file)	0-1	Time Stamp		
project-metadata:hasFileSize	File Size (Mb)	0-1	Decimal		
project-metadata:hasAuthorship Resource	Author of the resource	0-n	Simple Text		
project-metadata:hasCopyright Resource	Copyright of the resource	0-1	Simple Text		
project-metadata:hasID	ID	1	Simple Text		
project-metadata:hasLicense Resource	License of the resource	0-1	List	License	

BookCover - 08. Book Cover

Property	Property Label	Cardinality	Type	List	Link
hasUrl	More Information	1	Uri		
hasDescription	Description	0-n	Richtext		
hasDate	Publication Date	0-1	Date		
project-metadata:hasAuthorship Resource	Author of the resource	0-n	Simple Text		
project-metadata:hasCopyright Resource	Copyright of the resource	0-1	Simple Text		
project-metadata:hasID	ID	1	Simple Text		
project-metadata:hasLicense Resource	License of the resource	0-1	List	License	

BookEdition - 07. Edition

Property	Property Label	Cardinality	Type	List	Link
project-metadata:hasFileName	File Name	1	Simple Text		
hasDescription	Description	0-n	Richtext		
hasDate	Publication Date	0-1	Date		
hasWikidataLink	Wikidata ID	0-1	Uri		
project-metadata:hasTimeStamp	Time Stamp (file)	0-1	Time Stamp		
project-metadata:hasFileSize	File Size (Mb)	0-1	Decimal		
project-metadata:hasAuthorship Resource	Author of the resource	0-n	Simple Text		
project-metadata:hasCopyright Resource	Copyright of the resource	0-1	Simple Text		
project-metadata:hasID	ID	1	Simple Text		
project-metadata:hasLicense Resource	License of the resource	0-1	List	License	

Character - 03. Character

Property	Property Label	Cardinality	Type	List	Link
hasName	Name	0-n	Simple Text		
hasDescription	Description	0-n	Richtext		
hasDescriptionAlternative	Alternative Description	0-n	Richtext		
hasQuote	Quote	0-n	Richtext		
hasWikidataLink	Wikidata ID	0-1	Uri		
project-metadata:hasAuthorship Resource	Author of the resource	0-n	Simple Text		
project-metadata:hasCopyright Resource	Copyright of the resource	0-1	Simple Text		
project-metadata:hasID	ID	1	Simple Text		
hasRoleList	Role	0-1	List	Role	
hasKeywordList	Keyword	0-n	List	Keyword	
project-metadata:hasLicense Resource	License of the resource	0-1	List	License	

Event - *04. Event*

This class has the following sub-classes: “EventAdventure”, “EventAlternative”, “EventConflict”, “EventSocial”.

Property	Property Label	Cardinality	Type	List	Link
hasName	Name	0-1	Simple Text		
hasDescription	Description	0-n	Richtext		
project-metadata:hasAuthorship Resource	Author of the resource	0-n	Simple Text		
project-metadata:hasCopyright Resource	Copyright of the resource	0-1	Simple Text		
project-metadata:hasID	ID	1	Simple Text		
hasEventTypeList	Event Type	0-1	List	Event Type	
project-metadata:hasLicense Resource	License of the resource	0-1	List	License	
linkToLocation	Location	0-1	Link		Location
linkToImage	Image(s)	0-n	Link		Image

EventAdventure - *Event Adventure*

This class inherits the properties from its super-class “Event”.

Property	Property Label	Cardinality	Type	List	Link
isDangerous	Dangerous	0-1	Boolean		
linkToCharacter	Character(s)	0-n	Link		Character

EventAlternative - *Event Alternative*

This class inherits the properties from its super-class “Event”.

Property	Property Label	Cardinality	Type	List	Link
hasGuestAmount	Amount of Guests	0-1	Integer		

EventConflict - *Event Conflict*

This class inherits the properties from its super-class “Event”.

Property	Property Label	Cardinality	Type	List	Link
linkToCharacterProtagonist	Protagonist(s)	0-n	Link		Character
linkToCharacterAntagonist	Antagonist(s)	0-n	Link		Character

EventSocial - *Event Social*

This class inherits the properties from its super-class “Event”.

Property	Property Label	Cardinality	Type	List	Link
hasGuestAmount	Amount of Guests	0-n	Integer		
linkToCharacter	Character(s)	0-n	Link		Character

Image - *06. Image*

This class has the following sub-classes: “ImageAlternative”, “ImageOriginal”.

Property	Property Label	Cardinality	Type	List	Link
project-metadata:hasFileName	File Name	0-1	Simple Text		
project-metadata:hasTimeStamp	Time Stamp (file)	0-1	Time Stamp		
project-metadata:hasFileSize	File Size (Mb)	0-1	Decimal		
project-metadata:hasAuthorship Resource	Author of the resource	0-n	Simple Text		
project-metadata:hasCopyright Resource	Copyright of the resource	0-1	Simple Text		
project-metadata:hasSeqnum	Seqnum	0-1	Integer		
project-metadata:hasID	ID	1	Simple Text		
project-metadata:hasLicense Resource	License of the resource	0-1	List	License	
isPartOfStoryChapter	Part of chapter	0-1	Link		StoryChapter
isPartOfCharacter	Character(s) on the image	0-n	Link		Character

ImageAlternative - *Image Alternative*

This class inherits the properties from its super-class “Image”.

Property	Property Label	Cardinality	Type	List	Link
hasDescriptionAlternative	Alternative Description	0-n	Richtext		

ImageOriginal - *Image Original*

This class inherits the properties from its super-class “Image”.

Property	Property Label	Cardinality	Type	List	Link
hasDescription	Description	0-n	Richtext		

Location - *05. Location*

This class has the following sub-classes: “LocationRealWorld”, “LocationWonderland”.

Property	Property Label	Cardinality	Type	List	Link
hasName	Name	0-1	Simple Text		
hasDescription	Description	0-n	Richtext		
project-metadata:hasAuthorship Resource	Author of the resource	0-n	Simple Text		
project-metadata:hasCopyright Resource	Copyright of the resource	0-1	Simple Text		
project-metadata:hasID	ID	1	Simple Text		
project-metadata:hasLicense Resource	License of the resource	0-1	List	License	
linkToImage	Image(s)	0-n	Link		Image

LocationRealWorld - *Location Real World*

This class inherits the properties from its super-class “Location”.

Property	Property Label	Cardinality	Type	List	Link
hasGeoname	Geoname	0-1	Geoname		
hasWikidataLink	Wikidata ID	0-1	Uri		

LocationWonderland - *Location Wonderland*

This class inherits the properties from its super-class “Location”.

Story - *01. Story*

Property	Property Label	Cardinality	Type	List	Link
hasName	Name	0-1	Simple Text		
hasAuthorship	Authorship	0-n	Simple Text		
hasDescription	Description	0-n	Richtext		
hasDescriptionAlternative	Alternative Description	0-1	Richtext		
hasDate	Publication Date	0-1	Date		
hasWikidataLink	Wikidata ID	0-1	Uri		
project-metadata:hasAuthorship Resource	Author of the resource	0-n	Simple Text		
project-metadata:hasCopyright Resource	Copyright of the resource	0-1	Simple Text		
project-metadata:hasID	ID	1	Simple Text		
project-metadata:hasLicense Resource	License of the resource	0-1	List	License	
linkToStoryChapter	Book Chapters	0-n	Link		StoryChapter
linkToBookEdition	Edition	0-n	Link		BookEdition
linkToVideo	Video	0-n	Link		Video
linkToBookCover	Book Cover	0-n	Link		BookCover

StoryChapter - *02. Story Chapter*

Property	Property Label	Cardinality	Type	List	Link
hasName	Name	0-1	Simple Text		
hasChapterNumber	Chapter Number	0-1	Integer		
hasDescription	Description	0-n	Richtext		
hasDescriptionAlternative	Alternative Description	0-n	Richtext		
hasUrl	More Information	0-n	Uri		
hasFullText	Text	0-1	Richtext		

Property	Property Label	Cardinality	Type	List	Link
project-metadata:hasAuthorship Resource	Author of the resource	0-n	Simple Text		
project-metadata:hasCopyright Resource	Copyright of the resource	0-1	Simple Text		
project-metadata:hasID	ID	1	Simple Text		
hasKeywordList	Keyword	0-n	List	Keyword	
project-metadata:hasLicense Resource	License of the resource	0-1	List	License	
linkToLocation	Location	0-n	Link		Location
linkToAudio	Audio	0-n	Link		Audio
linkToEvent	Event(s)	0-n	Link		Event

Video - 10. Video

Property	Property Label	Cardinality	Type	List	Link
hasDescription	Description	0-n	Richtext		
hasCast	Cast	0-1	Textarea		
hasWikidataLink	Wikidata ID	0-1	Uri		
project-metadata:hasFileName	File Name	1	Simple Text		
project-metadata:hasTimeStamp	Time Stamp (file)	0-1	Time Stamp		
project-metadata:hasFileSize	File Size (Mb)	0-1	Decimal		
project-metadata:hasAuthorship Resource	Author of the resource	0-n	Simple Text		
project-metadata:hasCopyright Resource	Copyright of the resource	0-1	Simple Text		
project-metadata:hasID	ID	1	Simple Text		
project-metadata:hasLicense Resource	License of the resource	0-1	List	License	


Data Model - *project-metadata*

Visualisations

Class Hierarchy



Links Between Classes



Classes

Class	Label (en)	Comment (en)	Files	External Mapping
Archive	Project Archive	Zipped folder containing the import scripts and other files from the project that cannot be archived otherwise	Archive Representation	crm:E78_Curated_Holding , schema:Archive Component
Material	Project Material	XML and CSV files used for the creation of the project. Each CSV file corresponds to one class and contains all of that class's instances, along with all of its property values. The XML file is the one used for the xml upload of the project.	Text Representation	crm:E31_Document , schema:DigitalDocument
ProjectDocumentation	Project Documentation	Documentation about the project itself and the database as well as search guide	Document Representation	crm:E31_Document , schema:DigitalDocument

Properties

Property	Label (en)	Comment (en)	Type	List	Link	External Mapping
hasAuthorshipResource	Author of the resource	Author of the resource	Simple Text			crm:E21_Person , foaf:person , schema:author
hasCopyrightResource	Copyright of the resource	Copyright of the resource	Simple Text			crm:P105_right_held_by , schema:copyrightHolder
hasFileDescription	File Description	-	Richtext			crm:P190_has_symbolic_content , schema:description
hasFileName	File Name	Name of the original file	Simple Text			schema:name
hasFileSize	File Size (Mb)	Size of the file in Mb	Decimal			schema:size
hasID	ID	Unique identifier	Simple Text			crm:P1_is_identified_by , schema:identifier
hasLicenseResource	License of the resource	License of the resource	List	License		schema:license
hasSeqnum	Seqnum	Sequence number used for compound object	Integer			schema:position
hasTimeStamp	Time Stamp (file)	Time stamp	Time Stamp			schema:dateCreated

Cardinalities

The following section contains one table per class with its cardinalities.

Archive - *Project Archive*

Property	Property Label	Cardinality	Type	List	Link
hasID	ID	1	Simple Text		
hasFileName	File Name	0-1	Simple Text		
hasFileDescription	File Description	0-n	Richtext		
hasTimeStamp	Time Stamp (file)	0-1	Time Stamp		
hasFileSize	File Size (Mb)	0-1	Decimal		
hasCopyrightResource	Copyright of the resource	1	Simple Text		
hasAuthorshipResource	Author of the resource	1-n	Simple Text		
hasLicenseResource	License of the resource	1	List	License	

Material - *Project Material*

Property	Property Label	Cardinality	Type	List	Link
hasID	ID	1	Simple Text		
hasFileName	File Name	0-1	Simple Text		
hasFileDescription	File Description	0-n	Richtext		
hasTimeStamp	Time Stamp (file)	0-1	Time Stamp		
hasFileSize	File Size (Mb)	0-1	Decimal		
hasCopyrightResource	Copyright of the resource	1	Simple Text		
hasAuthorshipResource	Author of the resource	1-n	Simple Text		
hasLicenseResource	License of the resource	1	List	License	

ProjectDocumentation - *Project Documentation*

Property	Property Label	Cardinality	Type	List	Link
hasID	ID	1	Simple Text		

Property	Property Label	Cardinality	Type	List	Link
hasFileName	File Name	0-1	Simple Text		
hasFileDescription	File Description	0-n	Richtext		
hasTimeStamp	Time Stamp (file)	0-1	Time Stamp		
hasFileSize	File Size (Mb)	0-1	Decimal		
hasCopyrightResource	Copyright of the resource	1	Simple Text		
hasAuthorshipResource	Author of the resource	1-n	Simple Text		
hasLicenseResource	License of the resource	1	List	License	

Controlled Vocabularies

The following table lists all controlled vocabularies used in the project:

List Name	Label (en)	Comment (en)	Properties
Event Type	Event Type	The events of Alice in Wonderland are subdivided into four main types and their subdivisions. This list explores the possibility of hierarchical controlled vocabularies.	daschland:hasEventTypeList
Keyword	Keyword	Keywords associated with the universe created by Lewis Carroll. This list explores the possibilities of hierarchical controlled vocabulary.	daschland:hasKeywordList
License	License	Licenses used in the project	daschland:hasLicenseList , project-metadata:hasLicenseResource
Role	Role	Defines each character as either main or secondary	daschland:hasRoleList