

Move Focus


⌘J



⌘ J



→



↵

Move Line Up/Down

```
Image("turtlerock")
    .clipShape(Circle())
    .shadow(radius: 7)
```

```
Image("turtlerock")
    .shadow(radius: 7)
    .clipShape(Circle())
```


⌥ ⌘ [


```
Image("turtlerock")
    .shadow(radius: 7)
    .clipShape(Circle())
```


```
Image("turtlerock")
    .clipShape(Circle())
    .shadow(radius: 7)
```


⌥ ⌘]


Run / Stop

















Choose Scheme



















Editor History
















Navigators

















View Debugger

@dasdom










7


Show Document Items

















xcode.tips


8


Vim Mode: Start New Line






O







⇧ O

Find Next/Previous






⌘ F "nam"




⌘ G




⌘ ⇧ G

Show/Hide Debug Area













xcode.tips

Multi Cursor I












xcode.tips


Multi Cursor II
















"Let"

IB : Distance








hover


IB: Views Under Cursor







xcode.tips

Open Quickly










xcode.tips

Show View Frames



Xcode



Simulator

Increase / Decrease Font Size

```
struct Event {
  let title : String
  let date : Date
}
```

```
struct Event {
  let title : String
  let date : Date
}
```

⌘ +


```
struct Event {
  let title : String
  let date : Date
}
```


⌘ − −

```
struct Event {
  let title : String
  let date : Date
}
```


^ ⌘ 0

Multi Cursor III










"Let"







xcode.tips


19

JumpBar : Fuzzy Search










"nt"






xcode.tips

20


Add/Remove Breakpoint



xcode.tips

21


IB: Appearance Preview



xcode.tips

22

Re-Indent




```
struct User {
  let name: String
    let birthday: Date
let role: Role
}
```

```
struct User {
  let name: String
  let birthday: Date
  let role: Role
}
```








xcode.tips

23

Print Current ViewController








Debug Console

xcode.tips

24


Move Breakpoint To User




xcode.tips

25

Reveal In Project Navigator










xcode.tips


26


Open In New Editor















27

Edit All In Scope

```
func count(section Section) -> Int {
  let num: Int
  switch section {
    case .user: num = 4
    case .legal: num = 3
  }
  return num
}
```

```
func count(section Section) -> Int {
  let num: Int
  switch section {
    case .user: num = 4
    case .legal: num = 3
  }
  return num
}
```



```
func count(section Section) -> Int {
  let num: Int
  switch section {
    case .user: num = 4
    case .legal: num = 3
  }
  return num
}
```



```
func count(section Section) -> Int {
  let count: Int
  switch section {
    case .user: count = 4
    case .legal: count = 3
  }
  return count
}
```


"count"

xcode.tips


28

New Editor



















xcode.tips

29

Search Documentation For Selected Text









xcode.tips

30

Jump To Next/Previous Change



Debug Gauges




Column Breakpoint I



xcode.tips

Deactivate/Remove Column Breakpoint




xcode.tips

Delete To End Of Line

```
let name: String
let type: String
```

```
let name: String
let type:
```




Fix All Issues

```
DispatchQueue.main.async {
    self?.items = items
    self?.update(with: items)
}
```


Cannot use optional chaining


Cannot use optiona


```
DispatchQueue.main.async {
    self.items = items
    self.update(with: items)
}
```



Reveal In Changes Navigator








Embed Selected Text















Fold / Unfold

⌥ ⌘ ←

⌥ ⌘ →

```
struct Book {
  let author: String
  let notes : [Note]
}
```


```
struct Book {••• }
```





```
struct Book {
  let author: String
  let notes : [Note]
}
```



IB: Guides












Create/Rename Window Tab




⌘ T



⌥ ⇧ ⌘ T



"😎"




↵

xcode.tips

41

Simulator: Toggle Dark Mode







⌘ ⇧ A

xcode.tips


42

Toggle Changes/Repos







⌘ 2




⌘ 2


Improve Debug Output









Change font color




Find Problematic Constraint






⌘ C




View Debugger




⌘ V


xcode.tips 45

Library: SF Symols






⌘ ⇧ L




"pen"




↵


xcode.tips 46

Simulator: Add Images






Open HIG









Show Non-localized Strings





Simulator




Xcode











Simulator

xcode.tips

49