# **Syntax**

```
Child: >
```

## Sibling: +

```
div+p+bq

<div></div>

<blocksquote></blocksquote>
```

## Climb-up: ^

## Grouping: ()

## Multiplication: \*

```
ul>1i*5
```

# Item numbering: \$

## div+div>p>span+em^^bq

```
<div><div>
<div>
     <span></span><em>
</div>
</blockquote></blockquote>
```

#### (div>dl>(dt+dd)\*3)+footer>p

```
ul>li.item$*5
                                        h$[title=item$]{Header $}*3
                                                                                 ul>li.item$$$*5
  <µ1>
                                           <h1 title="item1">Header 1</h1>
                                                                                    ZU15
     <h2 title="item2">Header 2</h2>
                                                                                      class="item2">
                                           <h3 title="item3">Header 3</h3>
                                                                                      class="item002">
     class="item3">
                                                                                      class="item4">
                                                                                      class="item5">
                                                                                      </u1>
                                                                                    ul>li.item$@-*5
                                        ul>li.item$@3*5
  <[11>
                                           <[1]>
     class="item5">
                                              class="item3">
     class="item4">
                                              class="item3">
                                             class="item5">
     class="item2">
                                             class="item6">
     class="item1">
                                              </11/>
                                           ID and CLASS attributes
#header
                                        title
                                                                                 form#search.wide
  <div id="header"></div>
                                           <div class="title"></div>
                                                                                    <form id="search" class="wide"></form>
n.class1.class2.class3
  Custom attributes
p[title="Hello world"]
                                        td[rowspan=2 colspan=3 title]
                                                                                 [a='value1' b="value2"]
  <div a="value1" b="value2"></div>
Text: {}
a{Click me}
                                        p>{Click }+a{here}+{ to continue}
  <a href="">Click me</a>
                                           Click <a href="">here</a> to continue
Implicit tag names
.class
                                        em>.class
                                                                                 ul>.class
                                                                                    <[11]>
  <div class="class"></div>
                                           <em><span class="class"></span></em>
                                                                                      class="class">
                                                                                    </u1>
table>.row>.col
```

All unknown abbreviations will be transformed to tag, e.g.  $foo \rightarrow < foo > </foo >$ .

HTML

```
a:link
                                                                 <a href=" "> </a>
                                                                                                                               <a href="http://"> </a>
   Alias of html:5
                                                                                                                           abbr
                                                             a:mail
   <!DOCTYPE html>
                                                                 <a href="mailto: "> </a>
                                                                                                                               <abbr title=" "> </abbr>
   <html lang="en">
   <head>
                                                             acronvm. acr
                                                                                                                           hase
       <meta charset="UTF-8" />
                                                                 <acronvm title=" "> </acronvm>
                                                                                                                               <hase href=" " />
       <title> Document </title>
                                                             basefont
   </head>
                                                                 <hasefont />
   <body>
                                                                                                                               <hr />
                                                             frame
                                                                                                                           hr
   </body>
                                                                 <frame />
                                                                                                                               <hr />
   </html>
                                                             hdo
                                                                                                                           hdo:r
                                                                 <bdo dir=" "> </bdo>
                                                                                                                               <hdo dir="rtl"> </hdo>
hdo:1
                                                             Col
                                                                                                                           link
   <bdo dir="ltr"> </bdo>
                                                                                                                               <link rel="stylesheet" href=" " />
                                                                 <col />
                                                                                                                           link:favicon
link:css
                                                             link:print
   <link rel="stylesheet" href="style.css" />
                                                                 <link rel="stylesheet" href="print .css"</pre>
                                                                                                                               <link rel="shortcut icon" type="image/x-icon"</pre>
                                                                                                                               href="favicon.ico" />
                                                                 media="print" />
link:touch
                                                             link:rss
                                                                                                                           link:atom
                                                                 <link rel="alternate" type="application/rss+xml"</pre>
                                                                                                                               <link rel="alternate" type="application/atom+xml"</pre>
   link rel="apple-touch-icon" href="favicon.png"
                                                                 title="RSS" href=" rss.xml " />
                                                                                                                               title="Atom" href="(atom.xml)" />
   />
link:import. link:im
                                                             meta
                                                                                                                           meta:utf
                                                                                                                               <meta http-equiv="Content-Type"</pre>
   <link rel="import" href="component].html" />
                                                                 <meta />
                                                                                                                               content="text/html:charset=UTF-8" />
meta:win
                                                             meta:vp
                                                                                                                           meta:compat
   <meta http-equiv="Content-Type"</pre>
                                                                 <meta name="viewport" content="width=</pre>
                                                                                                                               <meta http-equiv="X-UA-Compatible" content="\( IE=7 \)</pre>
   content="text/html:charset=windows-1251" />
                                                                  device-width, user-scalable= no, initial-scale=
                                                                  1.0 . maximum-scale= 1.0 . minimum-scale= 1.0 '
                                                                                                                           stvle
                                                                                                                               <style> </style>
                                                             script:src
script
   <script> </script>
                                                                 <script src=" "> </script>
                                                                                                                               <imq src=" " alt=" " />
img:srcset, img:s
                                                             img:sizes, img:z
                                                                                                                           picture
   <img srcset=" " src=" " alt=" " />
                                                                 <img sizes=" " srcset=" " src=" " alt=" " />
                                                                                                                               <picture> </picture>
source, src
                                                             source:src, src:sc
                                                                                                                           source:srcset. src:s
                                                                 <source src=" " type=" " />
                                                                                                                               <source srcset=" " />
   <source />
source:media, src:m
                                                                                                                           source:sizes, src:z
                                                             source:type, src:t
                                                                                                                               <source sizes=" " srcset=" " />
   <source media="([min-width:])" srcset=" " />
                                                                 <source srcset=" " type=" image/ " />
                                                                                                                           source:media:type, src:mt
                                                                                                                               <source media="( min-width: )" srcset=" " type="</pre>
                                                                                                                               image/ "/>
                                                             source:sizes:type, src:zt
                                                                                                                           iframe
source:media:sizes, src:mz
                                                                                                                               <iframe src=" " frameborder="0"> </iframe>
   <source media="( min-width: )" sizes=" " srcset="</pre>
                                                                 <source sizes=" " srcset=" " type=" image/ " />
   " />
                                                                                                                           embed
                                                                                                                               <embed src=" " type=" " />
```

```
obiect
                                                           param
    <object data=" " type=" "> </object>
                                                               <param name=" " value=" " />
                                                                                                                          <man name=" "> </man>
area
                                                           area:d
                                                                                                                      area:c
    <area shape=" " coords=" " href=" " alt=" " />
                                                               <area shape="default" href=" " alt=" " />
                                                                                                                          <area shape="circle" coords=" " href=" " alt=" "</pre>
                                                           area:n
                                                                                                                      form
area:r
    <area shape="rect" coords=" " href=" " alt=" " />
                                                               <area shane="nolv" coords=" " href=" " alt=" " />
                                                                                                                          <form action=" "> </form>
form: get
                                                                                                                      lahel
    <form action=" " method="aet"> </form>
                                                               <form action=" " method="post"> </form>
                                                                                                                          <label for=" "> </label>
                                                                                                                      input:hidden. input:h
input
                                                               <input type="fext" name=" " id=" " />
    <input type="fext" />
                                                                                                                          Alias of input[type=hidden name]
                                                                                                                          <input type="hidden" name=" " />
input:text. input:t
                                                           innut:search
                                                                                                                      input:email
                                                                                                                          Alias of inp[tvpe=email]
    Alias of inp
                                                               Alias of inp[type=search]
                                                               <input type="search" name=" " id=" " />
                                                                                                                          <input type="email" name=" " id=" " />
    <input type="fext" name=" " id=" " />
                                                           input:url
                                                                                                                      input:password. input:p
                                                                                                                          Alias of inp[type=password]
                                                               Alias of inp[tvpe=urll
                                                               <input type="url" name=" " id=" " />
                                                                                                                          <input type="password" name=" " id=" " />
input:datetime
                                                                                                                      input:datetime-local
                                                           input:date
    Alias of inp[type=datetime]
                                                               Alias of inp[tvpe=date]
                                                                                                                          Alias of inp[type=datetime-local]
    <input type="datetime" name=" " id=" " />
                                                                                                                          <input type="datetime-local" name=" " id=" " />
                                                               <input type="date" name=" " id=" " />
                                                                                                                      input:time
input:month
                                                           input:week
   Alias of inp[type=month]
                                                               Alias of inp[tvpe=week]
                                                                                                                          Alias of inp[tvpe=time]
    <input type="month" name=" " id=" " />
                                                                                                                          <input type="time" name=" " id=" " />
                                                               <input type="week" name=" " id=" " />
input:tel
                                                           input:number
                                                                                                                      input:color
    Alias of inp[type=tell
                                                               Alias of inp[type=number]
                                                                                                                          Alias of inp[type=color]
                                                               <input type="number" name=" " id=" " />
    <input type="tel" name=" " id=" " />
                                                                                                                          <input type="color" name=" " id=" " />
input:checkbox, input:c
                                                           input:radio, input:r
                                                                                                                      input:range
   Alias of inp[type=checkbox]
                                                               Alias of inp[type=radio]
                                                                                                                          Alias of inp[type=range]
    <input type="checkbox" name=" " id=" " />
                                                               <input type="radio" name=" " id=" " />
                                                                                                                          <input type="range" name=" " id=" " />
input:file, input:f
                                                           input:submit, input:s
                                                                                                                      input:image, input:i
                                                               <input type="submit" value=" " />
                                                                                                                          <input type="image" src=" " alt=" " />
    Alias of inp[type=file]
                                                           input:button, input:b
                                                                                                                      isindex
    <input type="file" name=" " id=" " />
                                                               <input type="button" value=" " />
                                                                                                                          <isindex />
                                                                                                                      select:disabled, select:d
input:reset
                                                           select
                                                               <select name=" " id=" "> </select>
    Alias of input:button[type=reset]
                                                                                                                          Alias of select[disabled.]
                                                                                                                          <select name=" " id=" " disabled="disabled">
    <input type="reset" value=" " />
                                                                                                                          </select>
```

```
option, opt
                                                           textarea
   <option value=" "> </option>
                                                                                                                         <marquee hehavior=" " direction=" "> </marquee>
                                                              <textarea name=" " id=" " cols=" 30 " rows=" 10
                                                              "> </textarea>
                                                                                                                      menu:context. menu:c
                                                                                                                         Alias of menu[type=context]>
                                                                                                                         <menu type="context"> </menu>
menu:toolbar. menu:t
                                                          video
                                                                                                                      audio
                                                              <video src=" "> </video>
                                                                                                                         <audio src=" "> </audio>
   Alias of menu[type=toolbarl>
                                                          html:xml
                                                                                                                      kevaen
   <menu tvpe="toolbar"> </menu>
                                                              <html xmlns="http://www.w3.org/1999/xhtml">
                                                                                                                         <keygen />
                                                              </html>
                                                                                                                      command
                                                                                                                         <command />
button:submit. button:s. btn:s
                                                          button:reset. button:r. btn:r
                                                                                                                      button:disabled, button:d. btn:d
   Alias of button[type=submit]
                                                              Alias of button[type=reset]
                                                                                                                         Alias of button[disabled.]
   <button type="submit"> </button>
                                                              <button type="reset"> </button>
                                                                                                                         <button disabled="disabled"> </button>
fieldset:disabled, fieldset:d. fset:d. fst:d
   Alias of fieldset[disabled.]
                                                              Alias of blockquote
                                                                                                                         Alias of figure
   <fieldset disabled="disabled"> </fieldset>
                                                              <blockguote> </plockguote>
                                                                                                                         <figure> </figure>
                                                                                                                      ifr
fiac
   Alias of figcaption
                                                              Alias of picture
                                                                                                                         Alias of iframe
   <figcaption> </figcaption>
                                                              <picture> </picture>
                                                                                                                         <iframe src=" " frameborder="0"> </iframe>
emb
                                                                                                                      cap
   Alias of embed
                                                              Alias of object
                                                                                                                         Alias of caption
   <embed src=" " type=" " />
                                                              <object data=" " type=" "> </object>
                                                                                                                         <caption> </caption>
colg
                                                          fst. fset
                                                              Alias of fieldset
                                                                                                                         Alias of button
   Alias of colgroup
                                                              <fieldset> </fieldset>
                                                                                                                         <button> </putton>
   <colgroup> </colgroup>
                                                           tarea
optq
   Alias of optgroup
                                                              Alias of textarea
                                                                                                                         Alias of legend
   <optgroup> </optgroup>
                                                              <textarea name=" " id=" " cols=" 30 " rows=" 10
                                                                                                                         <le><leqend> </leqend></le>
                                                              "> </textarea>
                                                                                                                      sect
                                                                                                                         Alias of section
                                                                                                                         <section> </section>
                                                          hdr
                                                                                                                      ftr
art
   Alias of article
                                                              Alias of header
                                                                                                                         Alias of footer
   <article> </article>
                                                              <header> </header>
                                                                                                                         <footer> </footer>
                                                          dlq
adr
                                                                                                                      str
   Alias of address
                                                              Alias of dialog
                                                                                                                         Alias of strong
   <address> </address>
                                                              <dialog> </dialog>
                                                                                                                         <strong> </strong>
```

```
proa
                                                                                                               tem
   Alias of progress
                                                          Alias of main
                                                                                                                  Alias of template
                                                          <main> </main>
   oress> 
                                                                                                                  <template> </template>
                                                       datal
                                                                                                              ka
dataq
   Alias of datagrid
                                                          Alias of datalist
                                                                                                                  Alias of kevgen
                                                                                                                  <kevaen />
                                                          <datalist> </datalist>
   <datagrid> </datagrid>
                                                                                                              out
                                                                                                                  Alias of output
                                                                                                                  <output> </output>
                                                                                                              doc
det
                                                       cmd
   Alias of details
                                                                                                                  Alias of html>
                                                          Alias of command
                                                          <command />
                                                                                                                  (head>meta[charset=${charset}]+title{${1:Docu}}
   <details> </details>
                                                                                                                  ment}})+bodv
                                                                                                                  <html>
                                                                                                                  <head>
                                                                                                                      <meta charset="UTF-8" />
                                                                                                                      <title> Document </title>
                                                                                                                  </head>
                                                                                                                  <body>
                                                                                                                  </body>
                                                                                                                  </html>
doc4
                                                       ri:dpr, ri:d
                                                                                                              ri:viewport, ri:v
   Alias of html>(head>meta[http-equiv="Content-
                                                          Alias of ima:s
                                                                                                                  Alias of ima:z
                                                                                                                  <img sizes=" " srcset=" " src=" " alt=" " />
                                                          <img srcset=" " src=" " alt=" " />
   content="text/html:charset=${charset}"l+title
                                                       ri:art. ri:a
                                                                                                              ri:tvpe. ri:t
   {${1:Document}})+body
                                                          Alias of pic>src:m+img
                                                                                                                  Alias of pic>src:t+img
   <html>
   <head>
                                                          <picture>
                                                                                                                  <picture>
       <meta http-equiv="Content-Type"</pre>
                                                                                                                      <source srcset=" " type=" image/ " />
                                                              content="text/html;charset=UTF-8" />
                                                              <img src=" " alt=" " />
                                                                                                                      <img src=" " alt=" " />
       <title> Document </title>
                                                                                                                  </picture>
                                                          </picture>
   </head>
   <body>
```

</body>

```
html:4t
                                                            html:4s
                                                                                                                        html:xt
   Alias of !!!4t+doc4[]ang=${]ang}]
                                                                Alias of !!!4s+doc4[]ang=${]ang}]
                                                                                                                            Alias of
                                                                                                                            !!!xt+doc4[xm]ns=http://www.w3.org/1999/xhtm]
   < DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01
                                                                < DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01//EN"
                                                                                                                            xml:lang=${lang}l
                                                                "http://www.w3.org/TR/htm]4/strict.dtd">
   Transitional//FN"
   "http://www.w3.org/TR/html4/loose.dtd">
                                                                <html lang="en">
                                                                                                                            < DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0
   <html lang="en">
                                                                <head>
                                                                                                                            Transitional//FN"
   <head>
                                                                    <meta http-equiv="Content-Type"</pre>
                                                                                                                            "http://www.w3.org/TR/xhtml1/DTD/xhtml1-
       <meta http-equiv="Content-Type"</pre>
                                                                content="text/html:charset=UTF-8" />
                                                                                                                            transitional.dtd">
   content="text/html:charset=UTF-8" />
                                                                    <title> Document </title>
                                                                                                                            <html xmlns="http://www.w3.org/1999/xhtml"
       <title> Document </title>
                                                                </head>
                                                                                                                            xml:lang="en">
   </head>
                                                                <body>
                                                                                                                            <head>
   <body>
                                                                                                                                <meta http-equiv="Content-Type"</pre>
                                                                </body>
                                                                                                                            content="text/html:charset=UTF-8" />
   </body>
                                                                </html>
                                                                                                                                <title> Document </title>
   </html>
                                                                                                                            </head>
                                                                                                                            <hodv>
                                                                                                                            </hody>
                                                                                                                            </html>
html:xs
                                                            html:xxs
                                                                                                                        h+m1:5
   Alias of
                                                                Alias of
                                                                                                                            Alias of !!!+doc[lang=${lang}]
   !!!xs+doc4[xm]ns=http://www.w3.org/1999/xhtm]
                                                                !!!xxs+doc4[xm]ns=http://www.w3.org/1999/xhtm
                                                                                                                            <!DOCTYPE html>
   xml:lang=${lang}]
                                                                1 xml:lang=${lang}1
                                                                                                                            <html lang="en">
                                                                                                                            <head>
   <!DOCTYPE html PUBLIC "-//w3C//DTD XHTML 1.0</pre>
                                                                <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.1//EN"</pre>
                                                                                                                                <meta charset="UTF-8" />
   Strict//EN"
                                                                "http://www.w3.org/TR/xhtml11/DTD/xhtml11.dtd">
                                                                                                                                <title> Document </title>
   "http://www.w3.org/TR/xhtml1/DTD/xhtml1-
                                                                <html xmlns="http://www.w3.org/1999/xhtml"</pre>
                                                                                                                            </head>
                                                                xml:lang="en">
   strict.dtd">
                                                                                                                            <body>
   <html xmlns="http://www.w3.org/1999/xhtml"
                                                                <head>
                                                                    <meta http-equiv="Content-Type"
   xml:lang="en">
   <head>
                                                                content="text/html:charset=UTF-8" />
                                                                                                                            </body>
                                                                                                                            </html>
       <meta http-equiv="Content-Type"</pre>
                                                                    <title> Document </title>
   content="text/html:charset=UTF-8" />
                                                                </head>
                                                                                                                        o1+
       <title> Document </title>
                                                                <body>
                                                                                                                            Alias of ol>li
   </head>
   <body>
                                                                </body>
                                                                                                                            <01>
                                                                </html>
                                                                                                                                </body>
                                                                                                                            </01>
   </html>
                                                            ul+
                                                                                                                        d1+
                                                                Alias of ul>li
                                                                                                                            Alias of dl>dt+dd
                                                                <u1>
                                                                                                                            <d1>
                                                                    < dt > < /dt >
                                                                                                                                <dd> </dd>
                                                                </u1>
                                                                                                                            </d7>
map+
   Alias of map>area
```

<map name=" ">

</map>

<area shape=" " coords=" " href=" " alt=" " />

```
table+
                                                          colaroup+, cola+
                                                                                                                     tr+
   Alias of table>tr>td
                                                              Alias of coloroup>col
                                                                                                                         Alias of tr>td
                                                              <coloroup>
   <col />
                                                                                                                             >
                                                              </colaroup>
           select+
                                                                                                                     optgroup+, optg+
   Alias of select>option
                                                                                                                         Alias of optgroup>option
                                                              <select name=" " id=" ">
                                                                                                                         <ontaroun>
                                                                  <option value=" "> </option>
                                                                                                                             <option value=" "> </option>
                                                              </select>
                                                                                                                         </optaroup>
                                                          111
                                                                                                                     1114+
pic+
                                                              <!DOCTYPE html>
                                                                                                                         <!DOCTYPE HTML PUBLIC "-//w3C//DTD HTML 4.01</pre>
   Alias of picture>source:srcset+img
                                                                                                                         Transitional//EN"
   <picture>
                                                                                                                         "http://www.w3.org/TR/html4/loose.dtd">
       <source srcset=" " />
                                                          11145
       <imq src=" " alt=" " />
                                                              <!DOCTYPE HTML PUBLIC "-//w3C//DTD HTML 4.01//EN"</pre>
                                                                                                                         <!DOCTYPE html PUBLIC "-//w3C//DTD XHTML 1.0</pre>
   </picture>
                                                              "http://www.w3.org/TR/htm]4/strict.dtd">
                                                                                                                         Transitional//EN"
                                                                                                                         "http://www.w3.org/TR/xhtml1/DTD/xhtml1-
                                                                                                                         transitional.dtd">
IIIxs
                                                          IIIxxs
                                                                                                                     c
   <!DOCTYPE html PUBLIC "-//w3C//DTD XHTML 1.0</pre>
                                                              <!DOCTYPE html PUBLIC "-//w3C//DTD XHTML 1.1//EN"</pre>
                                                                                                                         <!-- \${child} -->
   Strict//EN"
                                                              "http://www.w3.org/TR/xhtml11/DTD/xhtml11.dtd">
                                                                                                                     cc:ie6
   "http://www.w3.org/TR/xhtml1/DTD/xhtml1-
                                                                                                                         <!--[if lte IE 6]>
   strict.dtd">
                                                                                                                            ${child}
                                                                                                                         <![endif]-->
cc:ie
                                                          cc:noie
   <!--[if IE]>
                                                              <!--[if !IE]><!-->
       ${child}
                                                                  ${child}
   <![endif]-->
                                                              <!--<![endif]-->
CSS
CSS module uses fuzzy search to find unknown abbreviations, e.g. over == over == oth.
```

If abbreviation wasn't found, it is transformed into property name: foo-bar → foo-bar: |:

You can prefix abbreviations with hyphen to produce vendor-prefixed properties: -foo

#### **Visual Formatting**

pos	position: relative;	pos:s	position:static;	pos:a	position:absolute;
		pos:r	position:relative;	pos:f	position:fixed;
t	top: 1;	t:a	top:auto;	r	right: ;
r:a	right:auto;	b	bottom: ;	b:a	bottom:auto;
1	left: ;	1:a	left:auto;	z	z-index: ;
z:a	z-index:auto;	fl	float: (left);	fl:n	float:none;
				f1:1	float:left;
fl:r	float:right;	c1	clear: both;	cl:n	clear:none;

c1:1	clear:left;	cl:r	clear:right;	cl:b	clear:both;
d	display: block;	d:n	display:none;	d:b	display:block;
		d:f	display:flex;	d:if	display:inline-flex;
d:i	display:inline;	d:ib	display:inline-block;	d:li	display:list-item;
d:ri	display:run-in;	d:cp	display:compact;	d:tb	display:table;
d:itb	display:inline-table;	d:tbcp	display:table-caption;	d:tbcl	display:table-column;
d:tbclg	display:table-column-group;	d:tbhg	display:table-header-group;	d:tbfg	display:table-footer-group;
d:tbr	display:table-row;	d:tbrg	display:table-row-group;	d:tbc	display:table-cell;
d:rb	display:ruby;	d:rbb	display:ruby-base;	d:rbbg	display:ruby-base-group;
d:rbt	display:ruby-text;	d:rbtg	display:ruby-text-group;	V	visibility: hidden;
v:v	visibility:visible;	v:h	visibility:hidden;	v:c	visibility:collapse;
ov	overflow: hidden;	ov:v	overflow:visible;	ov:h	overflow:hidden;
		ov:s	overflow:scroll;	ov:a	overflow:auto;
ovx	overflow-x: hidden;	ovx:v	overflow-x:visible;	ovx:h	overflow-x:hidden;
		ovx:s	overflow-x:scroll;	ovx:a	overflow-x:auto;
ovy	overflow-y: hidden;	ovy:v	overflow-y:visible;	ovy:h	overflow-y:hidden;
		ovy:s	overflow-y:scroll;	ovy:a	overflow-y:auto;
ovs	overflow-style: scrollbar;	ovs:a	overflow-style:auto;	ovs:s	<pre>overflow-style:scrollbar;</pre>
		ovs:p	overflow-style:panner;	ovs:m	overflow-style:move;
ovs:mq	overflow-style:marquee;	zoo, zm	zoom:1;	ср	clip: ;
cp:a	clip:auto;	cp:r	<pre>clip:rect( top</pre>	rsz	resize: ;
			(left);	rsz:n	resize:none;
rsz:b	resize:both;	rsz:h	resize:horizontal;	rsz:v	resize:vertical;
cur	<pre>cursor:\${pointer};</pre>	cur:a	cursor:auto;	cur:d	cursor:default;
cur:c	cursor:crosshair;	cur:ha	cursor:hand;	cur:he	<pre>cursor:help;</pre>
cur:m	cursor:move;	cur:p	cursor:pointer;	cur:t	cursor:text;
Margin & Padding	-				
m	margin: ;	m:a	margin:auto;	mt	margin-top: ;
mt:a	margin-top:auto;	mr	margin-right: ;	mr:a	margin-right:auto;
mb	margin-bottom: ;	mb:a	margin-bottom:auto;	ml	margin-left: ;
ml:a	margin-left:auto;	p	padding: ;	pt	padding-top: ;
pr	padding-right: ;	pb	padding-bottom: ;	pl	padding-left: ;
Box Sizing bxz	hay sizing (handan bay)	bxz:cb	box-sizing:content-box;	bxz:bb	box-sizing:border-box;
V//	box-sizing:(border-box);	JAZ. CD	box-312111g. Content-Dux,	JAZ : 00	box-512111g.border-box,

bxsh	<pre>box-shadow: inset hoff voff blur color);</pre>	bxsh:r	box-shadow: inset hoff voff blur spread rgb(0, 0, 0);	bxsh:ra	box-shadow: inset h v blur spread rgba(0, 0, 0, . 5);
bxsh:n	box-shadow:none;	w	width:  ;	w:a	width:auto;
h	height: █;	h:a	height:auto;	maw	max-width: █;
maw:n	max-width:none;	mah	max-height: █;	mah:n	max-height:none;
miw	min-width: ;	mih	min-height:   ;		
Font					
f	font: ;	f+	font: 1em Arial, sans-serif;	fw	font-weight: ;
				fw:n	font-weight:normal;
fw:b	font-weight:bold;	fw:br	font-weight:bolder;	fw:lr	font-weight:lighter;
fs	<pre>font-style:\${italic};</pre>	fs:n	<pre>font-style:normal;</pre>	fs:i	font-style:italic;
fs:o	font-style:oblique;	fv	font-variant: ;	fv:n	<pre>font-variant:normal;</pre>
fv:sc	font-variant:small-caps;	fz	font-size: ;	fza	font-size-adjust: ;
fza:n	font-size-adjust:none;	ff	font-family: ;	ff:s	<pre>font-family:serif;</pre>
ff:ss	<pre>font-family:sans-serif;</pre>	ff:c	font-family:cursive;	ff:f	<pre>font-family:fantasy;</pre>
ff:m	<pre>font-family:monospace;</pre>	ff:a	<pre>font-family: Arial, "Helvetica Neue", Helvetica, sans-serif;</pre>	ff:t	font-family: "Times New Roman", Times, Baskerville, Georgia, serif;
ff:v	font-family: Verdana, Geneva, sans-	fef	<pre>font-effect: ;</pre>	fef:n	<pre>font-effect:none;</pre>
	serif;	fef:eg	<pre>font-effect:engrave;</pre>	fef:eb	<pre>font-effect:emboss;</pre>
fef:o	<pre>font-effect:outline;</pre>	fem	font-emphasize: ;	femp	font-emphasize-position: ☐;
femp:b	font-emphasize-position:before;	femp:a	font-emphasize-position:after;	fems	<pre>font-emphasize-style: ;</pre>
fems:n	<pre>font-emphasize-style:none;</pre>	fems:ac	font-emphasize-style:accent;	fems:dt	<pre>font-emphasize-style:dot;</pre>
fems:c	font-emphasize-style:circle;	fems:ds	font-emphasize-style:disc;	fsm	<pre>font-smooth: ;</pre>
fsm:a	font-smooth:auto;	fsm:n	font-smooth:never;	fsm:aw	font-smooth:always;
fst	font-stretch: █;	fst:n	<pre>font-stretch:normal;</pre>	fst:uc	font-stretch:ultra-condensed;
fst:ec	font-stretch:extra-condensed;	fst:c	font-stretch:condensed;	fst:sc	font-stretch:semi-condensed;
fst:se	font-stretch:semi-expanded;	fst:e	font-stretch:expanded;	fst:ee	font-stretch:extra-expanded;
fst:ue	font-stretch:ultra-expanded;				
Text					
va	vertical-align: top;	va:sup	vertical-align:super;	va:t	vertical-align:top;
		va:tt	vertical-align:text-top;	va:m	vertical-align:middle;
va:bl	vertical-align:baseline;	va:b	vertical-align:bottom;	va:tb	vertical-align:text-bottom;
va:sub	vertical-align:sub;	ta	text-align: left;	ta:l	text-align:left;
				ta:c	text-align:center;

				. 7 .	
ta:r	text-align:right;	ta:j	text-align:justify;	ta-1st -	text-align-last:  ;
tal:a	text-align-last:auto;	tal:l	text-align-last:left;	tal:c	text-align-last:center;
tal:r	text-align-last:right;	td	text-decoration: none;	td:n	text-decoration:none;
				td:u	text-decoration:underline;
td:o	text-decoration:overline;	td:1	text-decoration:line-through;	te	text-emphasis: ;
te:n	text-emphasis:none;	te:ac	text-emphasis:accent;	te:dt	text-emphasis:dot;
te:c	text-emphasis:circle;	te:ds	text-emphasis:disc;	te:b	text-emphasis:before;
te:a	text-emphasis:after;	th	text-height: ;	th:a	text-height:auto;
th:f	text-height:font-size;	th:t	text-height:text-size;	th:m	text-height:max-size;
ti	text-indent: ;	ti:-	text-indent:-9999px;	tj	text-justify: ;
tj:a	text-justify:auto;	tj:iw	text-justify:inter-word;	tj:ii	text-justify:inter-ideograph;
tj:ic	text-justify:inter-cluster;	tj:d	text-justify:distribute;	tj:k	text-justify:kashida;
tj:t	text-justify:tibetan;	to	text-outline: ;	to+	text-outline: 0 0 #000;
to:n	text-outline:none;	tr	text-replace: ;	tr:n	<pre>text-replace:none;</pre>
tt	<pre>text-transform: uppercase;</pre>	tt:n	text-transform:none;	tt:c	text-transform:capitalize;
		tt:u	<pre>text-transform:uppercase;</pre>	tt:1	text-transform:lowercase;
tw	text-wrap: ;	tw:n	<pre>text-wrap:normal;</pre>	tw:no	text-wrap:none;
tw:u	text-wrap:unrestricted;	tw:s	text-wrap:suppress;	tsh	text-shadow: hoff voff blur #000;
tsh:r	text-shadow: h v blur rgb(0,	tsh:ra	text-shadow: h v blur rgba(0)	tsh+	text-shadow: 0 0 0 #000;
	0, 0);		, 0, 0, .(5);	tsh:n	text-shadow:none;
1h	line-height:∥;	lts	<pre>letter-spacing: ;</pre>	lts-n	<pre>letter-spacing:normal;</pre>
whs	white-space: ;	whs:n	white-space:normal;	whs:p	white-space:pre;
whs:nw	white-space:nowrap;	whs:pw	white-space:pre-wrap;	whs:pl	white-space:pre-line;
whsc	white-space-collapse:  ;	whsc:n	white-space-collapse:normal;	whsc:k	white-space-collapse:keep-all;
whsc:1	white-space-collapse:loose;	whsc:bs	white-space-collapse:break-strict;	whsc:ba	white-space-collapse:break-all;
wob	word-break: ;	wob:n	word-break:normal;	wob:k	word-break:keep-all;
wob:ba	word-break:break-all;	wos	word-spacing: ;	wow	word-wrap: [;
wow:nm	word-wrap:normal;	wow:n	word-wrap:none;	wow:u	word-wrap:unrestricted;
wow:s	word-wrap:suppress;	wow:b	word-wrap:break-word;		
Background					
bg	background:#000);	bg+	background: #fff url( ) 0 0	bg:n	background:none;
			no-repeat ;	bgc	<pre>background-color:#(fff);</pre>

b	ogc:t	background-color:transparent;	bgi	<pre>background-image:url( );</pre>	bgi:n	background-image:none;
b	ogr	background-repeat:  ;	bgr:n	background-repeat:no-repeat;	bgr:x	<pre>background-repeat:repeat-x;</pre>
b	ogr:y	<pre>background-repeat:repeat-y;</pre>	bgr:sp	background-repeat:space;	bgr:rd	background-repeat:round;
b	oga	background-attachment: ;	bga:f	background-attachment:fixed;	bga:s	<pre>background-attachment:scroll;</pre>
b	ogp	background-position: 0 0;	bgpx	background-position-x: ;	bgpy	<pre>background-position-y: ;</pre>
			bgbk	background-break: ;	bgbk:bb	background-break:bounding-box;
b	ogbk:eb	background-break:each-box;	bgbk:c	background-break:continuous;	bgcp	<pre>background-clip: padding-box ;</pre>
b	ogcp:bb	background-clip:border-box;	bgcp:pb	background-clip:padding-box;	bgcp:cb	<pre>background-clip:content-box;</pre>
b	ogcp:nc	background-clip:no-clip;	bgo	background-origin: ;	bgo:pb	background-origin:padding-box;
b	ogo:bb	background-origin:border-box;	bgo:cb	background-origin:content-box;	bgsz	background-size: ;
b	ogsz:a	background-size:auto;	bgsz:ct	background-size:contain;	bgsz:cv	background-size:cover;
(	Color					
C		color:# <u>000</u> ;	c:r	color:rgb(0, 0, 0);	c:ra	color:rgba(0, 0, 0, .5);
C	рр	opacity: ;				
(	Generated content	i e e e e e e e e e e e e e e e e e e e				
C	cnt	content:' ';	cnt:n, ct:n	<pre>content:normal;</pre>	cnt:oq, ct:oq	content:open-quote;
C	cnt:noq, ct:noq	content:no-open-quote;	cnt:cq, ct:cq	<pre>content:close-quote;</pre>	<pre>cnt:ncq, ct:ncq</pre>	<pre>content:no-close-quote;</pre>
C	ent:a, ct:a	<pre>content:attr( );</pre>	cnt:c, ct:c	<pre>content:counter();</pre>	cnt:cs, ct:cs	<pre>content:counters();</pre>
C	t	content: ;	q	quotes: ;	q:n	quotes:none;
C	լ։ru	quotes:'\00AB' '\00BB' '\201E' '\201C';	q:en	quotes:'\201C' '\201D' '\2018' '\2019';	coi	counter-increment: ;
		(LOIC)		(2023)	cor	counter-reset: ;
	Outline					_
	01	outline: ;	ol:n	outline:none;	olo	outline-offset: ;
C	olw	outline-width: ;	olw:tn	outline-width:thin;	olw:m	outline-width:medium;
C	olw:tc	outline-width:thick;	ols	outline-style: ;	ols:n	outline-style:none;
C	ols:dt	outline-style:dotted;	ols:ds	outline-style:dashed;	ols:s	outline-style:solid;
C	ols:db	outline-style:double;	ols:g	outline-style:groove;	ols:r	outline-style:ridge;
C	ols:i	outline-style:inset;	ols:o	outline-style:outset;	olc	outline-color:#000;
C	olc:i	outline-color:invert;				
1	Tables .					
t	:b1	table-layout: ;	tbl:a	table-layout:auto;	tbl:f	table-layout:fixed;
C	cps	caption-side: ;	cps:t	caption-side:top;	cps:b	caption-side:bottom;
e	ec	empty-cells: ;	ec:s	<pre>empty-cells:show;</pre>	ec:h	empty-cells:hide;

Border

bd	border: ;	bd+	border: 1px solid #000;	bd:n	border:none;
				bdbk	border-break: close;
bdbk:c	border-break:close;	bdcl	border-collapse: ;	bdc1:c	border-collapse:collapse;
bdc1:s	border-collapse:separate;	bdc	border-color:#(000);	bdc:t	border-color:transparent;
				bdi	border-image:url(  );
bdi:n	border-image:none;	bdti	<pre>border-top-image:url( );</pre>	bdti:n	border-top-image:none;
bdri	<pre>border-right-image:url( );</pre>	bdri:n	border-right-image:none;	bdbi	<pre>border-bottom-image:url( );</pre>
bdbi:n	border-bottom-image:none;	bdli	<pre>border-left-image:url( );</pre>	bdli:n	border-left-image:none;
bdci	<pre>border-corner-image:url( );</pre>	bdci:n	border-corner-image:none;	bdci:c	border-corner-image:continue;
bdtli	<pre>border-top-left-image:url( );</pre>	bdtli:n	border-top-left-image:none;	bdtli:c	border-top-left-image:continue;
bdtri	<pre>border-top-right-image:url( );</pre>	bdtri:n	border-top-right-image:none;	bdtri:c	border-top-right-image:continue;
bdbri	<pre>border-bottom-right-image:url( );</pre>	bdbri:n	border-bottom-right-image:none;	bdbri:c	border-bottom-right-image:continue;
bdbli	<pre>border-bottom-left-image:url( );</pre>	bdbli:n	<pre>border-bottom-left-image:none;</pre>	bdbli:c	border-bottom-left-image:continue;
bdf	border-fit: repeat;	bdf:c	border-fit:clip;	bdf:r	border-fit:repeat;
		bdf:sc	border-fit:scale;	bdf:st	border-fit:stretch;
bdf:ow	border-fit:overwrite;	bdf:of	border-fit:overflow;	bdf:sp	border-fit:space;
bdlen	border-length:   ;	bdlen:a	border-length:auto;	bdsp	border-spacing:┃;
bds	border-style:┃;	bds:n	border-style:none;	bds:h	border-style:hidden;
bds:dt	border-style:dotted;	bds:ds	border-style:dashed;	bds:s	border-style:solid;
bds:db	border-style:double;	bds:dtds	border-style:dot-dash;	bds:dtdtds	border-style:dot-dot-dash;
bds:w	border-style:wave;	bds:g	border-style:groove;	bds:r	border-style:ridge;
bds:i	border-style:inset;	bds:o	border-style:outset;	bdw	border-width: ;
bdt, bt	border-top: ;	bdt+	border-top: 1px solid #000;	bdt:n	border-top:none;
				bdtw	border-top-width:┃;
bdts	border-top-style: ;	bdts:n	border-top-style:none;	bdtc	border-top-color:#000;
bdtc:t	border-top-color:transparent;	bdr, br	border-right: ;	bdr+	border-right: 1px solid #000;
bdr:n	border-right:none;	bdrw	border-right-width: ;	bdrst	border-right-style: ;
bdrst:n	border-right-style:none;	bdrc	border-right-color:# 000;	bdrc:t	border-right-color:transparent;
				bdb, bb	border-bottom: ;
bdb+	border-bottom: 1px solid #000;	bdb:n	border-bottom:none;	bdbw	border-bottom-width: ;
		bdbs	border-bottom-style:┇;	bdbs:n	border-bottom-style:none;
bdbc	border-bottom-color:#000;	bdbc:t	border-bottom-color:transparent;	bdl, bl	border-left: ;
		bdl+	border-left: 1px solid #000;	bdl:n	border-left:none;

```
bd1s
bdlw
                  border-left-width:
                                                                             horder-left-style: :
                                                                                                                       bdls:n
                                                                                                                                         horder-left-style:none:
bd1c
                                                           hdlc:t
                                                                                                                       bdrs
                                                                                                                                         border-radius: :
                                                                             horder-left-color:transparent:
                  border-left-color:# 000:
                                                           bdtrrs
                                                                             border-top-right-radius: :
                                                                                                                       bdtlrs
                                                                                                                                         border-top-left-radius: :
bdbrrs
                  border-bottom-right-radius:
                                                           bdb1rs
                                                                             border-bottom-left-radius: :
Lists
lis
                  list-stvle: :
                                                           lis:n
                                                                                                                       lisp
                                                                                                                                         list-style-position: :
                                                                             list-stvle:none:
lisp:i
                  list-style-position:inside:
                                                           lisp:o
                                                                             list-style-position:outside:
                                                                                                                       list
                                                                                                                                         list-style-type: :
list:n
                  list-style-type:none:
                                                           list:d
                                                                             list-style-type:disc:
                                                                                                                       list:c
                                                                                                                                         list-style-type:circle:
list:s
                                                                                                                       list:dclz
                  list-style-type:square:
                                                           list:dc
                                                                             list-style-type:decimal:
                                                                                                                                         list-style-type:decimal-leading-
                                                                                                                                         zero:
list:lr
                  list-style-type:lower-roman:
                                                           list:ur
                                                                             list-style-type:upper-roman:
                                                                                                                       lisi
                                                                                                                                         list-style-image: :
lisi:n
                  list-style-image:none:
Print
pgbb
                  page-break-before: :
                                                           pabb:au
                                                                             page-break-before:auto:
                                                                                                                       pabb:al
                                                                                                                                         page-break-before:alwavs:
pgbb:1
                  page-break-before:left:
                                                           pgbb:r
                                                                             page-break-before:right;
                                                                                                                       pgbi
                                                                                                                                         page-break-inside: :
pgbi:au
                  page-break-inside:auto:
                                                           pgbi:av
                                                                             page-break-inside:avoid:
                                                                                                                       pgba
                                                                                                                                         page-break-after: :
pgba:au
                                                           pgba:al
                                                                                                                       pgba:1
                                                                                                                                         page-break-after:left:
                  page-break-after:auto:
                                                                             page-break-after:always:
pgba:r
                  page-break-after:right;
                                                           orp
                                                                             orphans: :
                                                                                                                       wid
                                                                                                                                         widows: ;
Others
                                                                                                                       @f+
                  !important
                                                                             @font-face {
                                                                                                                                         @font-face {
                                                                                 font-family: ;
                                                                                                                                             font-family: 'FontName':
                                                                                 src:url(|);
                                                                                                                                             src: url('FileName .eot'):
                                                                                                                                             src: url('FileName .eot?
                                                                                                                                         #iefix') format('embedded-
                                                                                                                                         opentype'),
                                                                                                                                                  url('FileName .woff')
                                                                                                                                        format('woff'),
                                                                                                                                                  url('FileName .ttf')
                                                                                                                                         format('truetype'),
                                                                                                                                                  url('FileName .svg#
                                                                                                                                         FontName ') format('svg');
                                                                                                                                             font-style: normal;
                                                                                                                                             font-weight: normal
```

```
@i, @import url();
```

```
@k f
                  @-webkit-kevframes [identifier]
                                                            @m. @media
                                                                              @media screen
                                                                                                                        ac
                                                                                                                                          align-content: :
                       from { }
                                                                                                                        ac:c
                                                                                                                                          align-content:center:
                           { }
                       to
                                                                                                                        ac:fe
                                                                                                                                          align-content:flex-end:
                  @-o-kevframes [identifier] {
                                                            ac:fs
                                                                              align-content:flex-start:
                                                                                                                        ac:s
                                                                                                                                          align-content:stretch:
                       from
                                                            ac:sa
                                                                              align-content:space-around:
                                                                                                                        ac:sh
                                                                                                                                          align-content:space-between:
                       to
                                                            ai
                                                                              align-items: :
                                                                                                                        ai:b
                                                                                                                                          align-items:baseline:
                  @-moz-kevframes [identifier] {
                                                            ai:c
                                                                                                                        ai:fe
                       from { }
                                                                              align-items:center:
                                                                                                                                          align-items:flex-end:
                       to \ { }
                                                            ai:fs
                                                                              align-items:flex-start:
                                                                                                                        ai:s
                                                                                                                                          align-items:stretch:
                  @kevframes [identifier]
                                                            anim
                                                                              animation: :
                                                                                                                        anim-
                                                                                                                                          animation: name
                                                                                                                                                            duration
                       from
                                                                                                                                           timina-function
                                                                                                                                                             delav
                       to { }
                                                                                                                                           iteration-count
                                                                                                                                                             direction
                                                                                                                                           fill-mode :
animdel
                  animation-delay: time :
                                                            animdir
                                                                              animation-direction: normal:
                                                                                                                        animdir:a
                                                                                                                                          animation-direction:alternate:
                                                                                                                        animdir:ar
                                                                                                                                          animation-direction:alternate-
                                                                                                                                          reverse:
animdir:n
                                                            animdir:r
                                                                                                                        animdur
                  animation-direction:normal:
                                                                              animation-direction:reverse:
                                                                                                                                          animation-duration: 0 s:
animfm
                                                            animfm:b
                                                                                                                        animfm:bt. animfm:bh
                                                                              animation-fill-mode:backwards:
                                                                                                                                                  animation-fill-mode:both:
                  animation-fill-mode: both:
                                                            animfm:f
                                                                              animation-fill-mode:forwards;
                                                                                                                        animic
                                                                                                                                          animation-iteration-count: 1;
animic:i
                  animation-iteration-count:infinite:
                                                            animn
                                                                                                                        animps
                                                                              animation-name: none :
                                                                                                                                          animation-play-state: running:
animps:p
                                                            animps:r
                                                                                                                        animtf
                  animation-play-state:paused;
                                                                              animation-play-state:running;
                                                                                                                                          animation-timing-function: linear
animtf:cb
                  animation-timing-function:cubic-
                                                            animtf:e
                                                                              animation-timing-function:ease:
                                                                                                                        animtf:ei
                                                                                                                                          animation-timing-function:ease-in:
                  bezier(0.1
                                0.7
                                        1.0
                                               0.1);
                                                            animtf:eio
                                                                              animation-timing-function:ease-in-
                                                                                                                        animtf:eo
                                                                                                                                          animation-timing-function:ease-out:
                                                                              out:
                                                                                                                        animtf:1
                                                                                                                                          animation-timing-function:linear;
                                                                                                                                          align-self:auto;
                  appearance:${none};
                                                            as
                                                                              align-self: ;
                                                                                                                        as:a
ap
                                                                                                                        as:fe
as:b
                  align-self:baseline;
                                                            as:c
                                                                              align-self:center;
                                                                                                                                          align-self:flex-end;
as:fs
                                                                                                                        bfv
                                                                                                                                          backface-visibility: :
                  align-self:flex-start;
                                                                              align-self:stretch;
                                                            as:s
bfv:h
                                                            bfv:v
                                                                                                                        bg:ie
                  backface-visibility:hidden;
                                                                              backface-visibility:visible;
                                                                                                                                          filter:progid:DXImageTransform.Micro
                                                                                                                                          soft.AlphaImageLoader(src='\big|x
                                                                                                                                          .png',sizingMethod='(crop');
cm
                  /* ${child} */
                                                            colm
                                                                              columns: ;
                                                                                                                        colmc
                                                                                                                                          column-count: ;
                  column-fill: ;
                                                                              column-gap: ;
                                                                                                                        colmr
                                                                                                                                          column-rule: :
colmf
                                                            co1mg
                  column-rule-color: :
colmrc
                                                            colmrs
                                                                              column-rule-style: ;
                                                                                                                        co1mrw
                                                                                                                                          column-rule-width: ;
                                                                                                                        d:ib+
co1ms
                  column-span: ;
                                                            co1mw
                                                                              column-width: ;
                                                                                                                                          display: inline-block;
                                                                                                                                          *display: inline;
                                                                                                                                          *zoom: 1;
                  flex: ;
fx
                                                            fxb
                                                                              flex-basis: ;
                                                                                                                        fxd
                                                                                                                                          flex-direction: ;
```

fxd:c	flex-direction:column;	fxd:cr	flex-direction:column-reverse;	fxd:r	flex-direction:row;		
fxd:rr	flex-direction:row-reverse;	fxf	flex-flow: ;	fxg	flex-grow: ;		
fxsh	flex-shrink: ;	fxw	flex-wrap:  ;	fxw:n	flex-wrap:nowrap;		
fxw:w	flex-wrap:wrap;	fxw:wr	flex-wrap:wrap-reverse;	jc	<pre>justify-content: ;</pre>		
jc:c	justify-content:center;	jc:fe	<pre>justify-content:flex-end;</pre>	jc:fs	<pre>justify-content:flex-start;</pre>		
jc:sa	justify-content:space-around;	jc:sb	<pre>justify-content:space-between;</pre>	mar	max-resolution: res;		
mir	min-resolution: res;	op+	<pre>opacity:  ; filter: alpha(opacity= );</pre>	op:ie	<pre>filter:progid:DXImageTransform.Micro soft.Alpha(Opacity=100);</pre>		
op:ms	-ms-	ord	order:∥;	ori	orientation: ;		
	<pre>filter:'progid:DXImageTransform.Micr osoft.Alpha(Opacity=100)';</pre>	ori:l	orientation:landscape;	ori:p	orientation:portrait;		
		tov	<pre>text-overflow:\${ellipsis};</pre>	tov:c	<pre>text-overflow:clip;</pre>		
tov:e	text-overflow:ellipsis;	trf	transform: ;	trf:r	<pre>transform: rotate((angle));</pre>		
trf:rx	<pre>transform: rotateX((angle));</pre>	trf:ry	<pre>transform: rotateY((angle));</pre>	trf:rz	<pre>transform: rotateZ((angle));</pre>		
trf:sc	transform: scale(x, y);	trf:sc3	transform: scale3d(x, y, z);	trf:scx	transform: $scalex(x)$ ;		
trf:scy	<pre>transform: scaleY((y));</pre>	trf:scz	transform: scaleZ((z));	trf:skx	<pre>transform: skewX((angle));</pre>		
trf:sky	<pre>transform: skewY((angle));</pre>	trf:t	transform: translate( $x$ , $y$ );	trf:t3	<pre>transform: translate3d(\( tx \), \( ty \),</pre>		
trf:tx	<pre>transform: translateX((x));</pre>	trf:ty	<pre>transform: translateY((y));</pre>	trf:tz	transform: translateZ(z);		
trfo	transform-origin:[;	trfs	<pre>transform-style: preserve-3d;</pre>	trs	transition: prop time;		
trsde	transition-delay: time;	trsdu	transition-duration: time;	trsp	transition-property: prop;		
trstf	transition-timing-function: tfunc;	us	<pre>user-select:\${none};</pre>	wfsm	<pre>-webkit-font- smoothing:\${antialiased};</pre>		
wfsm:a	-webkit-font-smoothing:antialiased;	wfsm:n	-webkit-font-smoothing:none;	wfsm:s, wfsm:sa	<pre>-webkit-font-smoothing:subpixel- antialiased;</pre>		
wm	writing-mode: (1r-tb);	wm:btl	writing-mode:bt-lr;	wm:btr	writing-mode:bt-rl;		
		wm:1rb	writing-mode:1r-bt;	wm:1rt	writing-mode:1r-tb;		
wm:rlb	writing-mode:rl-bt;	wm:rlt	writing-mode:rl-tb;	wm:tbl	writing-mode:tb-lr;		
wm:tbr	writing-mode:tb-rl;						
XSL							
<pre>tmatch, tm</pre>		<pre>tname, tn      <xsl:template "="" name=""> </xsl:template></pre>		<pre>call</pre>			
<pre>ap</pre>		<pre>api      <xsl:apply-imports></xsl:apply-imports></pre>		<pre>imp      <xsl:import href=""></xsl:import></pre>			
inc		ch	ch		xsl:when, wh		
<xsl:include href="\"></xsl:include>		<xsl:choose> </xsl:choose>		<xsl:when test=""> </xsl:when>			

```
<xsl:otherwise> </xsl:otherwise>
pare
    <xsl:param name=" " select=" " />
wp
    <xsl:with-param name=" " select=" " />
attr
    <xsl:attribute name=" "> </xsl:attribute>
CO
    <xsl:copv-of select=" " />
tex
    <xsl:text> </xsl:text>
fall
    <xsl:fallback> </xsl:fallback>
pres
    <xsl:preserve-space elements=" " />
    <xsl:sort select=" " order=" " />
111
    <?xml version="1.0" encoding="UTF-8"?>
```

```
if
    <xsl:if test=" "> </xsl:if>
var
    <xsl:variable name=" "> </xsl:variable>
kev
    <xsl:kev name=" " match=" " use=" " />
    <xsl:attribute-set name=" "> </xsl:attribute-set>
    <xsl:value-of select=" " />
    <xsl:comment> </xsl:comment>
    <xsl:number value=" " />
strip
    <xsl:strip-space elements=" " />
choose+
    Alias of xsl:choose>xsl:when+xsl:otherwise
    <xsl:choose>
        <xsl:when test=" "> </xsl:when>
        <xsl:otherwise> </xsl:otherwise>
    </xsl:choose>
```

```
<xsl:param name=" "> </xsl:param>
vare
   <xsl:variable name=" " select=" " />
elem
   <xsl:element name=" "> </xsl:element>
   <xsl:copv select=" " />
each, for
   <xsl:for-each select=" "> </xsl:for-each>
   <xsl:message terminate="no"> </xsl:message>
   <namespace-alias stylesheet-prefix=" " result-</pre>
   prefix=" " />
proc
   <xsl:processing-instruction name=" ">
   </xsl:processing-instruction>
   Alias of !!!+xsl:stylesheet[version=1.0
   xmlns:xsl=http://www.w3.org/1999/XSL/Transfor
   m]>{
   |}
   <?xml version="1.0" encoding="UTF-8"?>
   <xsl:stvlesheet version="1.0"</pre>
   xmlns:xsl="http://www.w3.org/1999/XSL/Transform">
   </xsl:stylesheet>
```