

```

import { useState, useCallback } from "react";

const INIT_PRODUCTS = [
  { id:1, name:"Алтан ээмэг", price:45000, category:"Гоёл чимэглэл", image:"🔖",
  { id:2, name:"Эрэгтэй цамц", price:28000, category:"Хувцас", image:"👕", stock:
  { id:3, name:"Үнэртэй ус", price:65000, category:"Гоо сайхан", image:"🌸", stoc
  { id:4, name:"Арьс чийгшүүлэгч", price:32000, category:"Гоо сайхан", image:"💧"
  { id:5, name:"Ухаалаг цаг", price:180000, category:"Электроник", image:"📱", st
  { id:6, name:"Дулаан малгай", price:22000, category:"Хувцас", image:"🧢", stock
  { id:7, name:"Шоколадны хайрцаг", price:35000, category:"Хоол", image:"🍫", stc
  { id:8, name:"Сувенир аяга", price:15000, category:"Тэр ахуй", image:"☕", stoc
];

const DELIVERY = [
  { id:1, name:"UB Express", time:"1-2 өдөр", price:3500, logo:"🚚" },
  { id:2, name:"MN Cargo", time:"2-3 өдөр", price:2500, logo:"📦" },
  { id:3, name:"Fast Delivery", time:"Өдрийн дотор", price:5000, logo:"⚡" },
];

const HOTELS = [
  { id:1, name:"Хан Буудал", location:"Улаанбаатар", price:85000, stars:5, image:
  { id:2, name:"Говь Баазын Бааз", location:"Дундговь", price:45000, stars:4, ima
  { id:3, name:"Хангай Жуулчны Бааз", location:"Архангай", price:35000, stars:3,
  { id:4, name:"Улаанбаатар Гранд Хотел", location:"Улаанбаатар", price:120000, s
  { id:5, name:"Тэрэлжийн Эко Бааз", location:"Тэрэлж", price:55000, stars:4, ima
  { id:6, name:"Хөвсгөлийн Нуурын Бааз", location:"Хөвсгөл", price:48000, stars:4
];

const S = {
  app: { fontFamily:"'Segoe UI', sans-serif", minHeight:"100vh", background:"linea
  nav: { background:"rgba(255,255,255,0.05)", backdropFilter:"blur(20px)", paddin
  logo: { fontSize:19, fontWeight:900, background:"linear-gradient(90deg,#f093fb,
  nb: { background:"none", border:"none", color:"#bbb", cursor:"pointer", padding
  nba: { background:"rgba(240,147,251,0.2)", color:"#f093fb" },
  btn: { background:"linear-gradient(135deg,#f093fb,#f5576c)", border:"none", col
  sec: { background:"rgba(255,255,255,0.08)", border:"1px solid rgba(255,255,255,
  card: { background:"rgba(255,255,255,0.07)", backdropFilter:"blur(10px)", borde
  inp: { background:"rgba(255,255,255,0.09)", border:"1px solid rgba(255,255,255,
  wrap: { maxWidth:1080, margin:"0 auto", padding:"26px 16px" },
  grid: { display:"grid", gridTemplateColumns:"repeat(auto-fill,minmax(195px,1fr)
  err: { color:"#f5576c", fontSize:13, padding:"9px 13px", background:"rgba(245,8
  ok: { color:"#43e97b", fontSize:13, padding:"9px 13px", background:"rgba(67,233
  lbl: { fontSize:12, color:"#bbb", marginBottom:5, display:"block" },
};

```

```

function PwdInput({ val, onChange, placeholder }) {
  const [show, setShow] = useState(false);
  return (
    <div style={{ display:"flex", gap:6 }}>
      <input
        style={{ ...S.inp, flex:1 }}
        type={show ? "text" : "password"}
        placeholder={placeholder}
        value={val}
        onChange={e => onChange(e.target.value)}
        autoComplete="off"
      />
      <button type="button" style={{ ...S.sec, padding:"10px 13px", flexShrink:0
        {show ? "👁️" : "👁️"}
      />
    </div>
  );
}

export default function App() {
  const [adminCred, setAdminCred] = useState({ username:"admin", password:"luxent
  const [users, setUsers] = useState([ { id:1, username:"user1", password:"pass123
  const [page, setPage] = useState("home");
  const [user, setUser] = useState(null);
  const [products, setProducts] = useState(INIT_PRODUCTS);
  const [cart, setCart] = useState([]);
  const [search, setSearch] = useState("");
  const [notif, setNotif] = useState(null);
  const [bookings, setBookings] = useState([]);

  // Auth
  const [authMode, setAuthMode] = useState("login");
  const [loginF, setLoginF] = useState({ username:"", password:"" });
  const [regF, setRegF] = useState({ name:"", username:"", password:"", confirm:"
  const [resetF, setResetF] = useState({ username:"", oldPass:"", newPass:"", con
  const [authErr, setAuthErr] = useState("");
  const [authOk, setAuthOk] = useState("");

  // Admin
  const [aTab, setATab] = useState("products");
  const [newProd, setNewProd] = useState({ name:"", price:"", category:"", image:
  const [editingProd, setEditingProd] = useState(null); // {id, price}
  const [editPriceVal, setEditPriceVal] = useState("");
  const [showAdminPwd, setShowAdminPwd] = useState(false);
  const [editCred, setEditCred] = useState({ username:"", newPass:"", confirm:"
  const [credMsg, setCredMsg] = useState({ err:"", ok:"" });

```

```

// Cart
const [deliv, setDeliv] = useState(null);
const [ordered, setOrdered] = useState(false);

// Gift AI
const [gAge, setGAge] = useState("");
const [gGender, setGGender] = useState("эрэгтэй");
const [gBudget, setGBudget] = useState("");
const [gInt, setGInt] = useState("");
const [gRes, setGRes] = useState(null);
const [gLoad, setGLoad] = useState(false);

// Travel
const [travFilter, setTravFilter] = useState("all");

const toast = (msg, type="s") => { setNotif({ msg, type }); setTimeout(() => se

// — AUTH —
const handleLogin = () => {
  setAuthErr(""); setAuthOk("");
  if (loginF.username === adminCred.username && loginF.password === adminCred.p
    setUser({ role:"admin", name:"Админ", username:adminCred.username });
    setPage("home"); toast("Тавтай морил, Админ! 🙌");
  } else {
    const f = users.find(u => u.username === loginF.username && u.password ===
    if (f) { setUser(f); setPage("home"); toast(`Тавтай морил, ${f.name}! 🙌`);
    else setAuthErr("Нэвтрэх нэр эсвэл нууц үг буруу.");
  }
};

const handleRegister = () => {
  setAuthErr(""); setAuthOk("");
  if (!regF.name || !regF.username || !regF.password) return setAuthErr("Бүх та
  if (regF.password !== regF.confirm) return setAuthErr("Нууц үг тохирохгүй бай
  if (users.find(u => u.username === regF.username) || regF.username === adminC
    return setAuthErr("Энэ нэвтрэх нэр аль хэдийн бүртгэлтэй байна.");
  const nu = { id:Date.now(), username:regF.username, password:regF.password, n
  setUsers(p => [...p, nu]);
  setUser(nu); setPage("home"); toast(`Бүртгэл амжилттай! Тавтай морил 🙌`);
};

const handleReset = () => {
  setAuthErr(""); setAuthOk("");
  if (!resetF.username || !resetF.oldPass || !resetF.newPass) return setAuthErr
  if (resetF.newPass !== resetF.confirm) return setAuthErr("Шинэ нууц үг тохиро
  if (resetF.username === adminCred.username && resetF.oldPass === adminCred.pa

```

```

    setAdminCred(p => ({ ...p, password:resetF.newPass }));
    setResetF({ username:"", oldPass:"", newPass:"", confirm:"" });
    return setAuthOk("Нууц үг амжилттай солигдлоо ✅");
  }
const idx = users.findIndex(u => u.username === resetF.username && u.password
if (idx === -1) return setAuthErr("Нэвтрэх нэр эсвэл хуучин нууц үг буруу.");
setUsers(p => p.map((u,i) => i === idx ? { ...u, password:resetF.newPass } :
setResetF({ username:"", oldPass:"", newPass:"", confirm:"" });
setAuthOk("Нууц үг амжилттай солигдлоо ✅");
};

const handleCredSave = () => {
  setCredMsg({ err:"", ok:"" });
  if (!editCred.username && !editCred.newPass) return setCredMsg({ err:"Өөрчлөх
  if (editCred.newPass && editCred.newPass !== editCred.confirm) return setCred
  const upd = { ...adminCred };
  if (editCred.username) upd.username = editCred.username;
  if (editCred.newPass) upd.password = editCred.newPass;
  setAdminCred(upd);
  setUser(p => ({ ...p, username:upd.username }));
  setEditCred({ username:"", newPass:"", confirm:"" });
  setCredMsg({ err:"", ok:"Амжилттай хадгалагдлаа ✅" });
};

// — CART —
const addCart = p => {
  setCart(prev => {
    const ex = prev.find(i => i.id === p.id);
    return ex ? prev.map(i => i.id === p.id ? { ...i, qty:i.qty+1 } : i) : [...
  });
  toast(`${p.name} сагсанд нэмэгдлээ 🛒`);
};

const rmCart = id => setCart(p => p.filter(i => i.id !== id));
const cartTotal = cart.reduce((s,i) => s + i.price * i.qty, 0);
const handleOrder = () => {
  if (!deliv) return toast("Хүргэлт сонгоно уу", "e");
  setOrdered(true); setCart([]); setDeliv(null);
  toast("Захиалга амжилттай! 🏠");
};

// — TRAVEL —
const book = h => {
  if (!user) return setPage("login");
  const b = { id:Date.now(), hotel:h, date:new Date().toLocaleDateString() };
  setBookings(p => [...p, b]);
  toast(`${h.name} захиалагдлаа! 🏠`);
};

```

```

const cancelBook = id => { setBookings(p => p.filter(b => b.id !== id)); toast(

// — ADMIN PRODUCTS —
const addProd = () => {
  if (!newProd.name || !newProd.price) return toast("Мэдээлэл дутуу", "e");
  const p = { ...newProd, id:Date.now(), price:Number(newProd.price), stock:Num
  setProducts(prev => [...prev, p]);
  setNewProd({ name:"", price:"", category:"", image:"📺", stock:"", brand:"" }
  toast("Багаа нэмэгдлээ ✅");
};
const delProd = id => { setProducts(p => p.filter(x => x.id !== id)); toast("Ба

// — ADMIN PRICE EDIT —
const startEditPrice = (p) => {
  setEditingProd(p.id);
  setEditPriceVal(String(p.price));
};
const saveEditPrice = (id) => {
  const newPrice = Number(editPriceVal);
  if (!newPrice || newPrice <= 0) return toast("Зөв үнэ оруулна уу", "e");
  setProducts(prev => prev.map(p => p.id === id ? { ...p, price:newPrice } : p)
  setEditingProd(null);
  setEditPriceVal("");
  toast("Үнэ шинэчлэгдлээ ✅");
};
const cancelEditPrice = () => { setEditingProd(null); setEditPriceVal(""); };

// — AI GIFT —
async function aiGift(age, gender, budget, interests) {
  try {
    const r = await fetch("https://api.anthropic.com/v1/messages", {
      method:"POST",
      headers:{ "Content-Type":"application/json" },
      body: JSON.stringify({
        model:"claude-sonnet-4-20250514",
        max_tokens:800,
        messages:[{ role:"user", content:`Бэлгийн мэргэжилтэн AI. Нас:${age}, X
      })
    });
    const d = await r.json();
    const t = d.content?.map(x => x.text||"").join("") || "";
    return JSON.parse(t.replace(/``json|``/g,"").trim());
  } catch {
    return { suggestions:[{ title:"Үнэртэй ус", reason:"Сонгодог бэлэг", emoji:
  }
}

```

```

const filtered = products.filter(p =>
  p.name.toLowerCase().includes(search.toLowerCase()) ||
  (p.category && p.category.toLowerCase().includes(search.toLowerCase()))
);

// — COMPONENTS —
const Nav = () => (
  <nav style={S.nav}>
    <span style={S.logo} onClick={() => setPage("home")}>🌟 Luxentia.mn</span>
    <div style={{ display:"flex", gap:2, alignItems:"center", flexWrap:"wrap" }
      {[["home", "🏠 Хүүр"], ["shop", "🛍️ Дэлгүүр"], ["gift", "🎁 Бэлэр"], ["travel",
        <button key={p} style={{ ...S.nb, ...(page===p ? S.nba : {}) }} onClick
        )]]}
      {user?.role==="admin" && <button style={{ ...S.nb, ...(page==="admin" ? S
        <button style={{ ...S.nb, position:"relative" }} onClick={() => setPage("
        🛒 {cart.length > 0 && <span style={{ position:"absolute", top:0, right:
        </button>
        {user
          ? <button style={S.sec} onClick={() => { setUser(null); setPage("home")
          : <button style={S.btn} onClick={() => { setPage("login"); setAuthMode(
            }
          </div>
        </nav>
    );

const Toast = () => notif && (
  <div style={{ position:"fixed", top:68, right:16, background:notif.type==="e"
    {notif.msg}
  </div>
);

const ProdCard = ({ p }) => (
  <div style={{ ...S.card, transition:"transform 0.18s" }} onMouseEnter={e => e
    <div style={{ fontSize:48, textAlign:"center", background:"rgba(255,255,255
    <div style={{ fontWeight:700, fontSize:13, marginBottom:2 }}>{p.name}</div>
    <div style={{ color:"#888", fontSize:11, marginBottom:9 }}>{p.category} · {
    <div style={{ display:"flex", justifyContent:"space-between", alignItems:"c
      <span style={{ fontWeight:800, fontSize:16, color:"#f093fb" }}>{p.price.t
      <button style={{ ...S.btn, padding:"6px 12px", fontSize:12 }} onClick={()
    </div>
    <div style={{ fontSize:10, color:"#555", marginTop:5 }}>Үлдэгдэл: {p.stock}
    </div>
  );

// — HOME —
const Home = () => (
  <div>

```

```

<div style={{ textAlign:"center", padding:"56px 16px 28px", background:"rad
  <div style={{ fontSize:52, marginBottom:10 }}>🌟</div>
  <h1 style={{ fontSize:38, fontWeight:900, marginBottom:10, background:"li
  <p style={{ color:"#ccc", maxWidth:440, margin:"0 auto 24px", fontSize:14
  <div style={{ display:"flex", gap:10, justifyContent:"center", flexWrap:"
    <button style={S.btn} onClick={() => setPage("shop")}>🛍️ Дэлгүүр</butt
    <button style={S.sec} onClick={() => setPage("gift")}>🎁 AI Вэлэр</butt
    <button style={S.sec} onClick={() => setPage("travel")}>✈️ Аялал</butt
  </div>
</div>
<div style={S.wrap}>
  <div style={{ background:"linear-gradient(135deg,rgba(240,147,251,0.16),r
    <div>
      <div style={{ fontSize:22, fontWeight:800, marginBottom:5 }}>🔥 Хавры
      <div style={{ color:"#ddd", fontSize:13 }}>Бүх бараанд 20% хямдрал –
    </div>
    <button style={S.btn} onClick={() => setPage("shop")}>Одоо авах →</butt
  </div>

  <div style={{ ...S.card, background:"rgba(240,147,251,0.05)", textAlign:"
    <div style={{ fontWeight:700, marginBottom:10, fontSize:14 }}>🔑 Демо н
    <div style={{ display:"flex", gap:14, justifyContent:"center", flexWrap
      <div style={{ background:"rgba(255,215,0,0.07)", padding:"9px 16px",
        <div style={{ color:"#ffd700", fontWeight:700 }}>👑 Админ</div>
        <div style={{ color:"#ddd", fontFamily:"monospace", fontSize:12 }}>
      </div>
      <div style={{ background:"rgba(67,233,123,0.07)", padding:"9px 16px",
        <div style={{ color:"#43e97b", fontWeight:700 }}>👤 Үйлчлүүлэгч</di
        <div style={{ color:"#ddd", fontFamily:"monospace", fontSize:12 }}>
      </div>
    </div>
  </div>
</div>
</div>
</div>
);

// — AUTH PAGE —
const AuthPage = () => (
  <div style={{ display:"flex", justifyContent:"center", alignItems:"center", m
    <div style={{ ...S.card, width:"100%", maxWidth:390 }}>
      <div style={{ display:"flex", gap:3, marginBottom:22, background:"rgba(25
        {[["login","Нэвтрэх"],["register","Бүртгүүлэх"],["reset","Нууц үг сэргэ
          <button key={m} style={{ flex:1, padding:"7px 2px", borderRadius:6, b
            {1}
          </button>
        </div>
      </div>
    </div>
  )
)

```

```

{authErr && <div style={S.err}>{authErr}</div>}
{authOk && <div style={S.ok}>{authOk}</div>}

{authMode=== "login" && (
  <div>
    <div style={{ marginBottom:12 }}>
      <label style={S.lbl}>Нэвтрэх нэр</label>
      <input style={S.inp} placeholder="Нэвтрэх нэр" value={loginF.userna
    </div>
    <div style={{ marginBottom:16 }}>
      <label style={S.lbl}>Нууц үг</label>
      <PwdInput val={loginF.password} onChange={v => setLoginF(f => ({ ..
    </div>
    <button style={{ ...S.btn, width:"100%", padding:"12px", fontSize:15
  </div>
)}

{authMode=== "register" && (
  <div>
    {[{ l:"Нэр", ph:"Таны нэр", k:"name" },{ l:"Нэвтрэх нэр", ph:"usernam
      <div key={k} style={{ marginBottom:12 }}>
        <label style={S.lbl}>{l}</label>
        <input style={S.inp} placeholder={ph} value={regF[k]} onChange={e
      </div>
    )]}
    <div style={{ marginBottom:12 }}><label style={S.lbl}>Нууц үг</label>
    <div style={{ marginBottom:16 }}><label style={S.lbl}>Нууц үг давтах<
    <button style={{ ...S.btn, width:"100%", padding:"12px", fontSize:15
  </div>
)}

{authMode=== "reset" && (
  <div>
    <div style={{ marginBottom:12 }}>
      <label style={S.lbl}>Нэвтрэх нэр</label>
      <input style={S.inp} placeholder="Таны нэвтрэх нэр" value={resetF.u
    </div>
    <div style={{ marginBottom:12 }}><label style={S.lbl}>Хуучин нууц үг<
    <div style={{ marginBottom:12 }}><label style={S.lbl}>Шинэ нууц үг</l
    <div style={{ marginBottom:16 }}><label style={S.lbl}>Шинэ нууц үг да
    <button style={{ ...S.btn, width:"100%", padding:"12px", fontSize:15
  </div>
)}
</div>
</div>
);

```



```
// — SHOP —
const Shop = () => (
  <div style={S.wrap}>
    <h2 style={{ fontSize:26, fontWeight:800, marginBottom:18 }}>🛍 Дэлгүүр</h2>
    <input style={{ ...S.inp, maxWidth:360, marginBottom:20, fontSize:14 }} type="text" value={inp} />
    <div style={S.grid}>{filtered.map(p => <ProdCard key={p.id} p={p} />)}</div>
    {!filtered.length && <div style={{ textAlign:"center", color:"#aaa", padding:10 }}>Хүргэлт байхгүй</div>}
  </div>
);

// — CART —
const Cart = () => (
  <div style={S.wrap}>
    <h2 style={{ fontSize:26, fontWeight:800, marginBottom:18 }}>🛒 МИНИЙ CARC</h2>
    {ordered ? (
      <div style={{ textAlign:"center", padding:80 }}>
        <div style={{ fontSize:68, marginBottom:18 }}>🎉</div>
        <h3 style={{ fontSize:24, fontWeight:800 }}>Захиалга амжилттай!</h3>
        <p style={{ color:"#aaa", marginTop:9, fontSize:14 }}>Хүргэлтийн компанй</p>
        <button style={{ ...S.btn, marginTop:20 }} onClick={() => { setOrdered(false) }}>Хүргэлт</button>
      </div>
    ) : cart.length === 0 ? (
      <div style={{ textAlign:"center", padding:80, color:"#aaa" }}>
        <div style={{ fontSize:52, marginBottom:12 }}>🛒</div>
        <div>Carc хоосон байна</div>
        <button style={{ ...S.btn, marginTop:18 }} onClick={() => setPage("shop")}>Хүргэлт</button>
      </div>
    ) : (
      <div style={{ display:"grid", gridTemplateColumns:"1fr 300px", gap:18, align:"center" }}>
        <div style={{ display:"flex", flexDirection:"column", gap:9 }}>
          {cart.map(item => (
            <div key={item.id} style={{ ...S.card, display:"flex", gap:12, align:"center" }}>
              <span style={{ fontSize:34 }}>{item.image}</span>
              <div style={{ flex:1 }}>
                <div style={{ fontWeight:700, fontSize:14 }}>{item.name}</div>
                <div style={{ color:"#888", fontSize:12 }}>{item.price.toLocaleString()}</div>
                <div style={{ fontWeight:800, color:"#f093fb", fontSize:15 }}>{item.inStock ? "Байхгүй" : "Байх"}</div>
                <div style={{ display:"flex", align:"center", gap:5 }}>
                  <span style={{ fontWeight:700, color:"#ccc", fontSize:13 }}>×</span>
                  <span style={{ color:"#f093fb", fontSize:13 }}>{item.quantity}</span>
                </div>
                <button style={{ ...S.sec, padding:"5px 9px", fontSize:12 }} onClick={() => { setQuantity(item.id, item.quantity + 1) }}>Хүргэлт</button>
              </div>
            </div>
          ))}
        <div style={{ ...S.card, position:"sticky", top:66 }}>
          <div style={{ fontWeight:700, marginBottom:12, fontSize:14 }}>Хүргэлт</div>
          {DELIVERY.map(d => (
            <div style={{ display:"flex", align:"center", gap:5, padding:5 }}>
              <div style={{ display:"flex", align:"center", gap:5"

```

```

        <div key={d.id} style={{ ...S.card, marginBottom:7, cursor:"pointer" }}>
            <div style={{ display:"flex", justifyContent:"space-between", fontWid
                <div style={{ color:"#aaa", fontSize:11, marginTop:2 }}>{d.time}<
            </div>
        </div>
    )))
    <div style={{ borderTop:"1px solid rgba(255,255,255,0.1)", marginTop:
        {[["Бараа:", cartTotal], ["Хүргэлт:", deliv?.price||0]].map(([l,v])
            <div key={l} style={{ display:"flex", justifyContent:"space-betwee
        ))}
        <div style={{ display:"flex", justifyContent:"space-between", fontW
    </div>
    {user
        ? <button style={{ ...S.btn, width:"100%", marginTop:12, padding:"1
        : <button style={{ ...S.btn, width:"100%", marginTop:12, padding:"1
    }
    </div>
</div>
))
</div>
);

// — GIFT —
const Gift = () => (
    <div style={S.wrap}>
        <h2 style={{ fontSize:26, fontWeight:800, marginBottom:6 }}><img alt="Gift icon" data-bbox="800 515 830 535"/> AI Бэлгийн С
        <p style={{ color:"#aaa", marginBottom:24, fontSize:14 }}>Мэдээлэл оруулах
        <div style={{ display:"grid", gridTemplateColumns:"1fr 1fr", gap:12, maxWid
            <div><label style={S.lbl}>Нас</label><input style={S.inp} placeholder="25
            <div><label style={S.lbl}>Хүйс</label>
                <select style={{ ...S.inp, appearance:"none" }} value={gGender} onChange
                    <option value="эрэгтэй">Эрэгтэй</option>
                    <option value="эмэгтэй">Эмэгтэй</option>
                </select>
            </div>
            <div><label style={S.lbl}>Төсөв (₮)</label><input style={S.inp} placehold
            <div><label style={S.lbl}>Сонирхол</label><input style={S.inp} placeholde
        </div>
        <button style={{ ...S.btn, padding:"12px 28px", fontSize:14 }} onClick={asy
            if (!gAge || !gBudget) return toast("Нас, төсөв оруулна уу", "e");
            setGLoad(true); setGRes(null);
            const r = await aiGift(gAge, gGender, gBudget, gInt);
            setGRes(r); setGLoad(false);
        }}}>
        {gLoad ? "<img alt='Hourglass icon'" data-bbox="205 920 230 940"/> AI бодож байна..." : "<img alt='Target icon'" data-bbox="515 920 545 940"/> AI-аас санал авах"}
    </button>
    {gRes && (
        <div style={{ marginTop:32 }}>

```

```

<h3 style={{ fontSize:18, fontWeight:700, marginBottom:16 }}>🌟 AI-н са
<div style={{ display:"flex", gap:12, flexWrap:"wrap" }}>
  {gRes.suggestions?.map((s,i) => (
    <div key={i} style={{ ...S.card, flex:"1 1 190px", background:"rgba
      <div style={{ fontSize:36, marginBottom:9 }}>{s.emoji}</div>
      <div style={{ fontWeight:800, fontSize:15, marginBottom:6 }}>{s.t
        <div style={{ color:"#ccc", fontSize:12, lineHeight:1.6 }}>{s.rea
          <button style={{ ...S.btn, marginTop:12, width:"100%", fontSize:1
        </div>
      </div>
    )}}
  </div>
</div>
  )}
</div>
);

// — TRAVEL —
const Travel = () => {
  const shown = travFilter=== "all" ? HOTELS : HOTELS.filter(h => h.type===travF
  return (
    <div style={S.wrap}>
      <h2 style={{ fontSize:26, fontWeight:800, marginBottom:6 }}>✈️ Аялал — Бу
      <p style={{ color:"#aaa", marginBottom:18, fontSize:14 }}>Монголын шилдэг
      <div style={{ display:"flex", gap:7, marginBottom:20 }}>
        {[["all", "Бүгд"], ["hotel", "Буудал 🏠"], ["camp", "Жуулчны бааз 🏕️"]].map(
          <button key={v} style={{ ...S.sec, background:travFilter===v?"rgba(24
        )}}
      </div>
    <div style={S.grid}>
      {shown.map(h => (
        <div key={h.id} style={{ ...S.card, transition:"transform 0.18s" }} o
          <div style={{ fontSize:46, textAlign:"center", background:"rgba(255
            <div style={{ fontWeight:700, fontSize:13, marginBottom:2 }}>{h.nam
              <div style={{ color:"#888", fontSize:11, marginBottom:5 }}>📍 {h.lc
                <div style={{ fontSize:12, marginBottom:9 }}>{"🌟".repeat(h.stars)}
                <div style={{ display:"flex", justifyContent:"space-between", align
                  <span style={{ fontWeight:800, color:"#f093fb", fontSize:14 }}>{h
                    <button style={{ ...S.btn, padding:"6px 12px", fontSize:12 }} onC
                  </div>
                </div>
              </div>
            )}}
          </div>
        </div>
      )}}
    </div>
    {user && bookings.length > 0 && (
      <div style={{ marginTop:36 }}>
        <h3 style={{ fontSize:18, fontWeight:700, marginBottom:14 }}>📦 Миний
        <div style={{ display:"flex", flexDirection:"column", gap:9 }}>
          {bookings.map(b => (

```

```

    <div key={b.id} style={{ ...S.card, display:"flex", gap:12, align
      <span style={{ fontSize:30 }}>{b.hotel.image}</span>
      <div style={{ flex:1 }}>
        <div style={{ fontWeight:700, fontSize:14 }}>{b.hotel.name}</div>
        <div style={{ color:"#888", fontSize:12 }}>{b.date}</div>
      </div>
      <span style={{ background:"rgba(67,233,123,0.13)", color:"#43e9
      <button style={{ background:"rgba(245,87,108,0.14)", border:"1px
    </div>
  )))
</div>
</div>
)}
{!user && (
  <div style={{ ...S.card, marginTop:28, textAlign:"center", padding:28 }
    <div style={{ fontSize:32, marginBottom:10 }}>🔒</div>
    <div style={{ fontWeight:700, marginBottom:9, fontSize:14 }}>Захиалга
    <button style={S.btn} onClick={() => setPage("login")}>Нэвтрэх</button>
  </div>
)}
</div>
);
};

// — ADMIN —
const Admin = () => (
  <div style={S.wrap}>
    <div style={{ display:"flex", gap:8, marginBottom:24, borderBottom:"1px solid
      <h2 style={{ fontSize:24, fontWeight:800, flex:1 }}>👑 Админ Панел</h2>
      {[["products", "🛍️ Бараанууд"], ["add", "➕ Нэмэх"], ["delivery", "🚚 Хүргэлт"]
        <button key={t} style={{ ...S.nb, ...(aTab===t ? S.nba : {}) }} onClick
      </div>
    </div>

    /* PRODUCTS TAB — үнэ засах функцтэй */
    {aTab==="products" && (
      <div>
        <div style={{ fontWeight:700, marginBottom:12, fontSize:14 }}>Нийт {products.length}</div>
        <div style={{ display:"flex", flexDirection:"column", gap:7 }}>
          {products.map(p => (
            <div key={p.id} style={{ ...S.card, display:"flex", gap:11, alignItems:"flex-start"
              <span style={{ fontSize:26 }}>{p.image}</span>
              <div style={{ flex:1 }}>
                <div style={{ fontWeight:700, fontSize:13 }}>{p.name}</div>
                <div style={{ color:"#888", fontSize:11 }}>{p.category} · Үлдэг
              </div>
            </div>
          ))}
        </div>
      </div>
    )}
  </div>
);

```

```

    { /* ҮНЭ ЗАСАХ */ }
    { editingProd === p.id ? (
      <div style={{ display:"flex", gap:6, alignItems:"center" }}>
        <input
          style={{ ...S.inp, width:110, padding:"6px 10px", fontSize:
            type="number"
            value={editPriceVal}
            onChange={e => setEditPriceVal(e.target.value)}
            autoFocus
          />
        <span style={{ color:"#aaa", fontSize:12 }}>₮</span>
        <button style={{ ...S.btn, padding:"6px 10px", fontSize:12 }}>
        <button style={{ ...S.sec, padding:"6px 10px", fontSize:12 }}>
      </div>
    ) : (
      <div style={{ display:"flex", gap:8, alignItems:"center" }}>
        <span style={{ fontWeight:800, color:"#f093fb", fontSize:14 }}>
        <button
          style={{ background:"rgba(240,147,251,0.15)", border:"1px solid #f093fb",
            onClick={() => startEditPrice(p)}
          >✎ Үнэ засах</button>
        <button
          style={{ background:"rgba(245,87,108,0.16)", border:"1px solid #f093fb",
            onClick={() => delProd(p.id)}
          >🗑️</button>
      </div>
    ) }
  </div>
) } }
</div>
</div>
) }

{ /* ADD TAB */ }
{ aTab === "add" && (
  <div style={{ maxWidth:460 }}>
    <div style={{ fontWeight:700, marginBottom:16, fontSize:15 }}>Шинэ бара
    { [
      { l:"Барааны нэр", k:"name", ph:"Алтан бугуйвч" },
      { l:"Үнэ (₮)", k:"price", ph:"45000", t:"number" },
      { l:"Ангилал", k:"category", ph:"Гоёл чимэглэл" },
      { l:"Брэнд", k:"brand", ph:"LuxGold" },
      { l:"Тоо хэмжээ", k:"stock", ph:"10", t:"number" },
      { l:"Емoji дүрс", k:"image", ph:"👉" },
    ].map(f => (
      <div key={f.k} style={{ marginBottom:11 }}>
        <label style={S.lbl}>{f.l}</label>

```

```

        <input
            style={S.inp}
            placeholder={f.ph}
            type={f.t||"text"}
            value={newProd[f.k]}
            onChange={e => { const v = e.target.value; setNewProd(p => ({ ...
                autoComplete="off"
            />
        </div>
    )))
    <button style={{ ...S.btn, width:"100%", padding:"12px", fontSize:14, m
</div>
}}

{/* DELIVERY TAB */}
{aTab==="delivery" && (
    <div>
        <div style={{ fontWeight:700, marginBottom:16, fontSize:15 }}>Хүргэлтий
        <div style={{ display:"flex", gap:12, flexWrap:"wrap" }}>
            {DELIVERY.map(d => (
                <div key={d.id} style={{ ...S.card, flex:"1 1 160px", textAlign:"ce
                    <div style={{ fontSize:38, marginBottom:9 }}>{d.logo}</div>
                    <div style={{ fontWeight:800, fontSize:15 }}>{d.name}</div>
                    <div style={{ color:"#aaa", fontSize:12, marginTop:5 }}><img alt="clock icon" data-bbox="808 488 828 508"/> {d.tin
                    <div style={{ color:"#f093fb", fontWeight:700, marginTop:5, fontS
                    <div style={{ marginTop:9, padding:"4px 9px", background:"rgba(67
                </div>
            )))
        </div>
    </div>
)}

{/* USERS TAB */}
{aTab==="users" && (
    <div>
        <div style={{ fontWeight:700, marginBottom:14, fontSize:15 }}>Бүртгэлтэ
        <div style={{ display:"flex", flexDirection:"column", gap:8 }}>
            {users.map(u => (
                <div key={u.id} style={{ ...S.card, display:"flex", gap:12, alignIt
                    <span style={{ fontSize:26 }}><img alt="person icon" data-bbox="560 795 580 815"/></span>
                    <div style={{ flex:1 }}>
                        <div style={{ fontWeight:700, fontSize:13 }}>{u.name}</div>
                        <div style={{ color:"#888", fontSize:11 }}>@{u.username}</div>
                    </div>
                    <span style={{ background:"rgba(67,233,123,0.1)", color:"#43e97b"
                </div>
            )))
    </div>
)}

```

```

        </div>
    </div>
)}

{/* CRED TAB */}
{aTab=== "cred" && (
    <div style={{ maxWidth:460 }}>
        <div style={{ ...S.card, background:"rgba(255,215,0,0.05)", border:"1px
            <div style={{ fontWeight:800, marginBottom:14, color:"#ffd700", fontS
            <div style={{ marginBottom:11 }}>
                <label style={S.lbl}>Нэвтрэх нэр</label>
                <div style={{ ...S.inp, background:"rgba(255,255,255,0.04)", letter
            </div>
            <div>
                <label style={S.lbl}>Нууц үг</label>
                <div style={{ display:"flex", gap:6 }}>
                    <div style={{ ...S.inp, background:"rgba(255,255,255,0.04)", flex
                        {showAdminPwd ? adminCred.password : ".".repeat(adminCred.passw
                    </div>
                    <button style={{ ...S.sec, padding:"10px 13px", flexShrink:0 }} o
                        {showAdminPwd ? "🔒" : "👁️"}
                    </button>
                </div>
            </div>
        </div>
    </div>
    <div style={S.card}>
        <div style={{ fontWeight:800, marginBottom:14, fontSize:15 }}>🔑 НЭВТ
        {credMsg.err && <div style={S.err}>{credMsg.err}</div>}
        {credMsg.ok && <div style={S.ok}>{credMsg.ok}</div>}
        <div style={{ marginBottom:11 }}>
            <label style={S.lbl}>Шинэ нэвтрэх нэр <span style={{ color:"#666" }
            <input style={S.inp} placeholder="Шинэ нэвтрэх нэр" value={editCred
        </div>
        <div style={{ marginBottom:11 }}>
            <label style={S.lbl}>Шинэ нууц үг <span style={{ color:"#666" }}>(x
            <PwdInput val={editCred.newPass} onChange={v => setEditCred(c => ({
        </div>
        <div style={{ marginBottom:16 }}>
            <label style={S.lbl}>Нууц үг давтах</label>
            <input style={S.inp} type="password" placeholder="Дахин оруулах" va
        </div>
            <button style={{ ...S.btn, width:"100%", padding:"12px", fontSize:14
        </div>
        </div>
    )}
</div>
);

```

```
return (
  <div style={S.app}>
    <style>{* { box-sizing:border-box; margin:0; padding:0; } select option {
    <Nav /><Toast />
    {page==="home" && <Home />}
    {page==="shop" && <Shop />}
    {page==="gift" && <Gift />}
    {page==="travel" && <Travel />}
    {page==="cart" && <Cart />}
    {page==="login" && <AuthPage />}
    {page==="admin" && user?.role==="admin" && <Admin />}
    <div style={{ textAlign:"center", padding:"24px 16px", color:"#3a3a5a", fon
      © 2025 Luxentia.mn · Бүх эрх хуулиар хамгаалагдсан
    </div>
  </div>
);
}
```