

Nikesh Srivastava
 COP 4710
 11/06/2012
 Project Phase 3

Recipe	
<u>RecipeID</u>	Directions

madeUpOf/areIn	
<u>RecipeID</u> (refers to RecipeID in Recipe)	<u>IngredientID</u> (refers to IngredientID in Ingredient)

Ingredient			
<u>IngredientID</u>	Name	Quantity	Weight

has/areIn	
<u>IngredientID</u> (refers to IngredientID in Ingredient)	<u>listID</u> (refers to listID in GroceryList)

GroceryList	
<u>listID</u>	Date

Food					
<u>FoodID</u>	Name	MealType	Ethnicity	Calories	<u>recipeID</u> (refers to RecipeID in Recipe)

Drink					
<u>DrinkID</u>	Name	Alcoholic?	Ethnicity	Calories	recipeID (refers to RecipeID in Recipe)

Functional Dependencies:

RecipeID -> Directions

IngredientID -> Name, Quantity

Quantity -> Weight

listID -> Date

FoodID -> Name, MealType, Ethnicity, Calories, recipeID

DrinkID -> Name, Alcoholic?, Ethnicity, Calories, recipeID

Since all the FDs (except one) have the form that they are dependent on the full primary key, this design is in 2NF.

So after converting Ingredient into 3NF, it becomes:

Ingredient		
<u>IngredientID</u>	Name	Quantity

Mass	
<u>Quantity</u>	Weight

Integrity constraints in the following tables:

madeUpOf/are:

- recipeID
- ingredientID

has/areIn:

- ingredientID
- listID

Food:
- recipeID

Drink:
- recipeID