FORMATTING INSTRUCTIONS FOR ICLR 2025 CONFERENCE SUBMISSIONS

Anonymous authors

Paper under double-blind review

ABSTRACT

The abstract paragraph should be indented 1/2 inch (3 picas) on both left and right-hand margins. Use 10 point type, with a vertical spacing of 11 points. The word ABSTRACT must be centered, in small caps, and in point size 12. Two line spaces precede the abstract. The abstract must be limited to one paragraph.

1 Submission of conference papers to ICLR 2025

ICLR requires electronic submissions, processed by https://openreview.net/. See ICLR's website for more instructions.

If your paper is ultimately accepted, the statement \iclrfinalcopy should be inserted to adjust the format to the camera ready requirements.

The format for the submissions is a variant of the NeurIPS format. Please read carefully the instructions below, and follow them faithfully.

1.1 Style

Papers to be submitted to ICLR 2025 must be prepared according to the instructions presented here.

Authors are required to use the ICLR LATEX style files obtainable at the ICLR website. Please make sure you use the current files and not previous versions. Tweaking the style files may be grounds for rejection.

1.2 Retrieval of style files

The style files for ICLR and other conference information are available online at:

The file iclr2025_conference.pdf contains these instructions and illustrates the various formatting requirements your ICLR paper must satisfy. Submissions must be made using \LaTeX and the style files iclr2025_conference.sty and iclr2025_conference.bst (to be used with \LaTeX 2 $_{\mathcal{E}}$). The file iclr2025_conference.tex may be used as a "shell" for writing your paper. All you have to do is replace the author, title, abstract, and text of the paper with your own.

The formatting instructions contained in these style files are summarized in sections 2, 3, and 4 below.

2 General formatting instructions

The text must be confined within a rectangle 5.5 inches (33 picas) wide and 9 inches (54 picas) long. The left margin is 1.5 inch (9 picas). Use 10 point type with a vertical spacing of 11 points. Times New Roman is the preferred typeface throughout. Paragraphs are separated by 1/2 line space, with no indentation.

Paper title is 17 point, in small caps and left-aligned. All pages should start at 1 inch (6 picas) from the top of the page.

Authors' names are set in boldface, and each name is placed above its corresponding address. The lead author's name is to be listed first, and the co-authors' names are set to follow. Authors sharing the same address can be on the same line.

Please pay special attention to the instructions in Section 4 regarding figures, tables, acknowledgments, and references.

There will be a strict upper limit of 10 pages for the main text of the initial submission, with unlimited additional pages for citations.

3 Headings: first level

First level headings are in small caps, flush left and in point size 12. One line space before the first level heading and 1/2 line space after the first level heading.

3.1 Headings: second level

Second level headings are in small caps, flush left and in point size 10. One line space before the second level heading and 1/2 line space after the second level heading.

3.1.1 Headings: third level

Third level headings are in small caps, flush left and in point size 10. One line space before the third level heading and 1/2 line space after the third level heading.

4 CITATIONS, FIGURES, TABLES, REFERENCES

These instructions apply to everyone, regardless of the formatter being used.

4.1 CITATIONS WITHIN THE TEXT

Citations within the text should be based on the natbib package and include the authors' last names and year (with the "et al." construct for more than two authors). When the authors or the publication are included in the sentence, the citation should not be in parenthesis using \citet{} (as in "See Hinton et al. (2006) for more information."). Otherwise, the citation should be in parenthesis using \citep{} (as in "Deep learning shows promise to make progress towards AI (Bengio and LeCun, 2007).").

The corresponding references are to be listed in alphabetical order of authors, in the REFERENCES section. As to the format of the references themselves, any style is acceptable as long as it is used consistently.

4.2 Footnotes

Indicate footnotes with a number¹ in the text. Place the footnotes at the bottom of the page on which they appear. Precede the footnote with a horizontal rule of 2 inches (12 picas).²

4.3 Figures

All artwork must be neat, clean, and legible. Lines should be dark enough for purposes of reproduction; art work should not be hand-drawn. The figure number and caption always appear after the figure. Place one line space before the figure caption, and one line space after the figure caption is lower case (except for first word and proper nouns); figures are numbered consecutively.

Make sure the figure caption does not get separated from the figure. Leave sufficient space to avoid splitting the figure and figure caption.

¹Sample of the first footnote

²Sample of the second footnote

Table	1.	Samp	le tah	le title
Taure	т.	Samp	ic iao	ic titic

NAME	DESCRIPTION	
Dendrite	Input terminal	
Axon	Output terminal	
Soma	Cell body (contains cell nucleus)	

You may use color figures. However, it is best for the figure captions and the paper body to make sense if the paper is printed either in black/white or in color.




Figure 1: Sample figure caption.

4.4 TABLES

 All tables must be centered, neat, clean and legible. Do not use hand-drawn tables. The table number and title always appear before the table. See Table 1.

Place one line space before the table title, one line space after the table title, and one line space after the table. The table title must be lower case (except for first word and proper nouns); tables are numbered consecutively.

5 Default Notation

In an attempt to encourage standardized notation, we have included the notation file from the textbook, *Deep Learning* (Goodfellow et al., 2016) available at https://github.com/goodfeli/dlbook_notation/. Use of this style is not required and can be disabled by commenting out math_commands.tex.

Numbers and Arrays

) I	a	A scalar (integer or real)
2	\boldsymbol{a}	A vector
3	$oldsymbol{A}$	A matrix
ļ. 5	Α	A tensor
6	I_n	Identity matrix with n rows and n columns
7	I	Identity matrix with dimensionality implied by context
)	$oldsymbol{e}^{(i)}$	Standard basis vector $[0,, 0, 1, 0,, 0]$ with a 1 at position
)		i
	$\mathrm{diag}(\boldsymbol{a})$	A square, diagonal matrix with diagonal entries given by \boldsymbol{a}

162	Δ.	scalar random variable		
163				
164 165	a A vector-valued random variable			
166	A Matrix-valued random variable			
167	Sets and Graphs			
168	A	A set		
169 170	\mathbb{R}	The set of real numbers		
171	$\{0,1\}$	The set containing 0 and 1		
172 173	$\{0,1,,n\}$	The set of all integers between 0 and n		
174	[a,b]	The real interval including a and b		
175	(a,b]	The real interval excluding a but including b		
176 177	· -			
178 179	$A \setminus \mathbb{B}$	Set subtraction, i.e., the set containing the elements of $\mathbb A$ that are not in $\mathbb B$		
180	$\mathcal G$	A graph		
181	$Pa_{\mathcal{G}}(\mathbf{x}_i)$	The parents of \mathbf{x}_i in $\mathcal G$		
182 183	Indexing			
184 185	a_i	Element i of vector a , with indexing starting at 1		
186	a_{-i}	All elements of vector \boldsymbol{a} except for element i		
187	$A_{i,j}$	Element i, j of matrix \boldsymbol{A}		
188 189	$oldsymbol{A}_{i,:}$	Row i of matrix \boldsymbol{A}		
190	$oldsymbol{A}_{:,i}$	Column i of matrix \boldsymbol{A}		
191 192	$\mathcal{A}_{i,j,k}$	Element (i,j,k) of a 3-D tensor ${\bf A}$		
193	$\mathbf{A}_{:,:,i}$	2-D slice of a 3-D tensor		
194 195	\mathbf{a}_i	Element i of the random vector \mathbf{a}		
196		Calculus		
197 198	dy	Derivative of y with respect to x		
199	$\frac{dx}{dx}$	D (111) (1 C) (1 C)		
200 201	$\frac{\partial y}{\partial x}$	Partial derivative of y with respect to x		
202	$\nabla_{\boldsymbol{x}} y$	Gradient of y with respect to x		
203	$\nabla_{\boldsymbol{X}} y$	Matrix derivatives of y with respect to X		
204 205	$\nabla_{\mathbf{X}} y$	Tensor containing derivatives of y with respect to X		
206	= =	Jacobian matrix $J \in \mathbb{R}^{m \times n}$ of $f : \mathbb{R}^n \to \mathbb{R}^m$		
207	$rac{\partial f}{\partial oldsymbol{x}}$			
208 209	$\nabla_{\boldsymbol{x}}^2 f(\boldsymbol{x})$ or $\boldsymbol{H}(f)(\boldsymbol{x})$	The Hessian matrix of f at input point x		
210	$\int_{S} f(x)dx$	Definite integral over the entire domain of x		
211 212	$\int dx$	Definite integral with respect to x over the set $\mathbb S$		
212	$\int_{\mathbb{S}} f(oldsymbol{x}) doldsymbol{x}$	Definite integral with respect to a over the set of		
214 215	~	Probability and Information Theory		

```
216
            P(a)
                                          A probability distribution over a discrete variable
217
                                          A probability distribution over a continuous variable, or
218
            p(\mathbf{a})
                                          over a variable whose type has not been specified
219
220
            a \sim P
                                          Random variable a has distribution P
221
            \mathbb{E}_{\mathbf{x} \sim P}[f(x)] or \mathbb{E}f(x) Expectation of f(x) with respect to P(\mathbf{x})
222
223
            Var(f(x))
                                          Variance of f(x) under P(x)
224
            Cov(f(x), g(x))
                                          Covariance of f(x) and g(x) under P(x)
225
            H(\mathbf{x})
                                          Shannon entropy of the random variable x
226
227
            D_{\mathrm{KL}}(P \parallel Q)
                                          Kullback-Leibler divergence of P and Q
228
            \mathcal{N}(\boldsymbol{x}; \boldsymbol{\mu}, \boldsymbol{\Sigma})
                                          Gaussian distribution over x with mean \mu and covariance
229
                                          \mathbf{\Sigma}
230
231
                                                                  Functions
232
            f: \mathbb{A} \to \mathbb{B}
                                          The function f with domain \mathbb{A} and range \mathbb{B}
233
234
            f \circ q
                                          Composition of the functions f and q
235
            f(\boldsymbol{x};\boldsymbol{\theta})
                                          A function of x parametrized by \theta. (Sometimes we write
236
                                          f(x) and omit the argument \theta to lighten notation)
237
238
            \log x
                                          Natural logarithm of x
239
                                          Logistic sigmoid, \frac{1}{1 + \exp(-x)}
            \sigma(x)
240
241
                                          Softplus, \log(1 + \exp(x))
            \zeta(x)
242
243
            \|x\|_p
                                          L^p norm of x
244
                                          L^2 norm of {m x}
             \|x\|
245
246
            x^{+}
                                          Positive part of x, i.e., \max(0, x)
247
                                          is 1 if the condition is true, 0 otherwise
            \mathbf{1}_{\mathrm{condition}}
248
```

6 Final instructions

249250

251252

253

254

255256

257258

259

260

261

262263

264

265

266267

268269

Do not change any aspects of the formatting parameters in the style files. In particular, do not modify the width or length of the rectangle the text should fit into, and do not change font sizes (except perhaps in the REFERENCES section; see below). Please note that pages should be numbered.

7 Preparing PostScript or PDF files

Please prepare PostScript or PDF files with paper size "US Letter", and not, for example, "A4". The -t letter option on dvips will produce US Letter files.

Consider directly generating PDF files using pdflatex (especially if you are a MiKTeX user). PDF figures must be substituted for EPS figures, however.

Otherwise, please generate your PostScript and PDF files with the following commands:

```
dvips mypaper.dvi -t letter -Ppdf -GO -o mypaper.ps
ps2pdf mypaper.ps mypaper.pdf
```

7.1 Margins in LAT_EX

5

Most of the margin problems come from figures positioned by hand using \special or other commands. We suggest using the command \includegraphics from the graphicx package. Always specify the figure width as a multiple of the line width as in the example below using .eps graphics

```
\usepackage[dvips]{graphicx} ...
\includegraphics[width=0.8\linewidth]{myfile.eps}
or

\usepackage[pdftex]{graphicx} ...
\includegraphics[width=0.8\linewidth]{myfile.pdf}
```

for .pdf graphics. See Section 4.4 in the graphics bundle documentation (http://www.ctan.org/tex-archive/macros/latex/required/graphics/grfguide.ps.

A number of width problems arise when LATEX cannot properly hyphenate a line. Please give LATEX hyphenation hints using the \- command.

AUTHOR CONTRIBUTIONS

If you'd like to, you may include a section for author contributions as is done in many journals. This is optional and at the discretion of the authors.

ACKNOWLEDGMENTS

Use unnumbered third level headings for the acknowledgments. All acknowledgments, including those to funding agencies, go at the end of the paper.

REFERENCES

Bengio, Y., and LeCun, Y. Scaling Learning Algorithms Towards AI. In *Large Scale Kernel Machines*. MIT Press, 2007.

Goodfellow, I., Bengio, Y., Courville, A., and Bengio, Y. Deep learning (Vol. 1). MIT Press, 2016.

Hinton, G. E., Osindero, S., and Teh, Y. W. A Fast Learning Algorithm for Deep Belief Nets. *Neural Computation*, *18*, 1527–1554, 2006.

A APPENDIX

You may include other additional sections here.