Combination of Different Layer Features with Varying Content and Style weights

| Content Weight (α)	Style Weight (β)	Layer Combination	Output
1e4	1e-4	'block5_conv2','block1_conv2'	

1e4	1e-4	'block5_conv2','block2_conv2'	

| 1e4 | 1e-4 | 'block5_conv2','block3_conv2' | |

1e4	1e-4	'block5_conv2','block4_conv2'	
1e4	1e-3	block5_conv2','block1_conv2	

1e4	1e-3	block5_conv2','block2_conv2	
1e4	1e-3	block5_conv2','block3_conv2	

1e4	1e-3	block5_conv2','block4_conv2	
1e4	1e-2	block5_conv2','block1_conv2	

1e4	1e-2	block5_conv2','block2_conv2	
1e4	1e-2	block5_conv2','block3_conv2	

1e4	1e-2	block5_conv2','block4_conv2	
5e3	1e-2	block5_conv2','block1_conv2	

5e3	1e-2	block5_conv2','block2_conv2	
5e3	1e-2	block5_conv2','block3_conv2	

5e3	1e-2	block5_conv2','block4_conv2	
1e3	1e-2	block5_conv2','block1_conv2	

1e3	1e-2	block5_conv2','block2_conv2	
1e3	1e-2	block5_conv2','block3_conv2	

1e3	1e-2	block5_conv2','block4_conv2	
5e2	1e-2	block5_conv2','block1_conv2	

5e2	1e-2	block5_conv2','block2_conv2	
5e2	1e-2	block5_conv2','block3_conv2	

5e2	1e-2	block5_conv2','block4_conv2	
5e2	1e-2	block5_conv2','block1_conv2	

5e2	1e-2	block5_conv2','block2_conv2	
5e2	1e-2	block5_conv2','block3_conv2	

| 5e2 | 1e-2 | block5_conv2','block4_conv2 | |