



www.ImageProcessingPlace.com

Chapter 10

Segmentation

Angle measured to x axis.













www.ImageProcessingPlace.com

Chapter 10









www.ImageProcessingPlace.com

Chapter 10








www.ImageProcessingPlace.com

Chapter 10






$$S = X \cos \Theta + Y \sin \Theta$$

$$(S, \Theta) (S, \Theta)$$




www.ImageProcessingPlace.com

Chapter 10











www.ImageProcessingPlace.com

Chapter 10

Segmentation




FIGURE 10.33

(a) Image of size 101 × 101 pixels, containing five points. (b) Corresponding parameter space. (The points in (a) were enlarged to make them easier to see.)





www.ImageProcessingPlace.com

Chapter 10









Command Win

MATLAB? Watch this Video, see Demos, or read Getting Started.

len = norm(lines(k).point1 - lines(k).point2);

if (len > max_len)

max_len = len;

xy_long = xy;
end
end

highlight the longest line segment

>>

v

% plot beginnings and ends of lines

if (len > max len)

max_len = len;

xy_long = xy;

end

end

fx >>

plot(xy(1,1),xy(1,2),'x','LineWidth',2,'Color','yellow');

plot(xy(2,1),xy(2,2),'x','LineWidth',2,'Color','red');

% determine the endpoints of the longest line segment

len = norm(lines(k).point1 - lines(k).point2);

```
Command Window
  MATLAB? Watch this Video, see Demos, or read Getting Started.
                                                                                                                 ×
     len = norm(lines(k).point1 - lines(k).point2);
     if ( len > max len)
       max len = len;
       xy_long = xy;
     end
   end
   % highlight the longest line segment
   plot(xy_long(:,1),xy_long(:,2),'LineWidth',2,'Color','cyan');
See also hough and houghpeaks.
Reference page in Help browser
   doc houghlines
   I = imread('circuit.tif');
   rotI = imrotate(I,33,'crop');
   BW = edge(rotI, 'canny');
   [H,T,R] = hough(BW);
   imshow(H,[],'XData',T,'YData',R,'InitialMagnification','fit');
   xlabel('\theta'), ylabel('\rho');
   axis on, axis normal, hold on;
   P = houghpeaks(H,5,'threshold',ceil(0.3*max(H(:))));
   x = T(P(:,2));
  y = R(P(:,1));
   plot(x,y,'s','color','white');
   % Find lines and plot them
   lines = houghlines(BW, T, R, P, 'FillGap', 5, 'MinLength', 7);
   figure, imshow(rotI), hold on
   max_len = 0;
   for k = 1:length(lines)
     xy = [lines(k).pointl; lines(k).point2];
     plot(xy(:,1),xy(:,2), 'LineWidth',2,'Color', 'green');
```


Select a file to view details

BW H I P R T ⊞ ball ✓ e ⊞im ⊞ k H len lines [max_len m radii H rotl ⊞ × **⊞** xy x * * Comm x = T(P(:,2 y = R(P(:, plot(x,y,' % Find line lines = hou figure, im max_len = (for k = 1:1 xy = [lines plot(xy(:, % plot beg plot(xy(1,) plot(xy(2, % determine len = norm if (len > max_len = 1 xy_long = x end

end

× * → □ Works


Name 4





What About Circles?







What About Circles?



Images courtesy of D. Young and Mathworks