

Business Continuity Plan

2024

Meridian Digital Solutions
Business Continuity and Disaster Recovery Team

Lead Author: Angela Torres, CBCP
Effective Date: March 15, 2024
Last Reviewed: November 30, 2024
Document Version: 3.2

Approved by: L. Thompson, Chief Information Officer
Review Cycle: Quarterly

Document Control

Version History

Version	Date	Author	Changes
1.0	2022-03-01	A. Torres	Initial BCP document creation
2.0	2023-03-15	A. Torres	Annual review - updated tier assignments, added DC-West DR
2.1	2023-06-20	A. Torres	Mid-year update - added API-Gateway to Tier 1
3.0	2024-03-15	A. Torres	Annual review - full BIA refresh, 27 apps assessed
3.1	2024-09-10	A. Torres	Quarterly update - DR test results incorporated
3.2	2024-11-30	A. Torres	Quarterly update - added DC-Central lease expiry analysis

Approval Signatures

Role	Name	Date Approved	Signature
Chief Information Officer	L. Thompson	2024-03-18	Approved (electronic)
VP Engineering	D. Chen	2024-03-17	Approved (electronic)
VP Operations	J. Patterson	2024-03-17	Approved (electronic)
CISO	R. Kim	2024-03-16	Approved (electronic)
DR Coordinator	A. Torres	2024-03-15	Approved (electronic)

1. Purpose and Scope

This Business Continuity Plan (BCP) establishes the comprehensive operational framework for maintaining, recovering, and restoring critical business operations and IT systems in the event of a major disruption affecting Meridian Digital Solutions' core IT infrastructure. The plan covers all production environments, application hosting platforms, network segments, and data storage arrays situated across the three corporate data center facilities: DC-East (Ashburn, Virginia), DC-West (The Dalles, Oregon), and DC-Central (Elk Grove Village, Illinois). The scope of this document encompasses all software systems, database instances, network gateways, and virtualization clusters that support customer-facing and internal business processes. Under Meridian Digital Solutions Policy BCP-POL-001, application owners are held accountable for ensuring that their systems possess documented recovery procedures that comply with their designated continuity tier and testing schedules. The plan aligns with ISO 22301:2019 standards for Business Continuity Management Systems (BCMS) and is subject to quarterly audits by the Risk and Compliance Committee. The primary objective is to minimize business downtime, mitigate regulatory and compliance exposure, and ensure a resilient posture in the face of natural disasters, security breaches, utility failures, or vendor insolvencies. This document details roles, escalation protocols, and recovery strategies for each tier, ensuring that IT operations can be maintained or rapidly restored to protect organizational assets, maintain customer trust, and ensure regulatory compliance under extreme operational constraints.

2. Business Impact Analysis

The Business Impact Analysis (BIA) serves as the analytical foundation of the Meridian Business Continuity Plan. By evaluating the financial, operational, regulatory, and reputational consequences of system downtime, the BIA establishes objective recovery objectives for each enterprise application. The most recent comprehensive BIA refresh was completed in Q1 2024 by the Business Continuity and Disaster Recovery (BCDR) team, assessing 27 core applications across all business units. In Q4 2024, the application portfolio catalog was expanded to include 35 applications (APP-001 through APP-035). System criticality tiering is determined using a formal multi-variable scoring model that considers factors such as direct hourly revenue loss, customer-facing service level agreements (SLAs), regulatory reporting mandates (including PCI-DSS and HIPAA requirements), operational dependencies, and the total user population affected. Applications are categorized into three distinct continuity tiers: Tier 1 (Mission-Critical), Tier 2 (Business-Essential), and Tier 3 (Standard Operations), each with corresponding Recovery Time Objective (RTO) and Recovery Point Objective (RPO) targets. The BIA is updated annually or upon major architectural changes to ensure that recovery strategies remain aligned with shifting business priorities, technical dependencies, and the evolving threat landscape across our three active data center facilities.

2.1 Tier Definitions

Tier	Classification	RTO	RPO	Recovery Method
Tier 1	Mission Critical	<= 1 hour	<= 15 min	Active-Active / Hot Standby (DC-West + AWS)
Tier 2	High Priority	<= 4 hours	<= 1 hour	Warm Standby / Auto-Failover (DC-West)
Tier 3	Standard Ops	<= 24 hours	<= 4 hours	Cold Standby / Backup Restore

2.2 Tier 1 - Mission Critical Applications (RTO: 1hr, RPO: 15min)

App ID	Name	BU	Users	Impact Justification
APP-001	ERP-Core	Finance, Ops	3200	Processes \$2.4M daily transactions. Downtime causes immediate revenue loss.
APP-002	CRM-Enterprise	Sales	2800	Sales pipeline mgmt; customer-facing. Revenue impact \$50K/hour.
APP-005	FinanceHub	Finance	950	GL and financial reporting. Regulatory reporting deadlines at risk.
APP-008	Email-Exchange	All	4500	Enterprise email. Productivity loss across all business units.
APP-011	InventoryMgmt	Operations	1200	Real-time inventory tracking. Supply chain disruption risk.
APP-014	E-Commerce-Platform	Sales	External	Customer storefront. Direct revenue loss \$85K/hour.
APP-018	API-Gateway	Engineering	1500	Central API routing. Cascading failures affect 12 integrations.
APP-020	SecuritySIEM	Security	450	Threat detection and response. Regulatory logging requirement.

2.3 Tier 2 - High Priority Applications (RTO: 4hr, RPO: 1hr)

App ID	Name	BU	Users	Impact Justification
APP-003	HR-Portal	HR	1800	Employee self-service. Payroll dependency during processing windows.
APP-004	DevOps-Pipeline	Engineering	350	CI/CD orchestration. Engineering productivity impact.
APP-006	DataWarehouse	Operations	600	BI data source. Reporting delays affect decision-making.
APP-009	SharePoint-Intranet	All	4200	Document collaboration. Moderate productivity loss.
APP-012	PayrollEngine	Finance/HR	800	Payroll processing. Critical during bi-weekly pay cycles.
APP-015	BI-Analytics	Operations	550	Dashboards and reporting. Business decision delays.
APP-016	IT-ServiceDesk	IT	500	ITSM ticketing. IT support degradation across company.
APP-021	VPN-Gateway	IT	2500	Remote access. Affects all remote and hybrid workers.
APP-023	LDAP-Directory	IT	All	Authentication services. Cascading auth failures across apps.
APP-027	SupplyChainPro	Operations	420	Supply chain planning. Procurement delays if unavailable.

2.4 Tier 3 - Standard Operations (RTO: 24hr, RPO: 4hr)

App ID	Name	BU	Users	Impact Justification
APP-007	CI-CD-Pipeline	Engineering	250	Build automation. Can use local dev environments as fallback.
APP-010	CustomerPortal	Sales	External	Self-service portal. Phone support available as backup.
APP-013	TravelBooking	HR	200	Travel mgmt. Manual booking process available as workaround.
APP-017	LegalDocs	Legal	75	Document mgmt. Low frequency of use, minimal daily impact.
APP-019	ComplianceTracker	Legal	120	Audit trail. Monthly reporting cycles provide time buffer.
APP-022	DNS-Primary	IT	All	DNS infrastructure. Secondary DNS provides automatic failover.
APP-024	FileServer-Central	All	350	Shared drives. Cloud alternatives (OneDrive) available.
APP-025	BackupManager	IT	50	Backup orchestration. Delayed backups tolerable for 24hr.
APP-026	MonitoringDashboard	IT	80	Infrastructure monitoring. CLI tools available as fallback.

Note: Applications APP-028 through APP-035 are pending BIA assessment.

These eight applications (MarketingAutomation, Salesforce-Integration, MobileApp-Backend, DocumentMgmt, VideoConference, ProjectTracker, QA-TestSuite, LogAggregator) were onboarded or reclassified after the Q1 2024 BIA cycle. They are scheduled for assessment in the Q1 2025 BIA review. Until tier assignments are finalized, these applications operate under default Tier 3 recovery procedures as an interim measure.

Of particular concern is APP-029 (Salesforce-Integration) which has experienced two P1 incidents (INC-2024-0423 and INC-2024-0445) in 2024, suggesting it may warrant Tier 1 or Tier 2 classification.

3. Recovery Strategy

3.1 Tier 1 Recovery Procedure

Recovery Architecture: Active-Active with DC-West hot standby and AWS DR (us-west-2)

Step 1: Incident Declaration (T+0 to T+5 min)

- NOC or application owner declares incident with severity classification
- PagerDuty escalation triggers DR Coordinator notification
- Automated health checks begin on DR site infrastructure

Step 2: BCP Activation Decision (T+5 to T+15 min)

- DR Coordinator assesses impact and makes activation decision
- CIO and VP Engineering notified via SMS and Teams
- War room bridge established (Teams channel: #bcp-activation)

Step 3: Failover Execution (T+15 to T+45 min)

- Active-active failover initiated to DC-West or AWS DR
- Cloudflare DNS failover triggered for external services (TTL: 60s)
- Database replication lag verified (target: < 15 minutes)
- Load balancer health checks confirm backend availability

Step 4: Validation and Communication (T+45 to T+60 min)

- Application health checks validated against runbook checklists
- Business stakeholders notified via StatusPage update
- Monitoring thresholds adjusted for DR operation
- User acceptance confirmation from application owner

Step 5: Post-Recovery (T+24 hr)

- Post-incident review initiated within 24 hours
- Root cause analysis documented in incident management system
- BCP plan updates identified and scheduled

3.2 Tier 2 Recovery Procedure

Recovery Architecture: Warm Standby at DC-West with automated failover

1. Incident classified and escalated to application support team
2. Warm standby infrastructure at DC-West activated (pre-provisioned VMs)
3. Most recent data synchronization checkpoint validated (target: <= 1 hour)
4. Application services started and connectivity verified
5. User acceptance testing with business representative before traffic cutover
6. Monitoring thresholds adjusted for DR operation mode
7. Failback planning initiated once primary site is restored

3.3 Tier 3 Recovery Procedure

Recovery Architecture: Cold Standby with backup restoration

1. Incident logged and recovery scheduled within 24-hour window
2. Backup restoration initiated from most recent verified backup
3. Cold standby infrastructure provisioned at DC-West or DC-Central

- 4. Application configuration and data restored from backup media
- 5. Functional validation completed by application owner
- 6. Service restored and users notified

3.4 Failover Sites and Capacity

Primary Site	Failover Site	Capacity	Network Path	Sync Method
DC-East	DC-West	100% Tier 1	MPLS + Internet	Synchronous replication (< 5ms)
DC-East	AWS us-west-2	Burst Tier 1	IPsec VPN	Async replication (< 15 min RPO)
DC-West	DC-East	100% Tier 2	MPLS + Internet	Async replication (< 1 hr RPO)
DC-Central	DC-East	50% Tier 2/3	MPLS	Daily backup sync
DC-Central	DC-West	50% Tier 3	MPLS	Daily backup sync

4. Disaster Recovery Test Results

Full-scale DR tests are conducted annually with tabletop exercises performed semi-annually. The most recent full DR test was completed October 15-26, 2024. The following table summarizes results for all Tier 1 and Tier 2 applications.

Application	Test Date	Result	RTO Tgt	RTO Actual	RPO Tgt	Notes
ERP-Core	2024-10-15	Pass	1 hr	42 min	15 min	Full failover to DC-West verified
CRM-Enterprise	2024-10-15	Pass	1 hr	38 min	15 min	Active-active tested successfully
FinanceHub	2024-10-16	Pass	1 hr	55 min	15 min	Near RTO limit - investigate
Email-Exchange	2024-10-16	Partial	1 hr	1 hr 12m	15 min	RTO exceeded - DAG failover issue
InventoryMgmt	2024-10-17	Pass	1 hr	35 min	15 min	Smooth failover
E-Commerce	2024-10-17	Pass	1 hr	48 min	15 min	CDN cutover needed manual step
API-Gateway	2024-10-18	Pass	1 hr	22 min	15 min	Fastest recovery observed
SecuritySIEM	2024-10-18	Pass	1 hr	51 min	15 min	Log backfill took addl 30 min
HR-Portal	2024-10-22	Pass	4 hr	2 hr 15m	1 hr	
DevOps-Pipeline	2024-10-22	Pass	4 hr	1 hr 45m	1 hr	Runners auto-registered
DataWarehouse	2024-10-23	Partial	4 hr	5 hr 30m	1 hr	Large dataset exceeded RTO
SharePoint	2024-10-23	Pass	4 hr	3 hr 10m	1 hr	
PayrollEngine	2024-10-24	Pass	4 hr	2 hr 40m	1 hr	
BI-Analytics	2024-10-24	Pass	4 hr	3 hr 50m	1 hr	Cache rebuild post-failover
IT-ServiceDesk	2024-10-25	Pass	4 hr	1 hr 20m	1 hr	
VPN-Gateway	2024-10-25	Pass	4 hr	45 min	1 hr	
LDAP-Directory	2024-10-25	Pass	4 hr	1 hr 5m	1 hr	Multi-master replication OK
SupplyChainPro	2024-10-26	Fail	4 hr	N/A	1 hr	SRV-W-033 decomm - test env invalid

Summary: 14 Pass, 2 Partial, 1 Fail, 1 Not Tested

Pass rate (excluding SupplyChainPro): 82.4% (target: 95%)

Action items:

- Email-Exchange: Investigate DAG failover timing; target fix before Q1 2025 test
- DataWarehouse: Evaluate incremental restore strategy for large datasets
- SupplyChainPro: Update DR test environment with correct server (SRV-W-034 replacing SRV-W-033)

5. Communication and Escalation Plan

The communication plan defines notification procedures and escalation paths for BCP activation events. All contacts are maintained in PagerDuty and updated quarterly.

Escalation Matrix by Tier:

Tier 1 Event (within 15 minutes):

- CIO: L. Thompson (ext. 4001, mobile: 703-555-0101)
- VP Engineering: D. Chen (ext. 4102, mobile: 703-555-0102)
- VP Operations: J. Patterson (ext. 4201, mobile: 703-555-0201)
- CISO: R. Kim (ext. 4310, mobile: 703-555-0310)
- DR Coordinator: A. Torres (ext. 4501, mobile: 703-555-0501)

Tier 2 Event (within 1 hour):

- Director of IT Operations: D. Chen (ext. 4102)
- Affected business unit VP
- Application owner(s)
- Network Lead: T. Hartley (ext. 4205)

Tier 3 Event (within 4 hours):

- IT Operations Manager
- Application owner
- On-call infrastructure engineer

Communication Channels:

Primary: PagerDuty automated escalation (SMS + phone)

Secondary: Microsoft Teams - #bcp-activation channel

Tertiary: SMS notification to key stakeholders (Twilio integration)

External: StatusPage.io for customer-facing service status

Media: Corporate communications team (if required by CIO)

Notification Templates:

Template A (Internal): 'BCP ACTIVATION: [Tier] event affecting [Application]. War room: [Teams link]. ETA to recovery: [Time].'

Template B (External): 'We are currently experiencing an issue affecting [Service]. Our team is actively working on resolution. Updates will be provided every 30 minutes.'

Template C (Resolution): 'The incident affecting [Service] has been resolved. Normal operations have been restored as of [Time].'

6. Dependencies and Critical Vendors

The following table identifies critical third-party vendor dependencies that could impact business continuity. Each vendor has been assessed for single points of failure and alternative sourcing options.

Vendor	Service	Tier Impact	SLA	Failover Plan
Cloudflare	CDN and DNS	Tier 1	99.99%	Secondary DNS with Route 53; CDN fallback to origin
AWS	DR Infrastructure	Tier 1	99.95%	Multi-AZ deployment in us-west-2
Meridian Telecom	MPLS WAN	Tier 1-2	99.95%	Internet VPN backup with automatic failover
QTS Data Centers	DC-East Colo	Tier 1	99.999%	Generator backup; DC-West as hot standby
Flexential	DC-West Colo	Tier 1-2	99.99%	DC-East primary; AWS burst capacity
TierPoint	DC-Central Colo	Tier 2-3	99.95%	Workload migration to DC-East/DC-West
CrowdStrike	Endpoint Security	Tier 1	99.9%	Windows Defender fallback with reduced coverage
ServiceNow	ITSM Platform	Tier 2	99.8%	Email-based ticket submission as fallback
Okta	SSO/MFA	Tier 1-2	99.99%	Local AD auth fallback (degraded MFA)
Palo Alto	Firewall	Tier 1	99.99%	HA pair per site; Fortinet as secondary
VMware	Virtualization	All	N/A	On-prem - no external SLA dependency
Splunk	SIEM/Logging	Tier 1	99.5%	Local log retention (7 days) as buffer

7. Training and Awareness

All IT staff are required to complete BCP awareness training annually. The following training activities are conducted:

Annual Training:

- BCP overview and responsibilities (all IT staff, Q1 each year)
- DR procedure walkthrough (infrastructure and application teams, Q1)
- Incident command system training (DR coordinators and team leads, Q1)

Semi-Annual Activities:

- Tabletop exercise simulating Tier 1 event (Q2 and Q4)
- Communication plan drill (Q2 and Q4)

Annual Activities:

- Full-scale DR test (October - see Section 4 for results)
- Third-party DR audit assessment

2024 Training Completion:

- Q1 BCP training: 100% completion (42/42 IT staff)
- Q2 tabletop exercise: 95% participation (40/42)
- Q4 tabletop exercise: Scheduled for December 18, 2024
- October DR test: Completed (see Section 4)

8. Plan Maintenance Schedule

The BCP is maintained on a continuous improvement cycle with the following schedule:

Quarterly (January, April, July, October):

- Review and update contact information
- Incorporate lessons learned from incidents and DR tests
- Update tier assignments for new or changed applications
- Validate DR site capacity and readiness

Annually (Q1):

- Full Business Impact Analysis refresh
- Recovery strategy review and update
- Vendor dependency assessment
- Plan approval by CIO and executive leadership

Trigger-Based Updates:

- After any BCP activation event
- After any failed DR test
- After significant infrastructure changes (e.g., data center consolidation)
- After acquisition or merger activity

Next Scheduled Activities:

- Q1 2025 BIA refresh: January 13-24, 2025
- Q1 2025 plan update: February 2025
- APP-028 to APP-035 tier assessment: January 2025
- DC-Central lease expiry analysis: Ongoing (lease expires June 2025)

9. Disaster Recovery Test Scenarios

To ensure BCDR readiness, the BCDR team maintains five detailed recovery scenarios simulating various infrastructure and system failures. These scenarios are used during our tabletop exercises and annual full-scale recovery tests.

9.1 Scenario 1: DC-East Utility Power Outage

- Simulation Description: Sudden loss of utility power feeds from Dominion Energy at the Ashburn facility. Caterpillar generator fails to start within the 10-second threshold due to starter battery degradation, resulting in complete depletion of Eaton UPS battery reserves after 15 minutes.

- Recovery Procedure: Declare Tier 1 disaster event. Initiate failover of APP-001 (ERP-Core) and APP-002 (CRM-Enterprise) database replication to DC-West replicas. Redirect DNS records via Route 53 to point front-end traffic to DC-West web and API gateways. Restore backup configurations for supporting systems from AWS S3 storage targets. Trigger PagerDuty alerts to the Infrastructure Ops and Database Admin teams.

9.2 Scenario 2: Primary WAN Fiber Cut in Ashburn Corridor

- Simulation Description: Major civil engineering contractor accidentally severs Zayo and Lumen fiber conduits along Filigree Court, interrupting all direct high-speed WAN connections between DC-East and the other sites.

- Recovery Procedure: Network routers automatically failover WAN traffic to the secondary Crown Castle IPsec VPN circuits over the public Internet. Verify that bandwidth throttling rules are applied on non-essential traffic to prevent saturation of the 2 Gbps VPN backup link. Monitor packet loss and replication queues for SQL Server replication traffic.

9.3 Scenario 3: Database Corruption on ERP-Core

- Simulation Description: Logical corruption propagates through the primary PostgreSQL database cluster for ERP-Core (APP-001) due to an application-level bug, replicating the corruption to DC-West and cloud read-replicas before it is detected.

- Recovery Procedure: Immediately isolate PostgreSQL cluster to prevent further corruption write traffic. Locate the latest clean backup in the NetApp array. Perform Point-in-Time Recovery (PITR) to restore the database to the state exactly 1 minute prior to the corruption event. Run application consistency checks and coordinate with application developers to verify data integrity before opening user access.

9.4 Scenario 4: Ransomware Attack affecting Production Windows Servers

- Simulation Description: Malware infects several Active Directory-joined Windows Server hosts in DC-Central, encrypting storage volumes and disabling local administrative access.

- Recovery Procedure: Declare critical security incident. Isolate affected network zones (VLAN 301, 302, 303) at the firewall level. Suspend Active Directory sync processes to prevent propagation of compromised credentials. Initiate deployment of clean server OS images from PXE boot. Rebuild affected services and restore application files from historical write-once-read-many (WORM) backup repositories.

9.5 Scenario 5: AWS Cloud Storage Regional Outage

- Simulation Description: Major AWS regional outage in us-west-2 disables S3 API endpoints and disrupts automated DR backup jobs and replication targets.

- Recovery Procedure: Direct backup jobs to the secondary repository situated in us-east-1. Verify that local backup copies on NetApp storage arrays remain accessible and valid. Monitor the AWS Health Dashboard for service restoration status and notify business stakeholders of degraded BCP redundancy during the AWS outage period.

Appendix: RTO/RPO Compliance History

The following table shows quarterly DR test compliance rates for the past two years:

Quarter	Apps Tested	Pass	Partial	Fail	Pass Rate	Avg RTO Achieved
Q1 2023	14	12	2	0	86%	58% of RTO target
Q2 2023	16	14	1	1	88%	62% of RTO target
Q3 2023	16	14	2	0	88%	55% of RTO target
Q4 2023	17	15	1	1	88%	60% of RTO target
Q1 2024	18	16	1	1	89%	57% of RTO target
Q2 2024	18	15	2	1	83%	65% of RTO target
Q3 2024	18	16	1	1	89%	52% of RTO target
Q4 2024	18	14	2	2	78%	59% of RTO target

Trend: Q4 2024 pass rate of 78% is below the 90% organizational target. Contributing factors include the SupplyChainPro test failure (stale DR configuration referencing decommissioned SRV-W-033) and the DataWarehouse RTO exceedance (large dataset restore). Corrective actions are documented in Section 4.

Appendix B: 2024 DR Test History & Latency Metrics

The following table presents the detailed logging of disaster recovery failover exercises conducted in 2024. This data represents individual application testing logs used to verify compliance with SLA recovery objectives.

App ID	Application Name	Test Date	Test Type	Target RTO	Actual RTO	RPO Status
APP-001	ERP-Core	2024-11-05	Failover	4hr	2.1hr	Compliant
APP-002	CRM-Enterprise	2024-10-12	Failover	4hr	2.1hr	Compliant
APP-003	HR-Portal	2024-11-05	Tabletop	12hr	5.4hr	Compliant
APP-004	DevOps-Pipeline	2024-10-12	Failover	12hr	5.4hr	Compliant
APP-005	FinanceHub	2024-11-05	Failover	4hr	2.1hr	Compliant
APP-006	DataWarehouse	2024-10-12	Tabletop	12hr	15.2hr (Exceeded)	Data Volume
APP-007	CI-CD-Pipeline	2024-11-05	Failover	24hr	11.2hr	Compliant
APP-008	Email-Exchange	2024-10-12	Failover	4hr	2.1hr	Compliant
APP-009	SharePoint-Intranet	2024-11-05	Tabletop	12hr	5.4hr	Compliant
APP-010	CustomerPortal	2024-10-12	Failover	24hr	11.2hr	Compliant
APP-011	InventoryMgmt	2024-11-05	Failover	4hr	2.1hr	Compliant
APP-012	PayrollEngine	2024-10-12	Tabletop	12hr	5.4hr	Compliant
APP-013	TravelBooking	2024-11-05	Failover	24hr	11.2hr	Compliant
APP-014	E-Commerce-Platform	2024-10-12	Failover	4hr	2.1hr	Compliant
APP-015	BI-Analytics	2024-11-05	Tabletop	12hr	5.4hr	Compliant
APP-016	IT-ServiceDesk	2024-10-12	Failover	12hr	5.4hr	Compliant
APP-017	LegalDocs	2024-11-05	Failover	24hr	11.2hr	Compliant
APP-018	API-Gateway	2024-10-12	Tabletop	4hr	2.1hr	Compliant
APP-019	ComplianceTracker	2024-11-05	Failover	24hr	11.2hr	Compliant
APP-020	SecuritySIEM	2024-10-12	Failover	4hr	2.1hr	Compliant
APP-021	VPN-Gateway	2024-11-05	Tabletop	12hr	5.4hr	Compliant
APP-022	DNS-Primary	2024-10-12	Failover	24hr	11.2hr	Compliant
APP-023	LDAP-Directory	2024-11-05	Failover	12hr	5.4hr	Compliant
APP-024	FileServer-Central	2024-10-12	Tabletop	24hr	11.2hr	Compliant
APP-025	BackupManager	2024-11-05	Failover	24hr	11.2hr	Compliant
APP-026	MonitoringDashboard	2024-10-12	Failover	24hr	11.2hr	Compliant
APP-027	SupplyChainPro	2024-11-05	Tabletop	12hr	14.5hr (Failed)	Stale Config
APP-028	MarketingAutomation	2024-10-12	Failover	24hr	18.3hr (Delayed)	Non-Compliant
APP-029	SalesForce-Integration	2024-11-05	Failover	24hr	18.3hr (Delayed)	Non-Compliant
APP-030	MobileApp-Backend	2024-10-12	Tabletop	24hr	18.3hr (Delayed)	Non-Compliant
APP-031	DocumentMgmt	2024-11-05	Failover	24hr	18.3hr (Delayed)	Non-Compliant
APP-032	VideoConference	2024-10-12	Failover	24hr	18.3hr (Delayed)	Non-Compliant
APP-033	ProjectTracker	2024-11-05	Tabletop	24hr	18.3hr (Delayed)	Non-Compliant
APP-034	QA-TestSuite	2024-10-12	Failover	24hr	18.3hr (Delayed)	Non-Compliant
APP-035	LogAggregator	2024-11-05	Failover	24hr	18.3hr (Delayed)	Non-Compliant
APP-036	Microservice-036	2024-10-12	Tabletop	24hr	18.3hr (Delayed)	Non-Compliant
APP-037	Microservice-037	2024-11-05	Failover	24hr	18.3hr (Delayed)	Non-Compliant
APP-038	Microservice-038	2024-10-12	Failover	24hr	18.3hr (Delayed)	Non-Compliant
APP-039	Microservice-039	2024-11-05	Tabletop	24hr	18.3hr (Delayed)	Non-Compliant
APP-040	Microservice-040	2024-10-12	Failover	24hr	18.3hr (Delayed)	Non-Compliant

APP-041	Microservice-041	2024-11-05	Failover	24hr	18.3hr (Delayed)	Non-Compliant
APP-042	Microservice-042	2024-10-12	Tabletop	24hr	18.3hr (Delayed)	Non-Compliant
APP-043	Microservice-043	2024-11-05	Failover	24hr	18.3hr (Delayed)	Non-Compliant
APP-044	Microservice-044	2024-10-12	Failover	24hr	18.3hr (Delayed)	Non-Compliant
APP-045	Microservice-045	2024-11-05	Tabletop	24hr	18.3hr (Delayed)	Non-Compliant
APP-046	Microservice-046	2024-10-12	Failover	24hr	18.3hr (Delayed)	Non-Compliant
APP-047	Microservice-047	2024-11-05	Failover	24hr	18.3hr (Delayed)	Non-Compliant
APP-048	Microservice-048	2024-10-12	Tabletop	24hr	18.3hr (Delayed)	Non-Compliant
APP-049	Microservice-049	2024-11-05	Failover	24hr	18.3hr (Delayed)	Non-Compliant
APP-050	Microservice-050	2024-10-12	Failover	24hr	18.3hr (Delayed)	Non-Compliant
APP-051	Microservice-051	2024-11-05	Tabletop	24hr	18.3hr (Delayed)	Non-Compliant
APP-052	Microservice-052	2024-10-12	Failover	24hr	18.3hr (Delayed)	Non-Compliant
APP-053	Microservice-053	2024-11-05	Failover	24hr	18.3hr (Delayed)	Non-Compliant
APP-054	Microservice-054	2024-10-12	Tabletop	24hr	18.3hr (Delayed)	Non-Compliant
APP-055	Microservice-055	2024-11-05	Failover	24hr	18.3hr (Delayed)	Non-Compliant
APP-056	Microservice-056	2024-10-12	Failover	24hr	18.3hr (Delayed)	Non-Compliant
APP-057	Microservice-057	2024-11-05	Tabletop	24hr	18.3hr (Delayed)	Non-Compliant
APP-058	Microservice-058	2024-10-12	Failover	24hr	18.3hr (Delayed)	Non-Compliant
APP-059	Microservice-059	2024-11-05	Failover	24hr	18.3hr (Delayed)	Non-Compliant
APP-060	Microservice-060	2024-10-12	Tabletop	24hr	18.3hr (Delayed)	Non-Compliant
APP-061	Microservice-061	2024-11-05	Failover	24hr	18.3hr (Delayed)	Non-Compliant
APP-062	Microservice-062	2024-10-12	Failover	24hr	18.3hr (Delayed)	Non-Compliant
APP-063	Microservice-063	2024-11-05	Tabletop	24hr	18.3hr (Delayed)	Non-Compliant
APP-064	Microservice-064	2024-10-12	Failover	24hr	18.3hr (Delayed)	Non-Compliant
APP-065	Microservice-065	2024-11-05	Failover	24hr	18.3hr (Delayed)	Non-Compliant
APP-066	Microservice-066	2024-10-12	Tabletop	24hr	18.3hr (Delayed)	Non-Compliant
APP-067	Microservice-067	2024-11-05	Failover	24hr	18.3hr (Delayed)	Non-Compliant
APP-068	Microservice-068	2024-10-12	Failover	24hr	18.3hr (Delayed)	Non-Compliant
APP-069	Microservice-069	2024-11-05	Tabletop	24hr	18.3hr (Delayed)	Non-Compliant
APP-070	Microservice-070	2024-10-12	Failover	24hr	18.3hr (Delayed)	Non-Compliant
APP-071	Microservice-071	2024-11-05	Failover	24hr	18.3hr (Delayed)	Non-Compliant
APP-072	Microservice-072	2024-10-12	Tabletop	24hr	18.3hr (Delayed)	Non-Compliant
APP-073	Microservice-073	2024-11-05	Failover	24hr	18.3hr (Delayed)	Non-Compliant
APP-074	Microservice-074	2024-10-12	Failover	24hr	18.3hr (Delayed)	Non-Compliant
APP-075	Microservice-075	2024-11-05	Tabletop	24hr	18.3hr (Delayed)	Non-Compliant
APP-076	Microservice-076	2024-10-12	Failover	24hr	18.3hr (Delayed)	Non-Compliant
APP-077	Microservice-077	2024-11-05	Failover	24hr	18.3hr (Delayed)	Non-Compliant
APP-078	Microservice-078	2024-10-12	Tabletop	24hr	18.3hr (Delayed)	Non-Compliant
APP-079	Microservice-079	2024-11-05	Failover	24hr	18.3hr (Delayed)	Non-Compliant
APP-080	Microservice-080	2024-10-12	Failover	24hr	18.3hr (Delayed)	Non-Compliant

Appendix C: Detailed Recovery Procedures by Application

The following section details the specific recovery procedure, failover site host, remediation technician, and verify status for each of the active enterprise applications (APP-001 through APP-080).

App ID	Recovery Host	Backup Schedule	Verification Command	Primary Owner	Status
APP-001	srv-w-002.dc-west	Daily full	curl -sf https://erp-core.meridian/health	A. Torres	Verified
APP-002	srv-w-003.dc-west	Daily full	curl -sf https://crm-enterprise.meridian/health	T. Hartley	Verified
APP-003	srv-w-004.dc-west	Hourly incremental	curl -sf https://hr-portal.meridian/health	J. Patterson	Verified
APP-004	srv-w-005.dc-west	Daily full	curl -sf https://devops-pipeline.meridian/health	J. Patterson	Verified
APP-005	srv-w-006.dc-west	Daily full	curl -sf https://financehub.meridian/health	A. Torres	Verified
APP-006	srv-w-007.dc-west	Hourly incremental	curl -sf https://datawarehouse.meridian/health	J. Patterson	Verified
APP-007	srv-w-008.dc-west	Daily full	curl -sf https://ci-cd-pipeline.meridian/health	J. Patterson	Verified
APP-008	srv-w-009.dc-west	Daily full	curl -sf https://email-exchange.meridian/health	J. Patterson	Verified
APP-009	srv-w-010.dc-west	Hourly incremental	curl -sf https://sharepoint-intranet.meridian/health	M. Santos	Verified
APP-010	srv-w-011.dc-west	Daily full	curl -sf https://customerportal.meridian/health	A. Torres	Verified
APP-011	srv-w-012.dc-west	Daily full	curl -sf https://inventorymgmt.meridian/health	T. Hartley	Verified
APP-012	srv-w-013.dc-west	Hourly incremental	curl -sf https://payrolengine.meridian/health	T. Hartley	Pending
APP-013	srv-w-014.dc-west	Daily full	curl -sf https://travelbooking.meridian/health	L. Thompson	Verified
APP-014	srv-w-015.dc-west	Daily full	curl -sf https://e-commerce-platform.meridian/health	A. Torres	Verified
APP-015	srv-w-016.dc-west	Hourly incremental	curl -sf https://bi-analytics.meridian/health	D. Chen	Verified
APP-016	srv-w-017.dc-west	Daily full	curl -sf https://it-servicedesk.meridian/health	T. Hartley	Verified
APP-017	srv-w-018.dc-west	Daily full	curl -sf https://legaldocs.meridian/health	D. Chen	Verified
APP-018	srv-w-019.dc-west	Hourly incremental	curl -sf https://api-gateway.meridian/health	A. Torres	Verified
APP-019	srv-w-020.dc-west	Daily full	curl -sf https://compliancetracker.meridian/health	J. Patterson	Verified
APP-020	srv-w-021.dc-west	Daily full	curl -sf https://securitysiem.meridian/health	J. Patterson	Verified
APP-021	srv-w-022.dc-west	Hourly incremental	curl -sf https://vpn-gateway.meridian/health	R. Kim	Verified
APP-022	srv-w-023.dc-west	Daily full	curl -sf https://dns-primary.meridian/health	D. Chen	Verified
APP-023	srv-w-024.dc-west	Daily full	curl -sf https://ldap-directory.meridian/health	T. Hartley	Verified
APP-024	srv-w-025.dc-west	Hourly incremental	curl -sf https://filesserver-central.meridian/health	R. Kim	Pending
APP-025	srv-w-026.dc-west	Daily full	curl -sf https://backupmanager.meridian/health	L. Thompson	Verified
APP-026	srv-w-027.dc-west	Daily full	curl -sf https://monitoringdashboard.meridian/health	T. Hartley	Verified
APP-027	srv-w-028.dc-west	Hourly incremental	curl -sf https://supplychainpro.meridian/health	J. Patterson	Verified
APP-028	srv-w-029.dc-west	Daily full	curl -sf https://marketingautomation.meridian/health	R. Kim	Verified
APP-029	srv-w-030.dc-west	Daily full	curl -sf https://salesforce-integration.meridian/health	L. Thompson	Verified
APP-030	srv-w-031.dc-west	Hourly incremental	curl -sf https://mobileapp-backend.meridian/health	T. Hartley	Verified
APP-031	srv-w-032.dc-west	Daily full	curl -sf https://documentmgmt.meridian/health	J. Patterson	Verified
APP-032	srv-w-033.dc-west	Daily full	curl -sf https://videoconference.meridian/health	J. Patterson	Verified
APP-033	srv-w-034.dc-west	Hourly incremental	curl -sf https://projecttracker.meridian/health	R. Kim	Verified
APP-034	srv-w-035.dc-west	Daily full	curl -sf https://qa-testsuite.meridian/health	J. Patterson	Verified
APP-035	srv-w-036.dc-west	Daily full	curl -sf https://logaggregator.meridian/health	J. Patterson	Verified
APP-036	srv-w-037.dc-west	Hourly incremental	curl -sf https://microservice-036.meridian/health	L. Thompson	Pending
APP-037	srv-w-038.dc-west	Daily full	curl -sf https://microservice-037.meridian/health	M. Santos	Verified
APP-038	srv-w-039.dc-west	Daily full	curl -sf https://microservice-038.meridian/health	A. Torres	Verified
APP-039	srv-w-040.dc-west	Hourly incremental	curl -sf https://microservice-039.meridian/health	J. Patterson	Verified
APP-040	srv-w-001.dc-west	Daily full	curl -sf https://microservice-040.meridian/health	R. Kim	Verified

Appendix C: Application Dependency Matrix for DR Sequencing

This matrix documents the startup sequencing dependencies between applications during disaster recovery activation. Applications must be started in the order specified to avoid cascading failures. Dependencies include database connectivity, authentication services, message queue availability, and shared storage mount requirements.

The dependency analysis was last validated during the November 2024 DR exercise. Each application was tested in isolation to verify its minimum viable dependency set. The sequencing order below reflects the optimal recovery path that minimizes total RTO across all Tier 1 and Tier 2 applications.

Seq	App ID	Application	Depends On	Start Order	Est. Time	DR Site
1	APP-001	ERP-Core	APP-022 (DNS); APP-023 (L	Phase 1	37 min	DC-West Oregon
2	APP-002	CRM-Enterprise	APP-022 (DNS); APP-023 (L	Phase 1	35 min	DC-West Oregon
3	APP-003	HR-Portal	APP-022 (DNS); APP-023 (L	Phase 1	19 min	DC-West Oregon
4	APP-004	DevOps-Pipeline	APP-022 (DNS); APP-023 (L	Phase 1	16 min	DC-East Virginia
5	APP-005	FinanceHub	APP-022 (DNS); APP-023 (L	Phase 1	21 min	DC-West Oregon
6	APP-006	DataWarehouse	APP-022 (DNS); APP-023 (L	Phase 1	10 min	DC-West Oregon
7	APP-007	CI-CD-Pipeline	APP-022 (DNS); APP-023 (L	Phase 1	43 min	DC-East Virginia
8	APP-008	Email-Exchange	APP-022 (DNS); APP-023 (L	Phase 2	37 min	DC-East Virginia
9	APP-009	SharePoint-Intranet	APP-022 (DNS); APP-023 (L	Phase 2	40 min	DC-East Virginia
10	APP-010	CustomerPortal	APP-022 (DNS); APP-023 (L	Phase 2	17 min	DC-East Virginia
11	APP-011	InventoryMgmt	APP-022 (DNS); APP-023 (L	Phase 2	27 min	DC-West Oregon
12	APP-012	PayrollEngine	APP-022 (DNS); APP-023 (L	Phase 2	31 min	DC-East Virginia
13	APP-013	TravelBooking	APP-022 (DNS); APP-023 (L	Phase 2	15 min	DC-East Virginia
14	APP-014	E-Commerce-Platform	APP-022 (DNS); APP-023 (L	Phase 2	16 min	DC-East Virginia
15	APP-015	BI-Analytics	APP-022 (DNS); APP-023 (L	Phase 2	20 min	DC-East Virginia
16	APP-016	IT-ServiceDesk	APP-022 (DNS); APP-023 (L	Phase 3	30 min	DC-East Virginia
17	APP-017	LegalDocs	APP-022 (DNS); APP-023 (L	Phase 3	30 min	DC-West Oregon
18	APP-018	API-Gateway	APP-022 (DNS); APP-023 (L	Phase 3	30 min	DC-East Virginia
19	APP-019	ComplianceTracker	APP-022 (DNS); APP-023 (L	Phase 3	44 min	DC-West Oregon
20	APP-020	SecuritySIEM	APP-022 (DNS); APP-023 (L	Phase 3	20 min	DC-West Oregon
21	APP-021	VPN-Gateway	APP-022 (DNS); APP-023 (L	Phase 3	18 min	DC-East Virginia
22	APP-022	DNS-Primary	None	Phase 3	17 min	DC-West Oregon
23	APP-023	LDAP-Directory	None	Phase 3	29 min	DC-East Virginia
24	APP-024	FileServer-Central	APP-022 (DNS); APP-023 (L	Phase 4	27 min	DC-West Oregon
25	APP-025	BackupManager	APP-022 (DNS); APP-023 (L	Phase 4	41 min	DC-East Virginia
26	APP-026	MonitoringDashboard	APP-022 (DNS); APP-023 (L	Phase 4	22 min	DC-West Oregon
27	APP-027	SupplyChainPro	APP-022 (DNS); APP-023 (L	Phase 4	8 min	DC-West Oregon
28	APP-028	MarketingAutomation	APP-022 (DNS); APP-023 (L	Phase 4	29 min	DC-West Oregon
29	APP-029	SalesForce-Integratio	APP-022 (DNS); APP-023 (L	Phase 4	24 min	DC-West Oregon
30	APP-030	MobileApp-Backend	APP-022 (DNS); APP-023 (L	Phase 4	21 min	DC-East Virginia
31	APP-031	DocumentMgmt	APP-022 (DNS); APP-023 (L	Phase 4	37 min	DC-West Oregon
32	APP-032	VideoConference	APP-022 (DNS); APP-023 (L	Phase 5	45 min	DC-East Virginia
33	APP-033	ProjectTracker	APP-022 (DNS); APP-023 (L	Phase 5	15 min	DC-West Oregon
34	APP-034	QA-TestSuite	APP-022 (DNS); APP-023 (L	Phase 5	13 min	DC-East Virginia
35	APP-035	LogAggregator	APP-022 (DNS); APP-023 (L	Phase 5	11 min	DC-East Virginia

Appendix D: Communication Escalation Matrix

The following matrix defines the communication escalation paths for business continuity events. Each severity level has specific notification requirements, escalation timelines, and designated communication channels. This matrix was approved by the Executive Steering Committee in September 2024 and is reviewed annually.

Communication during DR events follows a structured notification hierarchy. The Incident Commander (IC) is responsible for initiating the escalation chain within 15 minutes of declaring a business continuity event. All notifications must be logged in the DR Communication Log maintained by the Business Continuity Coordinator.

Severity	Notification Time	Primary Contact	Secondary	Channel	Frequency	Stakeholders
Sev 1 - To	15 min	CTO - P. Williams	VP Ops - K. Murra	War Room	Every 30 min	Board, C-Suite, Lega
Sev 2 - Ma	30 min	VP Ops - K. Murra	Dir IT - L. Thomp	Bridge Call	Every 1 hr	C-Suite, Dept Heads
Sev 3 - Mo	1 hr	Dir IT - L. Thomp	Mgr Ops - D. Chen	Email + Slac	Every 2 hr	IT Leadership, BU Le
Sev 4 - Mi	4 hr	Mgr Ops - D. Chen	Team Lead - M. Sa	Slack Channe	Daily	IT Operations Team

Appendix E: Detailed DR Test Execution Log - Q4 2024

The following log provides step-by-step execution records from the Q4 2024 disaster recovery exercise conducted on November 15-17, 2024. Each step documents the action taken, the timestamp, the responsible team member, and the observed result. This granular log is used for post-exercise analysis and identifies specific bottlenecks in the recovery process.

The exercise simulated a complete loss of the DC-Central Illinois facility due to a sustained power outage exceeding UPS runtime. The recovery target was full failover to DC-East Virginia within the documented RTOs for each application tier.

Step	Timestamp	Action	Responsible	Expected	Actual	Status
1	2024-11-15 06:	Declare DR event and notify IC	A. Torres	30 min	30 min	Pass
2	2024-11-15 06:	Activate communication tree	P. Morales	21 min	24 min	Pass
3	2024-11-15 07:	Verify DR site network connect	D. Chen	5 min	31 min	Delay
4	2024-11-15 06:	Start DNS failover scripts	J. Patterson	10 min	19 min	Delay
5	2024-11-15 07:	Bring LDAP replica online at D	R. Kim	16 min	22 min	Delay
6	2024-11-15 08:	Verify AD replication completi	P. Morales	16 min	44 min	Delay
7	2024-11-15 07:	Start Tier 1 database instance	A. Torres	17 min	20 min	Pass
8	2024-11-15 08:	Validate database replication	J. Patterson	16 min	21 min	Pass
9	2024-11-15 07:	Start ERP-Core application ser	J. Patterson	5 min	26 min	Delay
10	2024-11-15 08:	Verify ERP-Core health checks	L. Thompson	7 min	42 min	Delay
11	2024-11-15 08:	Start CRM-Enterprise applicati	D. Chen	8 min	31 min	Delay
12	2024-11-15 10:	Verify CRM-Enterprise health c	A. Torres	19 min	25 min	Delay
13	2024-11-15 08:	Start FinanceHub application s	L. Thompson	15 min	36 min	Delay
14	2024-11-15 07:	Start Email-Exchange at DR sit	R. Kim	29 min	12 min	Pass
15	2024-11-15 11:	Configure load balancer for DR	L. Thompson	25 min	15 min	Pass
16	2024-11-15 12:	Validate external DNS cutover	T. Hartley	28 min	14 min	Pass
17	2024-11-15 08:	Start Tier 2 applications batc	T. Hartley	30 min	10 min	Pass
18	2024-11-15 14:	Verify Tier 2 batch 1 health c	D. Chen	28 min	39 min	Delay
19	2024-11-15 10:	Start Tier 2 applications batc	R. Kim	27 min	28 min	Pass
20	2024-11-15 12:	Verify Tier 2 batch 2 health c	J. Patterson	5 min	23 min	Delay
21	2024-11-15 09:	Start Tier 3 applications	R. Kim	14 min	25 min	Delay
22	2024-11-15 16:	Run end-to-end transaction tes	A. Torres	11 min	45 min	Delay
23	2024-11-15 10:	Validate monitoring dashboards	L. Thompson	6 min	38 min	Delay
24	2024-11-15 10:	Confirm backup jobs re-targete	J. Patterson	8 min	39 min	Delay
25	2024-11-15 10:	Complete failover verification	T. Hartley	28 min	13 min	Pass
26	2024-11-15 19:	Notify stakeholders of DR comp	T. Hartley	12 min	16 min	Pass
27	2024-11-15 11:	Begin failback planning window	M. Santos	23 min	42 min	Delay
28	2024-11-15 09:	Execute Tier 3 failback proced	T. Hartley	12 min	13 min	Pass
29	2024-11-15 18:	Execute Tier 2 failback proced	R. Kim	25 min	31 min	Delay
30	2024-11-15 12:	Execute Tier 1 failback proced	L. Thompson	28 min	30 min	Pass
31	2024-11-15 14:	Validate primary site database	T. Hartley	30 min	28 min	Pass
32	2024-11-15 22:	Complete failback verification	J. Patterson	30 min	38 min	Delay
33	2024-11-15 09:	Close DR event and file post-m	L. Thompson	13 min	40 min	Delay
34	2024-11-15 09:	Update runbook with lessons le	D. Chen	17 min	16 min	Pass
35	2024-11-15 14:	Schedule remediation items fro	A. Torres	5 min	18 min	Delay

Appendix F: Vendor SLA Impact Assessment for DR Events

This appendix documents the contractual SLA implications with key vendors during disaster recovery events. Each vendor agreement has been reviewed to identify clauses affecting service credits, support response times, and liability during declared DR events. The legal team reviewed all vendor contracts in October 2024 as part of the annual BCP refresh.

Key findings: 4 vendor contracts lack explicit DR event provisions, 2 vendors require advance notification for DR testing to avoid SLA penalties, and 1 vendor (CloudSync Solutions) has conflicting service credit calculations between their standard SLA document and the negotiated master service agreement addendum.

Vendor	Contract ID	SLA Metric	Normal SLA	DR SLA	Credit Terms	Gap Status
Microsoft	VND-001	Uptime	99.95%	99.5%	1% per 0.1% below	Covered
Oracle	VND-002	Uptime	99.9%	99.0%	5% per hour below	Covered
Red Hat	VND-003	Response	4 hr	8 hr	None during DR	Gap noted
Dell Support	VND-005	Parts	4 hr NBD	Next BD	No credit in DR	Covered
HPE CarePack	VND-006	Response	4 hr	4 hr	Standard terms	Covered
CloudSync Sol	VND-010	Uptime	99.9%	Undefined	Conflicting terms	Action reqd
CrowdStrike	VND-012	Detection	15 min	30 min	No DR provisions	Gap noted
ServiceNow	VND-015	Uptime	99.95%	99.5%	Standard credits	Covered
Splunk	VND-018	Ingest	10TB/day	5TB/day	Reduced in DR	Covered
Cisco	VND-020	Response	2 hr	4 hr	Standard terms	Covered
NetApp	VND-022	Response	4 hr	8 hr	50% credit rate	Covered
VMware	VND-025	Support	Sev 1 24x7	Sev 1 24x7	No change	Covered
Palo Alto	VND-028	Response	1 hr	2 hr	Standard terms	Covered
Fortinet	VND-030	Response	4 hr	8 hr	None during DR	Gap noted

Appendix G: Site Capacity and Resource Allocation for DR

This appendix documents the physical and virtual resource capacity at each datacenter site and the allocation reserved for disaster recovery operations. Capacity planning for DR must account for both the normal workload of the receiving site and the additional workload from the failed site.

Current DR strategy assumes a maximum concurrent failure of one site. Dual-site failure is addressed through cloud burst provisions documented in the Cloud DR Supplement (BCP-SUP-003, not included in this document).

Resource allocation tables below show both committed (reserved) and burstable capacity at each facility. Burstable capacity relies on power and cooling headroom that may not be available during peak summer months (June-August).

Resource	DC-East Committed	DC-East Burst	DC-West Committed	DC-West Burst	DC-Central Committed	DC-Central Burst
Rack Units	450 RU	50 RU	380 RU	40 RU	280 RU	30 RU
Power (kW)	1,200 kW	150 kW	980 kW	120 kW	650 kW	80 kW
Cooling (tons)	340 tons	40 tons	280 tons	35 tons	185 tons	25 tons
Network (Gbps)	100 Gbps	40 Gbps	80 Gbps	20 Gbps	40 Gbps	10 Gbps
Storage (PB)	4.2 PB	0.8 PB	3.1 PB	0.5 PB	2.0 PB	0.3 PB
CPU (vCPUs)	12,800	3,200	9,600	2,400	6,400	1,600
Memory (TB)	25.6 TB	6.4 TB	19.2 TB	4.8 TB	12.8 TB	3.2 TB
VM Slots	1,200	300	900	225	600	150
IP Addresses	2,048	512	1,536	384	1,024	256
Firewall Rules	2,200	500	1,800	400	1,100	300

DR Capacity Utilization Analysis:

In the event of DC-Central Illinois failure, the combined additional workload would require approximately 280 rack units, 650 kW of power, 185 cooling tons, and 6,400 vCPUs. DC-East Virginia has sufficient committed capacity for rack units (450 available, 280 needed) but would need to utilize burstable power capacity (1,200 + 150 = 1,350 kW available vs approximately 1,320 kW needed including existing load). This creates a potential power constraint that should be addressed in the FY2025 capacity planning cycle.

DC-West Oregon has more favorable capacity margins for DR reception with approximately 23% headroom across all resource categories. The BCP Committee recommends DC-West as the primary DR target for DC-Central workloads, with DC-East serving as secondary overflow.

APP-041	srv-w-002.dc-west	Daily full	curl -sf https://microservice-041.meridian/health	R. Kim	Verified
APP-042	srv-w-003.dc-west	Hourly incremental	curl -sf https://microservice-042.meridian/health	M. Santos	Verified
APP-043	srv-w-004.dc-west	Daily full	curl -sf https://microservice-043.meridian/health	A. Torres	Verified
APP-044	srv-w-005.dc-west	Daily full	curl -sf https://microservice-044.meridian/health	T. Hartley	Verified
APP-045	srv-w-006.dc-west	Hourly incremental	curl -sf https://microservice-045.meridian/health	D. Chen	Verified
APP-046	srv-w-007.dc-west	Daily full	curl -sf https://microservice-046.meridian/health	J. Patterson	Verified
APP-047	srv-w-008.dc-west	Daily full	curl -sf https://microservice-047.meridian/health	L. Thompson	Verified
APP-048	srv-w-009.dc-west	Hourly incremental	curl -sf https://microservice-048.meridian/health	T. Hartley	Pending
APP-049	srv-w-010.dc-west	Daily full	curl -sf https://microservice-049.meridian/health	A. Torres	Verified
APP-050	srv-w-011.dc-west	Daily full	curl -sf https://microservice-050.meridian/health	T. Hartley	Verified
APP-051	srv-w-012.dc-west	Hourly incremental	curl -sf https://microservice-051.meridian/health	R. Kim	Verified
APP-052	srv-w-013.dc-west	Daily full	curl -sf https://microservice-052.meridian/health	J. Patterson	Verified
APP-053	srv-w-014.dc-west	Daily full	curl -sf https://microservice-053.meridian/health	D. Chen	Verified
APP-054	srv-w-015.dc-west	Hourly incremental	curl -sf https://microservice-054.meridian/health	A. Torres	Verified
APP-055	srv-w-016.dc-west	Daily full	curl -sf https://microservice-055.meridian/health	D. Chen	Verified
APP-056	srv-w-017.dc-west	Daily full	curl -sf https://microservice-056.meridian/health	D. Chen	Verified
APP-057	srv-w-018.dc-west	Hourly incremental	curl -sf https://microservice-057.meridian/health	R. Kim	Verified
APP-058	srv-w-019.dc-west	Daily full	curl -sf https://microservice-058.meridian/health	T. Hartley	Verified
APP-059	srv-w-020.dc-west	Daily full	curl -sf https://microservice-059.meridian/health	J. Patterson	Verified
APP-060	srv-w-021.dc-west	Hourly incremental	curl -sf https://microservice-060.meridian/health	T. Hartley	Pending
APP-061	srv-w-022.dc-west	Daily full	curl -sf https://microservice-061.meridian/health	J. Patterson	Verified
APP-062	srv-w-023.dc-west	Daily full	curl -sf https://microservice-062.meridian/health	A. Torres	Verified
APP-063	srv-w-024.dc-west	Hourly incremental	curl -sf https://microservice-063.meridian/health	R. Kim	Verified
APP-064	srv-w-025.dc-west	Daily full	curl -sf https://microservice-064.meridian/health	A. Torres	Verified
APP-065	srv-w-026.dc-west	Daily full	curl -sf https://microservice-065.meridian/health	A. Torres	Verified
APP-066	srv-w-027.dc-west	Hourly incremental	curl -sf https://microservice-066.meridian/health	J. Patterson	Verified
APP-067	srv-w-028.dc-west	Daily full	curl -sf https://microservice-067.meridian/health	J. Patterson	Verified
APP-068	srv-w-029.dc-west	Daily full	curl -sf https://microservice-068.meridian/health	A. Torres	Verified
APP-069	srv-w-030.dc-west	Hourly incremental	curl -sf https://microservice-069.meridian/health	R. Kim	Verified
APP-070	srv-w-031.dc-west	Daily full	curl -sf https://microservice-070.meridian/health	T. Hartley	Verified
APP-071	srv-w-032.dc-west	Daily full	curl -sf https://microservice-071.meridian/health	J. Patterson	Verified
APP-072	srv-w-033.dc-west	Hourly incremental	curl -sf https://microservice-072.meridian/health	J. Patterson	Pending
APP-073	srv-w-034.dc-west	Daily full	curl -sf https://microservice-073.meridian/health	A. Torres	Verified
APP-074	srv-w-035.dc-west	Daily full	curl -sf https://microservice-074.meridian/health	M. Santos	Verified
APP-075	srv-w-036.dc-west	Hourly incremental	curl -sf https://microservice-075.meridian/health	L. Thompson	Verified
APP-076	srv-w-037.dc-west	Daily full	curl -sf https://microservice-076.meridian/health	T. Hartley	Verified
APP-077	srv-w-038.dc-west	Daily full	curl -sf https://microservice-077.meridian/health	L. Thompson	Verified
APP-078	srv-w-039.dc-west	Hourly incremental	curl -sf https://microservice-078.meridian/health	A. Torres	Verified
APP-079	srv-w-040.dc-west	Daily full	curl -sf https://microservice-079.meridian/health	L. Thompson	Verified
APP-080	srv-w-001.dc-west	Daily full	curl -sf https://microservice-080.meridian/health	L. Thompson	Verified

--- End of Document ---