



Inspection Report

100 Aker Wood
Po Box 312
Millington, MI 48746

Customer ID: **323804**
Certificate: **34-C-0337**
Site: 001
100 AKER WOOD

Type: ROUTINE INSPECTION
Date: 19-NOV-2019

2.40(b)(2)

ATTENDING VETERINARIAN AND ADEQUATE VETERINARY CARE (DEALERS AND EXHIBITORS).

The written program of veterinary care indicates that all animals will have fecals checked at least once per year. The last fecal done for any of the animals was for hoof stock in September 2018. All animals are now overdue for fecals at the frequency dictated by the program of veterinary care. Fecals must be done for these animals to prevent, control and diagnose any potential internal parasite issues. It is important to follow the attending veterinarians instructions to ensure that the animals remain healthy.

Correct by: 11-29-19

2.75(b)(1)

RECORDS: DEALERS AND EXHIBITORS.

The facility does not have a current up to date inventory of it animals on hand. One camel and three muntjacs have died and their deaths have not been recorded. Several fallow deer and elk births have not been recorded. It is important that animal records be maintained and kept up to date by in order for APHIS officials to monitor animal activity at the facility. Update the animal inventory and record animal acquisitions and dispositions from now on.

Correct by: 11-21-19

3.125(a)

FACILITIES, GENERAL.

The enclosure housing the camel has had the majority of the fencing pushed down by the camel. This fencing is no longer tall enough to ensure containment of this animal. A couple of sections of fencing are so low that the camel might try to exit the enclosure and could possibly become entangled in the fence and injured. This fence needs to be repaired/replaced to contain the camel and to prevent injury to the camel.

Correct by: 12-29-19.

Prepared By: HAMMEL KURT, D V M USDA, APHIS, Animal Care

Date:
19-NOV-2019

Title: VETERINARY MEDICAL OFFICER 1023

Received by Title: AGENT FOR THE LICENSEE

Date:
19-NOV-2019



Inspection Report

3.130

WATERING.

The water receptacles in all of the animal enclosures contain very large amounts of algae. This would indicate that they have not been cleaned frequently enough. Water receptacles need to be kept clean to promote the health and comfort of the animals using them. Clean these water receptacles. The camel water receptacle was iced over. This water receptacle needs to be replaced/ repaired or an alternative sources of water must be provided for the camel. The pond can not serve as the primary source of water for this animal.

The camel must be provided with a source of fresh water by COB 11-19-19.

Water receptacles must be cleaned by 11-21-19

3.131(a)

SANITATION.

The enclosure housing the bear known as Boo Boo contained an excessive amount of feces. This enclosure must be kept clean in order to ensure that the animal remains as clean as possible and to minimize disease and odors. This enclosure needs to be cleaned more frequently. Clean this enclosure.

Correct by: 11-22-19

This inspection was conducted with an agent for the licensee. The exit interview was conducted with the licensee and the licensee's agent.

Prepared By: HAMMEL KURT, D V M USDA, APHIS, Animal Care

Date:
19-NOV-2019

Title: VETERINARY MEDICAL OFFICER 1023

Received by Title: AGENT FOR THE LICENSEE

Date:
19-NOV-2019



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
323804	34-C-0337	001	100 AKER WOOD	19-NOV-19

Count	Scientific Name	Common Name
000001	<i>Camelus dromedarius</i>	DROMEDARY CAMEL
000019	<i>Cervus elaphus canadensis</i>	ELK
000011	<i>Dama dama</i>	FALLOW DEER
000002	<i>Muntiacus reevesi</i>	REEVE'S MUNTJAC
000003	<i>Ursus americanus</i>	NORTH AMERICAN BLACK BEAR
000036	Total	