



Inspection Report

Mandy Curtiss
1698 Nesbitt Road
Attica, NY 14011

Customer ID: **500513**
Certificate: **21-A-0188**
Site: 001
Mandy Curtiss

Type: ROUTINE INSPECTION
Date: 20-FEB-2024

3.125(a)

Facilities, general.

There is a broken metal gate post in a pen containing sheep and lambs. Further, the spacing between posts is large enough to allow lambs to fit through the enclosure as multiple lambs were feeding on hay immediately outside the enclosure. Broken posts may injure animals and pens insufficient to contain animals predispose animals to escape and injury or loss. Housing facilities must be structurally sound and maintained in good repair to minimize risk of injury and to adequately contain the animals.

Correct by March 5, 2024.

3.125(c)

Facilities, general.

Unopened bags of food stored in the sheep barn are contaminated with bird droppings. Food contamination may predispose sheep to illness. Supplies of food should be stored so as to adequately protect against contamination.

Correct by March 5, 2024.

This inspection and exit interview were conducted with a facility representative.

Prepared By: JASON SIFKAROVSKI
USDA, APHIS, Animal Care
Title: VETERINARY MEDICAL
OFFICER

Date:
26-FEB-2024

Received by Title: Facility Representative

Date:
26-FEB-2024



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
500513	21-A-0188	001	Mandy Curtiss	20-FEB-2024

Count	Scientific Name	Common Name
000397	<i>Ovis aries aries</i>	SHEEP INCLUDING ALL DOMESTIC BREEDS
000397	Total	