



## Inspection Report

---

Dreamy Puppy LLC  
540 Post Oak Road  
Campbell Hill, IL 62916

Customer ID: **600324**  
Certificate: **33-A-0605**  
Site: 001  
Dreamy Puppy LLC

Type: ROUTINE INSPECTION  
Date: 18-AUG-2025

---

### 2.40(b)(2)

#### Attending veterinarian and adequate veterinary care (dealers and exhibitors).

A 5yr old Frenchie, M, Fawn (Cody, ID# 9201 chip) had two loose teeth, a pre-molar with heavy tarter surrounding it on the upper right side, and an upper incisor on the left that was at a sharp angle in the mouth. The gum appeared inflamed and swollen around the affected tooth, and there was some buildup of tarter on other teeth. In April 2025 during the yearly veterinary physical exams this dog was identified as requiring a dental at a grade of 3 out of 5 (worst), however the facility has not made an appointment and provided timely treatment, which has resulted in loose teeth. While there was no apparent infection or foul smelling odor in the mouth, due to the very loose teeth and tarter buildup the dental should have been scheduled after the veterinarians yearly physical as was recommended.

The lack of timely dentals can cause unnecessary pain or discomfort to the regulated animal.

The licensee must use appropriate methods to prevent, control, diagnose, and treat diseases and injuries, and the availability of emergency, weekend, and holiday care;

To be corrected by: The licensee made an appointment with the attending veterinarian for the dental by the end of the inspection exit interview.

### 3.6(c)(1)(iii)

#### Primary enclosures.

There is a female Frenchie 'Tulip' (fawn, ID# 9273chip) that is in a primary enclosure that is too small in height as required by the AWA regulations and standards. The top of the enclosure is only three inches above her head, where the requirement is for a minimum of 6 inches above the head. For the past 3 weeks 'Tulip' was put in the smaller 2ft x 2ft x 2ft cage due to her climbing out of her original 6ft x 3.5ft open topped primary enclosure, until they could come up with a way to keep her from climbing out. She was let out daily in the facility, however the holding pen was too short per the requirements.

A primary enclosure that is too small can cause stress or discomfort to the regulated animal.

The interior height of a primary enclosure must be at least 6 inches higher than the head of the tallest dog in the enclosure when it is in a normal standing position.

---

Prepared By: ANNMARIE COMPTON

USDA, APHIS, Animal Care

Title: ANIMAL CARE INSPECTOR

Date:  
21-AUG-2025

Received by Title: Facility Representative

Date:  
21-AUG-2025



## Inspection Report

---

To be corrected by: The issue was corrected by the end of the exit interview date. The licensee fixed the primary enclosure to prevent the dog from climbing out. The dog was put back in a 6ft x 3.5ft open top area with a climbing preventive measure in place.

This inspection was conducted with the facility representative and exit interview were conducted with both the licensee and facility representative.

---

**Prepared By:** ANNMARIE COMPTON  
USDA, APHIS, Animal Care  
**Title:** ANIMAL CARE INSPECTOR

**Date:**  
21-AUG-2025

**Received by Title:** Facility Representative

**Date:**  
21-AUG-2025



**Species Inspected**

Cust No	Cert No	Site	Site Name	Inspection
600324	33-A-0605	001	Dreamy Puppy LLC	18-AUG-2025

Count	Scientific Name	Common Name
000032	<i>Canis familiaris</i>	DOG ADULT
000014	<i>Canis familiaris</i>	DOG PUPPY
000046	<b>Total</b>	