



Inspection Report

Ed Carpenter
11854 Peacock Rd
Laingsburg, MI 48848

Customer ID: **10733**
Certificate: **34-C-0172**
Site: 001
ED CARPENTER

Type: ROUTINE INSPECTION
Date: 26-AUG-2014

3.54(b)

FEEDING.

The rabbit feeders are large bowls and have a large cake of food and feces in the bottom of them with fresh food on top.

All food receptacles shall be kept clean and sanitized at least once every 2 weeks. If self feeders are used for the feeding of dry feed, measures must be taken to prevent molding, deterioration or caking of the feed.

Clean the food receptacles as often as necessary to prevent the caking of food and to ensure that there is no feces in the food.

To be corrected by end of business today.

3.55

WATERING.

There is a large algae growth in the water receptacle for the rabbits.

All watering receptacles shall be sanitized when dirty: Provided, however, That such receptacles shall be sanitized at least once every 2 weeks.

Clean the water receptacles as often of necessary prevent contamination.

To be corrected by end of business today.

Exit conducted with a facility representative.

Prepared By: CARRIE BONGARD, A C I USDA, APHIS, Animal Care

Date:
02-SEP-2014

Title: ANIMAL CARE INSPECTOR 1053

Received by Title: LICENSEE, SENT CERT. 7012 3460 0000 1559

Date:
02-SEP-2014



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
10733	34-C-0172	001	ED CARPENTER	26-AUG-14

Count	Scientific Name	Common Name
000013	<i>Capra hircus</i>	DOMESTIC GOAT
000002	<i>Lama pacos</i>	ALPACA
000015	<i>Oryctolagus cuniculus</i>	EUROPEAN RABBIT
000003	<i>Rangifer tarandus</i>	REINDEER
000011	<i>Sus scrofa domestica</i>	DOMESTIC PIG / POTBELLY PIG / MICRO PIG
000044	Total	