



Inspection Report

John G Lussmyer
537 Bakken Rd.
Greenbank, WA 98253

Customer ID: **8630**
Certificate: **91-C-0073**
Site: 001
JOHN G LUSSMYER

Type: ROUTINE INSPECTION
Date: 03-AUG-2016

3.127(d) REPEAT

FACILITIES, OUTDOOR.

There is an area of perimeter fence, approximately 7' in length, which measures 5'8" in height around the two bobcat enclosures. The perimeter fence has been constructed this way for several years and the ground has settled causing the perimeter fence to sink. The licensee expressed interest in rebuilding this entire area. The enclosure containing the bobcats is fully enclosed with a top. Perimeter fencing must be constructed so that it protects the animals in the facility by restricting animals and unauthorized persons from going through it or under it and having contact with the animals in the facility, and high enough to act as a second containment area for the enclosed animals. The licensee must ensure that all areas of perimeter fencing are at least 6 feet in height for the bobcat area or have the fencing and height approved through the Administrator.

Exit interview conducted with facility representative.

Prepared By: DIANE FORBES, D V M USDA, APHIS, Animal Care

Date:
04-AUG-2016

Title: VETERINARY MEDICAL OFFICER 5053

Received by Title: OWNER

Date:
04-AUG-2016



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
8630	91-C-0073	001	JOHN G LUSSMYER	03-AUG-16

Count	Scientific Name	Common Name
000002	<i>Lynx rufus</i>	BOBCAT
000001	<i>Puma concolor</i>	PUMA / MOUNTAIN LION / COUGAR
000003	Total	