



Inspection Report

100 Aker Wood
Po Box 312
Millington, MI 48746

Customer ID: **323804**
Certificate: **34-C-0337**
Site: 001
100 AKER WOOD

Type: ROUTINE INSPECTION
Date: 20-SEP-2017

3.125(a)

FACILITIES, GENERAL.

The enclosures housing the bactrian camel and dromedary camel have numerous areas where the woven wire and chain link fencing have been pushed down by the camels leaning on the fence. These camels may escape their enclosures or become entangled in the fence and injured while attempting to do so. This fencing needs to be repaired or replaced in order to contain these animals and prevent injury to them.

The debris of an old bird shelter is inside the dromedary camel enclosure. These broken boards and old heat lamp and cord are an injury hazard to this animal. Remove this debris from the enclosure.

The two enclosures each housing one black bear has electric wire strands located at the bottom of the enclosure fence and several feet up in order to keep the bears from attempting to climb on the fence or damage it by clawing it. This fence is not currently on and the bears approach the woven wire fencing with no fear of the electric fence. This fence must remain charged in order for the primary enclosure fence to be judged adequate to contain the bears. These bears are dangerous animals and an escape from this enclosure could result in an injury to a member of the public or a facility employee which would have fatal results for the bears.

Correct by: 9-27-17

3.130

WATERING.

The water receptacles in the enclosure housing the muntjac deer and Fritz the bear have large amounts of algae growing in them. Mosquito larvae were in the water receptacle for Fritz the bear. This would indicate that they have not been cleaned frequently enough. Water receptacles need to be kept clean for the health of the animals using them. Clean these water receptacles.

Correct by: 9-22-17.

This inspection and exit interview were conducted with the facility caretaker and owner.

Prepared By: HAMMEL KURT, D V M USDA, APHIS, Animal Care

Date:
20-SEP-2017

Title: VETERINARY MEDICAL OFFICER 1023

Received by Title: DIRECTOR

Date:
20-SEP-2017



Inspection Report

The inspection report was sent by e-mail to the facility director.

Prepared By: HAMMEL KURT, D V M USDA, APHIS, Animal Care

Date:
20-SEP-2017

Title: VETERINARY MEDICAL OFFICER 1023

Received by Title: DIRECTOR

Date:
20-SEP-2017



Species Inspected

| Cust No | Cert No | Site | Site Name | Inspection |
|---------|-----------|------|---------------|------------|
| 323804 | 34-C-0337 | 001 | 100 AKER WOOD | 20-SEP-17 |

| Count | Scientific Name | Common Name |
|---------------|----------------------------------|---------------------------|
| 000003 | <i>Bison bison</i> | AMERICAN BISON |
| 000001 | <i>Camelus bactrianus</i> | BACTRIAN CAMEL |
| 000001 | <i>Camelus dromedarius</i> | DROMEDARY CAMEL |
| 000003 | <i>Cervus elaphus canadensis</i> | ELK |
| 000001 | <i>Cervus nippon</i> | SIKA DEER |
| 000005 | <i>Dama dama</i> | FALLOW DEER |
| 000004 | <i>Muntiacus reevesi</i> | REEVE'S MUNTJAC |
| 000003 | <i>Ursus americanus</i> | NORTH AMERICAN BLACK BEAR |
| 000021 | Total | |