



Inspection Report

Thomas Sickie
163 Greenfield Road
Perryopolis, PA 15473

Customer ID: **2446**
Certificate: **23-C-0334**
Site: 001
THOMAS SICKLE

Type: ROUTINE INSPECTION
Date: 15-AUG-2016

3.125(a) REPEAT

FACILITIES, GENERAL.

In the goat pen, there is a panel of fencing that has sharp points/broken wire sticking out into the enclosure. During the inspection, the inspectors noticed goats scratching their faces on these areas of the fencing. In addition, there was broken wire/sharp points located in-between the zebu and alpaca/llama pen. Sharp or jagged edges within enclosures can harm or cause injuries to the animals contained therein. All enclosure fencing shall be maintained so that it is structurally sound and in good repair to protect the animals from injury.

The facility removed all panels with sharp or jagged edges prior to the Exit

Correct By: REMAINS UNCORRECTED

Inspection and Exit interview conducted with Licensee's Daughter, Animal Care Inspector Shannon Sebera and Veterinary Medical Officer Michael Neafsey.

The inspector completed this inspection report when Animal Care was transitioning to a new information management system. Because the inspector re-typed the inspection report into the new system when it was deployed, the "prepared by" date on this inspection report is different than the date the inspector prepared the original inspection report, which occurred on 8/15/2016

Additional Inspectors

Neafsey Michael, Assistant Director

Prepared By: SHANNON SEBERA, A C I USDA, APHIS, Animal Care

Date:
22-SEP-2016

Title: ANIMAL CARE INSPECTOR 6020

Received by Title: LICENSEE'S DAUGHTER

Date:
22-SEP-2016



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
2446	23-C-0334	001	THOMAS SICKLE	15-AUG-16

Count	Scientific Name	Common Name
000002	<i>Bos primigenius indicus</i>	ZEBU
000039	<i>Capra hircus</i>	DOMESTIC GOAT
000002	<i>Lama pacos huacaya</i>	HUACAYA ALPACA
000020	<i>Ovis dalli</i>	WHITE SHEEP
000063	Total	