



Inspection Report

RICHARD PECK
E4561 Sherwood Drive
Spring Green, WI 53588

Customer ID: **2349**
Certificate: **35-C-0329**
Site: 001
RICHARD PECK

Type: ROUTINE INSPECTION
Date: 29-APR-2021

3.125(a) Repeat

Facilities, general.

The goat enclosure had a tower that the goats could walk to the top of by means of a wooden bridge. The wooden bridge had screws sticking out of it that the goats could potentially step on which could result in injury to the goats. The wooden bridge needs to be either repaired, replaced, or removed from the enclosure. Correct by 5/6/21.

Note: The licensee corrected this during inspection.

This inspection and exit interview were conducted with the Facility Representative.

End of report.

Prepared By: KEVIN WILKEN
USDA, APHIS, Animal Care
Title: ANIMAL CARE INSPECTOR

Date:
05-MAY-2021

Received by Title: Facility Representative

Date:
05-MAY-2021



Species Inspected

| Cust No | Cert No | Site | Site Name | Inspection |
|---------|-----------|------|--------------|-------------|
| 2349 | 35-C-0329 | 001 | RICHARD PECK | 29-APR-2021 |

| Count | Scientific Name | Common Name |
|--------|----------------------------------|--------------------------|
| 000019 | <i>Capra hircus</i> | DOMESTIC GOAT |
| 000005 | <i>Dama dama</i> | FALLOW DEER |
| 000003 | <i>Odocoileus virginianus</i> | WHITE-TAILED DEER |
| 000001 | <i>Cervus elaphus canadensis</i> | ELK |
| 000002 | <i>Cynomys ludovicianus</i> | BLACK-TAILED PRAIRIE DOG |
| 000030 | Total | |