



Inspection Report

BALDWIN FAMILY ENTERPRISES INC
430 Glenwood Drive
GETTYSBURG, PA 17325

Customer ID: **504209**

Certificate: **23-C-0381**

Site: 001

BALDWIN FAMILY ENTERPRISES
INC

Type: ROUTINE INSPECTION

Date: 05-FEB-2021

3.130 **Direct**

Watering.

The water trough in the goat, alpaca, and sheep enclosure is mostly frozen and has an accumulation of bird feces on top and within the ice around the perimeter. The available water appears cloudy with pieces of feed and other foreign material. The water trough in the goat enclosure near the nature path has a similar appearance with an accumulation of ice and bird feces amongst cloudy water. Failure to clean water containers and provide potable water can lead to the spread of disease and create a reluctance to drink. The water receptacles must be kept clean and sanitary to ensure the health and well-being of the animals.

Correct by February 6, 2021.

This inspection and exit interview were conducted with a facility representative.

Prepared By: AMY NOOYEN

USDA, APHIS, Animal Care

Date:
05-FEB-2021

Title: VETERINARY MEDICAL
OFFICER

Received by Title: Facility Representative

Date:
05-FEB-2021



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
504209	23-C-0381	001	BALDWIN FAMILY ENTERPRISES INC	05-FEB-2021

Count	Scientific Name	Common Name
000001	<i>Bos primigenius indicus</i>	ZEBU
000024	<i>Capra hircus</i>	DOMESTIC GOAT
000001	<i>Lama pacos</i>	ALPACA
000062	<i>Ovis aries aries</i>	SHEEP INCLUDING ALL DOMESTIC BREEDS
000007	<i>Sus scrofa domestica</i>	DOMESTIC PIG / POTBELLY PIG / MICRO PIG
000095	Total	