



## Inspection Report

Sandra L Sawyer  
1318 Troy Road  
New Iberia, LA 70563

Customer ID: **29780**  
Certificate: **72-C-0187**  
Site: 001  
SANDRA SAWYER

Type: ROUTINE INSPECTION  
Date: 12-JAN-2016

### 2.40(a)(1)

#### ATTENDING VETERINARIAN AND ADEQUATE VETERINARY CARE (DEALERS AND EXHIBITORS).

At the time of inspection, the program of veterinary care was not available for review by APHIS personnel. An updated program of veterinary care should be kept at the facility and available at all times upon request during inspection. The plan should be current and reflect the agreed upon health of the animals at the facility between licensee and attending veterinarian.

Correct by: February 15, 2016

### 3.56(a)(1)

#### SANITATION.

At the time of inspection, the two rabbits were housed in an enclosure that was covered in cobwebs on all four walls and ceiling of the primary shelter. The cobweb accumulation is a potential for disease hazard and creates a favorable environment for insects and other pests. The primary enclosure must be cleaned and the licensee must maintain a cleaning program that will prevent an accumulation of cobwebs from being excessive.

Correct by: February 15, 2016

### 3.56(a)(3)

#### SANITATION.

There was a large accumulation of rabbit feces underneath and around the rabbit enclosures. If primary enclosures are equipped with wire or mesh floors, the area under such enclosures shall be cleaned at least once each week. The area should be maintained in a sanitary condition and to control the amount of fecal matter.

Correct by: February 15, 2016

Prepared By: SIMONE TOMLINSON, D V M USDA, APHIS, Animal Care

Date:  
15-JAN-2016

Title: VETERINARY MEDICAL OFFICER 6087

Received by Title: 70143490000142275245

Date:  
15-JAN-2016



## Inspection Report

---

3.130

### **WATERING.**

At the time of inspection, the water buckets for the goats and pig had a thick coating of green and brown matter surrounding the surface of each container. Excessive dirt, dirt, or organic materials on water receptacles may cause illness by harboring pathogens the animals may ingest or discourage animals from drinking. All water receptacles shall be kept clean and sanitary.

Correct by: January 31, 2016

3.131(a)

### **SANITATION.**

At the time of inspection, the shelter for two goats and a pig contained an excessive amount of feces, debris, and other clutter throughout. The platforms for the goats were rotted in areas and in need of repair and/or replacement. Their enclosure needs to be cleaned out thoroughly and repaired in order to adequately house the facility s animals.

Correct by: April 15, 2016

The inspection and exit interview was conducted with the facility manager and APHIS personnel, Dr. Simone Tomlinson, VMO.

---

**Prepared By:** SIMONE TOMLINSON, D V M     USDA, APHIS, Animal Care

**Date:**  
15-JAN-2016

**Title:** VETERINARY MEDICAL OFFICER 6087

**Received by Title:** 70143490000142275245

**Date:**  
15-JAN-2016



## Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
29780	72-C-0187	001	SANDRA SAWYER	12-JAN-16

Count	Scientific Name	Common Name
000002	<i>Capra hircus</i>	DOMESTIC GOAT
000003	<i>Oryctolagus cuniculus</i>	EUROPEAN RABBIT
000001	<i>Sus scrofa domestica</i>	DOMESTIC PIG / POTBELLY PIG / MICRO PIG
<b>000006</b>	<b>Total</b>	