



## Inspection Report

---

AARON ESH  
110 ESH LANE  
LOGANTON, PA 17747

Customer ID: **502383**  
Certificate: **23-A-0656**  
Site: 001  
AARON K ESH

Type: ROUTINE INSPECTION  
Date: 21-JUL-2021

---

### 3.28(a)(1)

#### Primary enclosures.

There were bent wires near the feeders in some of the guinea pig pens. In Pen 9, there was a bent wire with a sharp point on the interior of the pen. In Pen 5 there was a bent wire with a gap approximately 2 inches in size.

Bent wires with sharp points and gaps in enclosures can cause injury to the animals or can lead to animals escaping their enclosures.

Primary enclosures for guinea pigs must be structurally sound and maintained in good repair to protect the guinea pigs from injury.

Correct by: August 18, 2021

### 3.29(d)

#### Repeat

#### Feeding.

Approximately 25% of the enclosures had feeders with a large amount of ground up powder and caked feed in the trough of the feeder and little to no pelleted feed available.

Failure to provide access to pelleted feed can lead to decreased feed consumption which may negatively affect the health of the animals.

The facility must ensure measures are taken to prevent deterioration or caking of the feed in the self feeders.

---

Prepared By: CHRISTINA RADZAI

USDA, APHIS, Animal Care

Date:

21-JUL-2021

Title: VETERINARY MEDICAL  
OFFICER

Received by Title: Licensee

Date:

21-JUL-2021



## Inspection Report

---

3.31(a)(1)

Repeat

### Sanitation.

Several of the guinea pig pens contained an accumulation of cobwebs hanging from the sides and ceilings of the enclosures. There were also cobwebs around some of the feeders and water bottles. In addition, Pen 19 contained an accumulation of soiled bedding with excess fecal material.

The accumulation of feces and unclean enclosures can cause unpleasant odors, lead to contamination of the enclosure, and attract pests and vermin that carry diseases that result in risks to the health of the animals.

Enclosures must be cleaned and sanitized as often as necessary to prevent a build-up of debris and fecal material and sanitized at a minimum of once every two weeks.

This inspection and exit interview were conducted with the licensee.

---

Prepared By: CHRISTINA RADZAI

USDA, APHIS, Animal Care

Date:

21-JUL-2021

Title: VETERINARY MEDICAL  
OFFICER

Received by Title: Licensee

Date:

21-JUL-2021



### Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
502383	23-A-0656	001	AARON K ESH	21-JUL-2021

Count	Scientific Name	Common Name
000203	<i>Cavia porcellus</i>	DOMESTIC GUINEA PIG
000203	<b>Total</b>	