

RBACON

61151010310478 Insp_id

Clay Center, KS 67432

Inspection Report

Customer ID: 35345 Connie Paronto

1958 Meadowlark Road Certificate: 48-A-2141

> Site: 001 Connie Paronto

ROUTINE INSPECTION Type:

Date: 27-FEB-2015

3.1(a)

HOUSING FACILITIES, GENERAL.

* Rusted, protruding wires with sharp points were observed along the bottom of one welded wire divider fencing. One dog is in contact with the affected fencing located on the west side attached runs to the sheltered building. Sharp points could injure the animal. The licensee must ensure all fencing is maintained in good repair at all times to protect the animals from injury. Correct by 3/13/15.

- * Facility inspection and verbal exit briefing done on 2/27/15 were conducted with the licensee.
- * Copy of inspection report was sent by certified and regular mail.

Prepared By: ROBERT BACON, A C I USDA, APHIS, Animal Care Date:

Title: ANIMAL CARE INSPECTOR 4001

Received by Title: 70141820000126228994 Date:

02-MAR-2015

Page 1 of 1

02-MAR-2015



United States Department of Agriculture Animal and Plant Health Inspection Service

Customer: 35345 Inspection Date: 27-FEB-15

Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
35345	48-A-2141	001	Connie Paronto	27-FEB-15

 Count
 Scientific Name
 Common Name

 000009
 Canis lupus familiaris
 DOG ADULT

000009 Total