



Inspection Report

Raymond Lawson
40839 Dirt Rd
Clifton Hill, MO 65244

Customer ID: **42626**
Certificate: **43-A-5385**
Site: 001
RAYMOND LAWSON

Type: ROUTINE INSPECTION
Date: 07-JAN-2016

3.1(a) REPEAT

HOUSING FACILITIES, GENERAL.

Structure.

***In the sheltered housing there was a hole in the wire divider panel in between two enclosures, affecting 7 dogs. The hole in this divider panel was approximately 5 inches long by 3 inches in height, about 3 inches off the floor. Dogs from the adjacent enclosures were observed sticking their heads through this hole into the adjoining enclosure. There was also hair along some of the edges of the hole.

Throughout the facility there were at least 5 enclosures affecting approximately 13 puppies and 5 adults that had carpet on the flooring with frayed edges and piles of loose carpet fibers throughout the enclosures.

The hole in the divider panel could entrap the dogs or cause injury. The frayed carpet edges and/or loose carpet fibers could increase the risk of an animal getting entangled, increase the risk of ingestion of a foreign body and/or other injury. The licensee must repair or replace the divider panel and carpet flooring, and ensure that all enclosures are kept in good repair and must protect the dogs from injury at all times.

The inspection and exit interview were conducted with facility representative, Erika Leisner VMO, and Chad Proctor ACI.

Additional Inspectors

Leisner Erika, Veterinary Medical Officer

Prepared By: CHAD PROCTOR, A C I USDA, APHIS, Animal Care

Date:
07-JAN-2016

Title: ANIMAL CARE INSPECTOR 6044

Received by Title: FACILITY REPRESENTATIVE

Date:
07-JAN-2016



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
42626	43-A-5385	001	RAYMOND LAWSON	07-JAN-16

Count	Scientific Name	Common Name
000044	<i>Canis lupus familiaris</i>	DOG ADULT
000020	<i>Canis lupus familiaris</i>	DOG PUPPY
000064	Total	