



Inspection Report

Vermont Museum of Natural History Inc.
7599 Route 9 East
West Marlboro, VT 05363

Customer ID: **6002988**

Certificate: **13-C-0018**

Site: 002

Southern Vermont Natural History
Museum

Type: ROUTINE INSPECTION

Date: 16-JAN-2025

3.150(a)

Facilities, general.

The heat lamp in one enclosure had an exposed electrical cord the birds could access, and the metal shade was unprotected. Birds could potentially land on the metal shade and become injured, or bite on the electrical cord and be injured. The facility must ensure the enclosure protects the birds from injury.

Correct by 01/23/25

3.153(a)(1)(ix)

Primary enclosures.

Two perches in the merlin/broadwing hawk enclosure had worn and frayed coverings. Damaged perch coverings may present an entrapment or ingestion risk. The facility must ensure that worn materials are replaced as often as necessary.

Correct by 01/23/25.

This inspection and exit interview were conducted with the facility representative.

Prepared By: SARA TOBIAS

USDA, APHIS, Animal Care

Title: VETERINARY MEDICAL
OFFICER

Date:

17-JAN-2025

Received by Title: Facility Representative

Date:

17-JAN-2025



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
6002988	13-C-0018	002	Southern Vermont Natural History Museum	16-JAN-2025

Count	Scientific Name	Common Name
000002	<i>Rattus norvegicus</i>	NORWAY RAT / LAB RAT (COMMON RESEARCH/PET VARIETY)
000001	<i>Falco columbarius</i>	MERLIN
000001	<i>Buteo platypterus</i>	BROAD-WINGED HAWK
000002	<i>Strix varia</i>	BARRED OWL
000001	<i>Buteo jamaicensis</i>	RED-TAILED HAWK
000001	<i>Falco peregrinus</i>	PEREGRINE FALCON
000001	<i>Megascops asio</i>	EASTERN SCREECH-OWL
000001	<i>Didelphis virginiana</i>	VIRGINIA OPOSSUM
000001	<i>Corvus corax</i>	COMMON RAVEN
000011	Total	