



Inspection Report

Colorado Wolf And Wildlife Center
P.O. Box 713
Divide, CO 80814

Customer ID: **8420**

Certificate: **84-C-0073**

Site: 003

COLORADO WOLF AND WILDLIFE CENTER

Type: ROUTINE INSPECTION

Date: 08-JUL-2015

2.40(b)(2)

ATTENDING VETERINARIAN AND ADEQUATE VETERINARY CARE (DEALERS AND EXHIBITORS).

2.40 (b) (2) Multiple bottles of expired medications were found to be intermingled in the current supplies being utilized by the facility in a cabinet inside the veterinary clinic. All the medication and vaccines being stored in the refrigerators inside the commissary and gift shop have expired (i.e. Twin Pen, expired: 08/08, Clavamox, expired: 12/12). Use of expired or improperly labeled medications or medical supplies is not considered appropriate to prevent, control, or treat illnesses or injuries. Expired medications can experience spoilage or have reduced efficacy. This could lead to prolonged illness or suffering for the animals needing the medication.

Ensure that all medications used in the facility are not expired and labeled properly in accordance with standard veterinary practices.

To be corrected by: July 13, 2015

Inspection was accompanied by Mary Bartels, ACI, USDA, APHIS, Animal Care and a facility representative. An exit briefing was conducted with a facility representative.

Additional Inspectors

Bartels Mary, Animal Care Inspector

Prepared By: CINDY RHODES, A C I USDA, APHIS, Animal Care

Date:
09-JUL-2015

Title: ANIMAL CARE INSPECTOR 5047

Received by Title: SENT BY EMAIL

Date:
09-JUL-2015



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
8420	84-C-0073	003	COLORADO WOLF AND WILDLIFE CENTER	08-JUL-15

Count	Scientific Name	Common Name
000004	<i>Canis latrans</i>	COYOTE
000002	<i>Canis lupus</i>	GRAY WOLF / GREY WOLF / TIMBER WOLF
000017	<i>Canis lupus familiaris</i>	DOG ADULT
000002	<i>Muscardinus avellanarius</i>	HAZEL DORMOUSE
000004	<i>Vulpes velox</i>	SWIFT FOX
000002	<i>Vulpes vulpes</i>	RED FOX (INCLUDES SILVER FOX & CROSS FOX)
000031	Total	