



## Inspection Report

---

City Of Englewood  
1155 W Oxford Ave  
Englewood, CO 80110

Customer ID: **3506**  
Certificate: **84-C-0157**  
Site: 001  
CITY OF ENGLEWOOD

Type: ROUTINE INSPECTION  
Date: 17-AUG-2017

---

### 3.129(b)

#### FEEDING.

The food receptacles inside the enclosure for 2 pigs and 2 sheep have an excessive buildup of dried food on the surface of the inside bottom. Supervisor stated they are cleaning the food receptacles once a week. Food receptacles that are not clean and sanitized can lead to disease transmission and decreased appetite. Ensure that all food receptacles shall be kept clean and sanitary at all times.

To be corrected by: August 18, 2017

This inspection and exit briefing were conducted with the supervisor.

---

Prepared By: RHODES CINDY, A C I USDA, APHIS, Animal Care

Date:  
18-AUG-2017

Title: ANIMAL CARE INSPECTOR 5047

Received by Title: SENT BY EMAIL

Date:  
18-AUG-2017



## Species Inspected

| Cust No | Cert No   | Site | Site Name         | Inspection |
|---------|-----------|------|-------------------|------------|
| 3506    | 84-C-0157 | 001  | CITY OF ENGLEWOOD | 17-AUG-17  |

| Count         | Scientific Name              | Common Name                             |
|---------------|------------------------------|---|
| 000001        | <i>Capra hircus</i>          | DOMESTIC GOAT                           |
| 000002        | <i>Cavia porcellus</i>       | DOMESTIC GUINEA PIG                     |
| 000003        | <i>Oryctolagus cuniculus</i> | DOMESTIC RABBIT / EUROPEAN RABBIT       |
| 000002        | <i>Ovis aries aries</i>      | SHEEP INCLUDING ALL DOMESTIC BREEDS     |
| 000002        | <i>Sus scrofa domestica</i>  | DOMESTIC PIG / POTBELLY PIG / MICRO PIG |
| <b>000010</b> | <b>Total</b>                 |   |