



## Inspection Report

---

Diane Herrman  
15001 E C R 230  
MIDLAND, TX 79706

Customer ID: **328505**  
Certificate: **74-C-0957**  
Site: 001  
Diane Herrman

Type: ROUTINE INSPECTION  
Date: 22-MAR-2022

---

### 3.125(a) Repeat

#### Facilities, general.

--The side of a stall containing one adult, female pig has an ~4-5" gash in the sheet metal, resulting in sharp edges at a level where the animal could easily come into contact with it.

--The large, main enclosure, accessible to 21 goats, two llamas and four pigs of unknown sex, has multiple sections of fencing with rusted bailing wire twisted around it, with the sharp ends of the wire directed toward the interior of the pen.

--The sheltered alleyway and pens accessible to the nine zebu cattle at the time of inspection have several areas where rusted bailing wire is twisted around the fencing as well as the large gate at the end of the alleyway. The wires have sharp points directed toward areas where animals can come into contact with them.

Sharp metal edges and wires with points can injure animals. The licensee must ensure that facilities are structurally sound and maintained in good repair to protect the animals from injury and to contain the animals.

TO BE CORRECTED BY APRIL 7, 2022.

### 3.127(d)

#### Facilities, outdoor.

The facility maintains 21 goats, five pigs, two llamas and nine zebu cattle in the outdoor portions of the premises. The perimeter fence enclosing the facility is less than six feet in height all the way around. The fence is inadequate because it

---

Prepared By: TAMILA STOTT  
USDA, APHIS, Animal Care  
Title: VETERINARY MEDICAL  
OFFICER

Date:  
24-MAR-2022

Received by Title: Licensee

Date:  
24-MAR-2022



## Inspection Report

---

cannot serve as a secondary containment system for the animals housed outdoors at the facility, and cannot prevent other animals and unauthorized persons from entering.

The licensee must modify the existing fence or install a different perimeter fence or fences of at least 6 feet in height (for the species inventoried at the time of this inspection), a minimum of three feet from the primary enclosures, and constructed so that the fence(s) protect(s) the animals by restricting entry of outside animals and unauthorized persons from going through it, or under it, or having contact with the animals in the facility.

TO BE CORRECTED BY JUNE 24, 2022.

This inspection and exit interview were conducted with the licensee.

---

**Prepared By:** TAMILA STOTT  
USDA, APHIS, Animal Care  
**Title:** VETERINARY MEDICAL  
OFFICER

**Date:**  
24-MAR-2022

**Received by Title:** Licensee

**Date:**  
24-MAR-2022



### Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
328505	74-C-0957	001	Diane Herrman	22-MAR-2022

Count	Scientific Name	Common Name
000021	<i>Capra hircus</i>	DOMESTIC GOAT
000005	<i>Sus scrofa domestica</i>	DOMESTIC PIG / POTBELLY PIG / MICRO PIG
000004	<i>Rabbits</i>	RABBITS
000009	<i>Bos primigenius indicus</i>	ZEBU
000002	<i>Lama glama</i>	LLAMA
000041	<b>Total</b>	