



## Inspection Report

Utah State University  
V.P. For Research/1450 Old Main Hill  
Logan, UT 84322

Customer ID: 2  
Certificate: 87-R-0002  
Site: 001  
UTAH STATE UNIVERSITY

Type: ROUTINE INSPECTION  
Date: 26-SEP-2016

### 3.125(a)

#### FACILITIES, GENERAL.

At the south farm, a goat was observed to jump up onto the ledge of the concrete foundation and move from pen 4 over to pen 5 and then back to pen 4 again. There was a panel up on the ledge in place to prevent this, however the goat could pass between the vertical supports of the panel. Also, the panel had some free ends of wire that if bent out could become sharp points exposed to any goat that climbs up on the concrete ledge. Lack of proper containment and exposure to sharp points could lead to injury or other adverse events. The facility must ensure that enclosures are structurally sound and maintained in good repair to contain the animals and protect them from injury.

Correct by October 5, 2016.

This inspection and exit interview were conducted with facility representatives on 9/26 thru 9/27/2016.

Prepared By: SCOTT WELCH, D V M USDA, APHIS, Animal Care

Date:  
27-SEP-2016

Title: VETERINARY MEDICAL OFFICER 6046

Received by Title: SENT BY EMAIL

Date:  
27-SEP-2016



## Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
2	87-R-0002	001	UTAH STATE UNIVERSITY	26-SEP-16

Count	Scientific Name	Common Name
000132	<i>Capra hircus</i>	DOMESTIC GOAT
000519	<i>Mesocricetus auratus</i>	SYRIAN HAMSTER (GOLDEN HAMSTER)
000002	<i>Sus scrofa domestica</i>	DOMESTIC PIG / POTBELLY PIG / MICRO PIG
<b>000653</b>	<b>Total</b>	