



Inspection Report

Pelham Bit Cariages, Inc.

567 Plains Road
Wallkill, NY 12589

Customer ID: **6019833**

Certificate: **21-C-0519**

Site: 001

Pelham Bit Cariages, Inc

Type: ROUTINE INSPECTION

Date: 07-JAN-2026

3.125(a)

Facilities, general.

1. One window in the pig enclosure was broken, and broken jagged glass was observed directly above the animals. This could potentially cause injury to the pigs if the glass were to fall into the enclosure. Facilities must be maintained in good repair in order to prevent injury to the animals. The facility must correct this issue.
2. Bailing twine was observed wrapped around the fencing for an enclosure housing sheep, goats and alpacas. This could cause injury to the animals if they were to become entangled in the twine or if the twine was ingested. Facilities must be maintained in good repair in order to prevent injury to the animals. The facility must correct this issue.

*****Correct by January 20, 2026

This inspection and exit interview were conducted with the licensee.

Prepared By: KERI LUPO

USDA, APHIS, Animal Care

Title: VETERINARY MEDICAL
OFFICER

Date:

14-JAN-2026

Received by Title: Licensee

Date:

14-JAN-2026



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
6019833	21-C-0519	001	Pelham Bit Cariages, Inc	07-JAN-2026

Count	Scientific Name	Common Name
000010	<i>Lama pacos</i>	ALPACA
000012	<i>Ovis aries aries</i>	SHEEP INCLUDING ALL DOMESTIC BREEDS
000005	<i>Oryctolagus cuniculus</i>	DOMESTIC RABBIT / EUROPEAN RABBIT
000002	<i>Sus scrofa domestica</i>	DOMESTIC PIG / POTBELLY PIG / MICRO PIG
000008	<i>Capra hircus</i>	DOMESTIC GOAT
000037	Total	