

# United States Department of Agriculture Animal and Plant Health Inspection Service

JBALTRUSH **2016090000755332** Insp. id

## **Inspection Report**

TED KROGH
92 YOUNG STREET
EAST HAMPTON, CT 06424

Customer ID: 2499

Certificate: 16-C-0073

Site: 001

TED KROGH

Type: ROUTINE INSPECTION

Date: 08-DEC-2021

3.125(a) Repeat

#### Facilities, general.

- 1. On the previous inspection (5/6/2021) it was noted that the green vinyl fencing, on the primary fencing, for the goat enclosure was detaching. That exposed jagged edges and gaps. This situation was still present during this inspection. And there was also a section of fence between the two sheep enclosure that was also bowing upwards and had jagged edges present. To ensure that the animals are securely contained, and not injured on this fencing, these areas will need to be addressed.
- 2. During this inspection it was noted that the trailer that is being used for 2 sheep has a wooden floor. However, the wood slats, along the edges, have begun to splinter, crack, and bow upwards. To ensure that the sheep are not injured on these jagged edges and gaps, this flooring needs to be addressed.

\*\*\*To Be Corrected By: December 18, 2021

#### 3.127(c)

## Facilities, outdoor.

During this inspection it was noted that the substrate in the alpaca enclosure was very wet. The entire enclosure, except for the shelter / trailer, was approximately 3" deep of wet mud. These 14 animals have no access to dry areas. To ensure

Prepared By: JAN BALTRUSH

USDA, APHIS, Animal Care

10-DEC-2021

Title: ANIMAL CARE INSPECTOR

Received by Title: Licensee Date:

10-DEC-2021



## United States Department of Agriculture Animal and Plant Health Inspection Service

**JBALTRUSH** 2016090000755332 Insp\_id

## **Inspection Report**

their health an	d protect their	feet from any	v issues.	. the substrate	needs to l	be addressed.

\*\*\*To Be Corrected By: December 15, 2021

3.130 Repeat

### Watering.

During the previous inspection (5/6/2021) it was noted that the water receptacles for the goats and sheep had an accumulation of hay, grain and algae present. At this time, the water receptacles for the sheep and llamas were now noted to be dirty with hay, grain and algae. All water receptacles need to be kept clean and filled with potable water.

This inspection and exit interview were conducted with the licensee.

Prepared By: JAN BALTRUSH Date:

USDA, APHIS, Animal Care 10-DEC-2021 Title: ANIMAL CARE INSPECTOR

Received by Title: Licensee Date:

10-DEC-2021



## United States Department of Agriculture Animal and Plant Health Inspection Service

Customer: 2499

Inspection Date: 08-Dec-2021

# **Species Inspected**

Cust No	Cert No	Site	Site Name	Inspection
2499	16-C-0073	001	TED KROGH	08-DEC-2021

Count 000039 000014	Scientific Name Capra hircus Ovis aries aries	<b>Common Name</b> DOMESTIC GOAT SHEEP INCLUDING ALL		
000002 000009 000010	Lama glama Lama pacos Rabbits	DOMESTIC BREEDS LLAMA ALPACA RABBITS		
000074	Total			