



Inspection Report

Cenco Farms Inc
9225 St Croix Tr S
Hastings, MN 55033

Customer ID: **9232**

Certificate: **41-C-0128**

Site: 001

AFTON APPLE ORCHARD

Type: ROUTINE INSPECTION

Date: 03-OCT-2017

3.125(a)

FACILITIES, GENERAL.

A wooden platform (step) that the goats use to access a wooden bridge within the enclosure has three holes in it. All three holes are large enough where the goats can fall or get their legs stuck and potentially injure themselves. In addition there is a wooden post within the enclosure that is broken near the bottom of it. The licensee stated that one of the sheep broke it near the bottom. The post has jagged edges where any animal that is walking past it or rubbing up against it could potentially injure themselves. The wooden platform and wooden post need to be repaired or replaced so they are structurally sound. All housing facilities shall be maintained in good repair to protect the animals from injury. Correct by 10/10/17.

This inspection and exit interview were conducted with the licensee.

End of report.

Prepared By: WILKEN KEVIN, A C I USDA, APHIS, Animal Care

Date:
03-OCT-2017

Title: ANIMAL CARE INSPECTOR 6099

Received by Title: LICENSEE

Date:
03-OCT-2017



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
9232	41-C-0128	001	AFTON APPLE ORCHARD	03-OCT-17

Count	Scientific Name	Common Name
000017	<i>Capra hircus</i>	DOMESTIC GOAT
000006	<i>Lama glama</i>	LLAMA
000005	<i>Ovis aries aries</i>	SHEEP INCLUDING ALL DOMESTIC BREEDS
000028	Total	