



## Inspection Report

---

DeLavan Lake Animal Park  
5065 State Rd 50  
DELAVAN, WI 53115

Customer ID: 7752  
Certificate: 35-C-0189  
Site: 001  
EXOTIC ENTERPRISES, INC

Type: ROUTINE INSPECTION  
Date: 30-JUN-2021

---

### 2.75(b)(1)

#### Records: Dealers and exhibitors.

There are no records for the acquisition of two guinea pigs currently on exhibit at the facility. The zoo manager indicated the she didn't know where the animals were acquired from and when they were acquired. Additionally, there were no disposition records for two goats, one llama, two calves, and two pigs. Records containing information required in 2.75 (b)(1) are necessary to account for all animals entering and leaving the facility. Assure records of acquisition and disposition for all regulated animals are completed and available for inspection.

To be corrected: 7-15-21

### 3.125(a)

#### Facilities, general.

Several of the animal enclosures and/or their shelters are in disrepair.

-The Siberian lynx enclosure contains an excessively rusted metal fence post. The fence post is adjacent to the shift door and has rusted to the point where it has sharp edges exposed to the animals. The animals could potentially injure themselves on the sharp edges. Repair or replace the post.

To be corrected: 8-1-21

-The raccoon enclosure has a section of one by two inch wire fencing that is no longer attached to the wood. The unattached ends of the wire are sharp and exposed to the animal. The affected section of fence is located directly under

---

Prepared By: CHAD MOORE

USDA, APHIS, Animal Care

Title: ANIMAL CARE INSPECTOR

Date:

02-JUL-2021

Received by Title: President

Date:

02-JUL-2021



## Inspection Report

---

the keeper's lock out door. Sharp points could potentially injure the animal. Repair or replace this section of fence.

To be corrected: 7-15-12

-The second raccoon enclosure contains a den box with excessively chewed, sharp wood at the entrance. The sharp wood is exposed to the animal and could potentially injure it. Repair or replace the affected area of the den box.

To be corrected: 7-15-21

-Inside the Baby Barn, the stall used as night quarters for the two calves has a metal fence wire that has broken and is pointing inward towards the animals. The animals could potentially injure themselves on wire. Repair or replace this section of fence.

To be corrected: 7-8-12

-The African porcupine enclosure contains a section of buried, metal fence that has been dug up by the animals. The fence ends are exposed to the animals and could potentially injure them. The animals have already dug under the buried fence and could potentially escape from the enclosure if they continue to dig. Additionally, the wood shelter has been excessively chewed by the animals. Two large holes are present on two separate sides of the shelter. Assure the animals are housed in enclosures that are structurally sound and maintained in good repair.

To be corrected: 7-8-21

-The capybara's enclosure fence has a gap beneath it. The gap, approximately two feet wide by 5 inches deep, is adjacent to the animal's shelter. The gap could allow unauthorized animals to gain access into the enclosure. Repair or replace this area.

To be corrected: 7-8-21

-In the enclosure containing the 12 goats, 2 sheep, and 2 calves, the roof of the large blue shelter is in disrepair. Three areas of the roof are missing shingles and/or plywood. The goats have access to the roof of the shelter via wood ramps. The animals could potentially injure themselves on these areas of the roof. Repair or replace the affected areas of the

---

**Prepared By:** CHAD MOORE

USDA, APHIS, Animal Care

**Title:** ANIMAL CARE INSPECTOR

**Date:**

02-JUL-2021

**Received by Title:** President

**Date:**

02-JUL-2021



## Inspection Report

---

roof.

To be corrected: 7-8-21

-In the wolves' lock out building, the wood dividing wall is partially unattached to the wood posts. The gap between the wall and the post was approximately four inches wide. This section of wall could potentially injure the animals if it becomes completely unattached and falls on the animals. Assure the animals' shelter is structurally sound and maintained in good repair.

To be corrected: 8-1-21

### 3.127(d)

#### Facilities, outdoor.

A raccoon is housed in an enclosure without a complete perimeter fence. The animal was moved into the enclosure since the last inspection. The raccoon enclosure is located outside of the perimeter fence and adjacent to the entrance gate. The facility's perimeter fence runs along the back of the enclosure but does not surround it on the other sides. The lack of a perimeter fence may allow unauthorized animals to gain access to the raccoon and/or its enclosure. Assure the raccoon is housed in an enclosure that is surrounded by a perimeter fence. The perimeter fence must be six feet tall and the enclosure must be located at least three feet away from the fence.

To be corrected: 7-22-21

The perimeter fence, adjacent to this raccoon's enclosure, is in disrepair. The perimeter fence is approximately eight feet tall and comprised of woven wire. The damaged section of fence has bent downward and is approximately four feet tall. Damaged perimeter fences may allow unauthorized animals to gain access into the perimeter. Repair or replace this section of fence and assure it is maintained in good repair.

To be corrected: 8-1-21

---

Prepared By: CHAD MOORE

USDA, APHIS, Animal Care

Title: ANIMAL CARE INSPECTOR

Date:

02-JUL-2021

Received by Title: President

Date:

02-JUL-2021



## Inspection Report

---

There is a gap, approximately six-inches wide, between the perimeter fence and the access gate. This gate is located between the woodchuck and raccoon enclosures. The gap may allow unauthorized animals to enter the perimeter.

Repair or replace the gate to eliminate the gap and assure the perimeter fence is maintained in good repair.

To be corrected: 8-14-21

This inspection and exit interview were conducted with zoo manager. An additional exit interview was conducted with the president.

Additional Inspectors:

SCOTT WELCH, VETERINARY MEDICAL OFFICER

---

**Prepared By:** CHAD MOORE  
USDA, APHIS, Animal Care  
**Title:** ANIMAL CARE INSPECTOR

**Date:**  
02-JUL-2021

**Received by Title:** President

**Date:**  
02-JUL-2021



### Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
7752	35-C-0189	001	EXOTIC ENTERPRISES, INC	30-JUN-2021

Count	Scientific Name	Common Name
000002	<i>Marmota monax</i>	GROUNDHOG / WOODCHUCK
000002	<i>Canis lupus</i>	GRAY WOLF / GREY WOLF / TIMBER WOLF
000002	<i>Bos taurus</i>	CATTLE / COW / OX / WATUSI
000001	<i>Chinchilla lanigera</i>	CHINCHILLA
000001	<i>Sapajus appella</i>	BROWN CAPUCHIN / TUFTED CAPUCHIN
000004	<i>Vulpes vulpes</i>	RED FOX (INCLUDES SILVER FOX & CROSS FOX)
000002	<i>Lynx lynx</i>	NORTHERN/EURASIAN LYNX
000003	<i>Procyon lotor</i>	RACCOON
000002	<i>Atelerix albiventris</i>	FOUR-TOED HEDGEHOG
000002	<i>Cavia porcellus</i>	DOMESTIC GUINEA PIG
000002	<i>Lynx rufus</i>	BOBCAT
000001	<i>Nasua narica</i>	WHITE-NOSED COATI
000004	<i>Odocoileus virginianus</i>	WHITE-TAILED DEER
000002	<i>Bos primigenius indicus</i>	ZEBU
000003	<i>Mustela putorius furo</i>	DOMESTIC FERRET
000012	<i>Capra hircus</i>	DOMESTIC GOAT
000001	<i>Lemur catta</i>	RING-TAILED LEMUR
000002	<i>Sus scrofa domestica</i>	DOMESTIC PIG / POTBELLY PIG / MICRO PIG
000003	<i>Oryctolagus cuniculus</i>	DOMESTIC RABBIT / EUROPEAN RABBIT
000003	<i>Mephitis mephitis</i>	STRIPED SKUNK
000001	<i>Notamacropus rufogriseus</i>	BENNETT'S WALLABY / RED- NECKED WALLABY
000002	<i>Ovis aries aries</i>	SHEEP INCLUDING ALL DOMESTIC BREEDS
000002	<i>Dolichotis patagonum</i>	PATAGONIAN CAVY / MARA
000001	<i>Lama glama</i>	LLAMA
000002	<i>Hystrix cristata</i>	AFRICAN CRESTED PORCUPINE
000001	<i>Hydrochaeris hydrochaeris</i>	CAPYBARA
000063	<b>Total</b>	



**Species Inspected**

Cust No	Cert No	Site	Site Name	Inspection
7752	35-C-0189	001	EXOTIC ENTERPRISES, INC	30-JUN-2021