



## Inspection Report

Myron D Martin  
645 Swamp Church Rd  
Reinholds, PA 17569

Customer ID: **325678**  
Certificate: **23-A-0544**  
Site: 001  
MYRON MARTIN

Type: ROUTINE INSPECTION  
Date: 27-OCT-2015

### 3.31(a)(4)

#### SANITATION.

Licensee is using Clorox to disinfect guinea pig enclosures, but is not using a detergent solution first to remove organic material and residue. Lack of an effective sanitation program exposes the animals to potential disease hazards such as bacterial, fungal, and viral diseases. Primary enclosures must be sanitized at least once every 2 weeks or as necessary with proper agents to sufficiently clean and disinfect all surfaces that the guinea pigs may come in contact. Licensee must follow one of the three methods described in section 3.31(a)(4) to ensure that enclosures are adequately sanitized to minimize the risks of disease to the animals housed therein. Correct by ensuring a sanitation program is put into effect. Correct by October 31, 2015.

An exit briefing was conducted with owner.

Prepared By: ROBERT MARKMANN, A C I USDA, APHIS, Animal Care

Date:  
27-OCT-2015

Title: ANIMAL CARE INSPECTOR 1009

Received by Title: OWNER

Date:  
27-OCT-2015



## Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
325678	23-A-0544	001	MYRON MARTIN	27-OCT-15

Count	Scientific Name	Common Name
001035	<i>Cavia porcellus</i>	DOMESTIC GUINEA PIG
<b>001035</b>	<b>Total</b>	