

United States Department of Agriculture Animal and Plant Health Inspection Service

193141356320412 Insp_id

Inspection Report

The Factory Inc Customer ID:

221 East 8th St Certificate: **63-C-0220**

Cookeville, TN 38501 Site: 001

HIDDEN HOLLOW PARK

41465

Type: ROUTINE INSPECTION

Date: 12-JUL-2014

2.75(b)(1)

RECORDS: DEALERS AND EXHIBITORS.

The acquisition records are not current or complete.

*Form 7019 Record of Animals on Hand states that there are 10 young and 10 adult rabbits. During the inspection today, 22 rabbits were counted. In addition, no dates of acquisition/birth are recorded.

*There is no acquisition information recorded or known for a pot belly pig currently on exhibit that was donated to the facility last fall.

Complete and accurate records must be kept in order to ensure that each animal's identity can be known with certainty and to facilitate tracking/tracing of animals.

Correct by Aug. 1, 2014.

3.56(a)(2)

SANITATION.

The rabbit enclosure, housing 22 rabbits, has a solid floor with straw litter. There is a large accumulation of rabbit fecal pellets mixed within the straw throughout the entire enclosure. The facility representative stated that the litter is due for changing as they do it about once a month. Soiled litter can lead to odors, attract pests, spread disease and lead to contamination of haircoat/feet of the rabbits. Soiled litter shall be removed and replaced with clean litter at least once a week.

Correct by July 15, 2014.

3.125(a) REPEAT

FACILITIES, GENERAL.

The enclosure housing one pot belly pig needs repairs.

*There is a piece of rebar material present along the ground across the width of the area the pig inhabits with metal prongs about 1/2 in circumference protruding 4 to 8 inches into the air. The pig may injure itself crossing this piece of material while walking down the length of the enclosure.

* There is an opening under the fenceline where erosion has occurred and the fence is not secured at ground level.

Prepared By: SUSANNE BRUNKHORST, D V M USDA, APHIS, Animal Care Date: 12-JUL-2014

Title: VETERINARY MEDICAL OFFICER 1076

Received by Title: FACILITY REPRESENTATIVE Date: 12-JUL-2014



United States Department of Agriculture Animal and Plant Health Inspection Service

193141356320412 Insp_id

Inspection Report

The opening is about 4-6 inches high and extends about 18 to 24 inches. Unwanted animals may enter the enclosure causing harm or stress to the pig.

*There is an area of rocks that have cascaded down the hill into the bottom portion of the enclosure where the retaining wall has not held its place. Further erosion can occur leading to possible injury.

Outdoor housing facilities shall be structurally sound and shall be maintained in good repair to protect the animals from injury, to contain the animals and to prevent unwanted animals from entering.

Exit conducted with undersigned facility representative.

Prepared By: SUSANNE BRUNKHORST, D V M USDA, APHIS, Animal Care Date:

Title: VETERINARY MEDICAL OFFICER 1076

Received by Title: FACILITY REPRESENTATIVE Date: 12-JUL-2014

Page 2 of 2

12-JUL-2014



000001

000023

Sus scrofa domestica

Total

United States Department of Agriculture Animal and Plant Health Inspection Service

Customer: 41465 Inspection Date: 12-JUL-14

DOMESTIC PIG / POTBELLY PIG / MICRO PIG

Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
41465	63-C-0220	001	HIDDEN HOLLOW PARK	12-JUL-14
Count	Scientific Name		Common Name	
000022	Oryctolagus cunicu	ulus	EUROPEAN RABBIT	