



## Inspection Report

Shawn Zielke  
2613 Woods Road  
Ionia, MI 48846

Customer ID: **326848**  
Certificate: **34-B-0229**  
Site: 001  
SHAWN ZIELKE

Type: ROUTINE INSPECTION  
Date: 05-OCT-2016

---

### 3.50(a) REPEAT

#### FACILITIES, GENERAL.

There are around 10 rabbit cages that have areas in the bottom that are rusted through causing holes and sharp points. Some of the holes are large enough for the rabbit to get out.

Housing facilities shall be maintained in good repair to contain the animals, to prevent entrance by other animals and protect the animals from injury.

Repair the rabbit enclosures to prevent injury and prevent predators from gaining entrance.

This inspection was conducted with the licensees father. The exit was conducted with the licensee.

---

Prepared By: CARRIE BONGARD, A C I USDA, APHIS, Animal Care

Date:  
07-OCT-2016

Title: ANIMAL CARE INSPECTOR 1053

Received by Title: LICENSEE

Date:  
07-OCT-2016



## Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
326848	34-B-0229	001	SHAWN ZIELKE	05-OCT-16

Count	Scientific Name	Common Name
000063	<i>Meriones unguiculatus</i>	MONGOLIAN GERBIL (COMMON PET / RESEARCH VARIETY)
000304	<i>Mesocricetus auratus</i>	SYRIAN / GOLDEN HAMSTER (COMMON PET/RESEARCH TYPE)
000137	<i>Oryctolagus cuniculus</i>	DOMESTIC RABBIT / EUROPEAN RABBIT
<b>000504</b>	<b>Total</b>	